Xcode Text Macro Cheat Sheet

This is a sample. See this page to make your own cheat sheet: http://github.com/liyanage/xcode-text-macros/

| Name | Completion Prefix | Shortcut | Cycle List |
|-----------------------------------|--------------------------|----------|--|
| #If Block | pif | | #If Block #If 0 Block #Ifdef Block #If / Else Block #Ifdef / Else Block |
| #Import Statement | pim | | #Import Statement #Import Statement (System) #Import Statement (Framework) |
| #Include Statement | pin | | #Include Statement #Include Statement (System) |
| #Pragma Mark | pm | | |
| @implementation Definition | @implementation | | |
| @interface Definition | @interface | | |
| @property Declaration - assign | @pra | | |
| @property Declaration - copy | @prc | | |
| @property Declaration - retain | @pr | ^P | @property Declaration - retain@property Declaration - assign@property Declaration - copy |
| @protocol Definition | @protocol | | |
| @synthesize Property | @syn | ^\$ | @synthesize Property @synthesize Property, assign ivar |
| @synthesize Property, assign ivar | @syni | | |
| Alloc / Init Call | a | | |
| Array Declaration | aa | | |
| Array For Loop | fora | | |
| Array Foreach Loop | fore | | |
| bind: Declaration | bind | | |
| bind: Definition | bind | | |
| Block Literal | bl | ^] | Block Literal Block Literal - With Arguments Block Literal - Comparator |
| Block Literal - Comparator | blc | | |
| Block Literal - With Arguments | bla | | |
| Bracket Expression | |]^ | |
| Case Block | case | | |
| Catch Block | @catch | | |
| Comment Selection | comment | | |
| Copyright Comment | copyright | | |
| dealloc Definition | dealloc | | |

| dispatch_async() to Global Queue | dia | ^D | dispatch_async() to Global Queue dispatch_async() to Main Queue dispatch_sync() to Main Queue |
|--|----------|----|--|
| dispatch_async() to Main Queue | diam | | |
| dispatch_sync() to Main Queue | dis | | |
| Do While Loop | do | | |
| Else Block | else | | Else Block Else If Block |
| Enum Definition | enum | | |
| Finally Block | @finally | | |
| For Loop | for | | For Loop For i Loop |
| If Block | if | | If Block If / Else Block |
| If Block Single Statement | if1 | ^1 | If Block Single Statement If Block If / Else Block |
| init Definition | init | | |
| Mark !!! | fix2 | | |
| Mark FIXME | fix | | |
| Mark TODO | todo | | |
| Method Declaration - Generic Method | meg | | |
| Method Declaration - IBAction | mei | | |
| Method Declaration - NSString Return Value | mes | | |
| Method Declaration - Return Value no Parameters | me | ^H | Method Declaration - Return Value no Parameters Method Declaration - void no Parameters Method Declaration - IBAction Method Declaration - Generic Method Method Declaration - NSString Return Value |
| Method Declaration - void no Parameters | mev | | |
| Method Definition - Generic Method | meg | | |
| Method Definition - IBAction | mei | | |
| Method Definition - NSString Return Value | mes | | |
| Method Definition - Return Value no Parameters | me | ^M | Method Definition - Return Value no Parameters Method Definition - void no Parameters Method Definition - IBAction Method Definition - Generic Method Method Definition - NSString Return Value |

| Method Definition - void no Parameters | mev | | |
|--|------------------------|----|---|
| Method Parameter | para | ^R | |
| Mutable Array Declaration | ma | | |
| NSLog() Call | log | | |
| NSLog() Call | log | ^L | NSLog() Call NSLog() Call 1 Argument |
| NSLog() Call 1 Argument | log1 | | |
| NSString With Format | sf | ^F | |
| observeValueForKeyPath: Declaration | observeValueForKeyPath | | |
| observeValueForKeyPath: Definition | observeValueForKeyPath | | |
| Parenthesize Selection | | | |
| Printf() Call | printf | | |
| Quote Selection | | | |
| Release and nil ivar | rel | | |
| Separator Comment | cseparator | | |
| String Literal | | ^\ | |
| Struct Definition | struct | | |
| Switch Block | switch | | |
| Try / Catch Block | @try | | |
| Type Definition | typedef | | |
| Union Definition | union | | |
| While Loop | while | | |