Dingbats

Range: 2700-27BF

This file contains an excerpt from the character code tables and list of character names for the Unicode Standard, last updated for *The Unicode Standard, Version 4.0.*

This file may be updated as necessary to reflect errata without notice. For an up-to-date list of errata, see http://www.unicode.org/errata/

Disclaimer

These charts are provided as the on-line reference to the character contents of the Unicode Standard, Version 4.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this excerpt file, please consult the appropriate sections of The Unicode Standard, Version 4.0 (ISBN 0-321-18578-1), as well as Unicode Standard Annexes #9, #11, #14, #15, #24 and #29, the other Unicode Technical Reports and the Unicode Character Database, which are available on-line.

See http://www.unicode.org/Public/UNIDATA/UCD.html and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use


You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you are welcome to provide links to these charts.

The fonts and font data used in production of these Code Charts may NOT be extracted or otherwise used in any commercial product without permission or license granted by the typeface owner(s).

The information in this file may be updated from time to time. The Unicode Consortium is not liable for errors or omissions in this excerpt file or the standard itself. Information on characters added to the Unicode Standard since the publication of Version 4.0 as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2003 Unicode, Inc. All rights reserved.



ITC Zapf dingbats series 100				BLACK FOUR POINTED STAR
Miscellaneous		2727 2728		WHITE FOUR POINTED STAR
2701 ← UPPER BLADE SCISSORS				<reserved></reserved>
2702 ★ BLACI		0700	٨	→ 2605 ★ black star
	R BLADE SCISSORS	2729	$\stackrel{\wedge}{\sim}$	STRESS OUTLINED WHITE STAR → 2606 ☆ white star
2704 ₩ WHITI		272A	^	
2705 S <reserv< td=""><td></td><td></td><td></td><td>CIRCLED WHITE STAR</td></reserv<>				CIRCLED WHITE STAR
	☎ black telephone	272C		OPEN CENTRE BLACK STAR
	HONE LOCATION SIGN	272D		BLACK CENTRE WHITE STAR OUTLINED BLACK STAR
2707 & TAPE		272E		HEAVY OUTLINED BLACK STAR
2708 → AIRPL		272F		PINWHEEL STAR
2709 ⊠ ENVE		2730		SHADOWED WHITE STAR
270A Serv		2730		HEAVY ASTERISK
	 black right pointing index 	2/31	T	→ 002A * asterisk
270B Serv		2732	بإد	OPEN CENTRE ASTERISK
	white right pointing index	2733		EIGHT SPOKED ASTERISK
	RY HAND	2734		EIGHT POINTED BLACK STAR
	NG HAND	2735		EIGHT POINTED PINWHEEL STAR
	R RIGHT PENCIL	2736	*	
270F ➡ PENCI		2100	Τ.	= sextile
	RIGHT PENCIL	2737	*	EIGHT POINTED RECTILINEAR
2711 ⇔ WHITI		2101	^	BLACK STAR
2712 •◆ BLACI		2738	*	HEAVY EIGHT POINTED
2713 ✓ CHECI				RECTILINEAR BLACK STAR
	square root	2739	*	TWELVE POINTED BLACK STAR
	Y CHECK MARK	273A	*	SIXTEEN POINTED ASTERISK
2715 × MULT	IPLICATION X			= starburst
→ 00D7	× multiplication sign	273B		TEARDROP-SPOKED ASTERISK
→ 2573	box drawings light diagonal cross	273C	*	
2716 * HEAV	Y MULTIPLICATION X			ASTERISK
2717 X BALLO	OT X	273D	*	HEAVY TEARDROP-SPOKED
	X saltire	0725	•0•	ASTERISK
2718 X HEAV	Y BALLOT X	273E	*	SIX PETALLED BLACK AND WHITE FLORETTE
Crosses		273F	*	BLACK FLORETTE
2719 🖶 OUTLI	NED GREEK CROSS	2740	\Re	WHITE FLORETTE
	Y GREEK CROSS	2741		
	CENTRE CROSS			FLORETTE
271C ↔ HEAV	Y OPEN CENTRE CROSS	2742	0	CIRCLED OPEN CENTRE EIGHT POINTED STAR
271D † LATIN	CROSS	2743	*	HEAVY TEARDROP-SPOKED
	OWED WHITE LATIN CROSS	2140	·/C	PINWHEEL ASTERISK
271F † OUTL	NED LATIN CROSS	2744	*	SNOWFLAKE
	ESE CROSS	2745	*	TIGHT TRIFOLIATE SNOWFLAKE
	ically, the Maltese cross took many	2746	*	HEAVY CHEVRON SNOWFLAKE
forms	the shape shown in the Zapf ats is similar to one known as the	2747	*	SPARKLE
	Formée.	2748	*	HEAVY SPARKLE
		2749	*	BALLOON-SPOKED ASTERISK
Stars, asterisks and snowflakes				= jack
2721	OF DAVID	274A	*	EIGHT TEARDROP-SPOKED
2722 + FOUR	TEARDROP-SPOKED ASTERISK			PROPELLER ASTERISK
	BALLOON-SPOKED ASTERISK	274B	*	HEAVY EIGHT TEARDROP-SPOKED
	Y FOUR BALLOON-SPOKED			PROPELLER ASTERISK
ASTER				= turbofan
2725 FOUR	CLUB-SPOKED ASTERISK			

Miscellaneous			2767	28 .	ROTATED FLORAL HEART BULLET
274C S <reserved></reserved>				= hedera, ivy leaf → 2619 • reversed rotated floral heart bullet	
		→ 25CF • black circle			
274D	_	SHADOWED WHITE CIRCLE	Orna	am	ental brackets
274E		<reserved> → 25A0 ■ black square</reserved>	2768	(MEDIUM LEFT PARENTHESIS ORNAMENT
274F		LOWER RIGHT DROP-SHADOWED			→ 0028 (left parenthesis
2750		WHITE SQUARE UPPER RIGHT DROP-SHADOWED WHITE SQUARE	2769)	MEDIUM RIGHT PARENTHESIS ORNAMENT → 0029) right parenthesis
2751		LOWER RIGHT SHADOWED WHITE SQUARE	276A	(MEDIUM FLATTENED LEFT PARENTHESIS ORNAMENT
2752		UPPER RIGHT SHADOWED WHITE SQUARE	276B)	MEDIUM FLATTENED RIGHT
2753		<reserved></reserved>	276C	(PARENTHESIS ORNAMENT MEDIUM LEFT-POINTING ANGLE
2754		→ 25B2 ▲ black up-pointing triangle <reserved></reserved>			BRACKET ORNAMENT → 2329 〈 left-pointing angle bracket
2755		→ 25BC ▼ black down-pointing triangle <reserved></reserved>	276D)	MEDIUM RIGHT-POINTING ANGLE BRACKET ORNAMENT
	979	→ 25C6 ♦ black diamond			→ 232A > right-pointing angle bracket
2756	*	BLACK DIAMOND MINUS WHITE X	276E	<	HEAVY LEFT-POINTING ANGLE
2757		<reserved> → 25D7 ▶ right half black circle</reserved>			QUOTATION MARK ORNAMENT → 2039 < single left-pointing angle quotation
2758	ı	LIGHT VERTICAL BAR			mark
2,00	•	→ 007C vertical line	276F	>	HEAVY RIGHT-POINTING ANGLE
2759	ı	MEDIUM VERTICAL BAR			QUOTATION MARK ORNAMENT
275A		HEAVY VERTICAL BAR			→ 203A > single right-pointing angle quotation mark
Pun	ctu	ation ornaments	2770	•	HEAVY LEFT-POINTING ANGLE
275B	6	HEAVY SINGLE TURNED COMMA			BRACKET ORNAMENT
		QUOTATION MARK ORNAMENT → 2018 'left single quotation mark	2771	}	HEAVY RIGHT-POINTING ANGLE BRACKET ORNAMENT
275C	9	HEAVY SINGLE COMMA QUOTATION	2772	(LIGHT LEFT TORTOISE SHELL BRACKET ORNAMENT
		MARK ORNAMENT → 2019 'right single quotation mark			→ 3014 [left tortoise shell bracket
275D	66	HEAVY DOUBLE TURNED COMMA	2773)	LIGHT RIGHT TORTOISE SHELL BRACKET ORNAMENT
		QUOTATION MARK ORNAMENT → 201C " left double quotation mark	0774		→ 3015] right tortoise shell bracket
275E	99	HEAVY DOUBLE COMMA QUOTATION MARK ORNAMENT	2774	{	MEDIUM LEFT CURLY BRACKET ORNAMENT
		→ 201D " right double quotation mark			→ 007B { left curly bracket
275F		<reserved></reserved>	2775	}	MEDIUM RIGHT CURLY BRACKET ORNAMENT
2760		<reserved></reserved>			→ 007D } right curly bracket
2761	T	CURVED STEM PARAGRAPH SIGN ORNAMENT	Ding	Dingbat circled digits	
	_	→ 00B6 ¶ pilcrow sign	2776	0	DINGBAT NEGATIVE CIRCLED DIGIT
2762	•	HEAVY EXCLAMATION MARK ORNAMENT	2777		ONE DINGBAT NEGATIVE CIRCLED DIGIT
0700		→ 0021! exclamation mark	2111	Ü	TWO
		HEAVY HEART EXCLAMATION MARK ORNAMENT	2778	8	DINGBAT NEGATIVE CIRCLED DIGIT THREE
2764	•	HEAVY BLACK HEART → 2665 ♥ black heart suit	2779	4	DINGBAT NEGATIVE CIRCLED DIGIT FOUR
2765	>	ROTATED HEAVY BLACK HEART BULLET	277A	6	DINGBAT NEGATIVE CIRCLED DIGIT FIVE
2766	¥	FLORAL HEART = Aldus leaf	277B	6	DINGBAT NEGATIVE CIRCLED DIGIT
		Andus Icai			SIX

277C	0	DINGBAT NEGATIVE CIRCLED DIGIT	2799		HEAVY RIGHTWARDS ARROW
277D	8	SEVEN DINGBAT NEGATIVE CIRCLED DIGIT	279A 279B		HEAVY NORTH EAST ARROW DRAFTING POINT RIGHTWARDS
		EIGHT	2130		ARROW
277E	9	DINGBAT NEGATIVE CIRCLED DIGIT NINE	279C	→	HEAVY ROUND-TIPPED RIGHTWARDS ARROW
277F	•	DINGBAT NEGATIVE CIRCLED NUMBER TEN	279D	\rightarrow	TRIANGLE-HEADED RIGHTWARDS ARROW
2780	1	DINGBAT CIRCLED SANS-SERIF DIGIT ONE	279E	\rightarrow	HEAVY TRIANGLE-HEADED RIGHTWARDS ARROW
2781	2	DINGBAT CIRCLED SANS-SERIF DIGIT TWO	279F		DASHED TRIANGLE-HEADED RIGHTWARDS ARROW
2782	3	DINGBAT CIRCLED SANS-SERIF DIGIT THREE	27A0	···•	HEAVY DASHED TRIANGLE-HEADED RIGHTWARDS ARROW
2783	4	DINGBAT CIRCLED SANS-SERIF DIGIT	27A1	→	BLACK RIGHTWARDS ARROW
2784	(5)	FOUR DINGBAT CIRCLED SANS-SERIF DIGIT	27A2	\triangleright	THREE-D TOP-LIGHTED RIGHTWARDS ARROWHEAD
2785	6	FIVE DINGBAT CIRCLED SANS-SERIF DIGIT	27A3	>	THREE-D BOTTOM-LIGHTED RIGHTWARDS ARROWHEAD
		SIX	27A4		BLACK RIGHTWARDS ARROWHEAD
2786	7	DINGBAT CIRCLED SANS-SERIF DIGIT	27A5		HEAVY BLACK CURVED
2787	(8)	SEVEN DINGBAT CIRCLED SANS-SERIF DIGIT			DOWNWARDS AND RIGHTWARDS ARROW
	•	EIGHT	27A6	~	HEAVY BLACK CURVED UPWARDS
2788	9	DINGBAT CIRCLED SANS-SERIF DIGIT NINE		_	AND RIGHTWARDS ARROW
2789	(10)	DINGBAT CIRCLED SANS-SERIF	27A7	•	SQUAT BLACK RIGHTWARDS ARROW
2100		NUMBER TEN	27A8	•	HEAVY CONCAVE-POINTED BLACK RIGHTWARDS ARROW
278A	0	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT ONE	27A9	<>	RIGHT-SHADED WHITE RIGHTWARDS ARROW
278B	0	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT TWO	27AA	ಧ>	LEFT-SHADED WHITE RIGHTWARDS ARROW
278C	8	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT THREE	27AB	<i>⇒</i>	BACK-TILTED SHADOWED WHITE RIGHTWARDS ARROW
278D	4	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT FOUR	27AC	•	FRONT-TILTED SHADOWED WHITE RIGHTWARDS ARROW
278E	0	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT FIVE	27AD	⇨	HEAVY LOWER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
278F	0	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT SIX	27AE	\Box	HEAVY UPPER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
2790	0	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT SEVEN	27AF	\Rightarrow	NOTCHED LOWER RIGHT-
2791	8	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT EIGHT		_	SHADOWED WHITE RIGHTWARDS ARROW
2792	9	DINGBAT NEGATIVE CIRCLED SANS- SERIF DIGIT NINE	27B0 27B1		<pre><reserved> NOTCHED UPPER RIGHT-SHADOWED</reserved></pre>
2793	0	DINGBAT NEGATIVE CIRCLED SANS- SERIF NUMBER TEN	27B2	C	WHITE RIGHTWARDS ARROW CIRCLED HEAVY WHITE
Dingbat arrows		27B3	>>	RIGHTWARDS ARROW WHITE-FEATHERED RIGHTWARDS	
2794 → HEAVY WIDE-HEADED RIGHTWARDS				ARROW	
2795	_	ARROW <reserved></reserved>	27B4	*	BLACK-FEATHERED SOUTH EAST ARROW
		\rightarrow 2192 \rightarrow rightwards arrow	27B5	> →	BLACK-FEATHERED RIGHTWARDS ARROW
2796		<reserved> → 2194 ↔ left right arrow</reserved>	27B6	17	BLACK-FEATHERED NORTH EAST ARROW
2797		<reserved> → 2195 ↑ up down arrow</reserved>	27B7	♣ ⁄	HEAVY BLACK-FEATHERED SOUTH EAST ARROW
2798	*	HEAVY SOUTH EAST ARROW			LAGI MAKO W

- 27B8 → HEAVY BLACK-FEATHERED RIGHTWARDS ARROW
- 27BA → TEARDROP-BARBED RIGHTWARDS ARROW
- 27BB → HEAVY TEARDROP-SHANKED RIGHTWARDS ARROW
- 27BC ➤ WEDGE-TAILED RIGHTWARDS ARROW
- 27BD → HEAVY WEDGE-TAILED RIGHTWARDS ARROW
- 27BE \Rightarrow OPEN-OUTLINED RIGHTWARDS ARROW