C1 Controls and Latin-1 Supplement

Range: 0080-00FF

This file contains an excerpt from the character code tables and list of character names for the Unicode Standard, last updated for

The Unicode Standard, Version 4.0.

This file may be updated as necessary to reflect errata without notice. For an up-to-date list of errata, see http://www.unicode.org/errata/

Disclaimer

These charts are provided as the on-line reference to the character contents of the Unicode Standard, Version 4.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this excerpt file, please consult the appropriate sections of The Unicode Standard, Version 4.0 (ISBN 0-321-18578-1), as well as Unicode Standard Annexes #9, #11, #14, #15, #24 and #29, the other Unicode Technical Reports and the Unicode Character Database, which are available on-line.

See http://www.unicode.org/Public/UNIDATA/UCD.html and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you are welcome to provide links to these charts.

The fonts and font data used in production of these Code Charts may NOT be extracted or otherwise used in any commercial product without permission or license granted by the typeface owner(s).

The information in this file may be updated from time to time. The Unicode Consortium is not liable for errors or omissions in this excerpt file or the standard itself. Information on characters added to the Unicode Standard since the publication of Version 4.0 as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2003 Unicode, Inc. All rights reserved.

	008	009	00A	00B	00C	00D	00E	00F
0	[XXX]	DCS 0090	NB SP 00A0	O 00B0	À	\mathbf{b}_{0000}	à 00E0	ð 00F0
1	[XXX]	PU1 0091	00A1	<u>+</u>	Á	Ñ 00D1	á	ñ
2	BPH 0082	[PU2]	¢	2 00B2	Â	Ò	â	ò
3	NBH 0083	[STS]	£	3 00B3	Ã	Ó	ã	Ó
4	[IND]	[CCH]	Ö	0084	Ä	Ô	ä 00E4	ô
5	NEL 0085	[MW]	¥ 00A5	<u></u> Д	Å	Õ	å	Õ
6	SSA	SPA	00A5 	¶	Æ 0006	Ö	æ	Ö 00F6
7	0086 [ESA]	0096 [EPA] 0097	§	0086	C	00D0 X 00D7	C 00E7	•
8	HTS	5097 [SOS]	• • • 00A8	00B7 5 00B8	È 0008	Ø 00D7	è	00F7 Ø
9	0088 [HTJ]	[xxx]	©	1	É	Ù	6 00E8	ù
Α	0089 [VTS]	0099 [SCI]	00A9 <u>a</u>	00B9 <u>O</u>	$\hat{\mathbf{E}}$	00D9	ê	ú
В	008A	009A [CSI]	00AA ≪	00BA	Ë	Û	e e	û
С	008B	009B	00AB	1/ ₄) I	Ü	00EB	ü
D	008C	009C	00AC SHY	1/2	Í	Ý	00EC 1	00FC \acute{y}
E	008D	009D	®	00BD 3/4		Þ	00ED 1	b
F	008E	009E	00AE	00BE	00CE	B	00EE	ÿ
	008F	009F	00AF	00BF	00CF	00DF	00EF	00FF

C1 controls	009D osc	<control></control>
Alias names are those for ISO/IEC 6429:1992. 0080 xxx <control></control>	009E [PM]	= OPERATING SYSTEM COMMAND <control></control>
0081 (control)		= PRIVACY MESSAGE
0082 SPH <control></control>	009F [APC]	<control></control>
= BREAK PERMITTED HERE		= APPLICATION PROGRAM COMMAND
0083 NBH <control> = NO BREAK HERE</control>	Latin-1	punctuation and symbols
0084 [ND] <control></control>	Based on	ISO/IEC 8859-1 (aka Latin-1) from here.
0085 NEL <control> = NEXT LINE (NEL)</control>	00A0 [NB]	NO-BREAK SPACE = NBSP
0086 SA <control> = START OF SELECTED AREA</control>		→ 0020 sp space → 2007 sp figure space
0087 ESA <control></control>		→ 202F narrow no-break space
= END OF SELECTED AREA		→ 2060 wy word joiner
0088 HTS <control></control>		→ FEFF zero width no-break space
= CHARACTER TABULATION SET		\approx <nobreak> 0020 [sp]</nobreak>
0089 HTJ <control></control>	00A1 ;	INVERTED EXCLAMATION MARK
= CHARACTER TABULATION WITH		• Spanish, Asturian, Galician
JUSTIFICATION	0040	→ 0021! exclamation mark
008A vs <control> = LINE TABULATION SET</control>		CENT SIGN
	00A3 £	POUND SIGN
008B Pol <control> = PARTIAL LINE FORWARD</control>		 pound sterling, Irish punt, Italian lira, Turkish lira, etc.
008C [etc] <control></control>		→ 20A4 £ lira sign
= PARTIAL LINE BACKWARD	00A4 ¤	CURRENCY SIGN
008D (a) <control></control>		= Filzlaus, Ricardi-Sonne (German names)
= REVERSE LINE FEED		• other currency symbol characters: 20A0 € –20AF D _o
008E ssz <control> = SINGLE SHIFT TWO</control>		\rightarrow 0024 \$ dollar sign
008F sss <control></control>	00A5 ¥	YEN SIGN
= SINGLE SHIFT THREE		= yuan sign
0090 pcs <control></control>		• glyph may have one or two crossbars
= DEVICE CONTROL STRING	00A6	BROKEN BAR
0091 Pul <control></control>		= BROKEN VERTICAL BAR = parted rule (in typography)
= PRIVATE USE ONE	00A7 §	SECTION SIGN
0092 control = PRIVATE USE TWO	307.11	• paragraph sign in some European usage
0093 sts <control></control>	8A00	DIAERESIS
= SET TRANSMIT STATE		• this is a spacing character
0094 cch <control></control>		→ 0308 ; combining diaeresis
= CANCEL CHARACTER	0040	≈ 0020 sp 0308 ° COPYRIGHT SIGN
0095 WW <control></control>	00A9 ©	→ 2117 ® sound recording copyright
= MESSAGE WAITING	00AA <u>a</u>	FEMININE ORDINAL INDICATOR
0096 SA <control> = START OF GUARDED AREA</control>	00/11/	• Spanish
0097 FPA <control></control>		\approx <super> 0061 a</super>
= END OF GUARDED AREA	00AB «	LEFT-POINTING DOUBLE ANGLE
0098 sos <control></control>		QUOTATION MARK = LEFT POINTING GUILLEMET
= START OF STRING		= chevrons (in typography)
0099 xxx <control></control>		• usually opening, sometimes closing
009A sci <control></control>		→ 226A « much less-than
= SINGLE CHARACTER INTRODUCER 009B control >		\rightarrow 300A $$ left double angle bracket
009B	00AC ¬	NOT SIGN
009C st <control></control>		= angled dash (in typography) → 2310 — reversed not sign
= STRING TERMINATOR		2010 i Teverseu not sign

 $\frac{7}{8}$

00AD	SHY	SOFT HYPHEN	00B8	5	CEDILLA
		= SHY			• this is a spacing character
		= discretionary hyphen			 other spacing accent characters:
		→ 1806 · mongolian todo soft hyphen			02D8 ~ –02DB ₂
00AE	R	REGISTERED SIGN			→ 0327 ç combining cedilla
		= REGISTERED TRADE MARK SIGN			≈ 0020 sp 0327 ;
00AF	-	MACRON	00B9	1	SUPERSCRIPT ONE
007 11		= overline, APL overbar			→ 00B2 ² superscript two
		• this is a spacing character			→ 00B3 ³ superscript three
		→ 02C9 - modifier letter macron			≈ <super> 0031 1</super>
		→ 0304 ō combining macron	00BA	ō	MASCULINE ORDINAL INDICATOR
		→ 0305 combining overline	OOD/ (• Spanish
		≈ 0020 sp 0304 ō			\approx <super> 006F o</super>
0000	0		00BB	»	RIGHT-POINTING DOUBLE ANGLE
00B0	ŭ	DEGREE SIGN	UUDD	<i>>></i>	QUOTATION MARK
		• this is a spacing character			= RIGHT POINTING GUILLEMET
		→ 02DA ° ring above			
		→ 030A ° combining ring above			• usually closing, sometimes opening
		→ 2070 ° superscript zero			→ 226B ≫ much greater-than
		→ 2218 · ring operator	0000	17	→ 300B » right double angle bracket
00B1	±	PLUS-MINUS SIGN	00BC	1/4	VULGAR FRACTION ONE QUARTER
		\rightarrow 2213 ∓ minus-or-plus sign			• bar may be horizontal or slanted
00B2	2	SUPERSCRIPT TWO			• other fraction characters: 2153 ½ –215E ½
		= squared			≈ 0031 1 2044 / 0034 4
		 other superscript digit characters: 	00BD	1/2	VULGAR FRACTION ONE HALF
		2070 ° – 2 079 °			• bar may be horizontal or slanted
		→ 00B9 ¹ superscript one			≈ 0031 1 2044 / 0032 2
		\approx <super> 0032 2</super>	00BE	3/4	VULGAR FRACTION THREE
00B3	3	SUPERSCRIPT THREE			QUARTERS
		= cubed			• bar may be horizontal or slanted
		→ 00B9 ¹ superscript one			≈ 0033 3 2044 / 0034 4
		\approx <super> 0033 3</super>	00BF	i	INVERTED QUESTION MARK
00B4	′	ACUTE ACCENT			= turned question mark
		 this is a spacing character 			• Spanish
		→ 02B9 ′ modifier letter prime			→ 003F? question mark
		→ 02CA ′ modifier letter acute accent	Lett	ore	
		→ 0301 \(\) combining acute accent			
		→ 2032 ′ prime	00C0	A	LATIN CAPITAL LETTER A WITH
		≈ 0020 🗐 0301 Ć			GRAVE
00B5	μ	MICRO SIGN		,	= 0041 A 0300 ò
	•	\approx 03BC μ greek small letter mu	00C1	Á	LATIN CAPITAL LETTER A WITH
00B6	¶	PILCROW SIGN			ACUTE
0020	II .	= PARAGRAPH SIGN		^	= 0041 A 0301 6
		• section sign in some European usage	00C2	Â	LATIN CAPITAL LETTER A WITH
		→ 204B P reversed pilcrow sign			CIRCUMFLEX
		→ 2761 ¶ curved stem paragraph sign			= 0041 A 0302 ô
		ornament	00C3	Ã	LATIN CAPITAL LETTER A WITH
00B7		MIDDLE DOT			TILDE
0001	•	= midpoint (in typography)			≡ 0041 A 0303 õ
		= Georgian comma	00C4	Ä	LATIN CAPITAL LETTER A WITH
		= Greek middle dot (ano teleia)			DIAERESIS
		→ 0387 · greek ano teleia			≡ 0041 A 0308 Ö
		→ 2022 • bullet	00C5	Å	LATIN CAPITAL LETTER A WITH
		→ 2024 . one dot leader			RING ABOVE
		→ 2027 · hyphenation point			→ 212B Å angstrom sign
		→ 2219 • bullet operator			= 0041 A 030A °
		\rightarrow 22C5 · dot operator	00C6	Æ	LATIN CAPITAL LETTER AE
		→ 30FB • katakana middle dot			= LATIN CAPITAL LIGATURE AE
		Katakana iniuule uut			

00C7	Ç	LATIN CAPITAL LETTER C WITH CEDILLA = 0043 C 0327 ♀	00D9	Ù	LATIN CAPITAL LETTER U WITH GRAVE = 0055 U 0300 ò
00C8	È	LATIN CAPITAL LETTER E WITH GRAVE = 0045 E 0300 ò	00DA	Ú	LATIN CAPITAL LETTER U WITH ACUTE = 0055 U 0301 6
00C9	É	LATIN CAPITAL LETTER E WITH ACUTE = 0045 E 0301 6	00DB	Û	LATIN CAPITAL LETTER U WITH CIRCUMFLEX = 0055 U 0302 ô
00CA	Ê	LATIN CAPITAL LETTER E WITH CIRCUMFLEX = 0045 E 0302 ô	00DC	Ü	LATIN CAPITAL LETTER U WITH DIAERESIS = 0055 U 0308 °
00CB	Ë	LATIN CAPITAL LETTER E WITH DIAERESIS = 0045 E 0308	00DD	Ý	LATIN CAPITAL LETTER Y WITH ACUTE = 0059 Y 0301 6
00CC	Ì	LATIN CAPITAL LETTER I WITH GRAVE = 0049 I 0300 ò	00DE 00DF		LATIN CAPITAL LETTER THORN LATIN SMALL LETTER SHARP S
00CD	Í	= 0049 I 0300 ⊖ LATIN CAPITAL LETTER I WITH ACUTE = 0049 I 0301 ⊖			EszettGermanuppercase is "SS"
00CE	Î	LATIN CAPITAL LETTER I WITH CIRCUMFLEX	00E0	à	• in origin a ligature of 017F ſ and 0073 s → 03B2 β greek small letter beta LATIN SMALL LETTER A WITH
00CF	Ϊ	■ 0049 I 0302 ô LATIN CAPITAL LETTER I WITH DIAERESIS	00E1	á	GRAVE = 0061 a 0300 ò LATIN SMALL LETTER A WITH
00D0	Đ	≡ 0049 I 0308 ° LATIN CAPITAL LETTER ETH → 00F0 δ latin small letter eth	00E2	â	ACUTE = 0061 a 0301 6 LATIN SMALL LETTER A WITH
00D1	Ñ	→ 0110 Đ latin capital letter d with stroke → 0189 Đ latin capital letter african d LATIN CAPITAL LETTER N WITH	00E3	ã	CIRCUMFLEX = 0061 a 0302 ô LATIN SMALL LETTER A WITH TILDE
00D2		TILDE = 004E N 0303 ° LATIN CAPITAL LETTER O WITH	00E4		• Portuguese ≡ 0061 a 0303 ~
		GRAVE = 004F O 0300 ò		ä	LATIN SMALL LETTER A WITH DIAERESIS = 0061 a 0308 °
00D3		LATIN CAPITAL LETTER O WITH ACUTE = 004F O 0301 6	00E5	å	LATIN SMALL LETTER A WITH RING ABOVE • Danish, Norwegian, Swedish, Walloon
00D4	Ô	LATIN CAPITAL LETTER O WITH CIRCUMFLEX ≡ 004F O 0302 ô	00E6	æ	= 0061 a 030A ° LATIN SMALL LETTER AE = LATIN SMALL LIGATURE AE
00D5	Õ	LATIN CAPITAL LETTER O WITH TILDE = 004F O 0303 °			 = ash (from Old English æsc) Danish, Norwegian, Icelandic, Faroese, Old English, French, IPA
00D6	Ö	LATIN CAPITAL LETTER O WITH DIAERESIS = 004F O 0308 ¨	00E7		→ 0153 œ latin small ligature oe → 04D5 æ cyrillic small ligature a ie LATIN SMALL LETTER C WITH
Mathematical operator		00E7	Ç	CEDILLA	
		MULTIPLICATION SIGN = z notation Cartesian product	00E8	è	■ 0063 c 0327 Ç LATIN SMALL LETTER E WITH GRAVE
Lette	ers	•	00=0	6	■ 0065 e 0300 ò
00D8	Ø	LATIN CAPITAL LETTER O WITH STROKE = LATIN CAPITAL LETTER O SLASH → 2205 Ø empty set	00E9	é	LATIN SMALL LETTER E WITH ACUTE = 0065 e 0301 6
		r 7			

C1 Controls and Latin-1 Supplement

- 00EA ê LATIN SMALL LETTER E WITH CIRCUMFLEX

 = 0065 e 0302 ô

 00EB ë LATIN SMALL LETTER E WITH DIAERESIS

 = 0065 e 0308 ©

 00EC ì LATIN SMALL LETTER I WITH GRAV
- 00EC i LATIN SMALL LETTER I WITH GRAVE
 Italian, Malagasy
 = 0069 i 0300 ◊
- 00ED í LATIN SMALL LETTER I WITH ACUTE \equiv 0069 i 0301 \circ
- 00EE î LATIN SMALL LETTER I WITH CIRCUMFLEX ≡ 0069 i 0302 ô
- 00EF ï LATIN SMALL LETTER I WITH DIAERESIS ≡ 0069 i 0308 ö
- 00F0 δ LATIN SMALL LETTER ETH
 Icelandic, Faroese, Old English, IPA
 → 00D0 Đ latin capital letter eth
 - → 03B4 δ greek small letter delta → 2202 ∂ partial differential
- 00F1 ñ LATIN SMALL LETTER N WITH TILDE = 006E n 0303 °
- 00F2 ò LATIN SMALL LETTER O WITH GRAVE
- = 006F o 0300 ò
 00F3 ó LATIN SMALL LETTER O WITH
 ACUTE
 - = 006F o 0301 €
- 00F4 ô LATIN SMALL LETTER O WITH CIRCUMFLEX
 = 006F o 0302 ô
- 00F5 $\,$ $\,$ $\,$ $\,$ LATIN SMALL LETTER O WITH TILDE
 - Portuguese, Estonian ≡ 006F o 0303 ~
- 00F6 Ö LATIN SMALL LETTER O WITH DIAERESIS = 006F o 0308 Ö

Mathematical operator

00F7 ÷ DIVISION SIGN

Letters

- 00F8 Ø LATIN SMALL LETTER O WITH STROKE
 - = LATIN SMALL LETTER O SLASH
 - Danish, Norwegian, Faroese, IPA
- 00F9 ù LATIN SMALL LETTER U WITH GRAVE
 - French, Italian
 - = 0075 u 0300 ò
- 00FA ú LATIN SMALL LETTER U WITH ACUTE
 - **=** 0075 u 0301 ′
- 00FB û LATIN SMALL LETTER U WITH CIRCUMFLEX ≡ 0075 u 0302 ô

- 00FC ü LATIN SMALL LETTER U WITH DIAERESIS = 0075 u 0308 ö
- 00FD ý LATIN SMALL LETTER Y WITH ACUTE
 - Czech, Slovak, Icelandic, Faroese, Welsh, Malagasy
 - **=** 0079 y 0301 6
- 00FE b LATIN SMALL LETTER THORN
 - Icelandic, Old English, phonetics
 - Runic letter borrowed into Latin script
 - → 16A6 prunic letter thurisaz thurs thorn
- 00FF ÿ LATIN SMALL LETTER Y WITH DIAERESIS
 - French
 - \rightarrow 0178 \ddot{Y} latin capital letter y with diaeresis
 - ≡ 0079 y 0308 ö