

Playwright for Manual QA — *Question Bank*

151 QUESTIONS ACROSS ALL WEEKS · 13 STRETCH QUESTIONS

This is your self-check tool for the course. Every question maps to material covered in the weekly lessons. Use it to test yourself before each week's "Ready to Move On" checkpoint and before the final project submission.

How to use: open the week you just finished, work through the **Must** and **Practice** questions. If you can answer them confidently, you're ready to move on. If not, go back to that section of the course.

How to read tags:

MUST Core knowledge — you should be able to answer this.

PRACTICE Code-reading, "fix this", or a real scenario.

OPTIONAL Nice-to-know. Skip if short on time.

ADVANCED Beyond Part 1 — stretch yourself.

WEEK 0

Setup

1 **MUST**

Name 5 terminal commands/actions from the Week 0 practice (open terminal, navigate folders, list contents, run a command, read output) and give one command example for each.

2 **OPTIONAL**

Why does Playwright require a specific Node.js version, and what do you do if `node --version` shows v14?

3 **MUST**

What command verifies that Node.js is installed and available in your current terminal?

4 **MUST**

Why must your Git identity (`user.email`) match your GitHub email?

5 **MUST**

What is the difference between `gh auth login` and `gh auth setup-git` ? Why do you need both?

6 **MUST**

Which VS Code extension is mandatory for the course (full name)?

7 **MUST**

What does `code .` do, and from which folder must you run it?

8 **OPTIONAL**

What does enabling "Settings Sync" in VS Code give you?

MODULE

VS Code Guide

9 **MUST**

Name the 5 main UI areas of VS Code (Activity Bar, Side Panel, Editor, Terminal Panel, Status Bar) and what each is used for.

10 **MUST**

What is the Command Palette shortcut, and why is it called "if you remember only one"?

11 **MUST**

What is the difference between `⌘/Ctrl+P` (Quick Open) and `⌘/Ctrl+Shift+F` (Find in all files)?

12 **MUST**

How do you open the integrated terminal? Why use it instead of an external terminal?

13 **MUST**

What is IntelliSense, and how does it help a QA who doesn't memorize API methods?

14 **PRACTICE**

What does `F12` (Go to Definition) do? Give an example when you'd use it.

15 **PRACTICE**

You see a red wavy underline under `page.fil("text")`. What does it mean and how do you fix it?

16 **PRACTICE**

In the Playwright extension's Testing panel, what do the toggles "Show browser" and "Show trace viewer" do? When should they be ON vs OFF?

17 **MUST**

In Source Control (☒), what do the letters **M**, **U**, **D** next to a file mean?

WEEK 1

Your First Playwright Project & Test

18 **MUST**

In one sentence: what is Playwright and why is it used (vs manual testing)?

19 **MUST**

Which command creates a new Playwright project from scratch?

20 **PRACTICE**

List the files/folders generated by `npm init playwright@latest` and what each one is for: `tests/`, `tests-examples/`, `playwright.config.ts`, `package.json`, `package-lock.json`, `.gitignore`, `node_modules/`.

21 **MUST**

What are the 4 keys in `playwright.config.ts` you need to understand right now (others are Part 2)?

22 **PRACTICE**

In the generated `example.spec.ts`, what does each of the two tests do (in plain English)?

23 **MUST**

What is the difference between running tests via the VS Code Testing panel and via `npx playwright test` in the terminal? Why learn both?

24 **MUST**

By default, tests run **headless**. What command-line flag makes the browser visible?

25 **MUST**

What does `npx playwright test --ui` open, and why is it recommended as the daily-dev tool?

26 **MUST**

What does `npx playwright show-report` do?

27 PRACTICE

Match each CLI command to what it does:

- `npx playwright test --project=chromium`
- `npx playwright test login.spec.ts`
- `npx playwright test -g "login"`
- `npx playwright install`

28 MUST

What is the deliverable for Week 1 (file name, what must be inside)?

29 PRACTICE

When should you **NOT** automate a manual test case? Give 3 examples (exploratory testing, one-time checks, highly visual UI checks, tests that change every sprint).

30 MUST

What is an E2E (end-to-end) test? Give one example from SauceDemo.

WEEK 2

TypeScript for QA

Variables, types, inference

31 MUST

In one sentence: what does TypeScript add to JavaScript?

32 MUST

When do you use `const` vs `let` ? What is the default rule?

33 MUST

What is **type inference**? Give an example.

34 OPTIONAL

When should you write explicit type annotations like `: string` ?

35 PRACTICE

Rewrite this using a template string:

```
const url = "https://" + env + ".example.com/login";
```

Arrays and objects

36 MUST

How do you access the first element of an array?

37 PRACTICE

Write a typed `User` object with `email`, `password`, and optional `role`.

38 MUST

What does the `?` mean in `role?: string`?

Destructuring & functions

39 MUST

What do the curly braces in `async ({ page }) => { ... }` actually do?

40 OPTIONAL

Why does Playwright pass `page` inside an object instead of as a plain argument?

41 PRACTICE

Write a function `formatTestEmail(name: string): string` that returns `"alice@test.com"` for input `"Alice"`.

42 MUST

What does `: void` mean as a function return type?

43 OPTIONAL

What is the difference between a regular function declaration and an arrow function?

async/await — the #1 topic

44 MUST

In one sentence: what does `await` do?

45 **MUST**

What is the **#1 beginner mistake** in Playwright that the course explicitly warns about?

46 **OPTIONAL**

What does `Promise<void>` mean as a return type?

47 **PRACTICE**

Which of these need `await` and which don't? Explain why:

```
page.getByRole("button", { name: "Login" })
await page.getByRole("button", { name: "Login" }).click()
await expect(page.getByText("Products")).toBeVisible()
```

Common TS errors & imports

48 **PRACTICE**

What does the error `string | undefined` mean, and how do you handle it before calling a function that needs a `string` ?

49 **OPTIONAL**

What does the `?.` (optional chaining) operator do? Give an example.

50 **MUST**

What is the difference between these two imports?

```
import { test, expect } from "@playwright/test";
import { LoginPage } from "../pages/LoginPage";
```

51 **MUST**

What is the `node_modules/` folder, and should you ever edit it?

52 **OPTIONAL**

What information does `package.json` contain about your project?

Reading a real test & fix type errors

53 PRACTICE

In the test below, identify: imports, async function, destructuring, locator, action, assertion.

```
import { test, expect } from "@playwright/test";
test.describe("Login page", () => {
  test.beforeEach(async ({ page }) => {
    await page.goto("https://example.com/login");
  });
  test("should show error for wrong password", async ({ page }) => {
    await page.getByPlaceholder("Email").fill("user@test.com");
    await page.getByPlaceholder("Password").fill("wrongpassword");
    await page.getByRole("button", { name: "Login" }).click();
    await expect(page.getByText("Invalid credentials")).toBeVisible();
  });
});
```

54 PRACTICE

What is wrong here?

```
function getTimeout(seconds: number): string {
  return seconds * 1000;
}
```

55 PRACTICE

What is wrong here?

```
const config = { baseUrl: "https://staging.example.com" };
console.log(config.baseUrl);
```

WEEK 3

Real UI Testing

Locators

56 MUST

List the locator priority order taught in the course, from most preferred to least.

57 MUST

Why is XPath listed last (when, if ever, is it acceptable)?

58 PRACTICE

Write a `getByRole` locator for: a "Login" button, a heading "Installation", a "Sign up" link.

59 PRACTICE

What is wrong with each of these locators, and how would you fix them?

```
page.locator("//div[3]/button")
page.locator(".btn-xyz123")
page.locator("div > div > form > button")
page.locator(".item").nth(5)
```

60 MUST

What is the difference between `getByRole`, `getByTestId`, `getByLabel`, `getByPlaceholder`, and `getByText`? When is each appropriate?

baseUrl — maintainability

61 PRACTICE

What is `baseUrl` in `playwright.config.ts`, and why is `page.goto("/")` better than hardcoding `https://www.saucedemo.com` in every test?

Element states & auto-waiting

62 MUST

Name the 3 main element states (visible/hidden, enabled/disabled, attached/detached). Give a real-world example of when each matters.

63 MUST

List what Playwright auto-waits for before performing an action.

64 MUST

What does Playwright **NOT** auto-wait for? Give 3 examples and what to use instead.

Actions & assertions

65 PRACTICE

Match the action to the method: navigate, click, type into a field, press Enter on the keyboard.

66 PRACTICE

Write an assertion that:

- URL contains `/inventory`
- Element with text "Products" is visible
- Cart badge has text exactly `"1"`
- Error message contains the substring `"Username is required"`
- Login button is enabled
- Page has exactly 6 inventory items

67 MUST

What does adding a failure message to an assertion look like? Why bother?

68 MUST

What is the difference between `toHaveText("1")` and `toContainText("1")` ? When do you use each?

Locator validation — the QA workflow

69 MUST

The course says "Pick Locator is a starting point, not a final solution." Explain why, and describe the 6-step validation process.

70 MUST

List 4 stable attributes you should look for when inspecting an element in DevTools.

71 PRACTICE

How do you check that a locator is **unique** on a page using DevTools? (Both ways: Elements tab search + Console `$$().length`)

72 PRACTICE

What should you do if no stable locator exists on a page?

Anti-patterns & SauceDemo exercises

73 MUST

Name 4 anti-patterns the course explicitly says **DO NOT DO**.

74 MUST

Why is `page.waitForTimeout(5000)` bad in both directions (too short AND too long)?

75 PRACTICE

Write the assertion for "user is redirected to inventory after login."

76 PRACTICE

For a negative login test, what locator and assertion does the course suggest for the error message?

77 PRACTICE

After adding 1 product to the cart, what assertion confirms the cart badge?

78 PRACTICE

After removing a product, what assertion confirms the cart is empty?

79 MUST

What is "Task 6 — Stability challenge"? What command runs it?

80 PRACTICE

Rewrite these step-focused test names into behavior-focused ones:

- "click checkout button"
- "fill username and password"
- "check cart icon"
- "click sort dropdown"

WEEK 4

Debugging & Test Structure

Failure types & debugging tools

81 MUST

Name the 4 most common failure types and the typical cause of each.

82 PRACTICE

Given this error, what would you check first?

```
Error: Timed out 5000ms waiting for expect(locator).toBeVisible()  
Locator: getByText("Welcome back")  
Received: <element not found>
```

83 **MUST**

Match each tool to the situation it's best for:

- `--ui`
- `--headed`
- `--debug`
- `--trace on`
- `page.pause()`

84 **MUST**

What does the Trace Viewer show you that the HTML report does not?

85 **PRACTICE**

A test fails in CI but passes locally. You have a `trace.zip`. What are the 3 things you check first in the Trace Viewer?

86 **PRACTICE**

In VS Code, how do you set a breakpoint to debug a test?

87 **PRACTICE**

Walk through the 5-step debugging process the course recommends.

Common failures

88 **MUST**

What is a "Strict mode violation" and how do you fix it?

89 **MUST**

What is the typical fix for "Works locally, fails in CI"?

90 **OPTIONAL**

What does "Navigation interrupted" usually mean?

Test structure & independence

91 **MUST**

Match each to its purpose: `test.describe`, `test.beforeEach`, `test.afterEach`, `test.skip`, `test.only`.

92 **MUST**

Why is `test.only` dangerous in a PR? *(Connects to the PR self-review checklist in Week 5.)*

93 **PRACTICE**

Rewrite this so it uses `beforeEach` :

```
test("test A", async ({ page }) => {
  await page.goto("/login");
  await page.getByPlaceholder("Username").fill("standard_user");
  // ... rest of test A
});
test("test B", async ({ page }) => {
  await page.goto("/login");
  await page.getByPlaceholder("Username").fill("standard_user");
  // ... rest of test B
});
```

94 **MUST**

What does "test independence" mean? Why is it bad if Test B only passes after Test A?

95 **PRACTICE**

You have one test that adds a product to cart, and another test that expects the product to already be in the cart. What is wrong with this design?

Broken tests exercise

96 **PRACTICE**

For Broken Test #1 (wrong locator), describe the diagnostic process (read error → check actual placeholder → fix).

97 **PRACTICE**

What does the "Root cause / Fix / How I verified" report template require for each fixed test?

WEEK 5

Git & Final Project Setup

Git basics

98 **MUST**

Explain the three stages a file goes through: working tree → staged → committed. Which commands move it between stages?

99 **MUST**

What is the difference between a local repo and a remote repo?

100 **MUST**

Why does the course tell you to set `git config user.email` **before** the first commit?

101 **MUST**

What does `.gitignore` do? Name 3 things that should be in it for a Playwright project.

102 **PRACTICE**

Which Playwright-generated folders should NOT be committed, and why?

103 **MUST**

What does `git diff` show? What does `git status` show?

Commits, Source Control, branches

104 **PRACTICE**

Which of these are bad commit messages, and why?

- `"fix"`
- `"asdf"`
- `"Refactor login tests to use beforeEach"`
- `"WIP"`
- `"Add login tests for valid and invalid credentials"`

105 **MUST**

What format does the course recommend (verb, length)?

106 **PRACTICE**

Map each VS Code action to its terminal equivalent: see changed files, review changes, stage files, commit, push.

107 **MUST**

Where in VS Code do you switch branches? Where do you push?

108 **PRACTICE**

Write the sequence of git commands for the standard team workflow: pull latest main → create feature branch → commit → push → open PR.

109 OPTIONAL

What does the `-u` in `git push -u origin feature/login-tests` do?

110 MUST

What is a good branch name format? Give a bad and a good example.

111 MUST

List the PR self-review checklist items the course requires before requesting review.

112 PRACTICE

Before requesting a PR review, what should you check in the "Files changed" tab on GitHub?

Merge conflicts, merge vs rebase

113 MUST

What do `<<<<<<< HEAD`, `=====`, and `>>>>>>> main` mean in a conflicted file?

114 PRACTICE

In VS Code, what are the 4 buttons offered above a conflict block, and what does each do?

115 MUST

After resolving a conflict in VS Code, what 2 steps complete the merge?

116 MUST

What is the **golden rule of rebase**?

117 MUST

Which should you use by default — merge or rebase — and why?

Other Git tools & scenarios

118 OPTIONAL

What does `git commit --amend` do? When is it safe to use (and when is it NOT)?

119 OPTIONAL

What does `git stash` do?

120 PRACTICE

You accidentally committed `playwright-report/` to the repo. What command removes it from tracking while keeping it locally?

121 PRACTICE

You committed with the message `"fix"` but haven't pushed yet. How do you fix the message?

WEEK 6

Final QA Automation Sprint: POM, Test Suite, README, PR

POM theory & LoginPage anatomy

122 MUST

What problem does Page Object Model solve? Give a concrete example of duplication from Week 3 tests.

123 MUST

According to the course, what are the 3 responsibilities split across? (Test file vs Page Object vs test-data file.)

124 PRACTICE

In a test, what does `const loginPage = new LoginPage(page);` actually do?

125 PRACTICE

In the `LoginPage` skeleton, what does each of these mean?

- `readonly page: Page`
- `readonly usernameInput: Locator`
- `constructor(page: Page) { ... }`
- `async open()`
- `async login(username: string, password: string)`

126 MUST

Why is the `constructor` called the "entry point" of the class?

127 OPTIONAL

Why use `readonly` for locators?

POM rules

128 PRACTICE

For each of these, say if it belongs in the Page Object, in the test, or in test-data:

- The locator for the username input
- The expected error text after a failed login
- `await loginPage.login(...)`
- `await expect(page).toHaveURL(/inventory/)`
- A list of test users with credentials

129 MUST

The course says exposing locators like `errorMessage` is acceptable. What must stay in methods (and not be exposed as raw locators)?

130 MUST

The course warns "Do not over-engineer." Name 2 specific things you should NOT do for this project.

131 PRACTICE

Which of these Page Object methods are good and which are over-engineered?

```
await loginPage.login(username, password)
await loginPage.verifyLoginError()
await loginPage.clickLoginButtonAndWaitForInventoryAndValidateCart()
```

132 MUST

Why should assertions NOT live inside Page Object methods like `verifyLoginError()` ?

Project requirements, QA tickets, submission

133 MUST

What is the required project structure? (Folders, files, counts.)

134 MUST

How many Page Object classes and how many tests are required minimum?

135 OPTIONAL

What track is the default for SauceDemo? What are Tracks B and C?

136 MUST

For the 4 SauceDemo tickets (login regression, cart behavior, checkout flow, sorting), which is the bonus one?

137 **PRACTICE**

What does an "acceptance criteria" section in a QA ticket look like?

138 **OPTIONAL**

What is `test.step` for? Give an example of when it makes a test more readable.

139 **PRACTICE**

What command runs your tests 3 times in a row?

140 **MUST**

What goes in the `README.md` ? List required sections.

141 **MUST**

What is the difference between the "Required", "Good", and "Excellent" levels in the assessment rubric?

142 **PRACTICE**

List the 6-step debugging flow the course says to use every time tests fail before PR submission.

143 **MUST**

Name the 6 graduation criteria from Week 6.

CROSS-WEEK

Common Pitfalls

144 **MUST**

Why does the course call Week 2 (TypeScript) "not optional"?

145 **MUST**

Why are CSS selectors discouraged in favor of `getByRole` / `getByLabel` ?

146 **MUST**

Why is "one giant spec file with all tests" a problem?

PRACTICAL THINKING

Scenario Block

Open-ended questions that test how you'd apply what you've learned. No single right answer — think them through, then discuss with a colleague.

147 **PRACTICE**

Your test passes locally but fails in CI with "element not visible." Walk me through how you'd diagnose it without re-running.

148 **PRACTICE**

A developer asks you to add a test for a new feature. The HTML has no `data-testid` and the class names look auto-generated (`.btn-xyz123`). What do you do?

149 **PRACTICE**

Your colleague wrote a test that calls `await page.waitForTimeout(3000)` before clicking a button "because the modal needs time to appear." How do you fix it without breaking the test?

150 **PRACTICE**

You inherit a Page Object class with 30 methods including `verifyLoginSuccess()` , `assertCartCount()` , `checkErrorIsVisible()` . What's wrong, and how would you refactor?

151 **PRACTICE**

Your team lead says "let's automate everything we test manually." How do you push back constructively?

GOING FURTHER

Stretch Questions

Topics that go beyond Part 1 of the course. Useful if you want to dig deeper, prepare for Part 2, or come from a stronger automation background.

PLAYWRIGHT INTERNALS

ADVANCED Q+1 What are "fixtures" in Playwright? (*Part 2 topic.*)

OPTIONAL Q+2 What does `fullyParallel: true` in `playwright.config.ts` actually do?

OPTIONAL Q+3 What is "test isolation"? Why does each test get a fresh browser context?

OPTIONAL Q+4 What does it mean that "Playwright is a Node.js library"? Why does that matter for installation?

TYPESCRIPT

ADVANCED Q+5 What is the difference between type and interface for defining object shapes?

ADVANCED Q+6 What is as (type assertion)?

GIT

OPTIONAL Q+7 What is HEAD in Git?

ADVANCED Q+8 What is the difference between `git fetch` and `git pull`?

REAL-WORLD QA

ADVANCED Q+9 How would you decide what to automate first if given a manual test suite of 200 cases?

ADVANCED Q+10 What is the difference between a "smoke test", a "regression test", and an "E2E test"?

ADVANCED Q+11 Why is `data-testid` better than `id` in some cases?

AI TOOLS – USING CLAUDE EFFECTIVELY

ADVANCED Q+12 Give an example of a prompt to generate a Playwright test from a user story.

ADVANCED Q+13 How would you ask Claude to review your test code before opening a PR?