

Enabling reactive cities with the iFLUX middleware

February 11, 2016

Abstract

This paper presents the iFLUX middleware, designed to provide a lightweight integration solution for Smart City applications. Based on three core abstractions, namely *event sources*, *action targets* and *rules*, iFLUX makes it very easy to expose sensors and actuators through REST APIs so that they can be integrated in application-level workflows. Sensors and actuators can be smart objects integrating hardware and software, but can also be pure software services. In the paper, we introduce the iFLUX programming model and describe how it has been implemented in a middleware platform. We also report on how the platform has been used and evaluated in various contexts. While iFLUX has been initially designed in the context of Smart City applications, it is generic and applicable to other domains where hardware and software components are connected through the Web.

1 Introduction

While there is no single definition for the term *Smart City* [3, 2, 9], the general idea is that ICT technologies can contribute to improve the quality of life by impacting a wide range of domains: energy, transport, safety, administration, politics, culture, etc. Because of this broad definition, very different types of applications and technologies fit in the scope of smart cities. Think of a sensor network that measures air quality. Think of an application that optimizes public transportation usage by giving incentives to travel outside peak hours. Think of services that encourage citizen to interact more actively and directly with authorities. These are only a few examples that illustrate the variety of smart city applications. Some of these applications have a strong physical dimension, when sensors and actuators are material artifacts (smart objects). Other applications have a lesser physical dimension, when the sensors and the actuators are actually software systems (e.g. mobile

applications, online business services). In this paper, we consider the entire spectrum between these two cases.

Cities do not become *smart* overnight. Rather, they become smarter through an evolutionary process. New technologies and applications are introduced over a long period of time, often without an overall architecture defined a priori. Every domain of the city is managed as a silo, with its own needs, its own services and its own infrastructure. For this reason, it is often difficult to build cross-domain applications. Think of an application that would seek to optimize energy consumption by continuously adapting street lighting to the current road traffic. While the sensors (on the roads) and the actuators (in the street lights) might actually be deployed, building the application is generally a challenge because the two components live in two silos, isolated because of a mix of organizational, administrative and technical reasons.

This situation is analogous to any significant information system. Hence, it raises the usual questions: what is the best way to integrate heterogeneous components deployed across a Smart City? How can we enable developers to create and deploy new services independently, while ensuring that these services can be shared, reused and combined in higher-level workflows and applications? How can we make the integration of legacy services into the new ecosystem as effortless as possible? Over the last decade, the REST architectural style and standard web technologies (HTTP, JSON, etc.) have proven to be very effective in this pursuit. Combined with the exponential growth of the Internet of Things both in consumer and industrial settings, this makes the Web of Things [4] an ideal paradigm for designing city-wide services, where there is a mix of hardware and software components.

Adopting the Web of Things as an architectural style for smart city applications, however, does not address all architectural questions. What concrete guidelines should be followed to expose components through REST APIs? What interaction patterns should be used between system components? How can we concretely ease the creation of new urban services? How do we ensure that the interaction with these services in higher-level applications is easy and manageable? It is to investigate such issues that the iFLUX project has been initiated. Our first objective was to propose a programming model, based on WoT principles, that can be applied to build citywide applications. Our second objective was to expose this programming model in a concrete middleware platform and to evaluate it in a series of illustrative applications.

In the remaining sections of this article, we first give more information about the context in which iFLUX has been created and describe the main design objectives associated with this context. We then introduce the iFLUX

programming model by describing three core concepts: *event sources*, *action targets* and *rules*. We then present one aspect of the middleware implementation, by describing three main RESTful endpoints. We finally explain how we have evaluated the platform in several applications, some of which have been built by third-party developers.

1.1 iFLUX on GitHub

All the work done in the iFLUX project is in Open Source on GitHub. The main repository, which has references to all others, is <https://github.com/SoftEng-HEIGVD/iflux-docker>. You will find all the close to far related projects from this one. Read the different readme present in each repository to get specific details.

2 Context and design objectives

The need for the iFLUX middleware has emerged in a research program dedicated to smart cities, entitled iNUIT and established at the HES-SO University of Applied Sciences Western Switzerland. The goal of iNUIT is to build a complete IoT stack for smart city applications. It is based on a layered architecture: the lower layer deal with the interconnection of physical objects (specialized sensors, low-power mesh networks, WoT gateways, etc.), the intermediate layer deal with data analysis (sensor fusion, video processing, etc.) and the upper layer hosts applications (e.g. crowd monitoring). Initially, middleware services have been provided in the iNUIT cloud for archiving and querying information (both raw sensor data and extracted information). One goal of iFLUX was to add the capability to process event streams and to enable a reactive programming style [11].

2.1 Reuse

Our first objective was to encourage the reuse of iNUIT services developed in different projects. Typically, the teams working on individual components (e.g. a new type of sensor, a video processing module) focus on a specific service. They often implement basic demonstrators to validate this service. What is often not so easy to do for them is to expose the service, so that it can be found and used by other teams (and in particular by those working at the application level). Hence, our first goal was to provide an easy solution for component developers to bring their technology in a single service catalog. From the application developers point of view, the interaction with all services in the catalog should follow the same approach and patterns. This is what is captured in the iFLUX programming model.

2.2 Decoupling

The fact that many independent teams are involved in the iNUIT program reflects what happens in most smart city environments, from an organizational point of view. In the introduction, we used the term *silo*, to suggest that it must be possible for different teams to develop atomic services and applications with as few dependencies as possible. With this in mind, iFLUX is based on a micro-services oriented architecture. Every component of the ecosystem is developed and operated independently. Web protocols provide the platform-independent glue between the components. We have used the Docker virtualization technology, based on lightweight containers, to facilitate the packaging and deployment of these independent components.

2.3 Simplicity

We wanted iFLUX to be very lightweight and easy to use, both for service and application developers. The programming model should be easy to grasp, hence with a small number of abstractions. Bringing a sensor or an actuator into the iFLUX ecosystem should not require a big effort. The APIs that have to be consumed or published should be concise. This is one reason for which we have decided to initially only support stateless rules. We will later show that state can easily be managed in *action targets*.

3 Programming model

The programming model for iFLUX was inspired from popular lightweight service integration services, such as IFTTT [10] and Zapier [13]. It follows the Event Condition Action (ECA) paradigm [1, 8, 6] and is based on three core abstractions: i) *event sources*, ii) *action targets* and iii) *rules*. *Event sources* and *action targets* are meant to be developed by third-party developers, independently from any specific application (to encourage reuse). Application developers implement workflows on top of available *event sources* and *action targets*, by defining stateless rules. Essentially, they express rules such as “if an event with properties that match these conditions is notified, then trigger an action on this target, with the following properties”.

In addition, we have extended the concept of *Event Sources* and *action targets* by a template mechanism. The idea behind this template mechanism is, for instance, to let the user define an event source template which will be instantiated to a real event source. In this context, the template is the definition of the event source or the action target. An instance of an event source or an action target is the real system sending the events or receiving the actions. In addition, the instance lets the possibility to customize the

configuration through a callback defined on the event source or the action target. This will be covered later.

3.1 Event Source Templates

An *event source template* is a type of autonomous component that produces a stream of typed events. Based on this definition, there are quite different types of event source templates. Here are some examples:

- *Connected hardware sensors* that emit a continuous flow of low-level events. In this case, the events are observations or measures captured by the sensors.
- *Software sensors* that capture some kind of activity in a digital system and emit related events. For instance, one can think of a software sensor embedded in a business application that emits an event whenever a business-level condition is met.
- *Data processing services* that emit higher-level events. Typically, a data processing service aggregates several streams of low level events and applies some kind of logic to produce a new stream.
- *User agents* used as proxy to emit human generated events. For instance, think of a mobile application used to report incidents.

3.2 Event Sources

An *event source* is an instance of an *event source template*. This will represent a unique and specific source of typed events. Based on this definition, there are quite different types of event sources.

All the previous examples are valid in the way that each sensor is uniquely identified and represent a stream of events. Therefore, you can have several temperature sensor which represent the save event source template so the same kind of events will be triggered but each event comes from a specific sensor. In the case of the data processing service, it will allow scoping the events stream to a data context.

The iFLUX middleware exposes a standard REST API that *event sources* use to stream their data. The API specifies a simple payload structure: an event is defined by a timestamp, a source, a type and a list of properties. The list of properties depends on the event type.

3.3 Action Target Templates

An *action target template* is a component that exposes logic that can be triggered from the iFLUX middleware. Here also, there are different types of action target templates:

- *Connected hardware actuators* that can be remotely controlled. A smart street light or a large public display located in a stadium are two examples.
- *Software actuators* that are typically business applications or gateways deployed for integration purposes.
- *User interaction channel gateways* that are special software actuators geared at delivering notifications to people. Examples include gateways for delivering e-mails, push notifications and social network notifications.

3.4 Action Targets

An *action target* is an instance of an *action target template*. This time, this will allow to create action streams dedicated to an instance of action target.

For example, you can have a light actuator action target template which is instantiated in each room of a building. With the proper rule and the proper light sensor, we will be able to switch on or off the light in the correct room.

The developers of *action targets* must implement a simple REST API and process incoming action payloads. An action payload is defined by a timestamp, a type and a list of properties.

3.5 Rules

The last abstraction in the iFLUX model is the notion of rule. Rules are what bind events and actions together. A rule specifies that *if* an event is notified and its properties meet certain criteria *then* one or more actions has to be triggered with a list of properties (which values are computed based on the event properties).

4 Implementation

Since the first version of iFLUX, where we apply the *lean* and *agile* principles, we continued to apply these methodologies. Therefore, for the second version of iFLUX, we delivered feature after feature as fast as possible. We

wanted to have something that we and others could experiment with rapidly, so that we would rapidly benefit from feedback. After few months, we have been able to implement a whole system with various demonstrators. We were able to assemble the different pieces by specifying rules.

The very first user interface only provided a mechanism to create *rules* and to simulate their evaluation. We have the possibility to enable the configuration of *event sources* and *action targets* as well. We now do most of our development on top of the Node.js platform, but we also SDKs in other languages.

4.1 Architecture

Since the project inception, we have relied on virtualization technologies, such as Vagrant and Docker, to make it easy for third-party developers to have a working environment on their machines. We introduced few technologies to let iFLUX be scalable. We introduced Kafka for the messaging bus letting the events be handled totally asynchronously. We received the events on a gateway dedicated to that and consume them on iFLUX rule engine. Therefore, a high charge of events will not be an issue as the cost to accept them is really small. We have also setup Elasticsearch to gain the possibility to use his full text capabilities. It is also an additional debug tool to see when and where the events comes and goes. You can refer to Figure 1 to see the overall core architecture of the system.

4.1.1 Reverse Proxy

The reverse proxy receive all the inbound traffic and direct the requests to the right components. Kibana, iFLUX Frontend, iFLUX Gateway and iFLUX Server are accessible through the reverse proxy.

4.1.2 iFLUX Frontend

The frontend is the visual configuration tool of iFLUX. It offers CRUD operations through an Angular application to manipulate the iFLUX model. You can define event sources, action targets, rules and all required models.

4.1.3 iFLUX API Gateway

This gateway, today, offers only the */events/* API to accept quickly the events from the outside world without blocking any external system. This server is stateless and have no data store. The events received are forwarded to iFLUX Server through the message bus offered by Kafka.




Figure 1: The iFLUX architecture

4.1.4 Kafka and Zookeeper

We use Kafka to have a message bus to let the events to be handle asynchronously by the rule engine on the iFLUX Server. This component in the architecture let iFLUX to scale.

4.1.5 iFLUX Server

iFLUX Server manage the data models and has the rule engine. The rules are evaluated each time an event is received through the message bus. Once a rule is evaluated positively, action are triggered. But before an evaluation is done, the event received is stored in ElasticSearch for later analysis purpose. The result of the evaluation is also stored in ElasticSearch in a second index. The data model is stored in a PostgreSQL database.

4.1.6 PostgreSQL

Data backend of iFLUX. All the action targets, event sources, rules and so on are stored in this database. We do not store in this relational database any of the received events.

4.1.7 ElasticSearch

We use ElasticSearch to store the events and the result of the rules evaluation to make text searches and data analysis in the time.

4.1.8 Kibana

Finally, Kibana is the frontend of ElasticSearch letting us to make text searches, to view graphs and trends on the events received and the evaluation results.

4.2 REST APIs

In addition of the three core abstraction of the iFLUX programming model, there are several additional resources exposed through the REST API. The endpoints are described in the following list:

- **/auth** the authentication endpoint allow the users to register or sign in;
- **/health** just an API to let the user to get the version of iFLUX core and to know the server is working;
- **/actionTargets** where to manage the action targets;

- **/actionTargetTemplates** where to manage the template of the action targets;
- **/eventSources** where to manage the event sources;
- **/eventSourceTemplates** where to manage the template of the event sources;
- **/eventTypes** where to manage the event types;
- **/me** where to get some info about himself;
- **/organizations** where organization are managed. All in the iFLUX core is scoped to the organizations;
- **/rules** where to manage the rules;
- **/schemas** where to retrieve the JSON Schema used by the different iFLUX models;
- **/events** not part of the iFLUX core directly as it is implemented on the gateway. But it is part of the general iFLUX API.

Apart from those endpoints, the event sources and the action targets, when required, must offer an API to configure the instances. On the action targets, an API to accept triggered action must be implemented.

4.2.1 The /events/ endpoint

This endpoint and the payload that it accepts is straightforward. Every iFLUX *event source* produces a stream of events. It POSTs these events on the endpoint. Notice that the payload accepts an array of events, so it is possible to send several events in a single request. For every event, there is a timestamp, a source (an ID to an event source), a type (a link to a JSON schema) and an array of custom properties. As you can see, writing an iFLUX event source is very simple. In particular, bringing an existing component (WoT gateway, mobile app, business application, etc.) into the iFLUX ecosystem is not a burden, which was one of our main design objectives. Furthermore, this can be done on any kind of platform (software and firmware), since the only requirement is to be able to issue an HTTP request.

```
POST /events/ HTTP/1.1
Content-type: application/json

[
  {
    "timestamp" : "2015-01-12T05:21:07Z",
    "source" : "JI8928JFK",
```

```

    "type" : "http://localhost/eventTypes/temperatureEventSchema",
    "properties" : {
      "temperature" : 22.5,
      "location" : "room 1"
    }
  },
  {
    "timestamp" : "2015-01-12T05:22:07Z",
    "source" : "JI8928JFK",
    "type" : "http://localhost/eventTypes/temperatureEventSchema",
    "properties" : {
      "temperature" : 22.8,
      "location" : "room 1"
    }
  }
]

```

4.2.2 The /configure/ endpoint

In the case of event source and action target that requires a dedicated configuration, iFLUX core will call the /configure/ on the remote host. This remote endpoint should offer the API.

The action target must let the possibility to set an action target ID and a bunch of free properties.

```

POST /configure/ HTTP/1.1
Content-type: application/json

{
  "target" : "8JFKJI892",
  "properties" : {
    "periodicity" : "daily"
  }
}

```

The event source must let the possibility to set an event source ID and a bunch of free properties.

```

POST /configure/ HTTP/1.1
Content-type: application/json

{
  "source" : "JI8928JFK",
  "properties" : {
    "sensorId" : "thermo-1"
  }
}

```

4.2.3 The /actions/ endpoint

This endpoint is analogous to the events endpoint. It has to be implemented by every *action target*, to expose functionality that can be triggered when iFLUX rules are evaluated positively. Here again, it is possible to send several action payloads in a single HTTP request. Every action has a type (a link to a JSON schema) and a list of custom properties that depend on this type. Notice that there is no link to the action target, since this information is already part of the action resource URL (e.g. <https://myactuator.mysystem.com/actions/>). It must also contains the action target ID to identify which instance will be triggered. In case the

action target is not configurable, the action target ID is sent anyway but should be skipped.

```
POST /actions/ HTTP/1.1
Content-type: application/json

[
  {
    "target": "8JFKJI892",
    "type": "http://localhost/actionTypes/sendAlertViaEmailSchema",
    "properties": {
      "email": "user.name@iflux.io",
      "subject": "Alert: something has happened!",
      "body": "An event has been notified to iFLUX by a source and a rule states that we
        should inform you about it."
    }
  },
  {
    "target": "8JFKJI892",
    "type": "http://localhost/actionTypes/sendAlertViaEmailSchema",
    "properties": {
      "email": "user.name@iflux.io",
      "subject": "Alert: something has happened!",
      "body": "An event has been notified to iFLUX by a source and a rule states that we
        should inform you about it."
    }
  }
]
```

4.2.4 The /rules/ endpoint

This endpoint is used to perform CRUD operations of iFLUX rules. Unlike the previous endpoints, which only accept POST requests, it accepts GET, POST, PATCH and DELETE requests. In addition to the simple metadata (a description and a reference), every rule has two parts: the *conditions* part and the *transformations* part. The *conditions* part specifies under which conditions the rule will be fired. It is possible (but not mandatory) to specify an event source, an event type and a list of property values. In other words, it is possible to define rules that are fired “*if any sensor sends an event with a temperature above 30 degrees*” or “*if the particular sensor in my kitchen sends any kind of event*”. The *transformations* part specifies which action(s) should be triggered on which *action target(s)* when the rule is fired. The property *actionSchema* contains a javascript expression, which specifies how to create the action payload based on the event properties.

```
POST /actions/ HTTP/1.1
Content-type: application/json

{
  "description": "When a temperature event is received, notify Bob by email.",
  "reference": "TEMPERATURE-EMAIL-NOTIFICATION",
  "enabled": true,
  "conditions": [{
    "eventSourceId": 12,
    "eventTypeId": 1
  }]
  "transformations": [{
    "actionTargetId": 28,
    "fn": {
      "expression": "return { 'temp': event.properties.temperature };"
    }
  }]
}
```

4.2.5 The other endpoints

The GitHub repositories of iFLUX contains the API documentation which is more complete than the description given in this document. You should take a look on <https://github.com/SoftEng-HEIGVD/iflux-apidoc> or <https://iflux.heig-vd.ch/doc/> to have a deeper view on the APIs. You will realize that most of the APIs are CRUD oriented.

4.3 The data model

In iFLUX, we manipulate various data stored in a PostgreSQL database. The data stored are only related to the rules. No event is stored directly in iFLUX. In place, for the events, we rely on on ElasticSearch.

The Figure 2 presents the different models. In fact, this is really similar to the APIs. We have the organizations to scope all the data visibility to only members of the organizations. Action target and their templates like the event sources and their templates can be public or not. When they are defined as public, they become usable by every iFLUX registered users. Changing the visibility of any of this model will only prevent them to be used in the future. In figure, the dashed lines will refer to weak links meaning that the link is defined only in the code and not through database integrity constraints.

4.3.1 Commons attributes

In the next few sections, we will describe the different models of iFLUX. Some of them share the same attributes dedicated to the same usage. Therefore, we will describe them below:

- **generatedIdentifier** This a unique string across a model generated on the server side which is not editable by iFLUX users;
- **refCount** this field is a cache of the number of times the model is referenced by another model. This is a shortcut to let the UI knowing if the model can be deleted or not;
- ***Schema** in general, all the attributes terminated by the suffix Schema refers to a JSON Schema;
- ***Token** when we talk about tokens in our models, this means that we expect a token that will be used in the HTTP header *authentication* with a sort of *bearer*; It is not yet possible to specify other security authentication schemes;




Figure 2: The iFLUX data model

- **public** when public flag is present, it means that the model can be kept private when set to false and therefore the model remains visible only by members of the same organization. If set to true, the model is visible by everybody in iFLUX. Only members of an organization can edit/delete models owned by the organization even if they are public.

4.3.2 Organizations

The organization is the main model in iFLUX. All the remaining data are scoped to the organizations. There is no way to transfer a model from an organization to another organization. In place of that, we have a public/private mechanism which allows to open the usage (not the edition) to everyone.

An organization is defined by a name that must be unique across the system.

4.3.3 Users

Users are automatically a member of at least one organization. There is no concept of privileges in an organization. Being part of an organization will allow the member to do everything in the organization. This means that any member can create, read, update or delete any model attached to the organization where the user is a member.

A user is defined by a first name, a last name and an email. In addition, the user has to set a password that will be stored ciphered in the database.

4.3.4 Event Source Templates

The event source templates define an event source that can be instantiated multiple times in the system. Refers to 3.1 for more details.

An event source template is composed of a name that is unique in the organization, a configuration schema. This schema define the JSON payload that the external system expect when the configuration callback is used. An optional configuration token can be set. In addition, a configuration UI schema is defined optionally to offer the possibility of the frontend to prepare a corresponding UI to make the configuration. Finally, they are ref count and public attributes.

4.3.5 Event Sources

Event sources are instances of event source templates. This will allow to define multiple event sources on the same model. For instance, you define an event source template to be a thermometer which can send temperature

events. Then, you can define one or more real thermometers uniquely identified. For more details, check the section 3.2.

An event source has a name that is unique across the event sources scoped to the organization. A reference to the event source template and an organization. The configuration is the real values that will be used to configure the instance of the event source template in the remote system. Finally, the attributes generated identifier, public and ref count are present.

4.3.6 Event Types

The event types define the structure of the events that an event source will produce. They are used to specify the data sent from an event source and then letting the definition of rules to know which data available in the action.

An event type has a name that is unique across the organization and human description is possible. The event type schema is the format of events from that type. The type is the URL to refer the schema. If the URL refers to an external service, the schema can be blank. The attributes public, ref count and generated identifier are present.

4.3.7 Action Target Templates

The action target templates define an action target that can be instantiated multiple times in the system. Refers to 3.3 for more details.

An action target template is composed of a name that is unique in the organization, a configuration schema. This schema defines the JSON payload that the external system expects when the configuration callback is used. An optional configuration token can be set. In addition, a configuration UI schema is defined optionally to offer the possibility of the frontend to prepare a corresponding UI to make the configuration. In addition, a target URL and its optional token is required for the action callbacks which is different from the configuration callback. Finally, they have ref count and public attributes.

4.3.8 Action Targets

Action targets are instances of action target templates. This will allow to define multiple action targets on the same model. For instance, you define an action target template to be a light which can be switched on/off. Then, you can define one or more real lights uniquely identified. For more details, check the section 3.4.

An action target has a name that is unique across the action targets scoped to the organization. A reference to the action target template and

an organization. The configuration is the real values that will be used to configure the instance of the action target template in the remote system. Finally, the attributes generated identifier, public and ref count are present.

4.3.9 Action Types

The action types define the structure of the actions sent to action targets. It will help to define rules with the correct action data format in the JavaScript expressions.

An action type has a name that is unique across the organization and human description is possible. The action type schema is the format of actions from that type. The type is the URL to refer the schema. If the URL refer to an external service, the schema can be blank. The attributes public, ref count and generated identifier are present.

4.3.10 Rules

The rules do the relations between the event sources and the actions targets as it was explained section 3.5.

A rule is defined by a unique name across the organization and an optional human description. The active flag is used to enable/disable the evaluation of a rule. The conditions and transformations arrays are JSON arrays stored directly in the model. Therefore, there is no strong links with integrity constraints.

The conditions is a list of *if* with the following data structure. Only one condition evaluated to true is enough to match the rule.

```
"properties": {
  "description": {
    "description": "Human friendly text to explain the condition.",
    "type": "string"
  },
  "eventSourceId": {
    "description": "Reference to event source. If blank, * is used.",
    "type": "integer"
  },
  "eventType": {
    "description": "Reference to event type. If blank, * is used",
    "type": "integer"
  },
  "fn": {
    "description": "JavaScript expression. Can be blank.",
    "type": "object",
    "properties": {
      "expression": {
        "description": "MUST be a valid JavaScript expression",
        "type": "string"
      },
      "sampleEvent": {
        "description": "A valid event to be evaluated to true with the expression.",
        "type": "object"
      }
    }
  },
  "required": [ "expression", "sample" ]
}
```

and an example:

```
"conditions": [{
  "description": "Match if a temperature has changed.",
  "eventSourceId": 1,
  "eventType": 1,
  "fn": {
    "expression": "return event.temperature.old != event.temperature.new;",
    "sampleEvent": {
      "temperature": {
        "old": 12,
        "new": 13
      }
    }
  }
}]
```

The transformations is a list of *then* with the following data structure. All the transformations will be applied.

```
"properties": {
  "description": {
    "description": "Human friendly text to let the possibility to explain the transformation",
    "type": "string"
  },
  "actionTargetId": {
    "description": "Reference to action target.",
    "type": "integer"
  },
  "actionTypeId": {
    "description": "Reference to action type.",
    "type": "integer"
  },
  "fn": {
    "description": "JavaScript expression to create the action content.",
    "type": "object",
    "properties": {
      "expression": {
        "description": "MUST be a valid javascript expression",
        "type": "string"
      }
    },
    "sample": {
      "description": "A valid context to evaluate the transformation",
      "type": "object",
      "properties": {
        "event": {
          "description": "A valid event.",
          "type": "object"
        },
        "eventSourceTemplateId": {
          "description": "A reference to the event source template. Can be blank.",
          "type": "integer"
        },
        "eventType": {
          "description": "A reference to the event type. Can be blank.",
          "type": "integer"
        }
      }
    },
    "required": [ "event" ]
  },
  "required": [ "expression", "sample" ]
},
"required": [ "actionTargetId", "actionTypeId" ]
}
```

and an example:

```
"transformations": [{
  "description": "Prepare a message for Slack with the old and new temperature",
  "actionTargetId": 1,
  "eventType": 1,
  "actionTypeId": 1,
  "fn": {
    "expression": "return { message: 'The temp. changed from ' + event.temperature.old + ' to ' + event.temperature.new + '.' }";",
  }
}]
```




Figure 3: The rule evaluation algorithm

```

"sample": {
  "event": {
    "temperature": {
      "old": 12,
      "new": 14
    }
  },
  "eventSourceTemplateId": 1
}
}
}

```

4.3.11 Rules evaluation

The algorithm to evaluate the rules against an event is not really complex. The figure 3 shows the evaluation algorithm. For each event, we evaluate all the rules. In fact, more than one rule can match. Each rule has one or more conditions, therefore we iterate over each condition to check if the event matches the rule or not. In a condition, we can define an expression, an event source, an event type or a combination of them. Then, there are 7 ways to evaluate an event.

- S matching by event source only;
- T matching by event type only;
- E matching by expression only;
- ST matching by event source and event type;

- SE matching by event source and expression;
- TE matching by event type and expression;
- STE matching by event source, event type and expression

For each combination of evaluation, all the parts of the combination must match the event. In a condition rule, when event source or event type is not present, it will results in a joker match on the event source or event type.

Once the the combination to evaluate is found, the evaluation is done. If there is a match of the event against the rule, then we prepare the actions corresponding to the rule. If there is more conditions, we restart the evaluation process for the next condition. If no more conditions, we take a look to know if there is more rule to evaluate. If there is, we start again the evaluation process for the next rule otherwise we stop the evaluation process. Once we have all evaluated, we triggered the actions.

4.4 Model summary

In fact, the data model of iFLUX is not so complex. A lot of things that are present for the event side are also present in the action side. Only few details change between them. The logic behind this is that it is more easy to maintain and to factorize the code if the things are close. The difference between event and action sides is mainly due to the fact that the event side is an input stream in iFLUX and the action side is an output stream. Then, the action side models require more configuration than event side.

5 Technologies

During the project, we used a variety of technologies to achieve different objectives. For example, we use Docker to manage the whole architecture for the development and the production environments.

5.1 Docker

What is Docker? *Docker is an open platform for building, shipping and running distributed applications. It gives programmers, development teams and operations engineers the common toolbox they need to take advantage of the distributed and networked nature of modern applications.*

In iFlux, we prepared several images to instantiate containers on a dedicated VM. Why using Docker? In fact, there are few reasons. Firstly, we can prepare images ready to deploy for other organizations. As the image is

self contained, with just few environment variables we are able to instantiate multiple instances of iFLUX easily without having to worry about the deployment itself.

In fact, the iFLUX image, everything is already ready. We have the installation of NodeJS which the runtime that runs our application. All the application dependencies are also bundled as the application is installed. The difference between a dockerized application and a traditional one is that the bundle you ship is self contained and there is nothing to worry about. No more issues with missing dependencies or dependency repository down.

Secondly, it brings a real advantage for the deployment time. As you have your application ready to use and you have just to run one line command to run your containerized application, you have just to download it and to run it. So you can repeat this process on each environment where you want to deploy the app. In our case, we have deployed two distinct productions environments. In summary, we can say prepared once, deploy everywhere.

There is the Docker image file of the iFLUX main server.

```
# Base image which contains node installed
FROM node:0.12.6-wheezy

# Install some dependencies globally to have them in the path
RUN npm install -g grunt bower knex

# Install dependencies with a caching mechanism to improve the Docker image build process
ADD package.json /tmp/package.json
RUN cd /tmp && npm install
RUN mkdir -p /nodejs/iflux && cp -a /tmp/node_modules /nodejs/iflux

# Copy the application in the image
ADD . /nodejs/iflux

# Prepare the user stuff to run the app
RUN useradd -m -r -U iflux \
    && chown -R iflux:iflux /nodejs/iflux \
    && chmod +x /nodejs/iflux/start.sh

# Switch the user to let have less privileges than root user
USER iflux

# Set the working directory
WORKDIR /nodejs/iflux

# Expose the application port
EXPOSE 3000

# This instruction will be used when the container will instantiated
CMD ./start.sh
```

The script that will be run once the container is instantiated is the following.

```
#!/bin/bash

# Run the database migration. Ensure that the database is ready each time the application is
# updated and redeployed
knex migrate:latest

# Start the application. Remember we are in the working directory where the application is
# deployed.
npm start
```

5.1.1 Docker Compose

We did the work to create the images for each component of iFLUX. For the database, the different action targets and event sources. Pretty much everything is dockerized. Therefore, we need an orchestration tool to manage all the containers. For that, Docker is shipped with a tool called Docker Compose. This tool allow us to prepare a configuration. The configuration contains the definition of each service and their dependencies. With that, Docker Compose is able to calculate the start order regarding the dependency graph. For example, Docker Compose will start the database used by iFLUX before the server will start.

```
# The API documentation is exposed through static website on port 4000
ifluxapidoc:
  image: softengheigvd/iflux-apidoc:latest
  env_file: ../.env
  ports:
    - "4000:4000"

# This is a container to handle the data of all the service. In real production use case, each
# service will have its own data container. With this configuration, the storage is
# stored on the host running Docker containers and then will ensure the data are persisted
# between to run of a container.
ifluxsrvdata:
  build: iflux-server-data
  volumes:
    - "/iflux/db/mongo:/data/db"
    - "/iflux/db/postgres:/var/lib/postgresql/data"
    - "/iflux/kafka:/kafka"
    - "/iflux/esearch:/usr/share/elasticsearch/data"
    - "/iflux/slack:/data/slack"
    - "/iflux/viewbox:/data/viewbox"
    - "/iflux/metrics:/data/metrics"
    - "/iflux/publibike:/data/publibike"
    - "/iflux/citizen:/data/citizen"

# The main service of iFLUX. This piece contains the logic to evaluate the rules.
ifluxsrv:
  image: softengheigvd/iflux-server-node:latest
  env_file: ../.env
  ports:
    - 3006:3000
  links:
    - postgresql
    - kafka
    - zookeeper:zk
    - elasticsearch:es

# This component receive the events before forwarding them to Kafka to let iFLUX main
# component to consume the events.
ifluxapi:
  image: softengheigvd/iflux-api-gateway-node:latest
  env_file: ../.env
  ports:
    - 3005:3000
  links:
    - ifluxsrv
    - kafka
    - zookeeper:zk

# The frontend to manage the iFLUX data (configuration, ...)
ifluxfe:
  image: softengheigvd/iflux-frontend
  env_file: ../.env
  ports:
    - 3007:3000

# This is an action target to send Slack messages
ifluxslack:
  image: softengheigvd/iflux-slack-gateway:latest
  env_file: ../.env
  ports:
```

```

- 3001:3000
volumes_from:
- ifluxsrvdata

# Another action target to collect and manage metric collections
ifluxmetrics:
  image: softengheigvd/iflux-metrics-action-target:latest
  env_file: ./env
  links:
  - mongo
  ports:
  - 3002:3000
  volumes_from:
  - ifluxsrvdata

# One more action target to visualize geolocalized data
ifluxmapbox:
  image: softengheigvd/iflux-mapbox-viewer:latest
  env_file: ./env
  ports:
  - 3004:3000
  volumes_from:
  - ifluxsrvdata

# This action target is prototype realized in the context of Paleo Festival to show the
  parking in/out activity.
ifluxpaleo:
  image: softengheigvd/iflux-paleo-2015:latest
  env_file: ./env
  links:
  - mongo
  ports:
  - 3008:3000
  volumes_from:
  - ifluxsrvdata

# This component is a bit special as it serves to populate the data for a first deployment of
  iFLUX. It interacts directly with the iFLUX APIs.
ifluxstarter:
  image: softengheigvd/iflux-server-starter:latest
  env_file: ./env

# This event source was originally a project in a course at the school. We took the
  opportunity to integrate iFLUX to send events.
citizen:
  image: softengheigvd/citizen:latest
  env_file: ./env
  links:
  - mongo
  ports:
  - 3003:3000
  volumes_from:
  - ifluxsrvdata

# This component is a poller of the publicbike service which will emit events with the state of
  the different bike stations.
publicbike:
  image: softengheigvd/iflux-publicbike-event-source:latest
  env_file: ./env

# Mongo is used by the metrics component as backend to store the data.
mongo:
  image: mongo
  command: mongod --smallfiles
  ports:
  - 27017:27017
  volumes_from:
  - ifluxsrvdata

# Postgresql is used to store the data of iFLUX. Data in this context are all the entities
  that allow configuring and managing the rules.
postgresql:
  image: postgres:9.4
  volumes_from:
  - ifluxsrvdata
  volumes:
  - ".db:/docker-entrypoint-initdb.d"
  ports:
  - 5432:5432
  env_file: ./env

```

```

# This tricky component is just a timer to let postgresql finishing to initialize itself.
postgresqlwait:
  image: n3llyb0y/wait
  links:
    - postgresql:db
  environment:
    PORTS: 5432

# Zookeeper comes with Kafka. This let kafka working well.
zookeeper:
  image: wurstmeister/zookeeper
  ports:
    - 2181:2181

# Kafka is the messaging bus used between iFLUX API Gateway and iFLUX
kafka:
  image: wurstmeister/kafka
  ports:
    - 9092:9092
  links:
    - zookeeper:zk
  environment:
    KAFKA_CREATE_TOPICS: "iflux-events:1:1"
  env_file: ./env
  volumes_from:
    - ifluxsrvdata
  volumes:
    - /var/run/docker.sock:/var/run/docker.sock

# Elastic search is used to store the events and rules evaluation results for later analysis
  and querying
elasticsearch:
  image: elasticsearch:1.5.2
  volumes_from:
    - ifluxsrvdata
  ports:
    - 9200:9200
    - 9300:9300

# Kibana is a web user interface to interact with ElasticSearch
kibana:
  image: shortishly/kibana
  links:
    - elasticsearch
  ports:
    - 5601:5601

# This component is not mandatory but in our case and due to technical limitations we have in
  the infra where iFLUX is hosted, we put in place a reverse proxy that is exposed to
  another one. Acting like this allow us managing our different components in any way we
  want but remaining stable for the front reverse proxy.
rp:
  build: rp
  links:
    - kibana
    - ifluxpaleo:paleo
    - ifluxmapbox:viewbox
    - ifluxmetrics:metrics
    - ifluxslack:slack
    - ifluxapi:gateway
    - ifluxsrv:iflux
    - ifluxfe:fe
    - ifluxapidoc:doc
    - citizen
    - publibike
  ports:
    - 3000:80

```

In fact, it's not enough to run the complete service with peace. We discovered that Docker Compose will not wait that a started service is ready. What does it mean? Starting a database requires time, especially when nothing is initialized. When you start such service, the foreground process managed by Docker is ready but the service itself is not. As Docker consider the container running and then the service running, it will continue with

the next steps in its launch order. But sometimes, your service is really not ready when the service that depends on it tries to access it and fails.

For that, we discovered some useful images that allow us to make a kind of timer which will wait until the real service and not just the process is ready. Therefore, we have bundled all that stuff in a running script that we use to start the whole infrastructure.

```
#!/bin/bash

docker-compose run --rm postgresqlwait

docker-compose up -d rp

docker ps
```

5.1.2 Docker Hub

In addition, we use *Docker Hub* which is a platform offered by the creators of Docker to upload/download images. Once they are published on their platform, they are available to everybody. As iFLUX is an Open Source project, we decided to publish the corresponding images to the community. Moreover, we have also facilitated the deployment process on the school server where we have just to download the latest versions of the images. This also confirmed the goal of Docker which can be summarized as: *Build once, deploy everywhere*.

5.2 Kafka

What is Kafka? *Apache Kafka is publish-subscribe messaging rethought as a distributed commit log*. The Kafka website is saying the following:

- **Fast:** A single Kafka broker can handle hundreds of megabytes of reads and writes per second from thousands of clients.
- **Scalable:** Kafka is designed to allow a single cluster to serve as the central data backbone for a large organization. It can be elastically and transparently expanded without downtime. Data streams are partitioned and spread over a cluster of machines to allow data streams larger than the capability of any single machine and to allow clusters of co-ordinated consumers
- **Durable:** Messages are persisted on disk and replicated within the cluster to prevent data loss. Each broker can handle terabytes of messages without performance impact.
- **Distributed by Design:** Kafka has a modern cluster-centric design that offers strong durability and fault-tolerance guarantees.

Kafka is designed to be highly scalable. Then it is usually used in a cluster mode of multiple instances of Kafka. Zookeeper is used to orchestrate the Kafka cluster. Even if you only used one Kafka instance, Zookeeper is required to store topic and partitions metadata.

Kafka comes with several concepts:

- **Consumer** is the part that will get the messages from the topics. The consumer keep the state of which message has to be read or not. It maintains which is called an offset of the partition it is interacting with. In fact, the offset is free of manipulation meaning you can read old messages at anytime as long as they remains in the topic (timeout limit to free space);
- **Producer** is the part that will creates and sends the message to Kafka;
- **Topic** is the way to organize the messages;
- **Partition** is inside a topic. This will allow to scale a topic in the Kafka cluster. You can have one topic with several partitions. The Producer and Consumer can interact, in a round robin way for example, with specific partitions. The messages that arrives in a partition are guaranteed to be stored in the received order.

In iFLUX, we use Kafka for the messaging between the API gateway and the rule engine. So the API gateway is our producer and the iFLUX rule engine is our consumer. We defined one topic to exchange the messages.

One of the advantage of Kafka is the availability of a lot of clients in different languages. We found, at least, one for NodeJS and then we were able to integrate Kafka in our two components.

The code to achieve that is pretty straight forward. For the producer part, it requires to create and connect a client and then to create a producer. Once the producer is ready, we can post messages to the topic we want. Kafka can auto-create the topic if missing.

```
var client = kafka.Client('<zookeeperhost:zookeeperport>', 'clientId');
var producer = new Producer(client);

// Error handling, there just print to the console the error message
producer.on('error', function(error) {
  console.log(error.message);
});

// Example of message sent to a topic. In fact, two messages are sent at the same time.
producer.send([
  {
    topic: 'topicName',
    messages: [{
      content: "First message"
    }, {
      content: "Second message"
    }]
  }
], function(err, data) {
  // Function to handle any error during the messages are sent
  if (err) {
```

```

        console.log(err.message);
    }
});

```

The code for the consumer is a little bit more tricky. This is due to the fact we have to manage the disconnection/reconnections.

```

var client, consumer, producer;

// This function will handle the message when they arrive. This is the entry point that
// will trigger the rule evaluation for each message received. In iFLUX, each message
// corresponds to one event.
function messageHandler(message) {
    var time = timeService.timestamp();
    var events = JSON.parse(message.value);

    // A message can be an array of events depending if the gateway
    // received one event or multiple events
    if (!_isArray(events)) { events = [ events ]; }

    // Code to save the events in Elasticsearch is removed for readability
    ...

    // Trigger the rule evaluation
    ruleEngineService.match(events);
}

// In case of error, we will handle it and set a timeout before trying to
// reconnect to the broker
function consumerErrorHandler(error) {
    if (!_isUndefined(error)) { console.log(error); }

    // Setup timeout to wait before trying to reconnect to Kafka
    setTimeout(setup, 5000);
}

// Do the configuration against Kafka. Establish the consumer
// connection with the previous offset if known.
function consumerSetup(offset) {
    consumer = new Consumer(
        client,
        [{ topic: 'topicName', offset: offset }],
        { fromOffset: true }
    );

    // Setup the handlers on the consumer
    consumer.on('message', messageHandler);
    consumer.on('error', consumerErrorHandler);
}

// Retrieve the last offset in case of failures and the current client state is lost.
// This strategy avoid re-consuming messages already handled.
function offsetSetup() {
    // Create the offset object
    var offset = new Offset(client);

    // Once the offset is ready, retrieve the value for the topic
    offset.on('ready', function() {
        offset.fetch([ { topic: 'topicName', time: -1 } ], function (err, data) {
            consumerSetup(data['topicName'][0][0]);
        });
    });
}

// General setup at the application startup or when the connection to Kafka is lost
function setup() {
    // Close the client if necessary
    if (client) {
        try { client.close(); }
        catch (err) { console.log(err); }
    }

    // Close the consumer if necessary
    if (consumer) {
        try { consumer.close(); }
        catch (err) { console.log(err); }
    }
}

```

```

    // Connect to Kafka through Zookeeper (handled by the NodeJS module)
    client = kafka.Client('<zookeeperhost:zookeeperport>', 'clientId');

    // Setup the offset
    offsetSetup();
}

// At application startup, we call the main setup operation
setup();

```

With these two code parts respectively in iFLUX API Gateway and iFLUX core server, we are able to send and receive event through Kafka messages. One of the advantage is the possibility to do some maintenance. We can stop iFLUX core server without losing any message. In fact, the API gateway will continue to receive the message and to post them into Kafka. Kafka will store the messages for a certain period of time in the order that the messages arrived. Then, once the iFLUX core server is up again, he consume all the messages not already consumed.

Another use case where Kafka is really useful is when we encounter a high traffic of events. We can add more API Gateway nodes in our infrastructure to absorb the high traffic. All the messages will be handled by the Kafka cluster (at condition we have setup a correct Kafka infrastructure with sufficient nodes, RAM and storage). The rule engine on the iFLUX core can therefore take the time to handle the messages. This approach will surely differ the message evaluation but at least, no event will be lost or not evaluated.

5.3 ElasticSearch

What is ElasticSearch? *Elasticsearch is a distributed, open source search and analytics engine, designed for horizontal scalability, reliability, and easy management. It combines the speed of search with the power of analytics via a sophisticated, developer-friendly query language covering structured, unstructured, and time-series data.*

We use ElasticSearch to archive the events received in the iFLUX core server before the rules evaluation. We keep an unmodified version of the event. Once, the rules are evaluated, we also keep the result of the evaluation and what matched in the rule regarding the event. Therefore, we have two different indexes in ElasticSearch where we can perform text search queries.

With the addition of Kibana, we have a frontend dedicated to ElasticSearch where we can build personal dashboards to make the data more useful. The different graphs can be created based on ElasticSearch queries defined by the users.

In this project, we also used ElasticSearch and Kibana as debug tools to get more logs on when and where things are happening. It helps to answer questions like: Is my event evaluated positively by this rule? Is my event

received by the iFLUX core server? And so on.

In addition, keeping the events in ElasticSearch let us the possibility to do post processing on the data collected. If we have missed a possibility to add value on the data by doing a specific processing, we have the possibility to extract those data from ElasticSearch as long as we keep the data. In our setup, we have not set any purge mechanism and keep the data for lifetime.

The integration of ElasticSearch in NodeJS application is also simple like we have done for Kafka. There is an example of integration below.

```
// Setup the client to connect to ElasticSearch
var client = new elasticsearch.Client({
  host: '<elasticSearchHost>:<elasticSearchPort>',
  log: 'info'
});

// Create the payload to save in ElasticSearch
// and the related configuration
var esItem = {
  index: 'indexName',
  type: 'json',

  // We use a UID generator to have unique ID
  id: 'randomUniqueId',
  body: {
    // Take care that the ID fields cannot be named id
    _id: "a business id not related to ES",

    // ElasticSearch works better with dates in data
    timestamp: new Date()

    content: "A user defined content",
  }
};

// Create the ElasticSearch entry
client.create(esItem, function (error, response) {
  // Error handling
  if (!_.isUndefined(error)) {
    console.log(error);
    console.log(response);
  }
  else {
    console.log('Model persisted in ElasticSearch');
  }
});
```

By the way, our system is fault tolerant with ElasticSearch. If ElasticSearch is not available, it will not block or cause any issue in the rules evaluation or event reception.

5.4 Storm

What is Storm? *Apache Storm is a free and open source distributed real time computation system. Storm makes it easy to reliably process unbounded streams of data, doing for real time processing what Hadoop did for batch processing. Storm is simple, can be used with any programming language, and is a lot of fun to use!*

Storm comes with several concepts:

- **Topology** is a graph more exactly a Directed Acyclic Graph, of spouts and bolts that are connected with stream groupings.

- **Spout** is a source of streams in a topology. One of the most common source is Kafka.
- **Bolt** is a processing unit used to filter, aggregate, join, talk to database, custom function, etc. It is the logical function inside Storm.
- **Streams** is the core abstraction in Storm and more precisely a sequence of tuples.
- **Worker** is a physical JVM that contains executors.
- **Executors** is a worker thread that executes one or many tasks.
- **Tasks** is a bolt or spout to process.
- **Nimbus** is a daemon running on the master node. It distributes the code on the cluster, assign task to supervisors and watch errors.
- **Supervisor** is a daemon running on slaves nodes. They receive jobs assigned to these workers. For each worker there is one supervisor daemon.

Storm guarantees that every spout tuples will be fully processed by the topology. A spout is considered as fully processed when the tree of tuples has been successfully completed. If a worker is down or a task make more than X seconds (Timeout defined by the user) to process, the tree tuples is considered as failed, and the spout send again the data. One master node check the availability of each worker and if one is down, it restart it or redeploy a new one in another location in the cluster.

The purpose of using Storm in iFlux is to be scalable with the amount of events to process. A good start will be to modify the iFlux server which evaluate the rules by encapsulating it in a Bolt. The figure 4 explains the architecture.

Each box is a docker container and by definition can be deployed on a physical server. Storm is built to run JVM languages as bolt, but it also provide a Multilang protocol to support other language. Multilang use json messages over stdin/stdout to communicate with the subprocess. The topology will have one Spout which reads events from Kafka and push them to the Bolt thats evaluate the rules. The bolt is parallelized as you want and make the architecture scalable and fault tolerant. The figure 5 displays the topology with Kafka interactions and the result Actions.

A better architecture will be to undockerize Kafka, Zookeeper and Storm and run them in native environment to enhance performances. The second optimization is to decompose the rules engine in small tasks and create an acyclic graph which is a Storm topology. The goal is to avoid the unique bolt




Figure 4: Storm architecture concept




Figure 5: Storm topology with bolt in parallel

and replace it by a real Storm topology with many bolts. All infrastructure can be deployed on a Hadoop cluster.

5.5 API Testing

During the development of iFLUX core API, we have updated so many times the API that it started quickly to be a nightmare to do not introduce any regression. We decided to implement a full test coverage at the API level. We have investigated several solutions to write our API tests in NodeJS but we did not find any suitable solution that will allow to write long scenario (ex: Create a resource, update this resource, list all the resource to see if this one is included, delete this resource). And no solution permit to avoid the Pyramid of Doom problem of NodeJS callbacks.

We finally reach the point to use a tool called API Copilot which is wrapper around a node module to write REST requests. This tool allow to write scenario in the purpose to populate a service which offer a REST Service. It largely use promises as a core concept to avoid the pyramid. So, from a code like that

```
// First call
client.get('/users', function(result) {
  // ... do something with result

  // Second call
  client.get('/rules', function(secondResult) {
    // ... do something with secondResult

    // Third call
    client.get('/actionTargets', function(thirdResult) {
      // ... do something with thirdResult
      // ... and so on with more indentations and callbacks
    });
  });
});
```

we achieve to have a cleaner code

```
client
  .get(function(result) {
    // ... do something with result
  })
  .get(function(result) {
    // ... do something with result
  })
  .get(function(result) {
    // ... do something with result
  })
;
```

So, with API Copilot, we have the proper tool to do REST API calls in order and to do some processing with the responses to react for the next steps. What we did is just a wrapper to be able to dynamically add new steps. We also added some assertions and logging. There is an example of a test suite.


```

// Create the test suite
var testSuite = new TestSuite('Authentication resource')
// Configure the base URL for all the following calls
.baseUrl('http://localhost:3000')

// Set the Content-Type header to be application/json
.setJson();

// Define a test
testSuite
  // Give a description to the test
  .describe('Unknown user cannot signin')
  // Do a POST request with a content body
  .post({
    url: '/v1/auth/signin',
    body: {
      email: 'henri.dupont@localhost.localdomain',
      password: 'password'
    }
  })
  // Assert the response code
  .expectStatusCode(401);

// Second test that will be run after the first one
testSuite
  .describe('Register new user')
  .post({
    url: '/v1/auth/register',
    body: {
      email: 'henri.dupont@localhost.localdomain',
      firstName: 'Henri',
      lastName: 'Dupont',
      password: 'password',
      passwordConfirmation: 'password'
    }
  })
  .expectStatusCode(201)
  // Assert the location header is present and is correct
  .expectLocationHeader('/v1/me');

// Third test that will be run after the second one. This one depends
// on the previous one. So in the second test we created the user
// and in this test we try to sign-in with the just created user.
testSuite
  .describe('Valid authentication')
  .post({
    url: '/v1/auth/signin',
    body: {
      email: 'henri.dupont@localhost.localdomain',
      password: 'password'
    }
  })
  .expectStatusCode(200)
  // Assert the JSON content received contains a
  // field token at the first level.
  .expectJsonToHavePath('token');

// Export the test suite to let the wrapper to execute the tests
module.exports = testSuite;

```

In fact, the test runner maintain a state of what is executed and then offer some helpers to store response data to use them in following steps. For example, the iFLUX API allow to create different models like an action type. When we do a POST request on `/actionTypes`, the response contains the location header which refer to the URL of the model. Our home made test framework offer a utility function to store the location `.storeLocationAs('actionType', 1)`. There are several little other utility like this that we have put in place to facility our code writing. Today, we have **1212 assertions** for a total of **645 tests**. That covers pretty much all the use cases of the API.

6 Frontend

Frontend of an application is what consumers see at first and the way to interact with the middleware. The biggest challenge was designing interfaces for everyone and not only for developers. User experience is the key success of every applications.

6.1 Technologies

6.1.1 AngularJS

AngularJS is now the leader for dynamic view in web-application. It is support by Google and private community. AngularJS strength is its two-way data binding. Whatever your are modifying, View or Model the other is updated instantly. However, the model stay the single-source-of-truth for the application state. AngularJS provide a high-level module to interact with RESTful server called *\$resource* and every CRUD function are defined easily like the following for the Action Target:

```
iFluxFrontServices.factory('ActionTarget', ['$resource',
function ($resource) {
    return $resource(baseUrl + '/actionTargets/:actionTargetId', {}, {
        query: {method: 'GET', isArray: true},
        save: {method: 'POST'},
        update: {method: 'PATCH', params: {actionTargetId: '@actionTargetId'}},
        get: {method: 'GET', params: {actionTargetId: '@actionTargetId'}},
        delete: {method: 'DELETE', params: {actionTargetId: '@actionTargetId'}}
    });
}]);
```

Some functionalities does not exists in core AngularJS, however the community has developed some plugins that was required to enhance the user experience. Here is a small list used in the project:

- **Angular ui-ace** <https://github.com/angular-ui/ui-ace> Ace is an embeddable code editor and this plugin adapt Ace for Angular.
- **Angular ui-select** <https://github.com/angular-ui/ui-select> More than a dropdown list, it allow search, select and multi-select.
- **Angular schema-form** <https://github.com/Textalk/angular-schema-form> The most usefull components that allow users to create forms based on JSON schema in Event Source Template and Action Target Template. The result is displayed in the instance (Event Source, Action Target) editor.

6.1.2 Jade

What is Jade? *Jade is a high performance template engine heavily influenced by Haml and implemented with JavaScript for node and browsers.* In iFlux, Jade is

used to create Angular partials because HTML is verbose.

Jade code for managing Organization in iFlux

```
.container
  #page-content-wrapper
    h1 iFLUX Organization
    .big-panel
      .col-lg-12.form-horizontal
        .col-lg-6
          h3 General Info
          .form-group
            label.col-sm-4.control-label(for='NameTemplate') email address
            .col-sm-8
              input#NameTemplate.form-control(name='nameTemplate', type='email',
                placeholder='email address', ng-model='form.email',
                required='')
        .col-lg-12
          .buttonbar
            a.btn.btn-primary(ng-click='cancel()') Cancel
            a.btn.btn-success(ng-click='submitForm()') Add user
```

Transformation in HTML

```
<div class="container">
  <div id="page-content-wrapper">
    <h1>iFLUX Organization</h1>
    <div class="big-panel">
      <div class="col-lg-12 form-horizontal">
        <div class="col-lg-6">
          <h3>General Info</h3>
          <div class="form-group">
            <label for="NameTemplate" class="col-sm-4 control-label">email address</label>
            <div class="col-sm-8">
              <input id="NameTemplate" name="nameTemplate" type="email" placeholder="email
                address" ng-model="form.email" required="" class="form-control"/>
            </div>
          </div>
        </div>
      </div>
      <div class="col-lg-12">
        <div class="buttonbar"><a ng-click="cancel()" class="btn btn-primary">Cancel</a><a ng-
          click="submitForm()" class="btn btn-success">Add user</a></div>
        </div>
      </div>
    </div>
  </div>
```

6.1.3 Stylus

Write CSS directly is not anymore done by web developers. CSS preprocessor technologies like SaaS LESS or Stylus replace it and allow you to use variables, nesting, inheritance, mixins, importing, etc. Stylus is different from the two others by omitting brackets, colons and semi-colons in your code. The result of the preprocessor is a standard CSS file.

Example of a contextual selector with Stylus

```
.panel
  height auto
  margin 0 auto

.panel-green
  border-color light-green

.panel-red
  border-color light-red

.panel-info
  border-color blue-help
```

The result after compilation

```
.panel {  
  height: auto;  
  margin: 0 auto;  
}  
.panel .panel-green {  
  border-color: #cfc;  
}  
.panel .panel-red {  
  border-color: #fdd;  
}  
.panel .panel-info {  
  border-color: #bce8f1;  
}
```

6.1.4 Grunt and Bower

Grunt is a JavaScript task runner and allow you to define repetitive task and automate it, like compile Stylus, run the web server, process Jade, etc. We define a watch task that process Stylus file after each modification and integrates it on the running website. With that, your website has always the latest modifications. With the command *grunt* in shell, the webserver start, compile Stylus and run the watch task.

The watch task in Gruntfile.js

```
grunt.initConfig({  
  pkg: grunt.file.readJSON('package.json'),  
  develop: {  
    server: {  
      file: 'app.js'  
    }  
  },  
  stylus: {  
    dist: {  
      files: {  
        'public/css/style.css': 'public/css/style.styl'  
      }  
    }  
  },  
  watch: {  
    options: {  
      nospawn: true,  
      livereload: reloadPort  
    },  
    js: {  
      files: [  
        'app.js',  
        'app/**/*.js',  
        'config/*.js'  
      ],  
      tasks: ['develop', 'delayed-livereload']  
    },  
    css: {  
      files: [  
        'public/css/*.styl'  
      ],  
      tasks: ['stylus'],  
      options: {  
        livereload: reloadPort  
      }  
    },  
    views: {  
      files: [  
        'app/views/*.jade',  
        'app/views/**/*.jade'  
      ],  
      options: { livereload: reloadPort }  
    }  
  }  
}
```

```
});
```

Bower is a package manager for the web stack. You define in *bower.json* which version of your components you want and it installed your package. Here is the dependencies of the frontend. There are lots of Angular modules provided by Angular or by users on Github.

```
{
  "name": "code",
  "version": "0.0.1",
  "ignore": [e
    "**/*.*",
    "node_modules",
    "components"
  ],
  "private": true,
  "dependencies": {
    "angular": "~1.4.1",
    "angular-bootstrap": "~0.13.0",
    "angular-bootstrap-switch": "~0.4.1",
    "angular-mocks": "1.4.1",
    "angular-route": "~1.4.1",
    "angular-resource": "~1.4.1",
    "angular-sanitize": "~1.4.1",
    "angular-schema-form": "~0.8.2",
    "angular-ui-ace": "~0.2.3",
    "angular-ui-select": "~0.12.0",
    "bootstrap": "3.3.x",
    "fontawesome": "~4.3.0",
    "jquery": "~2.1.1",
    "ngstorage": "~0.3.6",
    "jquery-ui": "~1.10.4"
  },
  "resolutions": {
    "angular": "1.4.1"
  }
}
```

By calling *bower install* every dependencies will be downloaded and installed. To install a new dependency, type *bower install --save package-name*. The dependency will be installed and the file *bower.json* will be updated with the new entry.

6.2 UX design

The masterpiece of UX design is a responsive website with bootstrap technology. We did not develop the frontend for a mobile because of the complexity of interfaces. Mobile phone are not useful when you have to write JS expression, navigate to find the help or fill long form. However, the website is responsive for the different resolution of the screen.

The concept of CRUD function is applied to the interface which for every parts of the model, has a management interface and an editor/view interface. In the management view, you can create, read, update or delete an entry. We did not innovate for the presentation.

6.2.1 Event Source

On the Event Source Template editor we employed the project *Angular Schema Form* <http://schemaform.io/> which allow you to create a dynamic Angular form based on the JSON Schema. To instantiate an event source the user have to provide a certain amount of data and he will do that through the dynamic form. It is the keystone of the frontend to configure dynamically distant objects or services.

An example of Json schema and the result form generated in figure 6.

```
{
  "$schema": "http://json-schema.org/draft-04/schema#",
  "type": "object",
  "properties": {
    "all": {
      "type": "boolean"
    },
    "default": {
      "type": "boolean"
    },
    "zipCodes": {
      "type": "array",
      "minItems": 1,
      "items": {
        "type": "integer"
      },
      "uniqueItems": true
    }
  }
}
```

The form is displayed with the default UI which is the following code. You can modify the visual aspect of the form by adding: placeholder, button, organize the form with Tab, change the checkbox into radio button, ...

```
["*"]
```

The figure 7 is the management interface for Event Source Template and Event Source.

6.2.2 Action Target

The Action Target interface is almost the same than Event Source. *Angular Schema Form* is also used to define endpoints and configure them.

6.2.3 Rules

To create a rules, you have to define a minimum of one condition and one action. Of course, you can add as much as you want. Configure a rules is not an easy task. This is why modal views are bind to dropdown lists to help users to choose the right instance or the right action/event type. To write JS expression, a help box displays properties of the event based on the chosen event type. The figure8 below show an action box with the help - a part of the rules form. Javascript editor is based on *Ace* which is an online code editor. It provide syntax highlighting, automatic indent, live syntax

Schema

Complete the form below to configure the Event Source *

☐ all

☐ default

zipCodes

zipCodes

1530

✓

+ Add

Figure 6: Event Sources form

iFLUX Event Source Management

Search an Event Source Templates

Name	Key	Public	Organization	Modification	Create Event Source	View Event Source	delete
Citizen Engagement		<input checked="" type="checkbox"/>	iFLUX	<button>Modify</button>	<button>Add</button>	<button>View</button>	<button>Delete</button>
Name			Id	Modification	Delete		
Citizen Engagement - All			5	<button>Modify</button>	<button>Delete</button>		
Citizen Engagement - Yverdon			2	<button>Modify</button>	<button>Delete</button>		
Citizen Engagement - Baulmes			3	<button>Modify</button>	<button>Delete</button>		
Citizen Engagement - Payerne			4	<button>Modify</button>	<button>Delete</button>		
Publibike		<input checked="" type="checkbox"/>	iFLUX	<button>Modify</button>	<button>Add</button>	<button>View</button>	<button>Delete</button>
<button>Create a new event source template</button>							

Figure 7: Event Sources management

Actions

Add an action

Update the visualization of the issue creation on MapBox.

Delete

Action Target *

iFLUX ViewBox for Citizen

?

Action Type *

View marker

?

Event Type

Select an event type

?

JS expression *

```
1 return { markerId: event.properties.issueId, lat:
event.properties.lat, lng: event.properties.lng,
date: event.properties.createdOn, data: { type:
'citizen', description: event.properties
.description, imageUrl: event.properties.imageUrl,
state: event.properties.state, owner: event
.properties.creator, createdOn: event.properties
.createdOn, updatedOn: event.properties.updatedOn,
issueTypeCode: event.properties.issueTypeCode }};
```

Write a JSON sample *

```
1 { "issueId": "asddgqwrasd", "imageUrl": "", "creator":
"Henri Dupont", "description": "Something went
wrong", "state": "created", "issueTypeCode": "cdn",
"lat": 1.2345, "lng": 6.789, "createdOn": "2015-05-12T12:34:56.000Z", "updatedOn": "2015-05-12T12:34:56.000Z" }
```

Event Source Template

Select an event source template

?

JS expression Help

You have access to these arguments for evaluating the JS expression.

Event

- event.timestamp
- event.properties
 - issueId
 - imageUrl
 - creator
 - description
 - state
 - issueTypeCode
 - lat
 - lng
 - createdOn
 - updatedOn

You can assign value as defined in Action Type

Action Type

- markerId
- lat
- lng
- data

Figure 8: Rules editor - one action

checker, etc. We make it resizable to allow a better visibility of your function. The code below is for one editor box. Lots of options are available, like autocompletion, code snippets, type of code, ...

```
.js-editor-medium(resizable='')
div(required='', name='conditionExpression', ui-ace="{
  require: ['ace/ext/language_tools'],\
  advanced: {\
    enableSnippets: true,\
    enableBasicAutocompletion: true,\
    enableLiveAutocompletion: true\
  }, useWrapMode : true, showGutter: true, theme:'monokai', mode: 'javascript',
  onChange: schemaChanged}",
ng-model='condition.fn.expression')
```

7 Use Cases and Evaluation

As of today, we have mostly evaluated the iFLUX from a developer's point of view. We have looked at the following questions: how easy is it to grasp the programming model? How easy is it to create a new service or to expose a legacy service through iFLUX APIs? How easy is it to build an application by applying the programming model? To answer these questions, we have worked with various teams to develop both components and applications. These teams had no prior knowledge about iFLUX before starting the exercise. In all cases, we saw that it was easy and quick both to implement iFLUX APIs in existing components and to design end-to-end workflows.




Figure 9: The PubliBike application, with one event source and two action targets




Figure 10: The Citizen Engagement application, with one event source and three action targets

7.1 PubliBike

Like in many other countries, bike sharing stations are increasingly deployed in swiss cities (see Figure 11). Customers need to acquire a smart card, with which they can unlock a bike at a station. They also use the smart card when they later return the bike. The bike stations are connected to a nation-wide information system, named PubliBike. PubliBike makes it possible to know the number of available bikes and free slots at every station, in realtime. The data can be accessed via a REST API: the returned JSON payload contains the current state of all stations.



Figure 11: A bike station in Yverdon-les-Bains




Figure 12: Bike stations displayed by an action target

As illustrated in Figure 9, we have implemented one *event source* and two *action targets* and we have defined rules in order to react to the activity monitored within the PubliBike system. These components are described in the following paragraphs.

7.1.1 Tracking bike arrival and departure: the PubliBike Event Source

Integrating PubliBike into the iFLUX ecosystem has first been achieved by defining a new *event source* and by specifying the type of events produced by this source. Note that when doing this, we did not need to think about how the information would be used. It could be used to trigger alerts, to create visual representations, to compute statistics. As developers of the *event source*, this is not something that we had to worry about (decoupling). We could have decided to define one *event source* for every bike station, but instead we have preferred to define a single *event source*: the PubliBike gateway, which is responsible for polling data via the PubliBike API and to detect state changes. In this scenario, while there are sensors and communication modules embedded in the physical stations, the iFLUX *event source* is purely implemented in a software daemon running in the cloud. With the PubliBike *event source* deployed, iFLUX receives an incoming stream of events, where every event represents a state change at a given station (i.e. either a bike has arrived or left). In addition to a timestamp, the events contain the following properties: the identifier, name and geographic coordinates of the station, the number of available bikes and the number of free slots.

To setup the *event source* we have started by configuring the *event source template*. As we discussed earlier, the event source template allows us to create multiple event source of the same kind. In this case, we want to have only one *event source*. We want to configure the system to have our Publibike *event source* as a sort of singleton. For that, we create the *event source template* to be private in our organization and then we create the *event source* to be public. Therefore, we offer to users of different organizations the possibility to create rules with our Publibike *event source* but we forbid to create new *event sources*. The limitation is if a member of our organization create a second *event source* from the template. We cannot avoid that at the moment. A future evolution of the system can be to set a flag or a counter to limit the number of *event sources* from a template.

Now, let's take a look of what we send on our API to create the *event source template*. We can see that we just set a name, the public flag to false and we attach it to our organization.

```
POST /eventsourcetemplates HTTP/1.0
Content-Type: application/json

{
  "name": "Publibike",
  "public": false,
  "organizationId": 1
}
```

For the *event source*, we have to send the following

```
POST /eventsources HTTP/1.0
Content-Type: application/json
```

```
{
  "name": "Publibike singleton data poller"
  "eventSourceTemplateId": 1,
  "organizationId": 1,
  "public": true
}
```

We also need to define which kind of events the source will send. We create an event type to notify the state of a bike station with the remaining bikes and free slots before and after the event is occurring. This is how we create the *event type* through our API. With the *event type* public, we let other users in iFLUX to use the definition of the event type for different usage. Defining the *event type* will let the rule creators to know which data he will receive in an event of that type.

```
POST /eventtypes HTTP/1.0
Content-Type: application/json

{
  "name": "Publibike status event",
  "description": "State of a Publibike station when one or more bikes left/arrived.",
  "public": "true",
  "type": "http://localhost.localdomain/eventTypes/publibikeMovement",
  "schema": {
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "properties": {
      "terminalid": { "type": "string" },
      "terminal": {
        "type": "object",
        "properties": {
          "name": { "type": "string" },
          "infotext": { "type": "string" },
          "zip": { "type": "string" },
          "city": { "type": "string" },
          "country": { "type": "string" },
          "lat": { "type": "string" },
          "lng": { "type": "string" },
          "image": { "type": "string" },
        }
      },
      "old": {
        "type": "object",
        "properties": {
          "freeholders": { "type": "integer" },
          "bikes": { "type": "integer" }
        }
      },
      "new": {
        "type": "object",
        "properties": {
          "freeholders": { "type": "integer" },
          "bikes": { "type": "integer" }
        }
      }
    }
  }
}
```

7.1.2 Notifying users: the Slack action target

Someone who uses the bike sharing service to commute from the office to the train station might be interested to be notified if the number of available bikes close to the office falls below a certain threshold. This person might also be interested to receive an alert if the number of free slots at the station falls below a threshold. To implement this use case, the user needs an iFLUX

action target that provides a bridge to a notification system (SMS, e-mail, etc.). To illustrate the idea, we have implemented an action target that makes it possible to send a notification in the Slack instant messaging platform [12]. The payloads sent to the action target via the REST API contain the message and the name of the channel where to post it.

We start to define the *action target template* which represent the Slack Gateway. The bot who will send the messages is configurable and then the *action target* represent this bot configuration. So we make our *action target template* public to let other users to use the gateway in a different context with the correct configuration. We can observe that we define the configuration part. This will let the user to provide the correct configuration that will be applied by posting the configuration on the callback URL of the remote action target.

```
POST /actiontargettemplates HTTP/1.0
Content-Type: application/json

{
  "name": "iFLUX Slack Gateway",
  "public": true,
  "organizationId": 1,
  "configuration": {
    "schema": {
      "$schema": "http://json-schema.org/draft-04/schema#",
      "type": "object",
      "properties": {
        "token": {
          "type": "string"
        }
      },
      "additionalProperties": false,
      "required": [ "token" ]
    },
    "url": "http://localhost.localdomain/configure"
  },
  "target": {
    "url": "http://localhost.localdomain/actions"
  }
}
```

And we define the *action target* for the context of Publibike. We set the configuration that will be applied on the remote action target. In our case, the token is given by Slack to do the authentication when we send a message from our action target to Slack.

```
POST /actiontargets HTTP/1.0
Content-Type: application/json

{
  "name": "Publibike slack messages",
  "organizationId": 1,
  "actionTargetTemplateId": 1,
  "public": true,
  "configuration": {
    "token": "<theSlackTokenToAuthenticateTheBot>"
  }
}
```

Finally, we need to define the *action type* to know what is the JSON payload that the *action target* will accept. There is the *action type* used in this case.

```

POST /actiontypes HTTP/1.0
Content-Type: application/json

{
  "name": "Slack message",
  "public": true,
  "type": "http://localhost.localdomain/actionTypes/slackMessageSending",
  "schema": {
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "properties": {
      "message": {
        "type": "string"
      },
      "channel": {
        "type": "string"
      }
    }
  }
}

```

We have all the pieces in place to define a simple rule. There is an example below where we simply send Slack messages with the state of the bike stations every time an event occurs. There is the rule we define for that.

```

POST /rules HTTP/1.0
Content-Type: application/json

{
  "name": "Publibike movements",
  "description": "Broadcast Publibike changes at a bike station to Slack.",
  "active": true,
  "organizationId": 1,
  "conditions": [{
    "description": "Detect the arrival or the departure of one or more bikes at a station",
    "eventType": 1
  }],
  "transformations": [{
    "description": "Send a message to Slack",
    "actionTargetId": 1,
    "actionTypeId": 1,
    "fn": {
      "expression": "return { channel: 'iflux', message: 'Only ' + event.properties.new.bikes
        + ' bike(s) available at the station ' + event.properties.terminal.name + ', ' +
        event.properties.terminal.street + ', ' + event.properties.terminal.zip + ' ' +
        event.properties.terminal.city + ' ' };",
      "sample": {
        "eventSourceTemplateId": 1,
        "event": {
          "terminalid": "asdfghjkl",
          "terminal": {
            "name": "Y-Parc",
            "infotext": "Parc Scientifique - Yverdon",
            "zip": "1400",
            "city": "Yverdon-les-Bains",
            "country": "Switzerland",
            "lat": 46.764968,
            "lng": 6.646069,
            "image": ""
          },
          "old": {
            "freeholders": 10,
            "bikes": 3
          },
          "new": {
            "freeholders": 11,
            "bikes": 2
          }
        }
      }
    }
  }
}

```

With this setup, a user can define other iFLUX rules. For example, he can define a rule which states that *IF an event is received from the PubliBike event*

source AND the event property 'terminalId' of the event is the one of the station close to my office AND if the event property 'new.bikes' is less than 3 THEN send an action to the Slack action target, with the property 'channel' set to 'bike alerts' and the property 'message' set to 'WARNING: there are not many bikes left at the station!'.

7.1.3 Map visualization: the ViewBox action target

Another idea for using the data produced by the PubliBike event source was to create a visual representation, where the current state of every bike station is shown on a geographical map (see Figure 12). This use case is interesting, because it raises the question about how to deal with application state given that iFLUX rules are stateless.

We have implemented an *action target* that we have named the *ViewBox action target*. Note that while it can be used in conjunction with the *PubliBike event source*, it is generic and can be used with other types of *event sources* (for instance, it has been used in the citizen engagement application described later). Essentially, the *ViewBox action target* is responsible for managing application state, which is defined by a collection of geolocalized objects, which can have arbitrary properties attached to them. It accepts action payloads with the following properties: the unique identifier of a geolocalized object, the current latitude and longitude and a list of application specific values (in the case of PubliBike, the name of the station and the number of available bikes and slots). When it receives an action via the REST endpoint, it creates or updates a geolocalized object with the property values in the payload. The *action target* provides its own API (outside the scope of iFLUX), so that web browsers can fetch annotated maps.

After deploying the *Viewbox action target*, we were able to configure a rule so that whenever an event was received from the *PubliBike event source*, an action would be sent to the *ViewBox action target* to update the corresponding geolocalized object.

To achieve the setup for the *Viewbox* visualization, we created the *action target template* which define configuration to contextualize the usage of the action target.

```
POST /actiontargettemplates HTTP/1.0
Content-Type: application/json

{
  "name": "iFLUX ViewBox",
  "organizationId": 1,
  "public": true,
  "configuration": {
    "schema": {
      "$schema": "http://json-schema.org/draft-04/schema#",
      "type": "object",
      "properties": {
        "mapName": { "type": "string" },
        "expiration": { "type": "integer" },
        "mapConfig": {
```

```

        "type": "object",
        "properties": {
            "centerLat": { "type": "number" },
            "centerLng": { "type": "number" },
            "initialZoom": { "type": "integer" },
            "legendType": { "type": "string" }
        },
        "required": [ "centerLat", "centerLng", "initialZoom", "legendType" ]
    },
    "additionalProperties": false,
    "required": [ "mapName", "mapConfig" ]
},
"url": "http://localhost.localdomain/configure"
},
"target": {
    "url": "http://localhost.localdomain/actions"
}
}

```

And the *action target* for the Publibike use case. We setup the map configuration to let the visual representation to be customized for this use case. On the *ViewBox* instance, it will create a new map visualization dedicated for Publibike. The state of the markers on the map will managed and the data older than 24h will be discarded.

```

POST /actiontypes HTTP/1.0
Content-Type: application/json

{
  "name": "iFLUX ViewBox Publibike Instance",
  "actionTargetTemplateId": 2,
  "organizationId": 1,
  "configuration": {
    "mapName": "Publibike visualization",
    "expiration": 86400000,
    "mapConfig": {
      "centerLat": 46.801111,
      "centerLng": 8.226667,
      "initialZoom": 9,
      "legendType": "bike"
    }
  }
}

```

Finally, there is the rule configured on iFLUX to match the Publibike events and trigger the Viewbox actions.

```

POST /rules HTTP/1.0
Content-Type: application/json

{
  "name": "Publibike visualization",
  "description": "Update a map with the bike stations markers with their state.",
  "active": true,
  "organizationId": 1,
  "conditions": [{
    "description": "Detect bike movements",
    "eventTypeId": 1
  }],
  "transformations": [{
    "description": "Notify a change in station to update the visualization.",
    "actionTargetId": 2,
    "actionTypeId": 2,
    "fn": {
      "expression": "return { markerId: event.properties.terminal.terminalid, lat: event.properties.terminal.lat, lng: event.properties.terminal.lng, date: event.timestamp, data: { type: 'bike', name: event.properties.terminal.name, street: event.properties.terminal.street, city: event.properties.terminal.street, zip: event.properties.terminal.zip, freeholders: event.properties.new.freeholders, bikes: event.properties.new.bikes } };"
    },
    "sample": {
      "eventSourceTemplateId": 1,
      "event": {

```



```
"terminalid": "asdfghjkl",
"terminal": {
  "name": "Y-Parc",
  "infotext": "Parc Scientifique - Yverdon",
  "zip": "1400",
  "city": "Yverdon-les-Bains",
  "country": "Switzerland",
  "lat": 46.764968,
  "lng": 6.646069,
  "image": ""
},
old: {
  "freeholders": 10,
  "bikes": 3
},
"new": {
  "freeholders": 11,
  "bikes": 2
}
}
}
}}
}
```

With a different configuration in the rules, we can imagine to maintain different maps. For example, we can imagine to create a rule to visualize dedicated cities like Lausanne, Zurich where there are enough bike stations.

7.2 Citizen Engagement

After a few months of work on iFLUX, we used the platform in a two-weeks undergraduate course dedicated to end-to-end mobile services. The course is project-oriented and every year, we use an application domain to provide some context to the students. This year, we explained that software platforms are increasingly deployed, so that citizen can report issues to city authorities [7, 5]. Users can report broken street lights, graffitis, dangerous areas, etc. The students were asked to design a system with two components. Firstly, they had to implement a simple issue tracking system and to expose their domain model via a RESTful API. Secondly, they had to implement a mobile app that would be provided to citizen, so that they could easily report issues and follow their resolution process. You can see an illustration in Figure 13.

The Citizen Engagement back-end was then transformed into an iFLUX *event source*. This was done by emitting an event whenever the state of an issue would change (created, acknowledged, in progress, resolved, etc.). Special properties were added to the event (e.g. to attach comments to state transitions). Again, since emitting an iFLUX event is not more complicated than issuing a POST request, the integration was trivial.

As illustrated in Figure 14, we were then able to combine the new *event source* with existing *action targets*. It was really easy to implement a workflow to notify city staff about new issues, either via Slack or via email. It was also very easy to create a map to visualize the issue with the *Viewbox action*




Figure 13: The mobile app used to report issues




Figure 14: Issues shown by the ViewBox action target

target described before. Figure 10 shows the end-to-end workflow in iFLUX. Several rules have been added to trigger behavior in the action targets whenever an issue is updated.

We already provided a full list of examples to configure the *event sources* and *action targets* that we will not do it again for this use case. In place, we will focus on the different events that the Citizen backend will send to iFLUX. We defined three different types of events:

- **Issue creation** is sent when a new issue is created in the system. The event will contain: *issueId*, *imageUrl*, *creator*, *description*, *state*, *issueType-Code*, *lat*, *lng*, *createdOn*, *updatedOn*;
- **Issue status change** is sent when an issue changed from one state to another state. The event will contain the same fields than the *issue creation* type;
- **Action done** is sent when an action is taken for an issue. For example, a comment is posted on an issue. The event will contain the fields: *type*, *reason*, *user*, *issueId*, *issue*, *state*, *date*.

Then, we have three different rules to match these events. We trigger the actions to update the *Viewbox* visualization. In the context of this project, we have built the demonstration with 4 different maps. We setup one Citizen Backend with a data simulator that creates realistic citizen usage in Baulmes, Payerne and Yverdon. On the *Viewbox*, we created 4 *action targets* which represent these three locations plus a global one to get the big picture of what is happening in the area and not only in these cities.

7.3 Parking @ Paléo

Paléo Festival is one of the largest music festivals in Switzerland. This year, had the opportunity to evaluate several iNUIT projects in a proof-of-concept deployment. One need expressed by the organizers was to get realtime information about the flow of vehicles and the occupancy of the parkings. To address this question, we created a system composed of one iFLUX *event source* and one iFLUX *action target*.

The *event source* is a smart object located at the entrance of the parking (see Figure 15), which detects vehicles with ultrasonic sensors. Connected to the Internet via a 802.15.4 mesh network and a WoT gateway, the object emits an event every time a car enters or leaves the parking. The *action target* is responsible for managing application state, which consists of the number of cars currently in the parking, as well as aggregate metrics about the flow of vehicles (number of entries and departures per minute, hour and day).



Figure 15: The event source after the festival

The *action target* publishes this information via a custom REST API, which is used by a web dashboard.

In fact, in this use case, we receive one event every time there is an update. An update means a car which enters the parking or exits the parking. To know if a car comes in or comes out, we have two different sensor which are two different *event sources*. We can build the rules accordingly to that and do the condition from which sensor the event is received. There is an example for the rule for cars in. The rule for exits is very similar to this rule.

```
POST /rules HTTP/1.0
Content-Type: application/json

{
  "name": "Paleo Car In",
  "description": "Detects any cars entering the parking.",
  "active": true,
  "organizationId": 1,
  "conditions": [{
    "description": "Detection done from event source which the sensor dedicated for entrance",
    "eventSourceId": 3,
  }],
  "transformations": [{
    "description": "Update the metrics for the Paleo Parking Dashboard",
    "actionTargetId": 3,
    "actionTypeId": 4,
    "fn": {
      "expression": "return { location: event.properties.location, timestamp: event.timestamp }",
      "sample": {
        "event": {
          "location": "westEntry"
        },
        "eventSourceId": 3
      }
    }
  }]
}
```

With these two rules, we are able to store in a MongoDB some metrics aggregated by minutes, hours, day and months to offer the dashboard




Figure 16: The Paleo Parking Dashboard

presented in Figure 16. Pay attention that the picture show a simulation of the data. We have developed a data generator for this dashboard to be able to test it.

7.4 Awareness @ Novaccess

Novaccess is a startup which develops an integrated stack (hardware, firmware, software) for the industrial Internet of Things. Novaccess has developed NovaLight, a smart lighting solution, which allows municipalities to reduce costs by lowering energy consumption and improving maintenance procedures. Measures are collected from street lights (consumption, faults, etc.) and analyzed. The platform can also dynamically and remotely adjust lighting levels.

We have worked with the Novaccess team to develop an *awareness system* with iFLUX, i.e. a system which collects various types of events and generates notifications for the Novaccess staff. Several *event sources* have been created. The first source, embedded in the NovaLight software, emits events that correspond to user actions (e.g. user has logged in, user has sent a command to a street light, etc.) or to technical issues (e.g. the database size has reached a given threshold). The second source, embedded in the NovaLight IoT gateway, emits events that correspond to measures or technical issues. The *action target* used in the system is the Slack gateway presented before. Rules have been configured on the iFLUX middleware to send the text notifications via Slack, when *interesting* events happen. The

flexibility of the setup comes from the fact that it is possible to configure more than a rule. This allows the team to fine tune the amount and destination of the generated awareness messages. This simple setup could easily be extended with other notification devices (lava lamps, color LEDs, etc.).

8 Conclusions

We have introduced iFLUX, a middleware that enables a lightweight integration of loosely coupled services. Developed in the context of Smart Cities, it is applicable to other domains. iFLUX is particularly well suited to facilitate prototyping and co-design activities in WoT environments. Hopefully, the examples have shown that bringing an existing component (a smart object, a WoT gateway or a software application) into the iFLUX ecosystem is quick and easy. Even if iFLUX is currently based on stateless Event-Condition-Action rules, we have evidence that valuable workflows can already be implemented from the system. Still, we are currently extending the programming model to support stateful rules. This raises new types of issues, in terms of scalability and performance. Last but not least, iFLUX is an open source project. More information is available at www.iflux.io.

References

- [1] J. Bailey, G. Papamarkos, A. Poulovassilis, and P. T. Wood. An event-condition-action language for xml. In *Web Dynamics*, pages 223–248. Springer, 2004.
- [2] M. Batty, K. W. Axhausen, F. Giannotti, A. Pozdnoukhov, A. Bazzani, M. Wachowicz, G. Ouzounis, and Y. Portugali. Smart cities of the future. *The European Physical Journal Special Topics*, 214(1):481–518, 2012.
- [3] A. Caragliu, C. Del Bo, and P. Nijkamp. Smart cities in europe. *Journal of urban technology*, 18(2):65–82, 2011.
- [4] D. Guinard, V. Trifa, T. Pham, and O. Liechti. Towards physical mashups in the Web of Things. *2009 Sixth International Conference on Networked Sensing Systems INSS*, 7(5):1–4, 2009.
- [5] D. Offenhuber. Infrastructure legibility—a comparative analysis of open311-based citizen feedback systems. *Cambridge Journal of Regions, Economy and Society*, page rsu001, 2014.

- [6] G. Papamarkos, A. Poullovassilis, and P. T. Wood. Event-condition-action rule languages for the semantic web. In *SWDB*, pages 309–327. Citeseer, 2003.
- [7] R. Patel. *A Guide to Open311*. Partridge Publishing, 2015.
- [8] Y. Qiao, K. Zhong, H. Wang, and X. Li. Developing event-condition-action rules in real-time active database. In *Proceedings of the 2007 ACM symposium on Applied computing*, pages 511–516. ACM, 2007.
- [9] J. M. Shapiro. Smart cities: quality of life, productivity, and the growth effects of human capital. *The review of economics and statistics*, 88(2):324–335, 2006.
- [10] Ifttt web site. <https://ifttt.com>.
- [11] The reactive manifesto. <http://www.reactivemanifesto.org>.
- [12] Slack messaging platform web site. <https://slack.com>.
- [13] Zapier web site. <https://zapier.com>.