

TU Braunschweig



Master's Thesis

[The Title of the Thesis]

Author:

[Forename] [Surname]

[Month 13, 2014]

Advisors:

Prof. *[Name]*

Department of *[...]*

[Surname], [Forename]:
[The Title of the Thesis]
Master's Thesis, TU Braunschweig, *[2014]*.

Abstract

[...]

Contents

List of Figures	vii
List of Tables	ix
List of Code Listings	xi
1 Introduction	1
2 Background	3
3 Example Chapter	5
3.1 Citation	5
3.2 Formulas	5
3.3 Graphics	6
3.4 Tables	6
3.5 Code Listings	6
4 Tool Support	9
5 Evaluation	11
6 Related Work	13
7 Conclusion and Future Work	15
A Appendix	17
Bibliography	19

List of Figures

3.1	A feature model representing a graph product line	7
-----	---	---

List of Tables

3.1 Mapping a feature model to a propositional formula	6
--	---

List of Code Listings

3.1 Java source code 8

1. Introduction

[...]

Goal of this Thesis

[...]

Structure of the Thesis

[...]

2. Background

[...]

3. Example Chapter

This chapter gives you some examples how to include graphics, create tables, or include code listings. But first, we start with a short description how you can efficiently cite in \LaTeX . The following footnote shows you how to reference URLs and where this document is available online.¹

3.1 Citation

There are several types of literature. The most citations are workshop and conference papers. Please use the `inproceedings`-tag for those citations (e.g., [KAK09]). You should have short-hands for workshop and conference names to be sure the naming is consistent and uniform (see our BibTeX files how to do that).

Slightly different are articles published in journals (e.g., [KG06]). Make sure you that the volume and number-tags are present and that no `inproceeding` is tagged as article or vice versa.

You might want to take a look at the example BibTeX file to find out how to cite books [CE00], technical reports [KCH⁺90], websites [CDT09], PhD theses, or master theses [Beu03, Ros09].

3.2 Formulas

There are different types of mathematical environments to set formulas. The equation $E = m \cdot c^2$ is an inline formula. But you can also have formulas at a separate line (see Equation 3.1).

$$P = (\mathcal{A} \Rightarrow (\mathcal{B} \Leftrightarrow \mathcal{C}) \wedge (\mathcal{B} \Leftrightarrow \mathcal{D})) \wedge (\mathcal{B} \Rightarrow \mathcal{A}) \wedge (\mathcal{C} \Rightarrow \mathcal{A}) \wedge (\mathcal{D} \Rightarrow \mathcal{A}) \quad (3.1)$$

If you need multiple lines that are aligned to each other, you might want to use the following code.

¹<http://www.ovgu.de/tthuem>

GraphLibrary
 \wedge (GraphLibrary \Rightarrow Edges) \wedge (Edges \vee Algorithms \Rightarrow GraphLibrary)
 \wedge (Edges \Leftrightarrow Directed \vee Undirected) \wedge (\neg Directed \vee \neg Undirected)
 \wedge (Algorithms \Leftrightarrow Number \vee Cycle)
 \wedge (Cycle \Rightarrow Directed).

3.3 Graphics

In [Figure 3.1 on the next page](#), we give a small example how to insert and reference a figure.

3.4 Tables

[Table 3.1](#) shows the result of a simple tabular environment.

Group Type	Propositional Formula
And	$(P \Rightarrow C_{k_1} \wedge \dots \wedge C_{k_m}) \wedge (C_1 \vee \dots \vee C_n \Rightarrow P)$
Or	$P \Leftrightarrow C_1 \vee \dots \vee C_n$
Alternative	$(P \Leftrightarrow C_1 \vee \dots \vee C_n) \wedge \text{atmost1}(C_1, \dots, C_n)$

Table 3.1: Mapping a feature model to a propositional formula

3.5 Code Listings

In [Listing 3.1 on page 8](#), we give an example of a source code listing.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut
lum ut, placerat ac, adipiscing vitae, felis. Curabitur dictu
Nam arcu libero, nonummy eget, consectetur id, vulputat
vehicula augue eu neque. Pellentesque habitant morbi tr
netus et malesuada fames ac turpis egestas. Mauris ut leo.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut
lum ut, placerat ac, adipiscing vitae, felis. Curabitur dictu
Nam arcu libero, nonummy eget, consectetur id, vulputat
vehicula augue eu neque. Pellentesque habitant morbi tr
netus et malesuada fames ac turpis egestas. Mauris ut leo.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut
lum ut, placerat ac, adipiscing vitae, felis. Curabitur dictu
Nam arcu libero, nonummy eget, consectetur id, vulputat
vehicula augue eu neque. Pellentesque habitant morbi tr
netus et malesuada fames ac turpis egestas. Mauris ut leo.



Lorem ipsum dolor sit amet, consectetur adipiscing

```
1 class A extends Object {  
2     A() { super(); }  
3 }  
4 class B extends Object {  
5     B() { super(); }  
6 }  
7 class Pair extends Object {  
8     Object fst;  
9     Object snd;  
10    Pair(Object fst, Object snd) {  
11        super(); this.fst=fst; this.snd=snd;  
12    }  
13    Pair setfst(Object newfst) {  
14        return new Pair(newfst, this.snd);  
15    }  
16 }
```

Listing 3.1: Java source code

4. Tool Support

Most theses in computer science are accompanied by tool support written by the author of the thesis. Such tools enable an empirical evaluation or simply serve as a proof-of-concept. Hence, tools are typically not the ultimate goal in research, but often necessary to evaluate whether proposed concepts solve real problems. Hence, it is common to write about the tool in a dedicated chapter.

The tool chapter has several goals. For supervisors, it typically helps to estimate the implementation effort of a thesis. ... to be continued ...

[...]

5. Evaluation

[...]

6. Related Work

[...]

7. Conclusion and Future Work

[...]

A. Appendix

[...]

Bibliography

- [Beu03] Danilo Beuche. *Composition and Construction of Embedded Software Families*. PhD thesis, University of Magdeburg, Germany, 2003. (cited on Page 5)
- [CDT09] The Coq Development Team. The Coq Proof Assistant. Website, September 2009. Available online at <http://coq.inria.fr/>; visited on November 9th, 2009. (cited on Page 5)
- [CE00] Krzysztof Czarnecki and Ulrich W. Eisenecker. *Generative Programming: Methods, Tools, and Applications*. ACM Press/Addison-Wesley, 2000. (cited on Page 5)
- [KAK09] Christian Kästner, Sven Apel, and Martin Kuhlemann. A Model of Refactoring Physically and Virtually Separated Features. In *Proceedings of the International Conference on Generative Programming and Component Engineering (GPCE)*, pages 157–166. ACM, October 2009. (cited on Page 5)
- [KCH⁺90] Kyo C. Kang, Sholom G. Cohen, James A. Hess, William E. Novak, and A. Spencer Peterson. Feature-Oriented Domain Analysis (FODA) Feasibility Study. Technical Report CMU/SEI-90-TR-21, Software Engineering Institute, 1990. (cited on Page 5)
- [KG06] Cory J. Kapser and Michael W. Godfrey. Supporting the Analysis of Clones in Software Systems: A Case Study. *Journal of Software Maintenance and Evolution*, 18(2):61–82, 2006. (cited on Page 5)
- [Ros09] Malte Rosenthal. Alternative Features in Colored Featherweight Java. Diplomarbeit, University of Passau, Germany, July 2009. (cited on Page 5)

Hiermit erkläre ich, dass ich die vorliegende Arbeit selbständig verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel verwendet habe.

Braunschweig, den *[42. Monat 2014]*