TYPE-CERTIFICATE
DATA SHEET FOR NOISE

No. EASA.A.064.3

for

AIRBUS A320

Type Certificate Holder:
Airbus S.A.S.
2 Rond-point Emile Dewoitine
31700 Blagnac
France

For models:

A320-211	A320-251N
A320-212	A320-252N
A320-214	A320-253N
A320-215	A320-271N
A320-216	A320-272N
A320-231	A320-273N
A320-232	
A320-233	

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

INTENTIONALLY LEFT BLANK

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2457	012	**77,000**	**66,000**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	-
A2458	007	**77,000**	**64,500**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	-
A2459	010	**77,000**	**64,500**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	-
A2460	011	**75,500**	**66,000**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	-
A2461	003	**75,500**	**64,500**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	-
A2462	009	**75,500**	**64,500**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	-
A2472	016	**73,500**	**66,000**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-
A2463	000	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-
A2464	008	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-
A2465	014	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16621	018	**71,500**	**66,000**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	-
A2466	004	**71,500**	**64,500**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	-
A2467	013	**71,500**	**64,500**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	-
A2468	002	**70,000**	**64,500**	**94.0**	**96.6**	**84.0**	**91.2**	**96.1**	**100.3**	-
A70013	019	**70,000**	**64,500**	**94.0**	**96.6**	**84.0**	**91.2**	**96.1**	**100.3**	-
A2469	001	**68,000**	**64,500**	**94.1**	**96.5**	**83.0**	**91.0**	**96.1**	**100.2**	-
A2470	005	**67,000**	**64,500**	**94.1**	**96.4**	**82.6**	**90.9**	**96.1**	**100.2**	-
A2471	006	**66,000**	**64,500**	**94.1**	**96.4**	**82.2**	**90.8**	**96.1**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22495 (Installation of specific buzz saw noise treatment in air inlet)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2548	012	**77,000**	**66,000**	**93.6**	**96.9**	**87.4**	**91.7**	**96.0**	**100.7**	-
A2549	007	**77,000**	**64,500**	**93.6**	**96.9**	**87.4**	**91.7**	**96.0**	**100.7**	-
A2550	010	**77,000**	**64,500**	**93.6**	**96.9**	**87.4**	**91.7**	**96.0**	**100.7**	-
A2551	011	**75,500**	**66,000**	**93.7**	**96.9**	**86.7**	**91.6**	**96.0**	**100.6**	-
A2552	003	**75,500**	**64,500**	**93.7**	**96.9**	**86.7**	**91.6**	**96.0**	**100.6**	-
A2553	009	**75,500**	**64,500**	**93.7**	**96.9**	**86.7**	**91.6**	**96.0**	**100.6**	-
A7443	016	**73,500**	**66,000**	**93.7**	**96.8**	**85.6**	**91.5**	**96.0**	**100.5**	-
A2554	000	**73,500**	**64,500**	**93.7**	**96.8**	**85.6**	**91.5**	**96.0**	**100.5**	-
A2555	008	**73,500**	**64,500**	**93.7**	**96.8**	**85.6**	**91.5**	**96.0**	**100.5**	-
A2556	014	**73,500**	**64,500**	**93.7**	**96.8**	**85.6**	**91.5**	**96.0**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22495 (Installation of specific buzz saw noise treatment in air inlet)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16623	018	**71,500**	**66,000**	**93.8**	**96.7**	**84.7**	**91.3**	**96.0**	**100.4**	-
A2557	004	**71,500**	**64,500**	**93.8**	**96.7**	**84.7**	**91.3**	**96.0**	**100.4**	-
A2558	013	**71,500**	**64,500**	**93.8**	**96.7**	**84.7**	**91.3**	**96.0**	**100.4**	-
A2559	002	**70,000**	**64,500**	**93.9**	**96.6**	**83.9**	**91.2**	**96.0**	**100.3**	-
A70015	019	**70,000**	**64,500**	**93.9**	**96.6**	**83.9**	**91.2**	**96.0**	**100.3**	-
A2560	001	**68,000**	**64,500**	**93.9**	**96.5**	**82.9**	**91.0**	**96.0**	**100.2**	-
A2561	005	**67,000**	**64,500**	**94.0**	**96.4**	**82.5**	**90.9**	**96.0**	**100.2**	-
A2562	006	**66,000**	**64,500**	**94.0**	**96.4**	**82.0**	**90.8**	**96.0**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5A1, CFM56-5A1/F**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

With or without 22495 (Engine intermix, with or without specific buzz saw noise treatment in air inlet)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9195	012	**77,000**	**66,000**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	**2**
A9196	007	**77,000**	**64,500**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	**2**
A9197	010	**77,000**	**64,500**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	**2**
A9198	011	**75,500**	**66,000**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	**2**
A9199	003	**75,500**	**64,500**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	**2**
A9200	009	**75,500**	**64,500**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	**2**
A9201	016	**73,500**	**66,000**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	**2**
A9202	000	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	**2**
A9203	008	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	**2**
A9204	014	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	**2**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5A1, CFM56-5A1/F**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

With or without 22495 (Engine intermix, with or without specific buzz saw noise treatment in air inlet)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16624	018	**71,500**	**66,000**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	**2**
A9205	004	**71,500**	**64,500**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	**2**
A9206	013	**71,500**	**64,500**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	**2**
A70016	019	**70,000**	**64,500**	**94.0**	**96.6**	**84.0**	**91.2**	**96.1**	**100.3**	**2**
A9207	002	**70,000**	**64,500**	**94.0**	**96.6**	**84.0**	**91.2**	**96.1**	**100.3**	**2**
A9208	001	**68,000**	**64,500**	**94.1**	**96.5**	**83.0**	**91.0**	**96.1**	**100.2**	**2**
A9209	005	**67,000**	**64,500**	**94.1**	**96.4**	**82.6**	**90.9**	**96.1**	**100.2**	**2**
A9210	006	**66,000**	**64,500**	**94.1**	**96.4**	**82.2**	**90.8**	**96.1**	**100.1**	**2**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5A1/F**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9179	012	**77,000**	**66,000**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	-
A9180	007	**77,000**	**64,500**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	-
A9181	010	**77,000**	**64,500**	**93.7**	**96.9**	**87.4**	**91.7**	**96.1**	**100.7**	-
A9182	011	**75,500**	**66,000**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	-
A9183	003	**75,500**	**64,500**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	-
A9184	009	**75,500**	**64,500**	**93.8**	**96.9**	**86.7**	**91.6**	**96.1**	**100.6**	-
A9185	016	**73,500**	**66,000**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-
A9186	000	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-
A9187	008	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-
A9188	014	**73,500**	**64,500**	**93.8**	**96.8**	**85.6**	**91.5**	**96.1**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-211**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5A1/F**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16622	018	**71,500**	**66,000**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	-
A9189	004	**71,500**	**64,500**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	-
A9190	013	**71,500**	**64,500**	**93.9**	**96.7**	**84.7**	**91.3**	**96.1**	**100.4**	-
A70014	019	**70,000**	**64,500**	**94.0**	**96.6**	**84.0**	**91.2**	**96.1**	**100.3**	-
A9191	002	**70,000**	**64,500**	**94.0**	**96.6**	**84.0**	**91.2**	**96.1**	**100.3**	-
A9192	001	**68,000**	**64,500**	**94.1**	**96.5**	**83.0**	**91.0**	**96.1**	**100.2**	-
A9193	005	**67,000**	**64,500**	**94.1**	**96.4**	**82.6**	**90.9**	**96.1**	**100.2**	-
A9194	006	**66,000**	**64,500**	**94.1**	**96.4**	**82.2**	**90.8**	**96.1**	**100.1**	-

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-212**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5A3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22093 (Installation of CFM56-5A3 hardware)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A17286	017	**78,000**	**66,000**	**93.9**	**97.0**	**87.1**	**91.8**	**95.9**	**100.7**	-
A49	012	**77,000**	**66,000**	**93.9**	**96.9**	**86.6**	**91.7**	**95.9**	**100.7**	-
A51	007	**77,000**	**64,500**	**93.9**	**96.9**	**86.6**	**91.7**	**95.8**	**100.7**	-
A54	010	**77,000**	**64,500**	**93.9**	**96.9**	**86.6**	**91.7**	**95.8**	**100.7**	-
A56	011	**75,500**	**66,000**	**94.0**	**96.9**	**85.9**	**91.6**	**95.9**	**100.6**	-
A58	003	**75,500**	**64,500**	**94.0**	**96.9**	**85.9**	**91.6**	**95.8**	**100.6**	-
A60	009	**75,500**	**64,500**	**94.0**	**96.9**	**85.9**	**91.6**	**95.8**	**100.6**	-
A61	016	**73,500**	**66,000**	**94.1**	**96.8**	**85.0**	**91.5**	**95.9**	**100.5**	-
A2564	008	**73,500**	**64,500**	**94.1**	**96.8**	**85.0**	**91.5**	**95.8**	**100.5**	-
A2565	014	**73,500**	**64,500**	**94.1**	**96.8**	**85.0**	**91.5**	**95.8**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-212**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5A3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22093 (Installation of CFM56-5A3 hardware)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A63	000	**73,500**	**64,500**	**94.1**	**96.8**	**85.0**	**91.5**	**95.8**	**100.5**	-
A16625	018	**71,500**	**66,000**	**94.2**	**96.7**	**84.1**	**91.3**	**95.9**	**100.4**	-
A2566	004	**71,500**	**64,500**	**94.2**	**96.7**	**84.1**	**91.3**	**95.8**	**100.4**	-
A2567	013	**71,500**	**64,500**	**94.2**	**96.7**	**84.1**	**91.3**	**95.8**	**100.4**	-
A2568	002	**70,000**	**64,500**	**94.3**	**96.6**	**83.5**	**91.2**	**95.8**	**100.3**	-
A70017	019	**70,000**	**64,500**	**94.3**	**96.6**	**83.5**	**91.2**	**95.8**	**100.3**	-
A2569	001	**68,000**	**64,500**	**94.4**	**96.5**	**82.6**	**91.0**	**95.8**	**100.2**	-
A2570	005	**67,000**	**64,500**	**94.5**	**96.4**	**82.2**	**90.9**	**95.8**	**100.2**	-
A2571	006	**66,000**	**64,500**	**94.5**	**96.4**	**81.8**	**90.8**	**95.8**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-212**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5A3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22093, 22704 (Installation of CFM56-5A3 hardware, Buzz saw noise treatment in inlet)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A17287	017	**78,000**	**66,000**	**94.0**	**97.0**	**87.2**	**91.8**	**96.1**	**100.7**	-
A2573	012	**77,000**	**66,000**	**94.0**	**96.9**	**86.7**	**91.7**	**96.1**	**100.7**	-
A2574	007	**77,000**	**64,500**	**94.0**	**96.9**	**86.7**	**91.7**	**96.0**	**100.7**	-
A2575	010	**77,000**	**64,500**	**94.0**	**96.9**	**86.7**	**91.7**	**96.0**	**100.7**	-
A2576	011	**75,500**	**66,000**	**94.1**	**96.9**	**85.9**	**91.6**	**96.1**	**100.6**	-
A2577	003	**75,500**	**64,500**	**94.1**	**96.9**	**85.9**	**91.6**	**96.0**	**100.6**	-
A2578	009	**75,500**	**64,500**	**94.1**	**96.9**	**85.9**	**91.6**	**96.0**	**100.6**	-
A2588	016	**73,500**	**66,000**	**94.2**	**96.8**	**85.1**	**91.5**	**96.1**	**100.5**	-
A2579	000	**73,500**	**64,500**	**94.2**	**96.8**	**85.1**	**91.5**	**96.0**	**100.5**	-
A2580	008	**73,500**	**64,500**	**94.2**	**96.8**	**85.1**	**91.5**	**96.0**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-212**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5A3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22093, 22704 (Installation of CFM56-5A3 hardware, Buzz saw noise treatment in inlet)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2581	014	**73,500**	**64,500**	**94.2**	**96.8**	**85.1**	**91.5**	**96.0**	**100.5**	-
A16626	018	**71,500**	**66,000**	**94.3**	**96.7**	**84.2**	**91.3**	**96.1**	**100.4**	-
A2582	004	**71,500**	**64,500**	**94.4**	**96.7**	**84.2**	**91.3**	**96.0**	**100.4**	-
A2583	013	**71,500**	**64,500**	**94.3**	**96.7**	**84.2**	**91.3**	**96.0**	**100.4**	-
A2584	002	**70,000**	**64,500**	**94.4**	**96.6**	**83.5**	**91.2**	**96.0**	**100.3**	-
A70018	019	**70,000**	**64,500**	**94.4**	**96.6**	**83.5**	**91.2**	**96.0**	**100.3**	-
A2585	001	**68,000**	**64,500**	**94.5**	**96.5**	**82.5**	**91.0**	**96.0**	**100.2**	-
A2586	005	**67,000**	**64,500**	**94.5**	**96.4**	**82.1**	**90.9**	**96.0**	**100.2**	-
A2587	006	**66,000**	**64,500**	**94.6**	**96.4**	**81.6**	**90.8**	**96.0**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **24251 (SAC combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A17309	017	**78,000**	**66,000**	**92.8**	**97.0**	**85.7**	**91.8**	**94.4**	**100.7**	-
A17310	015	**78,000**	**64,500**	**92.8**	**97.0**	**85.7**	**91.8**	**94.2**	**100.7**	-
A2591	012	**77,000**	**66,000**	**92.9**	**96.9**	**85.3**	**91.7**	**94.4**	**100.7**	-
A2592	007	**77,000**	**64,500**	**92.9**	**96.9**	**85.3**	**91.7**	**94.2**	**100.7**	-
A2593	010	**77,000**	**64,500**	**92.9**	**96.9**	**85.3**	**91.7**	**94.2**	**100.7**	-
A2594	011	**75,500**	**66,000**	**92.9**	**96.9**	**84.5**	**91.6**	**94.4**	**100.6**	-
A2595	003	**75,500**	**64,500**	**92.9**	**96.9**	**84.5**	**91.6**	**94.2**	**100.6**	-
A2596	009	**75,500**	**64,500**	**92.9**	**96.9**	**84.5**	**91.6**	**94.2**	**100.6**	-
A2602	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.6**	**91.5**	**94.4**	**100.5**	-
A2597	000	**73,500**	**64,500**	**93.1**	**96.8**	**83.6**	**91.5**	**94.2**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **24251 (SAC combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2598	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.6**	**91.5**	**94.2**	**100.5**	-
A2599	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.6**	**91.5**	**94.2**	**100.5**	-
A16629	018	**71,500**	**66,000**	**93.2**	**96.7**	**82.7**	**91.3**	**94.4**	**100.4**	-
A2600	013	**71,500**	**64,500**	**93.2**	**96.7**	**82.7**	**91.3**	**94.2**	**100.4**	-
A2601	002	**70,000**	**64,500**	**93.3**	**96.6**	**82.1**	**91.2**	**94.2**	**100.3**	-
A70023	019	**70,000**	**64,500**	**93.3**	**96.6**	**82.1**	**91.2**	**94.2**	**100.3**	-
A7448	001	**68,000**	**64,500**	**93.4**	**96.5**	**81.2**	**91.0**	**94.2**	**100.2**	-
A7449	005	**67,000**	**64,500**	**93.5**	**96.4**	**80.7**	**90.9**	**94.2**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4, CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **Engine intermix**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9297	012	**77,000**	**66,000**	**94.3**	**96.9**	**87.2**	**91.7**	**95.7**	**100.7**	**3**
A9298	007	**77,000**	**64,500**	**94.3**	**96.9**	**87.2**	**91.7**	**95.7**	**100.7**	**3**
A9299	010	**77,000**	**64,500**	**94.3**	**96.9**	**87.2**	**91.7**	**95.7**	**100.7**	**3**
A9300	011	**75,500**	**66,000**	**94.4**	**96.9**	**86.7**	**91.6**	**95.7**	**100.6**	**3**
A9301	003	**75,500**	**64,500**	**94.4**	**96.9**	**86.7**	**91.6**	**95.7**	**100.6**	**3**
A9302	009	**75,500**	**64,500**	**94.4**	**96.9**	**86.7**	**91.6**	**95.7**	**100.6**	**3**
A9303	016	**73,500**	**66,000**	**94.5**	**96.8**	**86.0**	**91.5**	**95.7**	**100.5**	**3**
A9304	000	**73,500**	**64,500**	**94.5**	**96.8**	**86.0**	**91.5**	**95.7**	**100.5**	**3**
A9305	008	**73,500**	**64,500**	**94.5**	**96.8**	**86.0**	**91.5**	**95.7**	**100.5**	**3**
A9306	014	**73,500**	**64,500**	**94.5**	**96.8**	**86.0**	**91.5**	**95.7**	**100.5**	**3**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4, CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **Engine intermix**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16628	018	**71,500**	**66,000**	**94.6**	**96.7**	**85.2**	**91.3**	**95.7**	**100.4**	**3**
A9307	013	**71,500**	**64,500**	**94.6**	**96.7**	**85.2**	**91.3**	**95.7**	**100.4**	**3**
A70021	019	**70,000**	**64,500**	**94.6**	**96.6**	**84.6**	**91.2**	**95.7**	**100.3**	**3**
A9309	002	**70,000**	**64,500**	**94.6**	**96.6**	**84.6**	**91.2**	**95.7**	**100.3**	**3**
A9310	001	**68,000**	**64,500**	**94.8**	**96.5**	**83.7**	**91.0**	**95.7**	**100.2**	**3**
A9311	005	**67,000**	**64,500**	**94.8**	**96.4**	**83.4**	**90.9**	**95.7**	**100.2**	**3**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4/2**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **24405 (DAC combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2603	012	**77,000**	**66,000**	**93.6**	**96.9**	**87.2**	**91.7**	**94.7**	**100.7**	-
A2604	007	**77,000**	**64,500**	**93.6**	**96.9**	**87.2**	**91.7**	**94.6**	**100.7**	-
A2605	010	**77,000**	**64,500**	**93.6**	**96.9**	**87.2**	**91.7**	**94.6**	**100.7**	-
A2606	011	**75,500**	**66,000**	**93.7**	**96.9**	**86.7**	**91.6**	**94.7**	**100.6**	-
A2607	003	**75,500**	**64,500**	**93.7**	**96.9**	**86.7**	**91.6**	**94.6**	**100.6**	-
A2608	009	**75,500**	**64,500**	**93.7**	**96.9**	**86.7**	**91.6**	**94.6**	**100.6**	-
A2614	016	**73,500**	**66,000**	**93.8**	**96.8**	**86.0**	**91.5**	**94.7**	**100.5**	-
A2609	000	**73,500**	**64,500**	**93.8**	**96.8**	**86.0**	**91.5**	**94.6**	**100.5**	-
A2610	008	**73,500**	**64,500**	**93.8**	**96.8**	**86.0**	**91.5**	**94.6**	**100.5**	-
A2611	014	**73,500**	**64,500**	**93.8**	**96.8**	**86.0**	**91.5**	**94.6**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4/2**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **24405 (DAC combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16630	018	**71,500**	**66,000**	**93.9**	**96.7**	**85.2**	**91.3**	**94.7**	**100.4**	-
A2612	013	**71,500**	**64,500**	**93.9**	**96.7**	**85.2**	**91.3**	**94.6**	**100.4**	-
A2613	002	**70,000**	**64,500**	**94.0**	**96.6**	**84.6**	**91.2**	**94.6**	**100.3**	-
A70024	019	**70,000**	**64,500**	**94.0**	**96.6**	**84.6**	**91.2**	**94.6**	**100.3**	-
A7450	001	**68,000**	**64,500**	**94.1**	**96.5**	**83.7**	**91.0**	**94.6**	**100.2**	-
A7451	005	**67,000**	**64,500**	**94.1**	**96.4**	**83.4**	**90.9**	**94.6**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/2P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **25800, (26610 or 27727) (/P enhanced performance, DAC IIC combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11632	017	**78,000**	**66,000**	**93.1**	**97.0**	**86.1**	**91.8**	**95.6**	**100.7**	**4**
A11633	015	**78,000**	**64,500**	**93.1**	**97.0**	**86.1**	**91.8**	**95.5**	**100.7**	**4**
A2426	012	**77,000**	**66,000**	**93.1**	**96.9**	**85.7**	**91.7**	**95.6**	**100.7**	**4**
A2427	007	**77,000**	**64,500**	**93.1**	**96.9**	**85.7**	**91.7**	**95.5**	**100.7**	**4**
A2428	010	**77,000**	**64,500**	**93.1**	**96.9**	**85.7**	**91.7**	**95.5**	**100.7**	**4**
A2429	011	**75,500**	**66,000**	**93.2**	**96.9**	**85.0**	**91.6**	**95.6**	**100.6**	**4**
A2430	003	**75,500**	**64,500**	**93.2**	**96.9**	**85.0**	**91.6**	**95.5**	**100.6**	**4**
A2431	009	**75,500**	**64,500**	**93.2**	**96.9**	**85.0**	**91.6**	**95.5**	**100.6**	**4**
A2437	016	**73,500**	**66,000**	**93.3**	**96.8**	**84.2**	**91.5**	**95.6**	**100.5**	**4**
A2432	000	**73,500**	**64,500**	**93.3**	**96.8**	**84.2**	**91.5**	**95.5**	**100.5**	**4**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/2P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **25800, (26610 or 27727) (/P enhanced performance, DAC IIC combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2433	008	**73,500**	**64,500**	**93.3**	**96.8**	**84.2**	**91.5**	**95.5**	**100.5**	**4**
A2434	014	**73,500**	**64,500**	**93.3**	**96.8**	**84.2**	**91.5**	**95.5**	**100.5**	**4**
A16632	018	**71,500**	**66,000**	**93.5**	**96.7**	**83.3**	**91.3**	**95.6**	**100.4**	**4**
A2435	013	**71,500**	**64,500**	**93.5**	**96.7**	**83.3**	**91.3**	**95.5**	**100.4**	**4**
A2436	002	**70,000**	**64,500**	**93.6**	**96.6**	**82.7**	**91.2**	**95.5**	**100.3**	**4**
A75237	019	**70,000**	**64,500**	**93.6**	**96.6**	**82.7**	**91.2**	**95.5**	**100.3**	**4**
A7456	001	**68,000**	**64,500**	**93.7**	**96.5**	**81.9**	**91.0**	**95.5**	**100.2**	**4**
A7457	005	**67,000**	**64,500**	**93.8**	**96.4**	**81.5**	**90.9**	**95.5**	**100.2**	**4**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/2P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix (CFM56-5B4/2P with 25800 and (26610 or 27727) (/P enhanced performance, DAC IIC combustor); CFM56-5B4/3 with 37147, 27772 and 152138 (Technology Insertion Program (TIP), Improved fan frame forward panels and performance improvement package (PIP)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74181	017	**78,000**	**66,000**	**93.4**	**97.0**	**86.1**	**91.8**	**95.6**	**100.7**	**4**
A74182	015	**78,000**	**64,500**	**93.4**	**97.0**	**86.1**	**91.8**	**95.5**	**100.7**	**4**
A74183	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.7**	**91.7**	**95.6**	**100.7**	**4**
A74184	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.7**	**91.7**	**95.5**	**100.7**	**4**
A74185	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.7**	**91.7**	**95.5**	**100.7**	**4**
A74186	011	**75,500**	**66,000**	**93.5**	**96.9**	**85.0**	**91.6**	**95.6**	**100.6**	**4**
A74187	003	**75,500**	**64,500**	**93.5**	**96.9**	**85.0**	**91.6**	**95.5**	**100.6**	**4**
A74188	009	**75,500**	**64,500**	**93.5**	**96.9**	**85.0**	**91.6**	**95.5**	**100.6**	**4**
A74189	016	**73,500**	**66,000**	**93.6**	**96.8**	**84.2**	**91.5**	**95.6**	**100.5**	**4**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/2P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix (CFM56-5B4/2P with 25800 and (26610 or 27727) (/P enhanced performance, DAC IIC combustor); CFM56-5B4/3 with 37147, 27772 and 152138 (Technology Insertion Program (TIP), Improved fan frame forward panels and performance improvement package (PIP)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74190	000	**73,500**	**64,500**	**93.6**	**96.8**	**84.2**	**91.5**	**95.5**	**100.5**	**4**
A74191	008	**73,500**	**64,500**	**93.6**	**96.8**	**84.2**	**91.5**	**95.5**	**100.5**	**4**
A74192	014	**73,500**	**64,500**	**93.6**	**96.8**	**84.2**	**91.5**	**95.5**	**100.5**	**4**
A74193	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.3**	**91.3**	**95.6**	**100.4**	**4**
A74194	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.3**	**91.3**	**95.5**	**100.4**	**4**
A74195	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.7**	**91.2**	**95.5**	**100.3**	**4**
A74196	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.7**	**91.2**	**95.5**	**100.3**	**4**
A74197	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.9**	**91.0**	**95.5**	**100.2**	**4**
A74198	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.5**	**90.9**	**95.5**	**100.2**	**4**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37147 (Technology Insertion Program (TIP))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A17279	017	**78,000**	**66,000**	**93.6**	**97.0**	**86.4**	**91.8**	**95.3**	**100.7**	**5**
A17280	015	**78,000**	**64,500**	**93.6**	**97.0**	**86.4**	**91.8**	**95.2**	**100.7**	**5**
A7488	012	**77,000**	**66,000**	**93.7**	**96.9**	**86.0**	**91.7**	**95.3**	**100.7**	**5**
A7483	007	**77,000**	**64,500**	**93.7**	**96.9**	**86.0**	**91.7**	**95.2**	**100.7**	**5**
A7486	010	**77,000**	**64,500**	**93.7**	**96.9**	**86.0**	**91.7**	**95.2**	**100.7**	**5**
A7487	011	**75,500**	**66,000**	**93.8**	**96.9**	**85.2**	**91.6**	**95.3**	**100.6**	**5**
A7481	003	**75,500**	**64,500**	**93.8**	**96.9**	**85.2**	**91.6**	**95.2**	**100.6**	**5**
A7485	009	**75,500**	**64,500**	**93.8**	**96.9**	**85.2**	**91.6**	**95.2**	**100.6**	**5**
A7491	016	**73,500**	**66,000**	**93.9**	**96.8**	**84.3**	**91.5**	**95.3**	**100.5**	**5**
A7478	000	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**5**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37147 (Technology Insertion Program (TIP))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A7484	008	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**5**
A7490	014	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**5**
A16627	018	**71,500**	**66,000**	**94.1**	**96.7**	**83.4**	**91.3**	**95.3**	**100.4**	**5**
A7489	013	**71,500**	**64,500**	**94.1**	**96.7**	**83.4**	**91.3**	**95.2**	**100.4**	**5**
A70084	019	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**95.2**	**100.3**	**5**
A7480	002	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**95.2**	**100.3**	**5**
A7479	001	**68,000**	**64,500**	**94.3**	**96.5**	**82.0**	**91.0**	**95.2**	**100.2**	**5**
A7482	005	**67,000**	**64,500**	**94.4**	**96.4**	**81.6**	**90.9**	**95.2**	**100.2**	**5**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37147, 27772 (Technology Insertion Program (TIP), Improved fan frame forward panels)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11794	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A11795	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A7515	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A6626	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A7511	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A7514	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A7509	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A7513	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A6735	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A7506	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37147, 27772 (Technology Insertion Program (TIP), Improved fan frame forward panels)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A7512	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A7517	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A16651	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A7516	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A70030	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A7508	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A7507	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**6**
A7510	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772 (Technology Insertion Program (TIP), Improved fan frame forward panels), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71199	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**6**
A71200	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**6**
A71202	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**6**
A71204	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**6**
A71205	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**6**
A71207	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71208	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71209	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**6**
A71210	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**6**
A71212	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772 (Technology Insertion Program (TIP), Improved fan frame forward panels), 160500 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18196	017	**78,000**	**66,000**	**92.8**	**97.0**	**85.2**	**91.8**	**95.2**	**100.7**	**6**
A18197	015	**78,000**	**64,500**	**92.8**	**97.0**	**85.2**	**91.8**	**95.1**	**100.7**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772 (Technology Insertion Program (TIP), Improved fan frame forward panels), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18198	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**6**
A18200	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**6**
A18201	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**6**
A18203	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**6**
A18204	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**6**
A18206	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A18207	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A18208	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**6**
A18209	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**6**
A70020	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 156757 (Technology Insertion Program (TIP), Improved fan frame forward panels, One engine fitted with ARCOCE CMC treated plug), 156757 (Installation of CMC treated Plug)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A69991	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A69992	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A69993	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A69994	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A69995	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A69996	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A69997	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A69998	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A69999	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A69011	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 156757 (Technology Insertion Program (TIP), Improved fan frame forward panels, One engine fitted with ARCOCE CMC treated plug), 156757 (Installation of CMC treated Plug)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70000	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A70001	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A70002	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A70003	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A70004	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A70019	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A70005	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**6**
A70006	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 32871 (Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11796	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A11797	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A11798	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11799	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11800	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11801	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11802	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11803	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11804	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A11805	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 32871 (Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11806	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A11807	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A16652	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A11808	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A11809	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A70031	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A11810	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**6**
A11811	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 32871 (Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71217	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**6**
A71219	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**6**
A71220	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**6**
A71222	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**6**
A71223	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**6**
A71225	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71226	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71227	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**6**
A71228	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**6**
A71230	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 32871, 33987 (Engine intermix. Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser (on engine 1 only), Core chevron nozzle (on engine 2 only)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71779	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**6**
A71781	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**6**
A71782	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**6**
A71784	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**6**
A71785	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**6**
A71787	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71788	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71789	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**6**
A71790	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 32871, 33987 (Engine intermix. Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser (on engine 1 only), Core chevron nozzle (on engine 2 only)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71792	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 33987 (Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11812	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A11813	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A11814	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11815	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11816	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11817	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11818	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11819	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11820	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A11821	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 33987 (Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11822	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A11823	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A16653	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A11824	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A11825	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A70032	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A11826	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**6**
A11827	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 33987 (Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71235	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**6**
A71237	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**6**
A71238	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**6**
A71240	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**6**
A71241	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**6**
A71243	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71244	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71245	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**6**
A71246	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**6**
A71248	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 34155 (32871, 33987) (Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11828	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A11829	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**6**
A11830	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11831	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11832	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**6**
A11833	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11834	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11835	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**6**
A11836	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A11837	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 34155 (32871, 33987) (Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11838	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A11839	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**6**
A16654	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A11840	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**6**
A11841	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A70033	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**6**
A11842	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**6**
A11843	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37147, 27772, 34155 (32871, 33987) (Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71253	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**6**
A71255	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**6**
A71256	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**6**
A71258	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**6**
A71259	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**6**
A71261	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71262	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**6**
A71263	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**6**
A71264	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**6**
A71266	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **25800 (/P enhanced performance)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A17275	017	**78,000**	**66,000**	**93.6**	**97.0**	**86.4**	**91.8**	**95.3**	**100.7**	**7**
A17276	015	**78,000**	**64,500**	**93.6**	**97.0**	**86.4**	**91.8**	**95.2**	**100.7**	**7**
A2439	012	**77,000**	**66,000**	**93.7**	**96.9**	**86.0**	**91.7**	**95.3**	**100.7**	**7**
A2440	007	**77,000**	**64,500**	**93.7**	**96.9**	**86.0**	**91.7**	**95.2**	**100.7**	**7**
A2441	010	**77,000**	**64,500**	**93.7**	**96.9**	**86.0**	**91.7**	**95.2**	**100.7**	**7**
A2442	011	**75,500**	**66,000**	**93.8**	**96.9**	**85.2**	**91.6**	**95.3**	**100.6**	**7**
A2443	003	**75,500**	**64,500**	**93.8**	**96.9**	**85.2**	**91.6**	**95.2**	**100.6**	**7**
A2444	009	**75,500**	**64,500**	**93.8**	**96.9**	**85.2**	**91.6**	**95.2**	**100.6**	**7**
A2450	016	**73,500**	**66,000**	**93.9**	**96.8**	**84.3**	**91.5**	**95.3**	**100.5**	**7**
A2445	000	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**7**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **25800 (/P enhanced performance)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2446	008	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**7**
A2447	014	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**7**
A16631	018	**71,500**	**66,000**	**94.1**	**96.7**	**83.4**	**91.3**	**95.3**	**100.4**	**7**
A2448	013	**71,500**	**64,500**	**94.1**	**96.7**	**83.4**	**91.3**	**95.2**	**100.4**	**7**
A2449	002	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**95.2**	**100.3**	**7**
A70025	019	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**95.2**	**100.3**	**7**
A7462	001	**68,000**	**64,500**	**94.3**	**96.5**	**82.0**	**91.0**	**95.2**	**100.2**	**7**
A7463	005	**67,000**	**64,500**	**94.4**	**96.4**	**81.6**	**90.9**	**95.2**	**100.2**	**7**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **25800, 27772 (/P enhanced performance, Improved fan frame forward panels)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11716	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A11717	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A5206	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A5207	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A5208	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A5209	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A5210	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A5211	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A5221	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A5212	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772 (/P enhanced performance, Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A5213	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A5214	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A16639	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A5216	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A5217	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**8**
A5218	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**8**
A5219	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772 (/P enhanced performance, Improved fan frame forward panels), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71106	017	**78,000**	**66,000**	**92.8**	**97.0**	**85.2**	**91.8**	**95.2**	**100.7**	**8**
A71108	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**8**
A71110	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**8**
A71111	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**8**
A71113	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**8**
A71114	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**8**
A71116	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71117	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71118	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**8**
A71119	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772 (/P enhanced performance, Improved fan frame forward panels), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71121	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **25800, 27772, 32871 (/P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11718	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A11719	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A11720	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11721	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11722	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11723	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11724	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11725	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11726	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A11727	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 32871 (/P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11728	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A11729	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A16640	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A11730	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A11731	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**8**
A70026	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**8**
A11732	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**8**
A11733	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 32871 (/P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71124	017	**78,000**	**66,000**	**92.8**	**97.0**	**85.2**	**91.8**	**95.2**	**100.7**	**8**
A71126	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**8**
A71128	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**8**
A71129	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**8**
A71131	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**8**
A71132	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**8**
A71134	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71135	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71136	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**8**
A71137	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 32871 (/P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71139	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 32871, 33987 (/P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser (on engine 1 only), Core chevron nozzle (on engine 2 only)), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71632	015	**78,000**	**64,500**	**92.8**	**97.0**	**85.2**	**91.8**	**95.1**	**100.7**	**8**
A71633	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**8**
A71635	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**8**
A71636	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**8**
A71638	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**8**
A71639	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**8**
A71641	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71642	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71643	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**8**
A71644	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 32871, 33987 (/P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser (on engine 1 only), Core chevron nozzle (on engine 2 only)), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71646	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **25800, 27772, 33987 (/P enhanced performance, Improved fan frame forward panels, Core chevron nozzle)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11734	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A11735	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A11736	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11737	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11738	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11739	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11740	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11741	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11742	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A11743	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 33987 (/P enhanced performance, Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11744	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A11745	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A16645	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A11746	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A11747	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**8**
A70027	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**8**
A11748	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**8**
A11749	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 33987 (/P enhanced performance, Improved fan frame forward panels, Core chevron nozzle), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71144	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**8**
A71145	007	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**8**
A71146	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**8**
A71147	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**8**
A71149	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**8**
A71150	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**8**
A71152	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71153	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71154	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**8**
A71155	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 33987 (/P enhanced performance, Improved fan frame forward panels, Core chevron nozzle), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71157	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 34155 (32871, 33987) (/P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11750	017	**78,000**	**66,000**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A11751	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**8**
A11752	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11753	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11754	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**8**
A11755	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11756	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11757	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**8**
A11758	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A11759	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 34155 (32871, 33987) (/P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A11760	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A11761	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**8**
A16646	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A11762	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**8**
A11763	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**8**
A70028	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**8**
A11764	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**8**
A11765	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 34155 (32871, 33987) (/P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71161	015	**78,000**	**64,500**	**92.8**	**97.0**	**85.2**	**91.8**	**95.1**	**100.7**	**8**
A71162	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**8**
A71164	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**8**
A71165	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**8**
A71167	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**8**
A71168	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**8**
A71170	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71171	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**8**
A71172	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**8**
A71173	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

25800, 27772, 34155 (32871, 33987) (/P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71175	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/2P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A13447	017	**78,000**	**66,000**	**93.7**	**97.0**	**85.8**	**91.8**	**96.0**	**100.7**	**9**
A13448	015	**78,000**	**64,500**	**93.7**	**97.0**	**85.8**	**91.8**	**96.0**	**100.7**	**9**
A13449	012	**77,000**	**66,000**	**93.8**	**96.9**	**85.4**	**91.7**	**96.0**	**100.7**	**9**
A13450	007	**77,000**	**64,500**	**93.8**	**96.9**	**85.4**	**91.7**	**96.0**	**100.7**	**9**
A13451	010	**77,000**	**64,500**	**93.8**	**96.9**	**85.4**	**91.7**	**96.0**	**100.7**	**9**
A13452	011	**75,500**	**66,000**	**93.9**	**96.9**	**84.9**	**91.6**	**96.0**	**100.6**	**9**
A13453	003	**75,500**	**64,500**	**93.9**	**96.9**	**84.9**	**91.6**	**96.0**	**100.6**	**9**
A13454	009	**75,500**	**64,500**	**93.9**	**96.9**	**84.9**	**91.6**	**96.0**	**100.6**	**9**
A13455	016	**73,500**	**66,000**	**94.0**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**9**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/2P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A13456	000	**73,500**	**64,500**	**94.0**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**9**
A13457	008	**73,500**	**64,500**	**94.0**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**9**
A13458	014	**73,500**	**64,500**	**94.0**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**9**
A16649	018	**71,500**	**66,000**	**94.1**	**96.7**	**83.4**	**91.3**	**96.0**	**100.4**	**9**
A13459	013	**71,500**	**64,500**	**94.1**	**96.7**	**83.4**	**91.3**	**96.0**	**100.4**	**9**
A13460	002	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**96.0**	**100.3**	**9**
A70029	019	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**96.0**	**100.3**	**9**
A13461	001	**68,000**	**64,500**	**94.3**	**96.5**	**82.0**	**91.0**	**96.0**	**100.2**	**9**
A13462	005	**67,000**	**64,500**	**94.3**	**96.4**	**81.7**	**90.9**	**96.0**	**100.2**	**9**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/2P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

With or without 27772 or 32871 or 33987 (Engine intermix, with or without Improved fan frame forward panels or Enhanced acoustic thrust reverser or Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9281	012	**77,000**	**66,000**	**94.3**	**96.9**	**85.6**	**91.7**	**96.0**	**100.7**	**10**
A9282	007	**77,000**	**64,500**	**94.3**	**96.9**	**85.6**	**91.7**	**96.0**	**100.7**	**10**
A9283	010	**77,000**	**64,500**	**94.3**	**96.9**	**85.6**	**91.7**	**96.0**	**100.7**	**10**
A9284	011	**75,500**	**66,000**	**94.4**	**96.9**	**85.0**	**91.6**	**96.0**	**100.6**	**10**
A9285	003	**75,500**	**64,500**	**94.4**	**96.9**	**85.0**	**91.6**	**96.0**	**100.6**	**10**
A9286	009	**75,500**	**64,500**	**94.4**	**96.9**	**85.0**	**91.6**	**96.0**	**100.6**	**10**
A9287	016	**73,500**	**66,000**	**94.5**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**10**
A9288	000	**73,500**	**64,500**	**94.5**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**10**
A9289	008	**73,500**	**64,500**	**94.5**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**10**
A9290	014	**73,500**	**64,500**	**94.5**	**96.8**	**84.2**	**91.5**	**96.0**	**100.5**	**10**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/2P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

With or without 27772 or 32871 or 33987 (Engine intermix, with or without Improved fan frame forward panels or Enhanced acoustic thrust reverser or Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16687	018	**71,500**	**66,000**	**94.6**	**96.7**	**83.4**	**91.3**	**96.0**	**100.4**	**10**
A9291	013	**71,500**	**64,500**	**94.6**	**96.7**	**83.4**	**91.3**	**96.0**	**100.4**	**10**
A70034	019	**70,000**	**64,500**	**94.6**	**96.6**	**82.8**	**91.2**	**96.0**	**100.3**	**10**
A9293	002	**70,000**	**64,500**	**94.6**	**96.6**	**82.8**	**91.2**	**96.0**	**100.3**	**10**
A9294	001	**68,000**	**64,500**	**94.8**	**96.5**	**82.0**	**91.0**	**96.0**	**100.2**	**10**
A9295	005	**67,000**	**64,500**	**94.8**	**96.4**	**81.7**	**90.9**	**96.0**	**100.2**	**10**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A80326	015	**78,000**	**64,500**	**93.4**	**97.0**	**85.8**	**91.8**	**95.5**	**100.7**	**11**
A9424	012	**77,000**	**66,000**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**11**
A9425	010	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**11**
A9426	007	**77,000**	**64,500**	**93.5**	**96.9**	**85.3**	**91.7**	**95.5**	**100.7**	**11**
A9427	011	**75,500**	**66,000**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**11**
A9428	003	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**11**
A9429	009	**75,500**	**64,500**	**93.5**	**96.9**	**84.7**	**91.6**	**95.5**	**100.6**	**11**
A9430	016	**73,500**	**66,000**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**11**
A9431	000	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**11**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4 / Amendment 8** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9432	008	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**11**
A9433	014	**73,500**	**64,500**	**93.6**	**96.8**	**83.7**	**91.5**	**95.5**	**100.5**	**11**
A16650	018	**71,500**	**66,000**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**11**
A9434	013	**71,500**	**64,500**	**93.8**	**96.7**	**83.0**	**91.3**	**95.5**	**100.4**	**11**
A71178	019	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**11**
A9435	002	**70,000**	**64,500**	**93.8**	**96.6**	**82.3**	**91.2**	**95.5**	**100.3**	**11**
A9436	001	**68,000**	**64,500**	**94.0**	**96.5**	**81.5**	**91.0**	**95.5**	**100.2**	**11**
A9437	005	**67,000**	**64,500**	**94.0**	**96.4**	**81.0**	**90.9**	**95.5**	**100.2**	**11**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71181	012	**77,000**	**66,000**	**92.9**	**96.9**	**84.8**	**91.7**	**95.2**	**100.7**	**12**
A71183	010	**77,000**	**64,500**	**92.9**	**96.9**	**84.8**	**91.7**	**95.1**	**100.7**	**12**
A71184	011	**75,500**	**66,000**	**93.0**	**96.9**	**84.2**	**91.6**	**95.2**	**100.6**	**12**
A71186	009	**75,500**	**64,500**	**93.0**	**96.9**	**84.2**	**91.6**	**95.1**	**100.6**	**12**
A71187	016	**73,500**	**66,000**	**93.1**	**96.8**	**83.3**	**91.5**	**95.2**	**100.5**	**12**
A71189	008	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**12**
A71190	014	**73,500**	**64,500**	**93.1**	**96.8**	**83.3**	**91.5**	**95.1**	**100.5**	**12**
A71191	018	**71,500**	**66,000**	**93.3**	**96.7**	**82.4**	**91.3**	**95.2**	**100.4**	**12**
A71192	013	**71,500**	**64,500**	**93.3**	**96.7**	**82.4**	**91.3**	**95.1**	**100.4**	**12**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71194	019	**70,000**	**64,500**	**93.4**	**96.6**	**81.8**	**91.2**	**95.1**	**100.3**	**12**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **Engine intermix**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A17283	017	**78,000**	**66,000**	**93.6**	**97.0**	**86.4**	**91.8**	**95.3**	**100.7**	**13**
A17284	015	**78,000**	**64,500**	**93.6**	**97.0**	**86.4**	**91.8**	**95.2**	**100.7**	**13**
A9438	012	**77,000**	**66,000**	**93.7**	**96.9**	**86.0**	**91.7**	**95.3**	**100.7**	**13**
A9439	007	**77,000**	**64,500**	**93.7**	**96.9**	**86.0**	**91.7**	**95.2**	**100.7**	**13**
A9440	010	**77,000**	**64,500**	**93.7**	**96.9**	**86.0**	**91.7**	**95.2**	**100.7**	**13**
A9441	011	**75,500**	**66,000**	**93.8**	**96.9**	**85.2**	**91.6**	**95.3**	**100.6**	**13**
A9442	003	**75,500**	**64,500**	**93.8**	**96.9**	**85.2**	**91.6**	**95.2**	**100.6**	**13**
A9443	009	**75,500**	**64,500**	**93.8**	**96.9**	**85.2**	**91.6**	**95.2**	**100.6**	**13**
A9444	016	**73,500**	**66,000**	**93.9**	**96.8**	**84.3**	**91.5**	**95.3**	**100.5**	**13**
A9445	000	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**13**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-214**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **CFM56-5B4/P, CFM56-5B4/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **Engine intermix**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9446	008	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**13**
A9447	014	**73,500**	**64,500**	**93.9**	**96.8**	**84.3**	**91.5**	**95.2**	**100.5**	**13**
A16657	018	**71,500**	**66,000**	**94.1**	**96.7**	**83.4**	**91.3**	**95.3**	**100.4**	**13**
A9448	013	**71,500**	**64,500**	**94.1**	**96.7**	**83.4**	**91.3**	**95.2**	**100.4**	**13**
A70022	019	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**95.2**	**100.3**	**13**
A9449	002	**70,000**	**64,500**	**94.2**	**96.6**	**82.8**	**91.2**	**95.2**	**100.3**	**13**
A9450	001	**68,000**	**64,500**	**94.3**	**96.5**	**82.0**	**91.0**	**95.2**	**100.2**	**13**
A9451	005	**67,000**	**64,500**	**94.4**	**96.4**	**81.6**	**90.9**	**95.2**	**100.2**	**13**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772 (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A7525	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A7521	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A7524	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A7528	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A7518	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A7523	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A7527	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A16663	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A7526	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A70041	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772 (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A7520	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**
A7519	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**6**
A7522	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772 (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels), 160500 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18403	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A18405	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A18406	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A18408	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A18409	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A18410	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A18411	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A70035	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772, 32871 (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12145	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12146	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12147	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12148	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12149	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12150	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12151	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A16664	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A12152	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A12153	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772, 32871 (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70042	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**
A12154	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**6**
A12155	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772, 33987 (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12156	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12157	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12158	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12159	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12160	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12161	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12162	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A16665	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A12163	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A12164	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772, 33987 (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70043	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**
A12165	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**6**
A12166	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772, 34155 (32871, 33987) (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12167	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12168	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12169	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**6**
A12170	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12171	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12172	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A12173	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**6**
A16666	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A12174	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**6**
A12175	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 37147, 27772, 34155 (32871, 33987) (CFM56-5B5 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70044	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**6**
A12176	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**6**
A12177	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772 (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A1308	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A1309	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A1310	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A1311	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A1312	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A1313	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A1314	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A16659	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A1316	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A1317	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772 (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70037	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**
A1318	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**8**
A1319	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772, 32871 (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12112	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12113	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12114	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12115	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12116	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12117	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12118	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A16660	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A12119	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A12120	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772, 32871 (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70038	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**
A12121	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**8**
A12122	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772, 33987 (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12123	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12124	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12125	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12126	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12127	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12128	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12129	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A16661	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A12130	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A12131	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772, 33987 (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70039	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**
A12132	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**8**
A12133	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772, 34155 (32871, 33987) (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12134	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12135	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12136	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**8**
A12137	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12138	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12139	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A12140	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**8**
A16662	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A12141	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**8**
A12142	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36297, 25800, 27772, 34155 (32871, 33987) (CFM56-5B5 rating, /P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70040	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**8**
A12143	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**8**
A12144	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P, CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9452	011	**75,500**	**66,000**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**14**
A9453	003	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**14**
A9454	009	**75,500**	**64,500**	**90.2**	**96.9**	**88.4**	**91.6**	**95.5**	**100.6**	**14**
A9455	016	**73,500**	**66,000**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**14**
A9456	000	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**14**
A9457	008	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**14**
A9458	014	**73,500**	**64,500**	**90.6**	**96.8**	**86.5**	**91.5**	**95.5**	**100.5**	**14**
A16658	018	**71,500**	**66,000**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**14**
A9459	013	**71,500**	**64,500**	**91.0**	**96.7**	**85.4**	**91.3**	**95.5**	**100.4**	**14**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-215**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B5/P, CFM56-5B5/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70036	019	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**14**
A9460	002	**70,000**	**64,500**	**91.2**	**96.6**	**84.6**	**91.2**	**95.5**	**100.3**	**14**
A9461	001	**68,000**	**64,500**	**91.4**	**96.5**	**83.5**	**91.0**	**95.5**	**100.2**	**14**
A9462	005	**67,000**	**64,500**	**91.4**	**96.4**	**83.0**	**90.9**	**95.5**	**100.2**	**14**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A7538	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A7532	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A7536	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A6686	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A7529	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A7535	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A7541	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A16672	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A7540	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A70051	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A7531	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**
A7530	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**6**
A7533	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71334	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**6**
A71336	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**6**
A71337	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**6**
A71339	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71340	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71341	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**6**
A71342	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**6**
A71344	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18456	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**6**
A18458	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**6**
A18459	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**6**
A18461	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A18462	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A18463	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**6**
A18464	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**6**
A70045	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 32871 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12223	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12224	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12225	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12226	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12227	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12228	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12229	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A16673	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A12230	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A12231	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 32871 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70052	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**
A12232	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**6**
A12233	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 32871 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71347	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**6**
A71349	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**6**
A71350	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**6**
A71352	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71353	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71354	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**6**
A71355	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**6**
A71357	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 32871, 33987 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Enhanced acoustic thrust reverser (on engine 1 only), Core chevron nozzle (on engine 2 only)), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71616	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**6**
A71618	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**6**
A71619	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**6**
A71621	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71622	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71623	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**6**
A71624	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**6**
A71626	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 33987 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12237	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12238	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12239	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12240	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12241	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12242	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12243	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A16674	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A12244	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A12245	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 33987 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70054	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**
A12246	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**6**
A12247	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 33987 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Core chevron nozzle), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71360	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**6**
A71362	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**6**
A71363	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**6**
A71365	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71366	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71367	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**6**
A71368	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**6**
A71370	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 34155 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12251	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12252	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12253	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**6**
A12254	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12255	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12256	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A12257	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**6**
A16675	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A12258	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**6**
A12259	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 34155 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70055	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**6**
A12260	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**6**
A12261	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**6**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 37147, 27772, 34155 (CFM56-5B6 rating, Technology Insertion Program (TIP), Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle)), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71373	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**6**
A71375	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**6**
A71376	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**6**
A71378	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71379	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**6**
A71380	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**6**
A71381	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**6**
A71383	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**6**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A1197	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A1198	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A1199	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A1200	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A1201	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A1202	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A1203	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A16668	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A1205	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A1206	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70047	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**
A1207	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**8**
A1208	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71269	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**8**
A71271	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**8**
A71273	000	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71275	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71276	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**8**
A71277	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**8**
A71279	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 32871 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12181	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12182	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12183	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12184	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12185	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12186	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12187	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A16669	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A12188	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A12189	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 32871 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70048	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**
A12190	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**8**
A12191	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 32871 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71295	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**8**
A71297	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**8**
A71298	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**8**
A71300	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71301	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71302	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**8**
A71303	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**8**
A71305	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 32871, 33987 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Enhanced acoustic thrust reverser (on engine 1 only), Core chevron nozzle (on engine 2 only)), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71629	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**8**
A71796	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**8**
A71797	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**8**
A71799	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71800	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71801	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**8**
A71802	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**8**
A71804	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 33987 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12195	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12196	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12197	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12198	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12199	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12200	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12201	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A16670	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A12202	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A12203	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 33987 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Core chevron nozzle)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70049	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**
A12204	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**8**
A12205	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 33987 (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Core chevron nozzle), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71308	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**8**
A71310	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**8**
A71311	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**8**
A71313	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71314	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71315	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**8**
A71316	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**8**
A71318	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 34155 (32871, 33987) (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12209	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12210	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12211	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**8**
A12212	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12213	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12214	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A12215	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**8**
A16671	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A12216	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**8**
A12217	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 34155 (32871, 33987) (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70050	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**8**
A12218	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**8**
A12219	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 25800, 27772, 34155 (32871, 33987) (CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, Basic NIP (Enhanced acoustic thrust reverser, Core chevron nozzle)), 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71321	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**8**
A71323	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**8**
A71324	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**8**
A71326	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71327	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**8**
A71328	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**8**
A71329	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**8**
A71331	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**8**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P, CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A9466	011	**75,500**	**66,000**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**15**
A9467	003	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**15**
A9468	009	**75,500**	**64,500**	**91.7**	**96.9**	**86.8**	**91.6**	**95.5**	**100.6**	**15**
A9469	016	**73,500**	**66,000**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**15**
A9470	000	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**15**
A9471	008	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**15**
A9472	014	**73,500**	**64,500**	**92.0**	**96.8**	**85.8**	**91.5**	**95.5**	**100.5**	**15**
A16667	018	**71,500**	**66,000**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**15**
A9473	013	**71,500**	**64,500**	**92.1**	**96.7**	**84.6**	**91.3**	**95.5**	**100.4**	**15**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P, CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 7** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70046	019	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**15**
A9474	002	**70,000**	**64,500**	**92.1**	**96.6**	**83.9**	**91.2**	**95.5**	**100.3**	**15**
A9475	001	**68,000**	**64,500**	**92.2**	**96.5**	**82.9**	**91.0**	**95.5**	**100.2**	**15**
A9476	005	**67,000**	**64,500**	**92.3**	**96.4**	**82.4**	**90.9**	**95.5**	**100.2**	**15**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-216**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **CFM56-5B6/P, CFM56-5B6/3**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

36311, 27772, with or without 32871 or 33987 or 34155 (32871 and 33987) (Engine intermix, CFM56-5B6 rating, /P enhanced performance, Improved fan frame forward panels, with or without Enhanced acoustic thrust reverser or Core chevron nozzle or Basic NIP (Enhanced acoustic thrust reverser and Core chevron nozzle)), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71282	011	**75,500**	**66,000**	**90.7**	**96.8**	**86.1**	**91.6**	**95.2**	**100.6**	**16**
A71284	009	**75,500**	**64,500**	**90.7**	**96.8**	**86.1**	**91.6**	**95.1**	**100.6**	**16**
A71285	016	**73,500**	**66,000**	**90.8**	**96.7**	**85.1**	**91.4**	**95.2**	**100.5**	**16**
A71287	008	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**16**
A71288	014	**73,500**	**64,500**	**90.8**	**96.7**	**85.1**	**91.4**	**95.1**	**100.5**	**16**
A71289	018	**71,500**	**66,000**	**90.9**	**96.6**	**84.2**	**91.3**	**95.2**	**100.4**	**16**
A71290	013	**71,500**	**64,500**	**90.9**	**96.6**	**84.2**	**91.3**	**95.1**	**100.4**	**16**
A71292	019	**70,000**	**64,500**	**91.0**	**96.6**	**83.4**	**91.2**	**95.1**	**100.3**	**16**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5 / Amendment 9** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2616	012	**77,000**	**66,000**	**92.3**	**96.9**	**86.9**	**91.7**	**96.6**	**100.7**	-
A2617	007	**77,000**	**64,500**	**92.3**	**96.9**	**86.9**	**91.7**	**96.5**	**100.7**	-
A2618	010	**77,000**	**64,500**	**92.3**	**96.9**	**86.9**	**91.7**	**96.5**	**100.7**	-
A2619	011	**75,500**	**66,000**	**92.4**	**96.9**	**86.3**	**91.6**	**96.6**	**100.6**	-
A2620	003	**75,500**	**64,500**	**92.4**	**96.9**	**86.3**	**91.6**	**96.5**	**100.6**	-
A2621	009	**75,500**	**64,500**	**92.4**	**96.9**	**86.3**	**91.6**	**96.5**	**100.6**	-
A2631	016	**73,500**	**66,000**	**92.4**	**96.8**	**85.4**	**91.5**	**96.6**	**100.5**	-
A2622	000	**73,500**	**64,500**	**92.4**	**96.8**	**85.4**	**91.5**	**96.5**	**100.5**	-
A2623	008	**73,500**	**64,500**	**92.4**	**96.8**	**85.4**	**91.5**	**96.5**	**100.5**	-
A2624	014	**73,500**	**64,500**	**92.4**	**96.8**	**85.4**	**91.5**	**96.5**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5 / Amendment 9** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16677	018	**71,500**	**66,000**	**92.5**	**96.7**	**84.6**	**91.3**	**96.6**	**100.4**	-
A2625	004	**71,500**	**64,500**	**92.5**	**96.7**	**84.6**	**91.3**	**96.5**	**100.4**	-
A2626	013	**71,500**	**64,500**	**92.5**	**96.7**	**84.6**	**91.3**	**96.5**	**100.4**	-
A2627	002	**70,000**	**64,500**	**92.6**	**96.6**	**83.9**	**91.2**	**96.5**	**100.3**	-
A70058	019	**70,000**	**64,500**	**92.6**	**96.6**	**83.9**	**91.2**	**96.5**	**100.3**	-
A2628	001	**68,000**	**64,500**	**92.7**	**96.5**	**83.1**	**91.0**	**96.5**	**100.2**	-
A2629	005	**67,000**	**64,500**	**92.7**	**96.4**	**82.7**	**90.9**	**96.5**	**100.2**	-
A2630	006	**66,000**	**64,500**	**92.7**	**96.4**	**82.3**	**90.8**	**96.5**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **20139 (Double bogie undercarriage)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5 / Amendment 9** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2728	012	**77,000**	**66,000**	**92.3**	**96.9**	**86.9**	**91.7**	**95.7**	**100.7**	-
A2723	007	**77,000**	**64,500**	**92.3**	**96.9**	**86.9**	**91.7**	**95.6**	**100.7**	-
A2726	010	**77,000**	**64,500**	**92.3**	**96.9**	**86.9**	**91.7**	**95.6**	**100.7**	-
A2727	011	**75,500**	**66,000**	**92.4**	**96.9**	**86.3**	**91.6**	**95.7**	**100.6**	-
A2719	003	**75,500**	**64,500**	**92.4**	**96.9**	**86.3**	**91.6**	**95.6**	**100.6**	-
A2725	009	**75,500**	**64,500**	**92.4**	**96.9**	**86.3**	**91.6**	**95.6**	**100.6**	-
A2731	016	**73,500**	**66,000**	**92.4**	**96.8**	**85.4**	**91.5**	**95.7**	**100.5**	-
A2716	000	**73,500**	**64,500**	**92.4**	**96.8**	**85.4**	**91.5**	**95.6**	**100.5**	-
A2724	008	**73,500**	**64,500**	**92.4**	**96.8**	**85.4**	**91.5**	**95.6**	**100.5**	-
A2730	014	**73,500**	**64,500**	**92.4**	**96.8**	**85.4**	**91.5**	**95.6**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **20139 (Double bogie undercarriage)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5 / Amendment 9** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A15344	018	**71,500**	**66,000**	**92.5**	**96.7**	**84.6**	**91.3**	**95.7**	**100.4**	-
A2720	004	**71,500**	**64,500**	**92.5**	**96.7**	**84.6**	**91.3**	**95.6**	**100.4**	-
A2729	013	**71,500**	**64,500**	**92.5**	**96.7**	**84.6**	**91.3**	**95.6**	**100.4**	-
A2718	002	**70,000**	**64,500**	**92.6**	**96.6**	**83.9**	**91.2**	**95.6**	**100.3**	-
A70056	019	**70,000**	**64,500**	**92.6**	**96.6**	**83.9**	**91.2**	**95.6**	**100.3**	-
A2717	001	**68,000**	**64,500**	**92.7**	**96.5**	**83.1**	**91.0**	**95.6**	**100.2**	-
A2721	005	**67,000**	**64,500**	**92.7**	**96.4**	**82.7**	**90.9**	**95.6**	**100.2**	-
A2722	006	**66,000**	**64,500**	**92.7**	**96.4**	**82.3**	**90.8**	**95.6**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22461 (Thrust bump)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 3** Chapter[1] **3**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A10710	012	**77,000**	**66,000**	**93.3**	**96.9**	**87.2**	**91.7**	**96.6**	**100.7**	-
A10711	007	**77,000**	**64,500**	**93.3**	**96.9**	**87.2**	**91.7**	**96.6**	**100.7**	-
A10712	010	**77,000**	**64,500**	**93.3**	**96.9**	**87.2**	**91.7**	**96.6**	**100.7**	-
A10713	011	**75,500**	**66,000**	**93.4**	**96.9**	**86.5**	**91.6**	**96.6**	**100.6**	-
A10714	003	**75,500**	**64,500**	**93.4**	**96.9**	**86.5**	**91.6**	**96.6**	**100.6**	-
A10715	009	**75,500**	**64,500**	**93.4**	**96.9**	**86.5**	**91.6**	**96.6**	**100.6**	-
A10716	016	**73,500**	**66,000**	**93.4**	**96.8**	**85.6**	**91.5**	**96.6**	**100.5**	-
A10717	000	**73,500**	**64,500**	**93.4**	**96.8**	**85.6**	**91.5**	**96.6**	**100.5**	-
A10718	008	**73,500**	**64,500**	**93.4**	**96.8**	**85.6**	**91.5**	**96.6**	**100.5**	-
A10719	014	**73,500**	**64,500**	**93.4**	**96.8**	**85.6**	**91.5**	**96.6**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **22461 (Thrust bump)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3 / Amendment 3** Chapter[1] **3**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16676	018	**71,500**	**66,000**	**93.5**	**96.7**	**84.8**	**91.3**	**96.6**	**100.4**	-
A10720	004	**71,500**	**64,500**	**93.5**	**96.7**	**84.8**	**91.3**	**96.6**	**100.4**	-
A10721	013	**71,500**	**64,500**	**93.5**	**96.7**	**84.8**	**91.3**	**96.6**	**100.4**	-
A10722	002	**70,000**	**64,500**	**93.5**	**96.6**	**84.1**	**91.2**	**96.6**	**100.3**	-
A70057	019	**70,000**	**64,500**	**93.5**	**96.6**	**84.1**	**91.2**	**96.6**	**100.3**	-
A10723	001	**68,000**	**64,500**	**93.6**	**96.5**	**83.2**	**91.0**	**96.6**	**100.2**	-
A10724	005	**67,000**	**64,500**	**93.6**	**96.4**	**82.8**	**90.9**	**96.6**	**100.2**	-
A10725	006	**66,000**	**64,500**	**93.7**	**96.4**	**82.3**	**90.8**	**96.6**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23408 (Improved consolidated thrust bump)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A2674	012	**77,000**	**66,000**	**93.0**	**96.9**	**85.8**	**91.7**	**96.6**	**100.7**	-
A2675	007	**77,000**	**64,500**	**93.0**	**96.9**	**85.8**	**91.7**	**96.5**	**100.7**	-
A2676	010	**77,000**	**64,500**	**93.0**	**96.9**	**85.8**	**91.7**	**96.5**	**100.7**	-
A2677	011	**75,500**	**66,000**	**93.0**	**96.9**	**85.2**	**91.6**	**96.6**	**100.6**	-
A2678	003	**75,500**	**64,500**	**93.0**	**96.9**	**85.2**	**91.6**	**96.5**	**100.6**	-
A2679	009	**75,500**	**64,500**	**93.0**	**96.9**	**85.2**	**91.6**	**96.5**	**100.6**	-
A2689	016	**73,500**	**66,000**	**93.1**	**96.8**	**84.4**	**91.5**	**96.6**	**100.5**	-
A2680	000	**73,500**	**64,500**	**93.1**	**96.8**	**84.4**	**91.5**	**96.5**	**100.5**	-
A2681	008	**73,500**	**64,500**	**93.1**	**96.8**	**84.4**	**91.5**	**96.5**	**100.5**	-
A2682	014	**73,500**	**64,500**	**93.1**	**96.8**	**84.4**	**91.5**	**96.5**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-231**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2500-A1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23408 (Improved consolidated thrust bump)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 6 / Amendment 10** Chapter[1] **4**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A16678	018	**71,500**	**66,000**	**93.1**	**96.7**	**83.6**	**91.3**	**96.6**	**100.4**	-
A2683	004	**71,500**	**64,500**	**93.1**	**96.7**	**83.6**	**91.3**	**96.5**	**100.4**	-
A2684	013	**71,500**	**64,500**	**93.1**	**96.7**	**83.6**	**91.3**	**96.5**	**100.4**	-
A2685	002	**70,000**	**64,500**	**93.2**	**96.6**	**83.0**	**91.2**	**96.5**	**100.3**	-
A70059	019	**70,000**	**64,500**	**93.2**	**96.6**	**83.0**	**91.2**	**96.5**	**100.3**	-
A2686	001	**68,000**	**64,500**	**93.3**	**96.5**	**82.3**	**91.0**	**96.5**	**100.2**	-
A2687	005	**67,000**	**64,500**	**93.3**	**96.4**	**81.8**	**90.9**	**96.5**	**100.2**	-
A2688	006	**66,000**	**64,500**	**93.3**	**96.4**	**81.5**	**90.8**	**96.5**	**100.1**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12321	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A619	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A616	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A611	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A614	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A615	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A610	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A613	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A7544	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A608	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A612	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A618	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16682	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A617	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A609	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70064	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13184	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13185	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **160500 or 160080 (Sharklets)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71489	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.0**	**91.7**	**94.4**	**100.7**	**17**
A71491	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.0**	**91.7**	**94.2**	**100.7**	**17**
A71492	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.3**	**91.6**	**94.4**	**100.6**	**17**
A71494	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.3**	**91.6**	**94.2**	**100.6**	**17**
A71495	016	**73,500**	**66,000**	**91.4**	**96.7**	**82.5**	**91.4**	**94.4**	**100.5**	**17**
A71497	008	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	**17**
A71498	014	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	**17**
A71499	018	**71,500**	**66,000**	**91.5**	**96.6**	**81.7**	**91.3**	**94.4**	**100.4**	**17**
A71500	013	**71,500**	**64,500**	**91.5**	**96.6**	**81.7**	**91.3**	**94.2**	**100.4**	**17**
A71502	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.1**	**91.2**	**94.2**	**100.3**	**17**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **34041 (Lift Improvement Package (LIP))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12276	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A607	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A604	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A599	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A602	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A603	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A598	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A601	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A7542	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A596	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **34041 (Lift Improvement Package (LIP))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A600	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A606	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16680	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A605	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A597	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70061	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13038	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13039	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12308	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A12307	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A12309	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A12310	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12311	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12312	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A12313	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12314	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12315	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A12316	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12317	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A12318	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16681	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A12319	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A12320	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70063	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13181	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13182	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package), 160500 or 160080 (Sharklets)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18214	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.3**	**91.8**	**94.4**	**100.7**	**17**
A18215	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.3**	**91.8**	**94.2**	**100.7**	**17**
A18216	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.0**	**91.7**	**94.4**	**100.7**	**17**
A18218	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.0**	**91.7**	**94.2**	**100.7**	**17**
A18219	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.3**	**91.6**	**94.4**	**100.6**	**17**
A18221	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.3**	**91.6**	**94.2**	**100.6**	**17**
A18222	016	**73,500**	**66,000**	**91.4**	**96.7**	**82.5**	**91.4**	**94.4**	**100.5**	**17**
A18224	008	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	**17**
A18225	014	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	**17**
A18226	018	**71,500**	**66,000**	**91.5**	**96.6**	**81.7**	**91.3**	**94.4**	**100.4**	**17**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package), 160500 or 160080 (Sharklets)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18227	013	**71,500**	**64,500**	**91.5**	**96.6**	**81.7**	**91.3**	**94.2**	**100.4**	**17**
A70062	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.1**	**91.2**	**94.2**	**100.3**	**17**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37868 or 38554 (Select One package), 34041 (Lift Improvement Package (LIP))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12262	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A12263	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A12264	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A12265	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12266	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12267	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A12268	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12269	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12270	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A12271	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37868 or 38554 (Select One package), 34041 (Lift Improvement Package (LIP))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12272	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A12273	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16679	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A12274	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A12275	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70060	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13041	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13042	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73791	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A73792	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A73793	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A73794	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73795	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73796	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A73797	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73809	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73798	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A73799	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73800	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73810	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73802	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A73803	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A73804	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73805	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73806	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A73807	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71471	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.0**	**91.7**	**94.4**	**100.7**	**17**
A71473	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.0**	**91.7**	**94.2**	**100.7**	**17**
A71474	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.3**	**91.6**	**94.4**	**100.6**	**17**
A71476	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.3**	**91.6**	**94.2**	**100.6**	**17**
A71477	016	**73,500**	**66,000**	**91.4**	**96.7**	**82.5**	**91.4**	**94.4**	**100.5**	**17**
A71479	008	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	**17**
A71480	014	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	**17**
A71481	018	**71,500**	**66,000**	**91.5**	**96.6**	**81.7**	**91.3**	**94.4**	**100.4**	**17**
A71482	013	**71,500**	**64,500**	**91.5**	**96.6**	**81.7**	**91.3**	**94.2**	**100.4**	**17**
A71484	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.1**	**91.2**	**94.2**	**100.3**	**17**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554), 34041 (Lift Improvement Package (LIP))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73771	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A73772	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A73773	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A73774	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73775	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73776	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A73777	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73778	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73779	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A73780	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-232**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554), 34041 (Lift Improvement Package (LIP))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73781	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73782	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73784	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A73785	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A73786	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73787	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73788	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A73789	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12381	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A643	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A640	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A635	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A638	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A639	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A634	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A637	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A7546	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A632	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A636	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A642	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16686	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A641	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A633	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70069	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13189	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13190	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **160080 (Sharklets)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70719	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.0**	**91.7**	**94.4**	**100.7**	-
A70721	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.0**	**91.7**	**94.2**	**100.7**	-
A70722	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.3**	**91.6**	**94.4**	**100.6**	-
A70724	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.3**	**91.6**	**94.2**	**100.6**	-
A70725	016	**73,500**	**66,000**	**91.4**	**96.7**	**82.5**	**91.4**	**94.4**	**100.5**	-
A70727	008	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	-
A70728	014	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	-
A70729	018	**71,500**	**66,000**	**91.5**	**96.6**	**81.7**	**91.3**	**94.4**	**100.4**	-
A70730	013	**71,500**	**64,500**	**91.5**	**96.6**	**81.7**	**91.3**	**94.2**	**100.4**	-
A70732	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.1**	**91.2**	**94.2**	**100.3**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **34041 (Lift Improvement Package (LIP))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12336	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A631	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A628	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A623	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A626	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A627	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A622	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A625	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A7548	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A620	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **34041 (Lift Improvement Package (LIP))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A624	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A630	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16684	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A629	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A621	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70066	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13044	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13045	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12367	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A12368	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A12369	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A12370	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12371	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12372	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A12373	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12374	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12375	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A12376	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)** Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12377	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A12378	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16685	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A12379	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A12380	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70068	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13186	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13187	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package), 160500 (Sharklets)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18250	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.3**	**91.8**	**94.4**	**100.7**	**-**
A18251	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.3**	**91.8**	**94.2**	**100.7**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package), 160500 or 160080 (Sharklets)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A18252	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.0**	**91.7**	**94.4**	**100.7**	-
A18254	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.0**	**91.7**	**94.2**	**100.7**	-
A18255	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.3**	**91.6**	**94.4**	**100.6**	-
A18257	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.3**	**91.6**	**94.2**	**100.6**	-
A18258	016	**73,500**	**66,000**	**91.4**	**96.7**	**82.5**	**91.4**	**94.4**	**100.5**	-
A18260	008	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	-
A18261	014	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	-
A18262	018	**71,500**	**66,000**	**91.5**	**96.6**	**81.7**	**91.3**	**94.4**	**100.4**	-
A18263	013	**71,500**	**64,500**	**91.5**	**96.6**	**81.7**	**91.3**	**94.2**	**100.4**	-
A70067	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.1**	**91.2**	**94.2**	**100.3**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **37868 or 38554 (Select One package), 34041 (Lift Improvement Package (LIP))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12322	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A12323	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A12324	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A12325	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12326	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A12327	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A12328	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12329	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A12330	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A12331	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

37868 or 38554 (Select One package), 34041 (Lift Improvement Package (LIP))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A12332	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A12333	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A16683	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A12334	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A12335	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A70065	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A13047	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A13048	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73830	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A73831	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A73832	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A73833	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73834	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73835	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A73836	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73837	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73838	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A73839	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73840	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73841	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73842	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A73843	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A73844	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73845	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73846	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A73847	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554), 160500 or 160080 (Sharklets)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A70737	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.0**	**91.7**	**94.4**	**100.7**	-
A70739	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.0**	**91.7**	**94.2**	**100.7**	-
A70740	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.3**	**91.6**	**94.4**	**100.6**	-
A70742	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.3**	**91.6**	**94.2**	**100.6**	-
A70743	016	**73,500**	**66,000**	**91.4**	**96.7**	**82.5**	**91.4**	**94.4**	**100.5**	-
A70745	008	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	-
A70746	014	**73,500**	**64,500**	**91.4**	**96.7**	**82.5**	**91.4**	**94.2**	**100.5**	-
A70747	018	**71,500**	**66,000**	**91.5**	**96.6**	**81.7**	**91.3**	**94.4**	**100.4**	-
A70748	013	**71,500**	**64,500**	**91.5**	**96.6**	**81.7**	**91.3**	**94.2**	**100.4**	-
A70750	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.1**	**91.2**	**94.2**	**100.3**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554), 34041 (Lift Improvement Package (LIP))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73811	017	**78,000**	**66,000**	**91.3**	**97.0**	**84.9**	**91.8**	**94.4**	**100.7**	-
A73812	015	**78,000**	**64,500**	**91.3**	**97.0**	**84.9**	**91.8**	**94.3**	**100.7**	-
A73813	012	**77,000**	**66,000**	**91.3**	**96.9**	**84.6**	**91.7**	**94.4**	**100.7**	-
A73814	007	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73815	010	**77,000**	**64,500**	**91.3**	**96.9**	**84.6**	**91.7**	**94.3**	**100.7**	-
A73816	011	**75,500**	**66,000**	**91.4**	**96.8**	**83.9**	**91.6**	**94.4**	**100.6**	-
A73817	003	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73818	009	**75,500**	**64,500**	**91.4**	**96.8**	**83.9**	**91.6**	**94.3**	**100.6**	-
A73819	016	**73,500**	**66,000**	**91.4**	**96.7**	**83.1**	**91.4**	**94.4**	**100.5**	-
A73820	000	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-233**

Engine TC Holder **International Aero Engines AG (IAE)**

Engine Type Designation[1] **V2527E-A5**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

Engine intermix, one engine with Select One package (Mod 37868 or 38554), 34041 (Lift Improvement Package (LIP))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 7 / Amendment 11-B** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73821	008	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73822	014	**73,500**	**64,500**	**91.4**	**96.7**	**83.1**	**91.4**	**94.3**	**100.5**	-
A73823	018	**71,500**	**66,000**	**91.5**	**96.6**	**82.3**	**91.3**	**94.4**	**100.4**	-
A73824	013	**71,500**	**64,500**	**91.5**	**96.6**	**82.3**	**91.3**	**94.3**	**100.4**	-
A73825	002	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73826	019	**70,000**	**64,500**	**91.6**	**96.6**	**81.7**	**91.2**	**94.3**	**100.3**	-
A73827	001	**68,000**	**64,500**	**91.6**	**96.5**	**80.9**	**91.0**	**94.3**	**100.2**	-
A73828	005	**67,000**	**64,500**	**91.7**	**96.4**	**80.6**	**90.9**	**94.3**	**100.2**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77075	103	**79,000**	**68,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.9**	**100.7**	**18**
A71507	055	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A71508	054	**79,000**	**66,300**	**85.6**	**97.0**	**81.6**	**91.9**	**92.5**	**100.7**	**18**
A71515	053	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A71516	052	**77,000**	**66,300**	**85.7**	**96.9**	**80.9**	**91.7**	**92.5**	**100.7**	**18**
A71521	069	**75,500**	**67,400**	**85.8**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A71522	068	**75,500**	**66,300**	**85.8**	**96.8**	**80.4**	**91.6**	**92.5**	**100.6**	**18**
A71523	071	**75,000**	**67,400**	**85.8**	**96.8**	**80.3**	**91.6**	**92.7**	**100.6**	**18**
A71527	075	**74,000**	**67,400**	**85.8**	**96.8**	**80.0**	**91.5**	**92.7**	**100.5**	**18**
A71529	051	**73,500**	**67,400**	**85.8**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71530	050	**73,500**	**66,300**	**85.8**	**96.7**	**79.8**	**91.4**	**92.5**	**100.5**	**18**
A71534	078	**72,500**	**66,300**	**85.9**	**96.7**	**79.5**	**91.4**	**92.5**	**100.5**	**18**
A71537	083	**71,500**	**67,400**	**85.9**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A71538	082	**71,500**	**66,300**	**85.9**	**96.6**	**79.3**	**91.3**	**92.5**	**100.4**	**18**
A71539	085	**71,000**	**67,400**	**85.9**	**96.6**	**79.1**	**91.2**	**92.7**	**100.4**	**18**
A71543	057	**70,000**	**67,400**	**86.0**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**
A71544	056	**70,000**	**66,300**	**86.0**	**96.6**	**78.8**	**91.2**	**92.5**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77193	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.9**	**100.7**	**18**
A72006	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A72007	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.5**	**91.9**	**92.7**	**100.7**	**18**
A72014	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A72015	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.7**	**91.7**	**92.7**	**100.7**	**18**
A72020	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.1**	**91.6**	**92.8**	**100.6**	**18**
A72021	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.1**	**91.6**	**92.7**	**100.6**	**18**
A72022	071	**75,000**	**67,400**	**86.3**	**96.8**	**79.9**	**91.6**	**92.8**	**100.6**	**18**
A72026	075	**74,000**	**67,400**	**86.3**	**96.8**	**79.5**	**91.5**	**92.8**	**100.5**	**18**
A72028	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.3**	**91.4**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72029	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.7**	**100.5**	**18**
A72033	078	**72,500**	**66,300**	**86.4**	**96.7**	**78.9**	**91.4**	**92.7**	**100.5**	**18**
A72036	083	**71,500**	**67,400**	**86.4**	**96.6**	**78.6**	**91.3**	**92.8**	**100.4**	**18**
A72037	082	**71,500**	**66,300**	**86.4**	**96.6**	**78.6**	**91.3**	**92.7**	**100.4**	**18**
A72038	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.4**	**91.2**	**92.8**	**100.4**	**18**
A72042	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.0**	**91.2**	**92.8**	**100.3**	**18**
A72043	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.0**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72158	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A72159	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A72166	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A72167	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A72172	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.4**	**91.6**	**92.8**	**100.6**	**18**
A72173	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A72174	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.8**	**100.6**	**18**
A72178	075	**74,000**	**67,400**	**86.3**	**96.8**	**80.0**	**91.5**	**92.8**	**100.5**	**18**
A72180	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.8**	**91.4**	**92.8**	**100.5**	**18**
A72181	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72185	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.5**	**91.4**	**92.7**	**100.5**	**18**
A72188	083	**71,500**	**67,400**	**86.4**	**96.6**	**79.3**	**91.3**	**92.8**	**100.4**	**18**
A72189	082	**71,500**	**66,300**	**86.4**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A72190	085	**71,000**	**67,400**	**86.5**	**96.6**	**79.1**	**91.2**	**92.8**	**100.4**	**18**
A72194	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.8**	**91.2**	**92.8**	**100.3**	**18**
A72195	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74597	110	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74598	055	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74599	054	**79,000**	**66,300**	**85.6**	**97.0**	**81.6**	**91.9**	**92.5**	**100.7**	**18**
A74600	111	**78,000**	**67,400**	**85.7**	**97.0**	**81.2**	**91.8**	**92.7**	**100.7**	**18**
A74603	112	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74604	053	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74605	052	**77,000**	**66,300**	**85.7**	**96.9**	**80.9**	**91.7**	**92.5**	**100.7**	**18**
A74608	071	**75,000**	**67,400**	**85.8**	**96.8**	**80.3**	**91.6**	**92.7**	**100.6**	**18**
A74610	075	**74,000**	**67,400**	**85.8**	**96.8**	**80.0**	**91.5**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74616	085	**71,000**	**67,400**	**85.9**	**96.6**	**79.1**	**91.2**	**92.7**	**100.4**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74513	110	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A74514	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A74515	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.5**	**91.9**	**92.7**	**100.7**	**18**
A74516	111	**78,000**	**67,400**	**86.2**	**97.0**	**81.1**	**91.8**	**92.8**	**100.7**	**18**
A74519	112	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A74520	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A74521	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.7**	**91.7**	**92.7**	**100.7**	**18**
A74524	071	**75,000**	**67,400**	**86.3**	**96.8**	**79.9**	**91.6**	**92.8**	**100.6**	**18**
A74526	075	**74,000**	**67,400**	**86.3**	**96.8**	**79.5**	**91.5**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74532	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.4**	**91.2**	**92.8**	**100.4**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74555	110	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A74556	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A74557	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74558	111	**78,000**	**67,400**	**86.2**	**97.0**	**81.2**	**91.8**	**92.8**	**100.7**	**18**
A74561	112	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A74562	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A74563	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74566	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.8**	**100.6**	**18**
A74568	075	**74,000**	**67,400**	**86.3**	**96.8**	**80.0**	**91.5**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74574	085	**71,000**	**67,400**	**86.5**	**96.6**	**79.1**	**91.2**	**92.8**	**100.4**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77091	103	**79,000**	**68,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.9**	**100.7**	**18**
A74083	055	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74084	054	**79,000**	**66,300**	**85.6**	**97.0**	**81.6**	**91.9**	**92.5**	**100.7**	**18**
A74091	053	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74092	052	**77,000**	**66,300**	**85.7**	**96.9**	**80.9**	**91.7**	**92.5**	**100.7**	**18**
A74097	069	**75,500**	**67,400**	**85.8**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A74098	068	**75,500**	**66,300**	**85.8**	**96.8**	**80.4**	**91.6**	**92.5**	**100.6**	**18**
A74099	071	**75,000**	**67,400**	**85.8**	**96.8**	**80.3**	**91.6**	**92.7**	**100.6**	**18**
A74103	075	**74,000**	**67,400**	**85.8**	**96.8**	**80.0**	**91.5**	**92.7**	**100.5**	**18**
A74105	051	**73,500**	**67,400**	**85.8**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74106	050	**73,500**	**66,300**	**85.8**	**96.7**	**79.8**	**91.4**	**92.5**	**100.5**	**18**
A74110	078	**72,500**	**66,300**	**85.9**	**96.7**	**79.5**	**91.4**	**92.5**	**100.5**	**18**
A74113	083	**71,500**	**67,400**	**85.9**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A74114	082	**71,500**	**66,300**	**85.9**	**96.6**	**79.3**	**91.3**	**92.5**	**100.4**	**18**
A74115	085	**71,000**	**67,400**	**85.9**	**96.6**	**79.1**	**91.2**	**92.7**	**100.4**	**18**
A74119	057	**70,000**	**67,400**	**86.0**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**
A74120	056	**70,000**	**66,300**	**86.0**	**96.6**	**78.8**	**91.2**	**92.5**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74618	110	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74619	055	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74620	054	**79,000**	**66,300**	**85.6**	**97.0**	**81.6**	**91.9**	**92.5**	**100.7**	**18**
A74621	111	**78,000**	**67,400**	**85.7**	**97.0**	**81.2**	**91.8**	**92.7**	**100.7**	**18**
A74624	112	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74625	053	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74626	052	**77,000**	**66,300**	**85.7**	**96.9**	**80.9**	**91.7**	**92.5**	**100.7**	**18**
A74629	071	**75,000**	**67,400**	**85.8**	**96.8**	**80.3**	**91.6**	**92.7**	**100.6**	**18**
A74631	075	**74,000**	**67,400**	**85.8**	**96.8**	**80.0**	**91.5**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74637	085	**71,000**	**67,400**	**85.9**	**96.6**	**79.1**	**91.2**	**92.7**	**100.4**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77209	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.9**	**100.7**	**18**
A74001	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A74002	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.5**	**91.9**	**92.7**	**100.7**	**18**
A74009	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A74010	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.7**	**91.7**	**92.7**	**100.7**	**18**
A74015	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.1**	**91.6**	**92.8**	**100.6**	**18**
A74016	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.1**	**91.6**	**92.7**	**100.6**	**18**
A74017	071	**75,000**	**67,400**	**86.3**	**96.8**	**79.9**	**91.6**	**92.8**	**100.6**	**18**
A74021	075	**74,000**	**67,400**	**86.3**	**96.8**	**79.5**	**91.5**	**92.8**	**100.5**	**18**
A74023	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.3**	**91.4**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74024	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.7**	**100.5**	**18**
A74028	078	**72,500**	**66,300**	**86.4**	**96.7**	**78.9**	**91.4**	**92.7**	**100.5**	**18**
A74031	083	**71,500**	**67,400**	**86.4**	**96.6**	**78.6**	**91.3**	**92.8**	**100.4**	**18**
A74032	082	**71,500**	**66,300**	**86.4**	**96.6**	**78.6**	**91.3**	**92.7**	**100.4**	**18**
A74033	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.4**	**91.2**	**92.8**	**100.4**	**18**
A74037	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.0**	**91.2**	**92.8**	**100.3**	**18**
A74038	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.0**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74534	110	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A74535	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A74536	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.5**	**91.9**	**92.7**	**100.7**	**18**
A74537	111	**78,000**	**67,400**	**86.2**	**97.0**	**81.1**	**91.8**	**92.8**	**100.7**	**18**
A74540	112	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A74541	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A74542	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.7**	**91.7**	**92.7**	**100.7**	**18**
A74545	071	**75,000**	**67,400**	**86.3**	**96.8**	**79.9**	**91.6**	**92.8**	**100.6**	**18**
A74547	075	**74,000**	**67,400**	**86.3**	**96.8**	**79.5**	**91.5**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74553	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.4**	**91.2**	**92.8**	**100.4**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74042	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A74043	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74050	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A74051	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74056	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.4**	**91.6**	**92.8**	**100.6**	**18**
A74057	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A74058	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.8**	**100.6**	**18**
A74062	075	**74,000**	**67,400**	**86.3**	**96.8**	**80.0**	**91.5**	**92.8**	**100.5**	**18**
A74064	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.8**	**91.4**	**92.8**	**100.5**	**18**
A74065	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74069	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.5**	**91.4**	**92.7**	**100.5**	**18**
A74072	083	**71,500**	**67,400**	**86.4**	**96.6**	**79.3**	**91.3**	**92.8**	**100.4**	**18**
A74073	082	**71,500**	**66,300**	**86.4**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A74074	085	**71,000**	**67,400**	**86.5**	**96.6**	**79.1**	**91.2**	**92.8**	**100.4**	**18**
A74078	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.8**	**91.2**	**92.8**	**100.3**	**18**
A74079	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74576	110	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A74577	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A74578	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A74579	111	**78,000**	**67,400**	**86.2**	**97.0**	**81.2**	**91.8**	**92.8**	**100.7**	**18**
A74582	112	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A74583	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A74584	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A74587	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.8**	**100.6**	**18**
A74589	075	**74,000**	**67,400**	**86.3**	**96.8**	**80.0**	**91.5**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**
(Commercial Designation **ACJ A320-251N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26E1**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74595	085	**71,000**	**67,400**	**86.5**	**96.6**	**79.1**	**91.2**	**92.8**	**100.4**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26ER**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77174	103	**79,000**	**68,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.9**	**100.7**	**18**
A77126	055	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A77125	054	**79,000**	**66,300**	**85.6**	**97.0**	**81.6**	**91.9**	**92.5**	**100.7**	**18**
A77124	053	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A77123	052	**77,000**	**66,300**	**85.7**	**96.9**	**80.9**	**91.7**	**92.5**	**100.7**	**18**
A77140	069	**75,500**	**67,400**	**85.8**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A77139	068	**75,500**	**66,300**	**85.8**	**96.8**	**80.4**	**91.6**	**92.5**	**100.6**	**18**
A77142	071	**75,000**	**67,400**	**85.8**	**96.8**	**80.3**	**91.6**	**92.7**	**100.6**	**18**
A77146	075	**74,000**	**67,400**	**85.8**	**96.8**	**80.0**	**91.5**	**92.7**	**100.5**	**18**
A77122	051	**73,500**	**67,400**	**85.8**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26ER**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77121	050	**73,500**	**66,300**	**85.8**	**96.7**	**79.8**	**91.4**	**92.5**	**100.5**	**18**
A77149	078	**72,500**	**66,300**	**85.9**	**96.7**	**79.5**	**91.4**	**92.5**	**100.5**	**18**
A77154	083	**71,500**	**67,400**	**85.9**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A77153	082	**71,500**	**66,300**	**85.9**	**96.6**	**79.3**	**91.3**	**92.5**	**100.4**	**18**
A77156	085	**71,000**	**67,400**	**85.9**	**96.6**	**79.1**	**91.2**	**92.7**	**100.4**	**18**
A77128	057	**70,000**	**67,400**	**86.0**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**
A77127	056	**70,000**	**66,300**	**86.0**	**96.6**	**78.8**	**91.2**	**92.5**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26ER**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77323	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.9**	**100.7**	**18**
A77221	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A77219	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.5**	**91.9**	**92.7**	**100.7**	**18**
A77217	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A77215	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.7**	**91.7**	**92.7**	**100.7**	**18**
A77249	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.1**	**91.6**	**92.8**	**100.6**	**18**
A77247	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.1**	**91.6**	**92.7**	**100.6**	**18**
A77253	071	**75,000**	**67,400**	**86.3**	**96.8**	**79.9**	**91.6**	**92.8**	**100.6**	**18**
A77261	075	**74,000**	**67,400**	**86.3**	**96.8**	**79.5**	**91.5**	**92.8**	**100.5**	**18**
A77213	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.3**	**91.4**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26ER**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77211	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.7**	**100.5**	**18**
A77267	078	**72,500**	**66,300**	**86.4**	**96.7**	**78.9**	**91.4**	**92.7**	**100.5**	**18**
A77277	083	**71,500**	**67,400**	**86.4**	**96.6**	**78.6**	**91.3**	**92.8**	**100.4**	**18**
A77275	082	**71,500**	**66,300**	**86.4**	**96.6**	**78.6**	**91.3**	**92.7**	**100.4**	**18**
A77281	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.4**	**91.2**	**92.8**	**100.4**	**18**
A77225	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.0**	**91.2**	**92.8**	**100.3**	**18**
A77223	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.0**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26ER**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77365	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A77366	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A77373	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A77374	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A77379	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.4**	**91.6**	**92.8**	**100.6**	**18**
A77380	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A77381	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.8**	**100.6**	**18**
A77385	075	**74,000**	**67,400**	**86.3**	**96.8**	**80.0**	**91.5**	**92.8**	**100.5**	**18**
A77387	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.8**	**91.4**	**92.8**	**100.5**	**18**
A77388	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26ER**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77392	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.5**	**91.4**	**92.7**	**100.5**	**18**
A77395	083	**71,500**	**67,400**	**86.4**	**96.6**	**79.3**	**91.3**	**92.8**	**100.4**	**18**
A77396	082	**71,500**	**66,300**	**86.4**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A77397	085	**71,000**	**67,400**	**86.5**	**96.6**	**79.1**	**91.2**	**92.8**	**100.4**	**18**
A77401	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.8**	**91.2**	**92.8**	**100.3**	**18**
A77402	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26R**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77119	103	**79,000**	**68,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.9**	**100.7**	**18**
A77095	055	**79,000**	**67,400**	**85.6**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A77544	054	**79,000**	**66,300**	**85.6**	**97.0**	**81.6**	**91.9**	**92.5**	**100.7**	**18**
A77094	053	**77,000**	**67,400**	**85.7**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A77551	052	**77,000**	**66,300**	**85.7**	**96.9**	**80.9**	**91.7**	**92.5**	**100.7**	**18**
A77550	069	**75,500**	**67,400**	**85.8**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A77101	068	**75,500**	**66,300**	**85.8**	**96.8**	**80.4**	**91.6**	**92.5**	**100.6**	**18**
A77600	071	**75,000**	**67,400**	**85.8**	**96.8**	**80.3**	**91.6**	**92.7**	**100.6**	**18**
A77105	075	**74,000**	**67,400**	**85.8**	**96.8**	**80.0**	**91.5**	**92.7**	**100.5**	**18**
A77093	051	**73,500**	**67,400**	**85.8**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26R**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77092	050	**73,500**	**66,300**	**85.8**	**96.7**	**79.8**	**91.4**	**92.5**	**100.5**	**18**
A77554	078	**72,500**	**66,300**	**85.9**	**96.7**	**79.5**	**91.4**	**92.5**	**100.5**	**18**
A77559	083	**71,500**	**67,400**	**85.9**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A77558	082	**71,500**	**66,300**	**85.9**	**96.6**	**79.3**	**91.3**	**92.5**	**100.4**	**18**
A77560	085	**71,000**	**67,400**	**85.9**	**96.6**	**79.1**	**91.2**	**92.7**	**100.4**	**18**
A77096	057	**70,000**	**67,400**	**86.0**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**
A77563	056	**70,000**	**66,300**	**86.0**	**96.6**	**78.8**	**91.2**	**92.5**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26R**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77301	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.9**	**100.7**	**18**
A77220	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.9**	**92.8**	**100.7**	**18**
A77218	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.5**	**91.9**	**92.7**	**100.7**	**18**
A77216	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.7**	**91.7**	**92.8**	**100.7**	**18**
A77214	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.7**	**91.7**	**92.7**	**100.7**	**18**
A77248	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.1**	**91.6**	**92.8**	**100.6**	**18**
A77246	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.1**	**91.6**	**92.7**	**100.6**	**18**
A77252	071	**75,000**	**67,400**	**86.3**	**96.8**	**79.9**	**91.6**	**92.8**	**100.6**	**18**
A77260	075	**74,000**	**67,400**	**86.3**	**96.8**	**79.5**	**91.5**	**92.8**	**100.5**	**18**
A77212	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.3**	**91.4**	**92.8**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A26R**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77210	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.7**	**100.5**	**18**
A77266	078	**72,500**	**66,300**	**86.4**	**96.7**	**78.9**	**91.4**	**92.7**	**100.5**	**18**
A77276	083	**71,500**	**67,400**	**86.4**	**96.6**	**78.6**	**91.3**	**92.8**	**100.4**	**18**
A77274	082	**71,500**	**66,300**	**86.4**	**96.6**	**78.6**	**91.3**	**92.7**	**100.4**	**18**
A77280	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.4**	**91.2**	**92.8**	**100.4**	**18**
A77224	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.0**	**91.2**	**92.8**	**100.3**	**18**
A77222	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.0**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26R**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77324	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.6**	**91.9**	**92.8**	**100.7**	**18**
A77325	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.6**	**91.9**	**92.7**	**100.7**	**18**
A77332	053	**77,000**	**67,400**	**86.2**	**96.9**	**80.9**	**91.7**	**92.8**	**100.7**	**18**
A77333	052	**77,000**	**66,300**	**86.2**	**96.9**	**80.9**	**91.7**	**92.7**	**100.7**	**18**
A77338	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.4**	**91.6**	**92.8**	**100.6**	**18**
A77339	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.4**	**91.6**	**92.7**	**100.6**	**18**
A77340	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.8**	**100.6**	**18**
A77344	075	**74,000**	**67,400**	**86.3**	**96.8**	**80.0**	**91.5**	**92.8**	**100.5**	**18**
A77346	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.8**	**91.4**	**92.8**	**100.5**	**18**
A77347	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.8**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-251N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A26R**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77351	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.5**	**91.4**	**92.7**	**100.5**	**18**
A77354	083	**71,500**	**67,400**	**86.4**	**96.6**	**79.3**	**91.3**	**92.8**	**100.4**	**18**
A77355	082	**71,500**	**66,300**	**86.4**	**96.6**	**79.3**	**91.3**	**92.7**	**100.4**	**18**
A77356	085	**71,000**	**67,400**	**86.5**	**96.6**	**79.1**	**91.2**	**92.8**	**100.4**	**18**
A77360	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.8**	**91.2**	**92.8**	**100.3**	**18**
A77361	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.8**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-252N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A24**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77618	103	**79,000**	**68,400**	**84.6**	**97.0**	**82.9**	**91.9**	**92.9**	**100.7**	**18**
A72380	055	**79,000**	**67,400**	**84.6**	**97.0**	**82.9**	**91.9**	**92.7**	**100.7**	**18**
A72381	054	**79,000**	**66,300**	**84.6**	**97.0**	**82.9**	**91.9**	**92.5**	**100.7**	**18**
A72388	053	**77,000**	**67,400**	**84.7**	**96.9**	**82.1**	**91.7**	**92.7**	**100.7**	**18**
A72389	052	**77,000**	**66,300**	**84.7**	**96.9**	**82.1**	**91.7**	**92.5**	**100.7**	**18**
A72394	069	**75,500**	**67,400**	**84.7**	**96.8**	**81.6**	**91.6**	**92.7**	**100.6**	**18**
A72396	071	**75,000**	**67,400**	**84.7**	**96.8**	**81.5**	**91.6**	**92.7**	**100.6**	**18**
A72400	075	**74,000**	**67,400**	**84.8**	**96.8**	**81.1**	**91.5**	**92.7**	**100.5**	**18**
A72402	051	**73,500**	**67,400**	**84.8**	**96.7**	**81.0**	**91.4**	**92.7**	**100.5**	**18**
A72403	050	**73,500**	**66,300**	**84.8**	**96.7**	**81.0**	**91.4**	**92.5**	**100.5**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-252N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A24**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72410	083	**71,500**	**67,400**	**84.9**	**96.6**	**80.4**	**91.3**	**92.7**	**100.4**	**18**
A72412	085	**71,000**	**67,400**	**84.9**	**96.6**	**80.2**	**91.2**	**92.7**	**100.4**	**18**
A72416	057	**70,000**	**67,400**	**84.9**	**96.6**	**79.9**	**91.2**	**92.7**	**100.3**	**18**
A72417	056	**70,000**	**66,300**	**84.9**	**96.6**	**79.9**	**91.2**	**92.5**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-252N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A24**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77567	103	**79,000**	**68,400**	**85.1**	**97.0**	**82.8**	**91.9**	**92.9**	**100.7**	**18**
A72421	055	**79,000**	**67,400**	**85.1**	**97.0**	**82.8**	**91.9**	**92.8**	**100.7**	**18**
A72422	054	**79,000**	**66,300**	**85.1**	**97.0**	**82.8**	**91.9**	**92.7**	**100.7**	**18**
A72429	053	**77,000**	**67,400**	**85.2**	**96.9**	**81.9**	**91.7**	**92.8**	**100.7**	**18**
A72430	052	**77,000**	**66,300**	**85.2**	**96.9**	**81.9**	**91.7**	**92.7**	**100.7**	**18**
A72435	069	**75,500**	**67,400**	**85.2**	**96.8**	**81.3**	**91.6**	**92.8**	**100.6**	**18**
A72437	071	**75,000**	**67,400**	**85.2**	**96.8**	**81.1**	**91.6**	**92.8**	**100.6**	**18**
A72441	075	**74,000**	**67,400**	**85.2**	**96.8**	**80.7**	**91.5**	**92.8**	**100.5**	**18**
A72443	051	**73,500**	**67,400**	**85.3**	**96.7**	**80.5**	**91.4**	**92.8**	**100.5**	**18**
A72444	050	**73,500**	**66,300**	**85.3**	**96.7**	**80.5**	**91.4**	**92.7**	**100.5**	**18**

[1] See Note 1.

/continued on next page

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-252N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A24**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72451	083	**71,500**	**67,400**	**85.3**	**96.6**	**79.7**	**91.3**	**92.8**	**100.4**	**18**
A72453	085	**71,000**	**67,400**	**85.4**	**96.6**	**79.5**	**91.2**	**92.8**	**100.4**	**18**
A72457	057	**70,000**	**67,400**	**85.4**	**96.6**	**79.1**	**91.2**	**92.8**	**100.3**	**18**
A72458	056	**70,000**	**66,300**	**85.4**	**96.6**	**79.1**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-252N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A24**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77481	103	**79,000**	**68,400**	**85.1**	**97.0**	**82.9**	**91.9**	**92.9**	**100.7**	-
A72975	055	**79,000**	**67,400**	**85.1**	**97.0**	**82.9**	**91.9**	**92.8**	**100.7**	-
A72976	054	**79,000**	**66,300**	**85.1**	**97.0**	**82.9**	**91.9**	**92.7**	**100.7**	-
A72983	053	**77,000**	**67,400**	**85.2**	**96.9**	**82.1**	**91.7**	**92.8**	**100.7**	-
A72984	052	**77,000**	**66,300**	**85.2**	**96.9**	**82.1**	**91.7**	**92.7**	**100.7**	-
A72989	069	**75,500**	**67,400**	**85.2**	**96.8**	**81.6**	**91.6**	**92.8**	**100.6**	-
A72991	071	**75,000**	**67,400**	**85.2**	**96.8**	**81.5**	**91.6**	**92.8**	**100.6**	-
A72995	075	**74,000**	**67,400**	**85.2**	**96.8**	**81.1**	**91.5**	**92.8**	**100.5**	-
A72997	051	**73,500**	**67,400**	**85.3**	**96.7**	**81.0**	**91.4**	**92.8**	**100.5**	-
A72998	050	**73,500**	**66,300**	**85.3**	**96.7**	**81.0**	**91.4**	**92.7**	**100.5**	-

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-252N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A24**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73005	083	**71,500**	**67,400**	**85.3**	**96.6**	**80.4**	**91.3**	**92.8**	**100.4**	**-**
A73007	085	**71,000**	**67,400**	**85.4**	**96.6**	**80.2**	**91.2**	**92.8**	**100.4**	**-**
A73011	057	**70,000**	**67,400**	**85.4**	**96.6**	**79.9**	**91.2**	**92.8**	**100.3**	**-**
A73012	056	**70,000**	**66,300**	**85.4**	**96.6**	**79.9**	**91.2**	**92.7**	**100.3**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-252N**
(Commercial Designation **ACJ A320-252N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A24CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74682	055	**79,000**	**67,400**	**84.6**	**97.0**	**82.9**	**91.9**	**92.7**	**100.7**	**18**
A74683	054	**79,000**	**66,300**	**84.6**	**97.0**	**82.9**	**91.9**	**92.5**	**100.7**	**18**
A74688	053	**77,000**	**67,400**	**84.7**	**96.9**	**82.1**	**91.7**	**92.7**	**100.7**	**18**
A74689	052	**77,000**	**66,300**	**84.7**	**96.9**	**82.1**	**91.7**	**92.5**	**100.7**	**18**
A74692	071	**75,000**	**67,400**	**84.7**	**96.8**	**81.5**	**91.6**	**92.7**	**100.6**	**18**
A74694	075	**74,000**	**67,400**	**84.8**	**96.8**	**81.1**	**91.5**	**92.7**	**100.5**	**18**
A74700	085	**71,000**	**67,400**	**84.9**	**96.6**	**80.2**	**91.2**	**92.7**	**100.4**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-252N**
(Commercial Designation **ACJ A320-252N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A24CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74640	055	**79,000**	**67,400**	**85.1**	**97.0**	**82.8**	**91.9**	**92.8**	**100.7**	**18**
A74641	054	**79,000**	**66,300**	**85.1**	**97.0**	**82.8**	**91.9**	**92.7**	**100.7**	**18**
A74646	053	**77,000**	**67,400**	**85.2**	**96.9**	**81.9**	**91.7**	**92.8**	**100.7**	**18**
A74647	052	**77,000**	**66,300**	**85.2**	**96.9**	**81.9**	**91.7**	**92.7**	**100.7**	**18**
A74650	071	**75,000**	**67,400**	**85.2**	**96.8**	**81.1**	**91.6**	**92.8**	**100.6**	**18**
A74652	075	**74,000**	**67,400**	**85.2**	**96.8**	**80.7**	**91.5**	**92.8**	**100.5**	**18**
A74658	085	**71,000**	**67,400**	**85.4**	**96.6**	**79.5**	**91.2**	**92.8**	**100.4**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-252N**
(Commercial Designation **ACJ A320-252N)**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A24CJ**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74661	055	**79,000**	**67,400**	**85.1**	**97.0**	**82.9**	**91.9**	**92.8**	**100.7**	-
A74662	054	**79,000**	**66,300**	**85.1**	**97.0**	**82.9**	**91.9**	**92.7**	**100.7**	-
A74667	053	**77,000**	**67,400**	**85.2**	**96.9**	**82.1**	**91.7**	**92.8**	**100.7**	-
A74668	052	**77,000**	**66,300**	**85.2**	**96.9**	**82.1**	**91.7**	**92.7**	**100.7**	-
A74671	071	**75,000**	**67,400**	**85.2**	**96.8**	**81.5**	**91.6**	**92.8**	**100.6**	-
A74673	075	**74,000**	**67,400**	**85.2**	**96.8**	**81.1**	**91.5**	**92.8**	**100.5**	-
A74679	085	**71,000**	**67,400**	**85.4**	**96.6**	**80.2**	**91.2**	**92.8**	**100.4**	-

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-253N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A29**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77583	103	**79,000**	**68,400**	**86.7**	**97.0**	**80.5**	**91.9**	**92.9**	**100.7**	**18**
A73053	055	**79,000**	**67,400**	**86.7**	**97.0**	**80.5**	**91.9**	**92.7**	**100.7**	**18**
A73054	054	**79,000**	**66,300**	**86.7**	**97.0**	**80.5**	**91.9**	**92.5**	**100.7**	**18**
A73061	053	**77,000**	**67,400**	**86.7**	**96.9**	**79.9**	**91.7**	**92.7**	**100.7**	**18**
A73062	052	**77,000**	**66,300**	**86.7**	**96.9**	**79.9**	**91.7**	**92.5**	**100.7**	**18**
A73067	069	**75,500**	**67,400**	**86.8**	**96.8**	**79.5**	**91.6**	**92.7**	**100.6**	**18**
A73069	071	**75,000**	**67,400**	**86.8**	**96.8**	**79.3**	**91.6**	**92.7**	**100.6**	**18**
A73075	051	**73,500**	**67,400**	**86.9**	**96.7**	**78.9**	**91.4**	**92.7**	**100.5**	**18**
A73076	050	**73,500**	**66,300**	**86.9**	**96.7**	**78.9**	**91.4**	**92.5**	**100.5**	**18**
A73083	083	**71,500**	**67,400**	**87.0**	**96.6**	**78.3**	**91.3**	**92.7**	**100.4**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-253N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A29**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73085	085	**71,000**	**67,400**	**87.0**	**96.6**	**78.2**	**91.2**	**92.7**	**100.4**	**18**
A73089	057	**70,000**	**67,400**	**87.0**	**96.6**	**77.9**	**91.2**	**92.7**	**100.3**	**18**
A73090	056	**70,000**	**66,300**	**87.0**	**96.6**	**77.9**	**91.2**	**92.5**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-253N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A29**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77599	103	**79,000**	**68,400**	**87.1**	**97.0**	**80.3**	**91.9**	**92.9**	**100.7**	**18**
A73094	055	**79,000**	**67,400**	**87.1**	**97.0**	**80.3**	**91.9**	**92.8**	**100.7**	**18**
A73095	054	**79,000**	**66,300**	**87.1**	**97.0**	**80.3**	**91.9**	**92.7**	**100.7**	**18**
A73102	053	**77,000**	**67,400**	**87.2**	**96.9**	**79.6**	**91.7**	**92.8**	**100.7**	**18**
A73103	052	**77,000**	**66,300**	**87.2**	**96.9**	**79.6**	**91.7**	**92.7**	**100.7**	**18**
A73108	069	**75,500**	**67,400**	**87.3**	**96.8**	**79.0**	**91.6**	**92.8**	**100.6**	**18**
A73110	071	**75,000**	**67,400**	**87.3**	**96.8**	**78.8**	**91.6**	**92.8**	**100.6**	**18**
A73116	051	**73,500**	**67,400**	**87.4**	**96.7**	**78.3**	**91.4**	**92.8**	**100.5**	**18**
A73117	050	**73,500**	**66,300**	**87.4**	**96.7**	**78.3**	**91.4**	**92.7**	**100.5**	**18**
A73124	083	**71,500**	**67,400**	**87.4**	**96.6**	**77.6**	**91.3**	**92.8**	**100.4**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-253N**

Engine TC Holder **CFM International SA** Engine Type Designation[1] **LEAP-1A29**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **161038 (Booster Step 2)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73126	085	**71,000**	**67,400**	**87.5**	**96.6**	**77.4**	**91.2**	**92.8**	**100.4**	**18**
A73130	057	**70,000**	**67,400**	**87.5**	**96.6**	**77.0**	**91.2**	**92.8**	**100.3**	**18**
A73131	056	**70,000**	**66,300**	**87.5**	**96.6**	**77.0**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-253N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A29**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A85003	103	**79,000**	**68,400**	**87.1**	**97.0**	**80.5**	**91.9**	**92.9**	**100.7**	**18**
A73135	055	**79,000**	**67,400**	**87.1**	**97.0**	**80.5**	**91.9**	**92.8**	**100.7**	**18**
A73136	054	**79,000**	**66,300**	**87.1**	**97.0**	**80.5**	**91.9**	**92.7**	**100.7**	**18**
A73143	053	**77,000**	**67,400**	**87.2**	**96.9**	**79.9**	**91.7**	**92.8**	**100.7**	**18**
A73144	052	**77,000**	**66,300**	**87.2**	**96.9**	**79.9**	**91.7**	**92.7**	**100.7**	**18**
A73149	069	**75,500**	**67,400**	**87.3**	**96.8**	**79.5**	**91.6**	**92.8**	**100.6**	**18**
A73151	071	**75,000**	**67,400**	**87.3**	**96.8**	**79.3**	**91.6**	**92.8**	**100.6**	**18**
A73157	051	**73,500**	**67,400**	**87.4**	**96.7**	**78.9**	**91.4**	**92.8**	**100.5**	**18**
A73158	050	**73,500**	**66,300**	**87.4**	**96.7**	**78.9**	**91.4**	**92.7**	**100.5**	**18**
A73165	083	**71,500**	**67,400**	**87.4**	**96.6**	**78.3**	**91.3**	**92.8**	**100.4**	**18**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-253N**

Engine TC Holder **CFM International SA**

Engine Type Designation[1] **LEAP-1A29**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

162249 (Engine intermix: one engine with Booster Step 1 and the other engine with Booster Step 2)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73167	085	**71,000**	**67,400**	**87.5**	**96.6**	**78.2**	**91.2**	**92.8**	**100.4**	**18**
A73171	057	**70,000**	**67,400**	**87.5**	**96.6**	**77.9**	**91.2**	**92.8**	**100.3**	**18**
A73172	056	**70,000**	**66,300**	**87.5**	**96.6**	**77.9**	**91.2**	**92.7**	**100.3**	**18**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75597	103	**79,000**	**68,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.3**	**100.7**	**19**
A71437	055	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A71436	054	**79,000**	**66,300**	**86.7**	**97.0**	**82.0**	**91.9**	**92.0**	**100.7**	**20**
A71429	053	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A71428	052	**77,000**	**66,300**	**86.8**	**96.9**	**81.3**	**91.7**	**92.0**	**100.7**	**20**
A71423	069	**75,500**	**67,400**	**86.8**	**96.8**	**80.7**	**91.6**	**92.2**	**100.6**	**20**
A71422	068	**75,500**	**66,300**	**86.8**	**96.8**	**80.7**	**91.6**	**92.0**	**100.6**	**20**
A71421	071	**75,000**	**67,400**	**86.8**	**96.8**	**80.5**	**91.6**	**92.2**	**100.6**	**20**
A71417	075	**74,000**	**67,400**	**86.9**	**96.8**	**80.1**	**91.5**	**92.2**	**100.5**	**20**
A71415	051	**73,500**	**67,400**	**86.9**	**96.7**	**80.0**	**91.4**	**92.2**	**100.5**	**20**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71414	050	**73,500**	**66,300**	**86.9**	**96.7**	**80.0**	**91.4**	**92.0**	**100.5**	**20**
A71410	078	**72,500**	**66,300**	**86.9**	**96.7**	**79.6**	**91.4**	**92.0**	**100.5**	**20**
A71407	083	**71,500**	**67,400**	**87.0**	**96.6**	**79.2**	**91.3**	**92.2**	**100.4**	**19**
A71406	082	**71,500**	**66,300**	**87.0**	**96.6**	**79.2**	**91.3**	**92.0**	**100.4**	**19**
A71405	085	**71,000**	**67,400**	**87.0**	**96.6**	**79.0**	**91.2**	**92.2**	**100.4**	**19**
A71401	057	**70,000**	**67,400**	**87.0**	**96.6**	**78.6**	**91.2**	**92.2**	**100.3**	**19**
A71400	056	**70,000**	**66,300**	**87.0**	**96.6**	**78.6**	**91.2**	**92.0**	**100.3**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76959	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.6**	**100.7**	**19**
A72848	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A72847	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A72840	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A72839	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A72834	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.4**	**91.6**	**92.4**	**100.6**	**19**
A72833	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.4**	**91.6**	**92.3**	**100.6**	**19**
A72832	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A72828	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**
A72826	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72825	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**
A72821	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**19**
A72818	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**19**
A72817	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A72816	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**
A72812	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**19**
A72811	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74723	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A74724	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A74725	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A74726	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.4**	**91.8**	**92.4**	**100.7**	**19**
A74729	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A74730	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A74731	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A74734	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A74736	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74742	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77633	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**19**
A72544	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**21**
A72545	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**21**
A72552	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**21**
A72553	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**21**
A72558	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**21**
A72559	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**21**
A72560	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**21**
A72564	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**21**
A72566	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**21**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72567	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**21**
A72571	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**21**
A72574	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**21**
A72575	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**21**
A72576	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**21**
A72580	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**21**
A72581	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**21**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74346	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**21**
A74932	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**21**
A74347	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**21**
A74933	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.5**	**91.8**	**92.4**	**100.7**	**21**
A74354	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**21**
A74934	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**21**
A74355	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**21**
A74362	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**21**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74366	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**21**
A74378	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**21**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76041	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**19**
A76035	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76029	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.8**	**91.9**	**92.1**	**100.7**	**19**
A75975	053	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75969	052	**77,000**	**66,300**	**86.2**	**96.9**	**81.1**	**91.7**	**92.1**	**100.7**	**19**
A75931	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**19**
A75927	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.5**	**91.6**	**92.1**	**100.6**	**19**
A75919	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.3**	**100.6**	**19**
A75891	075	**74,000**	**67,400**	**86.4**	**96.8**	**79.9**	**91.5**	**92.3**	**100.5**	**19**
A75875	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75871	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.7**	**91.4**	**92.1**	**100.5**	**19**
A75843	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.1**	**100.5**	**19**
A75819	083	**71,500**	**67,400**	**86.5**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A75815	082	**71,500**	**66,300**	**86.5**	**96.6**	**78.9**	**91.3**	**92.1**	**100.4**	**19**
A75811	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.7**	**91.2**	**92.3**	**100.4**	**19**
A75791	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.3**	**91.2**	**92.3**	**100.3**	**19**
A75787	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.3**	**91.2**	**92.1**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76033	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76039	110	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76027	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.8**	**91.9**	**92.1**	**100.7**	**19**
A76009	111	**78,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.8**	**92.3**	**100.7**	**19**
A75973	053	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75979	112	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75967	052	**77,000**	**66,300**	**86.2**	**96.9**	**81.1**	**91.7**	**92.1**	**100.7**	**19**
A75917	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.3**	**100.6**	**19**
A75889	075	**74,000**	**67,400**	**86.4**	**96.8**	**79.9**	**91.5**	**92.3**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75809	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.7**	**91.2**	**92.3**	**100.4**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74809	055	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A74808	110	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A74810	054	**79,000**	**66,300**	**86.7**	**97.0**	**82.0**	**91.9**	**92.0**	**100.7**	**20**
A74811	111	**78,000**	**67,400**	**86.7**	**97.0**	**81.7**	**91.8**	**92.2**	**100.7**	**20**
A74815	053	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A74814	112	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A74816	052	**77,000**	**66,300**	**86.8**	**96.9**	**81.3**	**91.7**	**92.0**	**100.7**	**20**
A74819	071	**75,000**	**67,400**	**86.8**	**96.8**	**80.5**	**91.6**	**92.2**	**100.6**	**20**
A74821	075	**74,000**	**67,400**	**86.9**	**96.8**	**80.1**	**91.5**	**92.2**	**100.5**	**20**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74827	085	**71,000**	**67,400**	**87.0**	**96.6**	**79.0**	**91.2**	**92.2**	**100.4**	**22**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM, PW1127G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83243	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**23**
A83244	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A83245	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A83256	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A83257	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A83265	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**24**
A83266	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**24**
A83268	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A83274	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**
A83277	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM, PW1127G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83278	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**24**
A83284	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**24**
A83289	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**24**
A83290	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**24**
A83291	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**
A83295	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**24**
A83296	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**24**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM, PW1127G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82934	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A82935	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A82936	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A85330	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.5**	**91.8**	**92.4**	**100.7**	**24**
A85331	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A82941	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A82942	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A85332	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A82947	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G-JM, PW1127G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82953	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81469	055	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**25**
A81470	110	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**25**
A81471	054	**79,000**	**66,300**	**85.6**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**25**
A81472	111	**78,000**	**67,400**	**85.6**	**97.0**	**80.3**	**91.8**	**92.2**	**100.7**	**25**
A81475	053	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**25**
A81476	112	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**25**
A81477	052	**77,000**	**66,300**	**85.7**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**25**
A81480	071	**75,000**	**67,400**	**85.7**	**96.8**	**79.0**	**91.6**	**92.2**	**100.6**	**25**
A81482	075	**74,000**	**67,400**	**85.8**	**96.8**	**78.6**	**91.5**	**92.2**	**100.5**	**25**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81488	085	**71,000**	**67,400**	**85.9**	**96.6**	**77.4**	**91.2**	**92.2**	**100.4**	**25**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76961	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.6**	**100.7**	**19**
A76799	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A76795	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A76791	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A76787	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A76835	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.4**	**91.6**	**92.4**	**100.6**	**19**
A76833	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.4**	**91.6**	**92.3**	**100.6**	**19**
A76843	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A76855	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**
A76783	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76781	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**
A76865	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**19**
A76879	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**19**
A76877	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A76887	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**
A76803	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**19**
A76801	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76797	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A76893	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A76793	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A76895	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.4**	**91.8**	**92.4**	**100.7**	**19**
A76789	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A76897	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A76785	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A76841	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A76853	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76885	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77665	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**19**
A76565	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**21**
A76566	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**21**
A76573	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**21**
A76574	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**21**
A76579	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**21**
A76580	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**21**
A76581	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**21**
A76585	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**21**
A76587	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**21**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76588	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**21**
A76592	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**21**
A76595	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**21**
A76596	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**21**
A76597	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**21**
A76601	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**21**
A76602	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**21**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76043	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**19**
A76037	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76031	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.8**	**91.9**	**92.1**	**100.7**	**19**
A75977	053	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75971	052	**77,000**	**66,300**	**86.2**	**96.9**	**81.1**	**91.7**	**92.1**	**100.7**	**19**
A75933	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**19**
A75929	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.5**	**91.6**	**92.1**	**100.6**	**19**
A75921	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.3**	**100.6**	**19**
A75893	075	**74,000**	**67,400**	**86.4**	**96.8**	**79.9**	**91.5**	**92.3**	**100.5**	**19**
A75877	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75873	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.7**	**91.4**	**92.1**	**100.5**	**19**
A75845	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.1**	**100.5**	**19**
A75821	083	**71,500**	**67,400**	**86.5**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A75817	082	**71,500**	**66,300**	**86.5**	**96.6**	**78.9**	**91.3**	**92.1**	**100.4**	**19**
A75813	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.7**	**91.2**	**92.3**	**100.4**	**19**
A75793	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.3**	**91.2**	**92.3**	**100.3**	**19**
A75789	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.3**	**91.2**	**92.1**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM, PW1127G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83129	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**23**
A83130	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A83131	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A83142	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A83143	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A83151	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**24**
A83152	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**24**
A83154	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A83160	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**
A83163	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1-JM, PW1127G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83164	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**24**
A83170	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**24**
A83175	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**24**
A83176	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**24**
A83177	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**
A83181	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**24**
A83182	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**24**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81547	103	**79,000**	**68,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**25**
A81548	055	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**25**
A81549	054	**79,000**	**66,300**	**85.6**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**25**
A81560	053	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**25**
A81561	052	**77,000**	**66,300**	**85.7**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**25**
A81569	069	**75,500**	**67,400**	**85.7**	**96.8**	**79.2**	**91.6**	**92.2**	**100.6**	**25**
A81570	068	**75,500**	**66,300**	**85.7**	**96.8**	**79.2**	**91.6**	**92.1**	**100.6**	**25**
A81572	071	**75,000**	**67,400**	**85.7**	**96.8**	**79.0**	**91.6**	**92.2**	**100.6**	**25**
A81578	075	**74,000**	**67,400**	**85.8**	**96.8**	**78.6**	**91.5**	**92.2**	**100.5**	**25**
A81581	051	**73,500**	**67,400**	**85.8**	**96.7**	**78.4**	**91.4**	**92.2**	**100.5**	**25**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81582	050	**73,500**	**66,300**	**85.8**	**96.7**	**78.4**	**91.4**	**92.1**	**100.5**	**25**
A81588	078	**72,500**	**66,300**	**85.8**	**96.7**	**78.0**	**91.4**	**92.1**	**100.5**	**25**
A81593	083	**71,500**	**67,400**	**85.9**	**96.6**	**77.6**	**91.3**	**92.2**	**100.4**	**25**
A81594	082	**71,500**	**66,300**	**85.9**	**96.6**	**77.6**	**91.3**	**92.1**	**100.4**	**25**
A81595	085	**71,000**	**67,400**	**85.9**	**96.6**	**77.4**	**91.2**	**92.2**	**100.4**	**25**
A81599	057	**70,000**	**67,400**	**85.9**	**96.6**	**77.0**	**91.2**	**92.2**	**100.3**	**25**
A81600	056	**70,000**	**66,300**	**85.9**	**96.6**	**77.0**	**91.2**	**92.1**	**100.3**	**25**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76960	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.6**	**100.7**	**19**
A76798	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A76794	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A76790	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A76786	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A76834	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.4**	**91.6**	**92.4**	**100.6**	**19**
A76832	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.4**	**91.6**	**92.3**	**100.6**	**19**
A76842	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A76854	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**
A76782	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76780	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**
A76864	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**19**
A76878	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**19**
A76876	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A76886	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**
A76802	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**19**
A76800	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76796	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A76892	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A76792	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A76894	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.4**	**91.8**	**92.4**	**100.7**	**19**
A76788	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A76896	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A76784	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A76840	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A76852	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76884	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77681	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**19**
A76606	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**21**
A76607	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**21**
A76614	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**21**
A76615	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**21**
A76620	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**21**
A76621	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**21**
A76622	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**21**
A76626	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**21**
A76628	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**21**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76629	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**21**
A76633	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**21**
A76636	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**21**
A76637	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**21**
A76638	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**21**
A76642	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**21**
A76643	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**21**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76044	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**19**
A76038	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76032	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.8**	**91.9**	**92.1**	**100.7**	**19**
A75978	053	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75972	052	**77,000**	**66,300**	**86.2**	**96.9**	**81.1**	**91.7**	**92.1**	**100.7**	**19**
A75934	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**19**
A75930	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.5**	**91.6**	**92.1**	**100.6**	**19**
A75922	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.3**	**100.6**	**19**
A75894	075	**74,000**	**67,400**	**86.4**	**96.8**	**79.9**	**91.5**	**92.3**	**100.5**	**19**
A75878	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1A-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75874	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.7**	**91.4**	**92.1**	**100.5**	**19**
A75846	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.1**	**100.5**	**19**
A75822	083	**71,500**	**67,400**	**86.5**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A75818	082	**71,500**	**66,300**	**86.5**	**96.6**	**78.9**	**91.3**	**92.1**	**100.4**	**19**
A75814	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.7**	**91.2**	**92.3**	**100.4**	**19**
A75794	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.3**	**91.2**	**92.3**	**100.3**	**19**
A75790	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.3**	**91.2**	**92.1**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM, PW1127G1A/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82958	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**23**
A82959	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A82960	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A82971	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A82972	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A82980	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**24**
A82981	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**24**
A82983	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A82989	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**
A82992	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1A-JM, PW1127G1A/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82993	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**24**
A82999	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**24**
A83004	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**24**
A83005	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**24**
A83006	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**
A83010	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**24**
A83011	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**24**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1A/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81490	103	**79,000**	**68,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**26**
A81491	055	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**26**
A81492	054	**79,000**	**66,300**	**85.6**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**26**
A81503	053	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**26**
A81504	052	**77,000**	**66,300**	**85.7**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**26**
A81512	069	**75,500**	**67,400**	**85.7**	**96.8**	**79.2**	**91.6**	**92.2**	**100.6**	**26**
A81513	068	**75,500**	**66,300**	**85.7**	**96.8**	**79.2**	**91.6**	**92.1**	**100.6**	**26**
A81515	071	**75,000**	**67,400**	**85.7**	**96.8**	**79.0**	**91.6**	**92.2**	**100.6**	**26**
A81521	075	**74,000**	**67,400**	**85.8**	**96.8**	**78.6**	**91.5**	**92.2**	**100.5**	**26**
A81524	051	**73,500**	**67,400**	**85.8**	**96.7**	**78.4**	**91.4**	**92.2**	**100.5**	**26**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1A/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81525	050	**73,500**	**66,300**	**85.8**	**96.7**	**78.4**	**91.4**	**92.1**	**100.5**	**26**
A81531	078	**72,500**	**66,300**	**85.8**	**96.7**	**78.0**	**91.4**	**92.1**	**100.5**	**26**
A81536	083	**71,500**	**67,400**	**85.9**	**96.6**	**77.6**	**91.3**	**92.2**	**100.4**	**26**
A81537	082	**71,500**	**66,300**	**85.9**	**96.6**	**77.6**	**91.3**	**92.1**	**100.4**	**26**
A81538	085	**71,000**	**67,400**	**85.9**	**96.6**	**77.4**	**91.2**	**92.2**	**100.4**	**26**
A81542	057	**70,000**	**67,400**	**85.9**	**96.6**	**77.0**	**91.2**	**92.2**	**100.3**	**26**
A81543	056	**70,000**	**66,300**	**85.9**	**96.6**	**77.0**	**91.2**	**92.1**	**100.3**	**26**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1B-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81026	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1B-JM, PW1127G1B/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83015	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**23**
A83016	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A83017	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A83028	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A83029	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A83037	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**24**
A83038	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**24**
A83040	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A83046	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**
A83049	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1B-JM, PW1127G1B/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83050	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**24**
A83056	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**24**
A83061	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**24**
A83062	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**24**
A83063	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**
A83067	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**24**
A83068	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**24**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1B/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81661	103	**79,000**	**68,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**25**
A81662	055	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**25**
A81663	054	**79,000**	**66,300**	**85.6**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**25**
A81674	053	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**25**
A81675	052	**77,000**	**66,300**	**85.7**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**25**
A81683	069	**75,500**	**67,400**	**85.7**	**96.8**	**79.2**	**91.6**	**92.2**	**100.6**	**25**
A81684	068	**75,500**	**66,300**	**85.7**	**96.8**	**79.2**	**91.6**	**92.1**	**100.6**	**25**
A81686	071	**75,000**	**67,400**	**85.7**	**96.8**	**79.0**	**91.6**	**92.2**	**100.6**	**25**
A81692	075	**74,000**	**67,400**	**85.8**	**96.8**	**78.6**	**91.5**	**92.2**	**100.5**	**25**
A81695	051	**73,500**	**67,400**	**85.8**	**96.7**	**78.4**	**91.4**	**92.2**	**100.5**	**25**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1B/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81696	050	**73,500**	**66,300**	**85.8**	**96.7**	**78.4**	**91.4**	**92.1**	**100.5**	**25**
A81702	078	**72,500**	**66,300**	**85.8**	**96.7**	**78.0**	**91.4**	**92.1**	**100.5**	**25**
A81707	083	**71,500**	**67,400**	**85.9**	**96.6**	**77.6**	**91.3**	**92.2**	**100.4**	**25**
A81708	082	**71,500**	**66,300**	**85.9**	**96.6**	**77.6**	**91.3**	**92.1**	**100.4**	**25**
A81709	085	**71,000**	**67,400**	**85.9**	**96.6**	**77.4**	**91.2**	**92.2**	**100.4**	**25**
A81713	057	**70,000**	**67,400**	**85.9**	**96.6**	**77.0**	**91.2**	**92.2**	**100.3**	**25**
A81714	056	**70,000**	**66,300**	**85.9**	**96.6**	**77.0**	**91.2**	**92.1**	**100.3**	**25**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A84818	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.6**	**100.7**	**19**
A84819	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A84820	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A84821	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A84822	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A84823	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.4**	**91.6**	**92.4**	**100.6**	**19**
A84824	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.4**	**91.6**	**92.3**	**100.6**	**19**
A84825	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A82866	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**
A82869	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82870	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**
A82876	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**19**
A82881	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**19**
A82882	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A82883	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**
A84826	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**19**
A84827	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81107	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A84766	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A84767	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A85333	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A84768	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.5**	**91.8**	**92.4**	**100.7**	**24**
A84769	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A84770	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A85334	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A84772	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A84773	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A84776	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A84828	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**19**
A84829	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A84830	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.8**	**91.9**	**92.1**	**100.7**	**19**
A84831	053	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A84832	052	**77,000**	**66,300**	**86.2**	**96.9**	**81.1**	**91.7**	**92.1**	**100.7**	**19**
A82914	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**19**
A82915	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.5**	**91.6**	**92.1**	**100.6**	**19**
A82917	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.3**	**100.6**	**19**
A82923	075	**74,000**	**67,400**	**86.4**	**96.8**	**79.9**	**91.5**	**92.3**	**100.5**	**19**
A82926	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82927	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.7**	**91.4**	**92.1**	**100.5**	**19**
A82933	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.1**	**100.5**	**19**
A82938	083	**71,500**	**67,400**	**86.5**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A82939	082	**71,500**	**66,300**	**86.5**	**96.6**	**78.9**	**91.3**	**92.1**	**100.4**	**19**
A82940	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.7**	**91.2**	**92.3**	**100.4**	**19**
A82944	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.3**	**91.2**	**92.3**	**100.3**	**19**
A82945	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.3**	**91.2**	**92.1**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A84688	055	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A84689	110	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A84690	054	**79,000**	**66,300**	**86.7**	**97.0**	**82.0**	**91.9**	**92.0**	**100.7**	**20**
A84691	111	**78,000**	**67,400**	**86.7**	**97.0**	**81.7**	**91.8**	**92.2**	**100.7**	**20**
A84694	053	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A84695	112	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A84696	052	**77,000**	**66,300**	**86.8**	**96.9**	**81.3**	**91.7**	**92.0**	**100.7**	**20**
A84699	071	**75,000**	**67,400**	**86.8**	**96.8**	**80.5**	**91.6**	**92.2**	**100.6**	**20**
A84701	075	**74,000**	**67,400**	**86.9**	**96.8**	**80.1**	**91.5**	**92.2**	**100.5**	**20**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127G1C-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A84707	085	**71,000**	**67,400**	**87.0**	**96.6**	**79.0**	**91.2**	**92.2**	**100.4**	**22**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75596	103	**79,000**	**68,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.3**	**100.7**	**19**
A71655	055	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A71656	054	**79,000**	**66,300**	**86.7**	**97.0**	**82.0**	**91.9**	**92.0**	**100.7**	**20**
A71663	053	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A71664	052	**77,000**	**66,300**	**86.8**	**96.9**	**81.3**	**91.7**	**92.0**	**100.7**	**20**
A71669	069	**75,500**	**67,400**	**86.8**	**96.8**	**80.7**	**91.6**	**92.2**	**100.6**	**20**
A71670	068	**75,500**	**66,300**	**86.8**	**96.8**	**80.7**	**91.6**	**92.0**	**100.6**	**20**
A71671	071	**75,000**	**67,400**	**86.8**	**96.8**	**80.5**	**91.6**	**92.2**	**100.6**	**20**
A71675	075	**74,000**	**67,400**	**86.9**	**96.8**	**80.1**	**91.5**	**92.2**	**100.5**	**20**
A71677	051	**73,500**	**67,400**	**86.9**	**96.7**	**80.0**	**91.4**	**92.2**	**100.5**	**20**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A71678	050	**73,500**	**66,300**	**86.9**	**96.7**	**80.0**	**91.4**	**92.0**	**100.5**	**20**
A71682	078	**72,500**	**66,300**	**86.9**	**96.7**	**79.6**	**91.4**	**92.0**	**100.5**	**20**
A71685	083	**71,500**	**67,400**	**87.0**	**96.6**	**79.2**	**91.3**	**92.2**	**100.4**	**19**
A71686	082	**71,500**	**66,300**	**87.0**	**96.6**	**79.2**	**91.3**	**92.0**	**100.4**	**19**
A71687	085	**71,000**	**67,400**	**87.0**	**96.6**	**79.0**	**91.2**	**92.2**	**100.4**	**19**
A71691	057	**70,000**	**67,400**	**87.0**	**96.6**	**78.6**	**91.2**	**92.2**	**100.3**	**19**
A71692	056	**70,000**	**66,300**	**87.0**	**96.6**	**78.6**	**91.2**	**92.0**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76958	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.6**	**100.7**	**19**
A72974	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A72973	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A72966	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A72965	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A72960	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.4**	**91.6**	**92.4**	**100.6**	**19**
A72959	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.4**	**91.6**	**92.3**	**100.6**	**19**
A72958	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A72954	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**
A72952	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72951	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**
A72947	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**19**
A72944	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**19**
A72943	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A72942	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**
A72938	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**19**
A72937	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74702	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A74703	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.7**	**91.9**	**92.4**	**100.7**	**19**
A74704	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.7**	**91.9**	**92.3**	**100.7**	**19**
A74705	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.4**	**91.8**	**92.4**	**100.7**	**19**
A74708	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A74709	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.0**	**91.7**	**92.4**	**100.7**	**19**
A74710	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.0**	**91.7**	**92.3**	**100.7**	**19**
A74713	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.2**	**91.6**	**92.4**	**100.6**	**19**
A74715	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.8**	**91.5**	**92.4**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74721	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77649	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**19**
A72503	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**21**
A72504	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**21**
A72511	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**21**
A72512	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**21**
A72517	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**21**
A72518	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**21**
A72519	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**21**
A72523	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**21**
A72525	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**21**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A72526	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**21**
A72530	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**21**
A72533	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**21**
A72534	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**21**
A72535	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**21**
A72539	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**21**
A72540	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**21**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74387	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**27**
A74929	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**21**
A74306	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**27**
A74930	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.5**	**91.8**	**92.4**	**100.7**	**21**
A74313	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**27**
A74931	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**21**
A74314	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**27**
A74321	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**27**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74325	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**27**
A74337	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**27**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76042	103	**79,000**	**68,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**19**
A76036	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76030	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.8**	**91.9**	**92.1**	**100.7**	**19**
A75976	053	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75970	052	**77,000**	**66,300**	**86.2**	**96.9**	**81.1**	**91.7**	**92.1**	**100.7**	**19**
A75932	069	**75,500**	**67,400**	**86.3**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**19**
A75928	068	**75,500**	**66,300**	**86.3**	**96.8**	**80.5**	**91.6**	**92.1**	**100.6**	**19**
A75920	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.3**	**100.6**	**19**
A75892	075	**74,000**	**67,400**	**86.4**	**96.8**	**79.9**	**91.5**	**92.3**	**100.5**	**19**
A75876	051	**73,500**	**67,400**	**86.4**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75872	050	**73,500**	**66,300**	**86.4**	**96.7**	**79.7**	**91.4**	**92.1**	**100.5**	**19**
A75844	078	**72,500**	**66,300**	**86.4**	**96.7**	**79.3**	**91.4**	**92.1**	**100.5**	**19**
A75820	083	**71,500**	**67,400**	**86.5**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**19**
A75816	082	**71,500**	**66,300**	**86.5**	**96.6**	**78.9**	**91.3**	**92.1**	**100.4**	**19**
A75812	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.7**	**91.2**	**92.3**	**100.4**	**19**
A75792	057	**70,000**	**67,400**	**86.5**	**96.6**	**78.3**	**91.2**	**92.3**	**100.3**	**19**
A75788	056	**70,000**	**66,300**	**86.5**	**96.6**	**78.3**	**91.2**	**92.1**	**100.3**	**19**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76034	055	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76040	110	**79,000**	**67,400**	**86.2**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**19**
A76028	054	**79,000**	**66,300**	**86.2**	**97.0**	**81.8**	**91.9**	**92.1**	**100.7**	**19**
A76010	111	**78,000**	**67,400**	**86.2**	**97.0**	**81.5**	**91.8**	**92.3**	**100.7**	**19**
A75974	053	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75980	112	**77,000**	**67,400**	**86.2**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**19**
A75968	052	**77,000**	**66,300**	**86.2**	**96.9**	**81.1**	**91.7**	**92.1**	**100.7**	**19**
A75918	071	**75,000**	**67,400**	**86.3**	**96.8**	**80.3**	**91.6**	**92.3**	**100.6**	**19**
A75890	075	**74,000**	**67,400**	**86.4**	**96.8**	**79.9**	**91.5**	**92.3**	**100.5**	**19**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75810	085	**71,000**	**67,400**	**86.5**	**96.6**	**78.7**	**91.2**	**92.3**	**100.4**	**19**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74787	110	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A74788	055	**79,000**	**67,400**	**86.7**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**20**
A74789	054	**79,000**	**66,300**	**86.7**	**97.0**	**82.0**	**91.9**	**92.0**	**100.7**	**20**
A74790	111	**78,000**	**67,400**	**86.7**	**97.0**	**81.7**	**91.8**	**92.2**	**100.7**	**20**
A74794	053	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A74793	112	**77,000**	**67,400**	**86.8**	**96.9**	**81.3**	**91.7**	**92.2**	**100.7**	**20**
A74795	052	**77,000**	**66,300**	**86.8**	**96.9**	**81.3**	**91.7**	**92.0**	**100.7**	**20**
A74798	071	**75,000**	**67,400**	**86.8**	**96.8**	**80.5**	**91.6**	**92.2**	**100.6**	**20**
A74800	075	**74,000**	**67,400**	**86.9**	**96.8**	**80.1**	**91.5**	**92.2**	**100.5**	**20**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74806	085	**71,000**	**67,400**	**87.0**	**96.6**	**79.0**	**91.2**	**92.2**	**100.4**	**22**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM, PW1127GA/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83186	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**23**
A83187	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A83188	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A83199	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A83200	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A83208	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**24**
A83209	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**24**
A83211	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A83217	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**
A83220	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM, PW1127GA/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83221	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**24**
A83227	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**24**
A83232	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**24**
A83233	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**24**
A83234	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**
A83238	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**24**
A83239	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**24**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM, PW1127GA/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82910	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**28**
A82911	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A82912	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**28**
A85323	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.5**	**91.8**	**92.4**	**100.7**	**24**
A82916	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**28**
A85324	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A82918	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**28**
A82921	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**28**
A85325	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**28**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA-JM, PW1127GA/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82929	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**28**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81448	110	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**25**
A81449	055	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**25**
A81450	054	**79,000**	**66,300**	**85.6**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**25**
A81451	111	**78,000**	**67,400**	**85.6**	**97.0**	**80.3**	**91.8**	**92.2**	**100.7**	**25**
A81454	053	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**25**
A81455	112	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**25**
A81456	052	**77,000**	**66,300**	**85.7**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**25**
A81459	071	**75,000**	**67,400**	**85.7**	**96.8**	**79.0**	**91.6**	**92.2**	**100.6**	**25**
A81461	075	**74,000**	**67,400**	**85.8**	**96.8**	**78.6**	**91.5**	**92.2**	**100.5**	**25**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GA/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81467	085	**71,000**	**67,400**	**85.9**	**96.6**	**77.4**	**91.2**	**92.2**	**100.4**	**25**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GH/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83072	103	**79,000**	**68,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.6**	**100.7**	**23**
A83073	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A83074	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**24**
A83085	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A83086	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**24**
A83094	069	**75,500**	**67,400**	**86.6**	**96.8**	**80.5**	**91.6**	**92.4**	**100.6**	**24**
A83095	068	**75,500**	**66,300**	**86.6**	**96.8**	**80.5**	**91.6**	**92.3**	**100.6**	**24**
A83097	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**24**
A83103	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**24**
A83106	051	**73,500**	**67,400**	**86.6**	**96.7**	**79.7**	**91.4**	**92.4**	**100.5**	**24**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GH/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83107	050	**73,500**	**66,300**	**86.6**	**96.7**	**79.7**	**91.4**	**92.3**	**100.5**	**24**
A83113	078	**72,500**	**66,300**	**86.7**	**96.7**	**79.3**	**91.4**	**92.3**	**100.5**	**24**
A83118	083	**71,500**	**67,400**	**86.7**	**96.6**	**78.9**	**91.3**	**92.4**	**100.4**	**24**
A83119	082	**71,500**	**66,300**	**86.7**	**96.6**	**78.9**	**91.3**	**92.3**	**100.4**	**24**
A83120	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**24**
A83124	057	**70,000**	**67,400**	**86.8**	**96.6**	**78.4**	**91.2**	**92.4**	**100.3**	**24**
A83125	056	**70,000**	**66,300**	**86.8**	**96.6**	**78.4**	**91.2**	**92.3**	**100.3**	**24**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GH/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A82862	055	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**28**
A82863	110	**79,000**	**67,400**	**86.4**	**97.0**	**81.8**	**91.9**	**92.4**	**100.7**	**24**
A82864	054	**79,000**	**66,300**	**86.4**	**97.0**	**81.8**	**91.9**	**92.3**	**100.7**	**28**
A85326	111	**78,000**	**67,400**	**86.5**	**97.0**	**81.5**	**91.8**	**92.4**	**100.7**	**24**
A82868	053	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**28**
A85327	112	**77,000**	**67,400**	**86.5**	**96.9**	**81.1**	**91.7**	**92.4**	**100.7**	**24**
A85328	052	**77,000**	**66,300**	**86.5**	**96.9**	**81.1**	**91.7**	**92.3**	**100.7**	**28**
A82873	071	**75,000**	**67,400**	**86.6**	**96.8**	**80.3**	**91.6**	**92.4**	**100.6**	**28**
A82875	075	**74,000**	**67,400**	**86.6**	**96.8**	**79.9**	**91.5**	**92.4**	**100.5**	**28**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GH/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A85329	085	**71,000**	**67,400**	**86.7**	**96.6**	**78.7**	**91.2**	**92.4**	**100.4**	**28**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1127GH/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81604	103	**79,000**	**68,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**25**
A81605	055	**79,000**	**67,400**	**85.6**	**97.0**	**80.7**	**91.9**	**92.2**	**100.7**	**25**
A81606	054	**79,000**	**66,300**	**85.6**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**25**
A81617	053	**77,000**	**67,400**	**85.7**	**96.9**	**79.9**	**91.7**	**92.2**	**100.7**	**25**
A81618	052	**77,000**	**66,300**	**85.7**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**25**
A81626	069	**75,500**	**67,400**	**85.7**	**96.8**	**79.2**	**91.6**	**92.2**	**100.6**	**25**
A81627	068	**75,500**	**66,300**	**85.7**	**96.8**	**79.2**	**91.6**	**92.1**	**100.6**	**25**
A81629	071	**75,000**	**67,400**	**85.7**	**96.8**	**79.0**	**91.6**	**92.2**	**100.6**	**25**
A81635	075	**74,000**	**67,400**	**85.8**	**96.8**	**78.6**	**91.5**	**92.2**	**100.5**	**25**
A81638	051	**73,500**	**67,400**	**85.8**	**96.7**	**78.4**	**91.4**	**92.2**	**100.5**	**25**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-271N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1127GH/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81639	050	**73,500**	**66,300**	**85.8**	**96.7**	**78.4**	**91.4**	**92.1**	**100.5**	**25**
A81645	078	**72,500**	**66,300**	**85.8**	**96.7**	**78.0**	**91.4**	**92.1**	**100.5**	**25**
A81650	083	**71,500**	**67,400**	**85.9**	**96.6**	**77.6**	**91.3**	**92.2**	**100.4**	**25**
A81651	082	**71,500**	**66,300**	**85.9**	**96.6**	**77.6**	**91.3**	**92.1**	**100.4**	**25**
A81652	085	**71,000**	**67,400**	**85.9**	**96.6**	**77.4**	**91.2**	**92.2**	**100.4**	**25**
A81656	057	**70,000**	**67,400**	**85.9**	**96.6**	**77.0**	**91.2**	**92.2**	**100.3**	**25**
A81657	056	**70,000**	**66,300**	**85.9**	**96.6**	**77.0**	**91.2**	**92.1**	**100.3**	**25**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 173371 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79184	055	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**29**
A79185	110	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**29**
A79227	054	**79,000**	**66,300**	**87.3**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**29**
A79228	111	**78,000**	**67,400**	**87.4**	**97.0**	**80.3**	**91.8**	**92.4**	**100.7**	**29**
A79229	053	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**29**
A79188	112	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**29**
A79230	052	**77,000**	**66,300**	**87.4**	**96.9**	**80.0**	**91.7**	**92.3**	**100.7**	**29**
A79190	071	**75,000**	**67,400**	**87.4**	**96.8**	**79.3**	**91.6**	**92.4**	**100.6**	**29**
A79191	075	**74,000**	**67,400**	**87.5**	**96.8**	**78.9**	**91.5**	**92.4**	**100.5**	**29**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 173371 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79194	085	**71,000**	**67,400**	**87.6**	**96.6**	**77.9**	**91.2**	**92.4**	**100.4**	**29**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 173371 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79196	055	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**29**
A79197	110	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**29**
A79198	054	**79,000**	**66,300**	**87.3**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**29**
A79200	111	**78,000**	**67,400**	**87.4**	**97.0**	**80.3**	**91.8**	**92.4**	**100.7**	**29**
A79202	053	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**29**
A79203	112	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**29**
A79204	052	**77,000**	**66,300**	**87.4**	**96.9**	**80.0**	**91.7**	**92.3**	**100.7**	**29**
A79207	071	**75,000**	**67,400**	**87.4**	**96.8**	**79.3**	**91.6**	**92.4**	**100.6**	**29**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 173371 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79209	075	**74,000**	**67,400**	**87.5**	**96.8**	**78.9**	**91.5**	**92.4**	**100.5**	**29**
A79215	085	**71,000**	**67,400**	**87.6**	**96.6**	**77.9**	**91.2**	**92.4**	**100.4**	**29**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor), 173371 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79195	055	**79,000**	**67,400**	**87.0**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**29**
A79238	110	**79,000**	**67,400**	**87.0**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**29**
A79239	054	**79,000**	**66,300**	**87.0**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**29**
A79231	111	**78,000**	**67,400**	**87.0**	**97.0**	**80.3**	**91.8**	**92.3**	**100.7**	**29**
A79242	053	**77,000**	**67,400**	**87.1**	**96.9**	**79.9**	**91.7**	**92.3**	**100.7**	**29**
A79243	112	**77,000**	**67,400**	**87.1**	**96.9**	**79.9**	**91.7**	**92.3**	**100.7**	**29**
A79244	052	**77,000**	**66,300**	**87.1**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**29**
A79247	071	**75,000**	**67,400**	**87.1**	**96.8**	**79.2**	**91.6**	**92.3**	**100.6**	**29**
A79249	075	**74,000**	**67,400**	**87.2**	**96.8**	**78.9**	**91.5**	**92.3**	**100.5**	**29**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor), 173371 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79255	085	**71,000**	**67,400**	**87.3**	**96.6**	**77.8**	**91.2**	**92.3**	**100.4**	**29**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **173371 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79173	110	**79,000**	**67,400**	**87.7**	**97.0**	**81.0**	**91.9**	**92.2**	**100.7**	**30**
A79174	055	**79,000**	**67,400**	**87.7**	**97.0**	**81.0**	**91.9**	**92.2**	**100.7**	**30**
A79217	054	**79,000**	**66,300**	**87.7**	**97.0**	**81.0**	**91.9**	**92.0**	**100.7**	**30**
A79175	111	**78,000**	**67,400**	**87.7**	**97.0**	**80.6**	**91.8**	**92.2**	**100.7**	**30**
A79219	053	**77,000**	**67,400**	**87.7**	**96.9**	**80.3**	**91.7**	**92.2**	**100.7**	**30**
A79177	112	**77,000**	**67,400**	**87.7**	**96.9**	**80.3**	**91.7**	**92.2**	**100.7**	**30**
A79220	052	**77,000**	**66,300**	**87.7**	**96.9**	**80.3**	**91.7**	**92.0**	**100.7**	**30**
A79179	071	**75,000**	**67,400**	**87.8**	**96.8**	**79.5**	**91.6**	**92.2**	**100.6**	**30**
A79180	075	**74,000**	**67,400**	**87.8**	**96.8**	**79.2**	**91.5**	**92.2**	**100.5**	**30**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **173371 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 13** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A79183	085	**71,000**	**67,400**	**88.0**	**96.6**	**78.1**	**91.2**	**92.2**	**100.4**	**30**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM, PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 173371 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83438	055	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**31**
A83439	110	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**31**
A83440	054	**79,000**	**66,300**	**87.3**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**31**
A83442	111	**78,000**	**67,400**	**87.4**	**97.0**	**80.3**	**91.8**	**92.4**	**100.7**	**31**
A83444	053	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**31**
A83445	112	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**31**
A83446	052	**77,000**	**66,300**	**87.4**	**96.9**	**80.0**	**91.7**	**92.3**	**100.7**	**31**
A83449	071	**75,000**	**67,400**	**87.4**	**96.8**	**79.3**	**91.6**	**92.4**	**100.6**	**31**
A83451	075	**74,000**	**67,400**	**87.5**	**96.8**	**78.9**	**91.5**	**92.4**	**100.5**	**31**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM, PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 173371 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83457	085	**71,000**	**67,400**	**87.6**	**96.6**	**77.9**	**91.2**	**92.4**	**100.4**	**31**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 173371 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81854	110	**79,000**	**67,400**	**86.6**	**97.0**	**79.5**	**91.9**	**92.2**	**100.7**	**32**
A81855	055	**79,000**	**67,400**	**86.6**	**97.0**	**79.5**	**91.9**	**92.2**	**100.7**	**32**
A81856	054	**79,000**	**66,300**	**86.6**	**97.0**	**79.5**	**91.9**	**92.1**	**100.7**	**32**
A81857	111	**78,000**	**67,400**	**86.6**	**97.0**	**79.1**	**91.8**	**92.2**	**100.7**	**32**
A81858	053	**77,000**	**67,400**	**86.7**	**96.9**	**78.7**	**91.7**	**92.2**	**100.7**	**32**
A81859	112	**77,000**	**67,400**	**86.7**	**96.9**	**78.7**	**91.7**	**92.2**	**100.7**	**32**
A81860	052	**77,000**	**66,300**	**86.7**	**96.9**	**78.7**	**91.7**	**92.1**	**100.7**	**32**
A81861	071	**75,000**	**67,400**	**86.7**	**96.8**	**77.9**	**91.6**	**92.2**	**100.6**	**32**
A81862	075	**74,000**	**67,400**	**86.8**	**96.8**	**77.6**	**91.5**	**92.2**	**100.5**	**32**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-271N**
(Commercial Designation **ACJ A320-271N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 173371 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81863	085	**71,000**	**67,400**	**86.9**	**96.6**	**76.4**	**91.2**	**92.2**	**100.4**	**32**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A75612	103	**79,000**	**68,400**	**85.5**	**97.0**	**83.3**	**91.9**	**92.3**	**100.7**	**33**
A73639	055	**79,000**	**67,400**	**85.5**	**97.0**	**83.3**	**91.9**	**92.2**	**100.7**	**33**
A73640	054	**79,000**	**66,300**	**85.5**	**97.0**	**83.3**	**91.9**	**92.0**	**100.7**	**33**
A73647	053	**77,000**	**67,400**	**85.7**	**96.9**	**82.6**	**91.7**	**92.2**	**100.7**	**33**
A73648	052	**77,000**	**66,300**	**85.7**	**96.9**	**82.6**	**91.7**	**92.0**	**100.7**	**33**
A73653	069	**75,500**	**67,400**	**85.7**	**96.8**	**82.0**	**91.6**	**92.2**	**100.6**	**33**
A73654	068	**75,500**	**66,300**	**85.7**	**96.8**	**82.0**	**91.6**	**92.0**	**100.6**	**33**
A73655	071	**75,000**	**67,400**	**85.7**	**96.8**	**81.8**	**91.6**	**92.2**	**100.6**	**33**
A73661	051	**73,500**	**67,400**	**85.8**	**96.7**	**81.3**	**91.4**	**92.2**	**100.5**	**33**
A73662	050	**73,500**	**66,300**	**85.8**	**96.7**	**81.3**	**91.4**	**92.0**	**100.5**	**33**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73666	078	**72,500**	**66,300**	**85.8**	**96.7**	**80.9**	**91.4**	**92.0**	**100.5**	**33**
A73669	083	**71,500**	**67,400**	**85.9**	**96.6**	**80.5**	**91.3**	**92.2**	**100.4**	**33**
A73670	082	**71,500**	**66,300**	**85.9**	**96.6**	**80.5**	**91.3**	**92.0**	**100.4**	**33**
A73671	085	**71,000**	**67,400**	**85.9**	**96.6**	**80.3**	**91.2**	**92.2**	**100.4**	**33**
A73675	057	**70,000**	**67,400**	**85.9**	**96.6**	**79.9**	**91.2**	**92.2**	**100.3**	**33**
A73676	056	**70,000**	**66,300**	**85.9**	**96.6**	**79.9**	**91.2**	**92.0**	**100.3**	**33**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76977	103	**79,000**	**68,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.6**	**100.7**	**33**
A73721	055	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**33**
A73720	054	**79,000**	**66,300**	**85.3**	**97.0**	**83.0**	**91.9**	**92.3**	**100.7**	**33**
A73713	053	**77,000**	**67,400**	**85.4**	**96.9**	**82.2**	**91.7**	**92.4**	**100.7**	**33**
A73712	052	**77,000**	**66,300**	**85.4**	**96.9**	**82.2**	**91.7**	**92.3**	**100.7**	**33**
A73707	069	**75,500**	**67,400**	**85.4**	**96.8**	**81.7**	**91.6**	**92.4**	**100.6**	**33**
A73706	068	**75,500**	**66,300**	**85.4**	**96.8**	**81.7**	**91.6**	**92.3**	**100.6**	**33**
A73705	071	**75,000**	**67,400**	**85.5**	**96.8**	**81.5**	**91.6**	**92.4**	**100.6**	**33**
A73699	051	**73,500**	**67,400**	**85.5**	**96.7**	**81.0**	**91.4**	**92.4**	**100.5**	**33**
A73698	050	**73,500**	**66,300**	**85.5**	**96.7**	**81.0**	**91.4**	**92.3**	**100.5**	**33**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73694	078	**72,500**	**66,300**	**85.5**	**96.7**	**80.6**	**91.4**	**92.3**	**100.5**	**33**
A73691	083	**71,500**	**67,400**	**85.6**	**96.6**	**80.2**	**91.3**	**92.4**	**100.4**	**33**
A73690	082	**71,500**	**66,300**	**85.6**	**96.6**	**80.2**	**91.3**	**92.3**	**100.4**	**33**
A73685	057	**70,000**	**67,400**	**85.7**	**96.6**	**79.6**	**91.2**	**92.4**	**100.3**	**33**
A73684	056	**70,000**	**66,300**	**85.7**	**96.6**	**79.6**	**91.2**	**92.3**	**100.3**	**33**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN))), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74829	110	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**33**
A74830	055	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**33**
A74831	054	**79,000**	**66,300**	**85.3**	**97.0**	**83.0**	**91.9**	**92.3**	**100.7**	**33**
A74832	111	**78,000**	**67,400**	**85.3**	**97.0**	**82.6**	**91.8**	**92.4**	**100.7**	**33**
A74835	112	**77,000**	**67,400**	**85.4**	**96.9**	**82.2**	**91.7**	**92.4**	**100.7**	**33**
A74836	053	**77,000**	**67,400**	**85.4**	**96.9**	**82.2**	**91.7**	**92.4**	**100.7**	**33**
A74837	052	**77,000**	**66,300**	**85.4**	**96.9**	**82.2**	**91.7**	**92.3**	**100.7**	**33**
A74840	071	**75,000**	**67,400**	**85.5**	**96.8**	**81.5**	**91.6**	**92.4**	**100.6**	**33**
A74848	085	**71,000**	**67,400**	**85.6**	**96.6**	**80.0**	**91.2**	**92.4**	**100.4**	**33**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A77697	103	**79,000**	**68,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.6**	**100.7**	**34**
A74428	055	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**34**
A74427	054	**79,000**	**66,300**	**85.3**	**97.0**	**83.0**	**91.9**	**92.3**	**100.7**	**34**
A74420	053	**77,000**	**67,400**	**85.4**	**96.9**	**82.3**	**91.7**	**92.4**	**100.7**	**34**
A74419	052	**77,000**	**66,300**	**85.4**	**96.9**	**82.3**	**91.7**	**92.3**	**100.7**	**34**
A74414	069	**75,500**	**67,400**	**85.4**	**96.8**	**81.8**	**91.6**	**92.4**	**100.6**	**34**
A74413	068	**75,500**	**66,300**	**85.4**	**96.8**	**81.8**	**91.6**	**92.3**	**100.6**	**34**
A74412	071	**75,000**	**67,400**	**85.5**	**96.8**	**81.7**	**91.6**	**92.4**	**100.6**	**34**
A74406	051	**73,500**	**67,400**	**85.5**	**96.7**	**81.2**	**91.4**	**92.4**	**100.5**	**34**
A74405	050	**73,500**	**66,300**	**85.5**	**96.7**	**81.2**	**91.4**	**92.3**	**100.5**	**34**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74401	078	**72,500**	**66,300**	**85.5**	**96.7**	**80.8**	**91.4**	**92.3**	**100.5**	**34**
A74398	083	**71,500**	**67,400**	**85.6**	**96.6**	**80.4**	**91.3**	**92.4**	**100.4**	**34**
A74397	082	**71,500**	**66,300**	**85.6**	**96.6**	**80.4**	**91.3**	**92.3**	**100.4**	**34**
A74392	057	**70,000**	**67,400**	**85.7**	**96.6**	**79.8**	**91.2**	**92.4**	**100.3**	**34**
A74391	056	**70,000**	**66,300**	**85.7**	**96.6**	**79.8**	**91.2**	**92.3**	**100.3**	**34**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74469	055	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**34**
A74937	110	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**34**
A74468	054	**79,000**	**66,300**	**85.3**	**97.0**	**83.0**	**91.9**	**92.3**	**100.7**	**34**
A74936	111	**78,000**	**67,400**	**85.3**	**97.0**	**82.6**	**91.8**	**92.4**	**100.7**	**34**
A74461	053	**77,000**	**67,400**	**85.4**	**96.9**	**82.3**	**91.7**	**92.4**	**100.7**	**34**
A74935	112	**77,000**	**67,400**	**85.4**	**96.9**	**82.3**	**91.7**	**92.4**	**100.7**	**34**
A74460	052	**77,000**	**66,300**	**85.4**	**96.9**	**82.3**	**91.7**	**92.3**	**100.7**	**34**
A74453	071	**75,000**	**67,400**	**85.5**	**96.8**	**81.7**	**91.6**	**92.4**	**100.6**	**34**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74437	085	**71,000**	**67,400**	**85.6**	**96.6**	**80.2**	**91.2**	**92.4**	**100.4**	**34**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of combustor Block D)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76125	103	**79,000**	**68,400**	**85.2**	**97.0**	**82.9**	**91.9**	**92.4**	**100.7**	**33**
A76123	055	**79,000**	**67,400**	**85.2**	**97.0**	**82.9**	**91.9**	**92.3**	**100.7**	**33**
A76121	054	**79,000**	**66,300**	**85.2**	**97.0**	**82.9**	**91.9**	**92.1**	**100.7**	**33**
A76105	053	**77,000**	**67,400**	**85.3**	**96.9**	**82.3**	**91.7**	**92.3**	**100.7**	**33**
A76103	052	**77,000**	**66,300**	**85.3**	**96.9**	**82.3**	**91.7**	**92.1**	**100.7**	**33**
A76092	069	**75,500**	**67,400**	**85.4**	**96.8**	**81.8**	**91.6**	**92.3**	**100.6**	**33**
A76091	068	**75,500**	**66,300**	**85.4**	**96.8**	**81.8**	**91.6**	**92.1**	**100.6**	**33**
A76089	071	**75,000**	**67,400**	**85.4**	**96.8**	**81.7**	**91.6**	**92.3**	**100.6**	**33**
A76076	051	**73,500**	**67,400**	**85.4**	**96.7**	**81.2**	**91.4**	**92.3**	**100.5**	**33**
A76075	050	**73,500**	**66,300**	**85.4**	**96.7**	**81.2**	**91.4**	**92.1**	**100.5**	**33**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of combustor Block D)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76067	078	**72,500**	**66,300**	**85.4**	**96.7**	**80.8**	**91.4**	**92.1**	**100.5**	**33**
A76060	083	**71,500**	**67,400**	**85.5**	**96.6**	**80.4**	**91.3**	**92.3**	**100.4**	**33**
A76059	082	**71,500**	**66,300**	**85.5**	**96.6**	**80.4**	**91.3**	**92.1**	**100.4**	**33**
A76058	085	**71,000**	**67,400**	**85.5**	**96.6**	**80.2**	**91.2**	**92.3**	**100.4**	**33**
A76052	057	**70,000**	**67,400**	**85.5**	**96.6**	**79.8**	**91.2**	**92.3**	**100.3**	**33**
A76051	056	**70,000**	**66,300**	**85.5**	**96.6**	**79.8**	**91.2**	**92.1**	**100.3**	**33**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

167243 (Installation of combustor Block D), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76124	110	**79,000**	**67,400**	**85.2**	**97.0**	**82.9**	**91.9**	**92.3**	**100.7**	**33**
A76115	111	**78,000**	**67,400**	**85.3**	**97.0**	**82.6**	**91.8**	**92.3**	**100.7**	**33**
A76106	112	**77,000**	**67,400**	**85.3**	**96.9**	**82.3**	**91.7**	**92.3**	**100.7**	**33**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of combustor Block D), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76122	055	**79,000**	**67,400**	**85.2**	**97.0**	**82.9**	**91.9**	**92.3**	**100.7**	**33**
A76120	054	**79,000**	**66,300**	**85.2**	**97.0**	**82.9**	**91.9**	**92.1**	**100.7**	**33**
A76104	053	**77,000**	**67,400**	**85.3**	**96.9**	**82.3**	**91.7**	**92.3**	**100.7**	**33**
A76102	052	**77,000**	**66,300**	**85.3**	**96.9**	**82.3**	**91.7**	**92.1**	**100.7**	**33**
A76088	071	**75,000**	**67,400**	**85.4**	**96.8**	**81.7**	**91.6**	**92.3**	**100.6**	**33**
A76057	085	**71,000**	**67,400**	**85.5**	**96.6**	**80.2**	**91.2**	**92.3**	**100.4**	**33**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74850	110	**79,000**	**67,400**	**85.5**	**97.0**	**83.3**	**91.9**	**92.2**	**100.7**	**22**
A74851	055	**79,000**	**67,400**	**85.5**	**97.0**	**83.3**	**91.9**	**92.2**	**100.7**	**22**
A74852	054	**79,000**	**66,300**	**85.5**	**97.0**	**83.3**	**91.9**	**92.0**	**100.7**	**22**
A74853	111	**78,000**	**67,400**	**85.6**	**97.0**	**82.9**	**91.8**	**92.2**	**100.7**	**22**
A74856	112	**77,000**	**67,400**	**85.7**	**96.9**	**82.6**	**91.7**	**92.2**	**100.7**	**22**
A74857	053	**77,000**	**67,400**	**85.7**	**96.9**	**82.6**	**91.7**	**92.2**	**100.7**	**22**
A74858	052	**77,000**	**66,300**	**85.7**	**96.9**	**82.6**	**91.7**	**92.0**	**100.7**	**22**
A74861	071	**75,000**	**67,400**	**85.7**	**96.8**	**81.8**	**91.6**	**92.2**	**100.6**	**22**
A74869	085	**71,000**	**67,400**	**85.9**	**96.6**	**80.3**	**91.2**	**92.2**	**100.4**	**22**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM, PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83324	103	**79,000**	**68,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.6**	**100.7**	**35**
A83325	055	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**35**
A83326	054	**79,000**	**66,300**	**85.3**	**97.0**	**83.0**	**91.9**	**92.3**	**100.7**	**35**
A83337	053	**77,000**	**67,400**	**85.4**	**96.9**	**82.3**	**91.7**	**92.4**	**100.7**	**35**
A83338	052	**77,000**	**66,300**	**85.4**	**96.9**	**82.3**	**91.7**	**92.3**	**100.7**	**35**
A83346	069	**75,500**	**67,400**	**85.4**	**96.8**	**81.8**	**91.6**	**92.4**	**100.6**	**35**
A83347	068	**75,500**	**66,300**	**85.4**	**96.8**	**81.8**	**91.6**	**92.3**	**100.6**	**35**
A83349	071	**75,000**	**67,400**	**85.5**	**96.8**	**81.7**	**91.6**	**92.4**	**100.6**	**35**
A83355	075	**74,000**	**67,400**	**85.5**	**96.8**	**81.4**	**91.5**	**92.4**	**100.5**	**35**
A83358	051	**73,500**	**67,400**	**85.5**	**96.7**	**81.2**	**91.4**	**92.4**	**100.5**	**35**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM, PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83359	050	**73,500**	**66,300**	**85.5**	**96.7**	**81.2**	**91.4**	**92.3**	**100.5**	**35**
A83365	078	**72,500**	**66,300**	**85.5**	**96.7**	**80.8**	**91.4**	**92.3**	**100.5**	**35**
A83370	083	**71,500**	**67,400**	**85.6**	**96.6**	**80.4**	**91.3**	**92.4**	**100.4**	**35**
A83371	082	**71,500**	**66,300**	**85.6**	**96.6**	**80.4**	**91.3**	**92.3**	**100.4**	**35**
A83372	085	**71,000**	**67,400**	**85.6**	**96.6**	**80.2**	**91.2**	**92.4**	**100.4**	**35**
A83376	057	**70,000**	**67,400**	**85.7**	**96.6**	**79.8**	**91.2**	**92.4**	**100.3**	**35**
A83377	056	**70,000**	**66,300**	**85.7**	**96.6**	**79.8**	**91.2**	**92.3**	**100.3**	**35**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM, PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83300	055	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**35**
A83301	110	**79,000**	**67,400**	**85.3**	**97.0**	**83.0**	**91.9**	**92.4**	**100.7**	**35**
A83302	054	**79,000**	**66,300**	**85.3**	**97.0**	**83.0**	**91.9**	**92.3**	**100.7**	**35**
A83304	111	**78,000**	**67,400**	**85.3**	**97.0**	**82.6**	**91.8**	**92.4**	**100.7**	**35**
A83306	053	**77,000**	**67,400**	**85.4**	**96.9**	**82.3**	**91.7**	**92.4**	**100.7**	**35**
A83307	112	**77,000**	**67,400**	**85.4**	**96.9**	**82.3**	**91.7**	**92.4**	**100.7**	**35**
A83308	052	**77,000**	**66,300**	**85.4**	**96.9**	**82.3**	**91.7**	**92.3**	**100.7**	**35**
A83311	071	**75,000**	**67,400**	**85.5**	**96.8**	**81.7**	**91.6**	**92.4**	**100.6**	**35**
A83313	075	**74,000**	**67,400**	**85.5**	**96.8**	**81.4**	**91.5**	**92.4**	**100.5**	**35**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1-JM, PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83319	085	**71,000**	**67,400**	**85.6**	**96.6**	**80.2**	**91.2**	**92.4**	**100.4**	**35**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81739	103	**79,000**	**68,400**	**84.3**	**97.0**	**82.0**	**91.9**	**92.4**	**100.7**	**36**
A81740	055	**79,000**	**67,400**	**84.3**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**36**
A81741	054	**79,000**	**66,300**	**84.3**	**97.0**	**82.0**	**91.9**	**92.1**	**100.7**	**36**
A81752	053	**77,000**	**67,400**	**84.5**	**96.9**	**81.2**	**91.7**	**92.2**	**100.7**	**36**
A81753	052	**77,000**	**66,300**	**84.5**	**96.9**	**81.2**	**91.7**	**92.1**	**100.7**	**36**
A81761	069	**75,500**	**67,400**	**84.5**	**96.8**	**80.7**	**91.6**	**92.2**	**100.6**	**36**
A81762	068	**75,500**	**66,300**	**84.5**	**96.8**	**80.7**	**91.6**	**92.1**	**100.6**	**36**
A81764	071	**75,000**	**67,400**	**84.6**	**96.8**	**80.5**	**91.6**	**92.2**	**100.6**	**36**
A81770	075	**74,000**	**67,400**	**84.6**	**96.8**	**80.1**	**91.5**	**92.2**	**100.5**	**36**
A81773	051	**73,500**	**67,400**	**84.6**	**96.7**	**79.9**	**91.4**	**92.2**	**100.5**	**36**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-272N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81774	050	**73,500**	**66,300**	**84.6**	**96.7**	**79.9**	**91.4**	**92.1**	**100.5**	**36**
A81780	078	**72,500**	**66,300**	**84.6**	**96.7**	**79.5**	**91.4**	**92.1**	**100.5**	**36**
A81785	083	**71,500**	**67,400**	**84.7**	**96.6**	**79.1**	**91.3**	**92.2**	**100.4**	**36**
A81786	082	**71,500**	**66,300**	**84.7**	**96.6**	**79.1**	**91.3**	**92.1**	**100.4**	**36**
A81787	085	**71,000**	**67,400**	**84.7**	**96.6**	**78.9**	**91.2**	**92.2**	**100.4**	**36**
A81791	057	**70,000**	**67,400**	**84.7**	**96.6**	**78.4**	**91.2**	**92.2**	**100.3**	**36**
A81792	056	**70,000**	**66,300**	**84.7**	**96.6**	**78.4**	**91.2**	**92.1**	**100.3**	**36**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81718	110	**79,000**	**67,400**	**84.3**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**36**
A81719	055	**79,000**	**67,400**	**84.3**	**97.0**	**82.0**	**91.9**	**92.2**	**100.7**	**36**
A81720	054	**79,000**	**66,300**	**84.3**	**97.0**	**82.0**	**91.9**	**92.1**	**100.7**	**36**
A81721	111	**78,000**	**67,400**	**84.4**	**97.0**	**81.6**	**91.8**	**92.2**	**100.7**	**36**
A81724	112	**77,000**	**67,400**	**84.5**	**96.9**	**81.2**	**91.7**	**92.2**	**100.7**	**36**
A81725	053	**77,000**	**67,400**	**84.5**	**96.9**	**81.2**	**91.7**	**92.2**	**100.7**	**36**
A81726	052	**77,000**	**66,300**	**84.5**	**96.9**	**81.2**	**91.7**	**92.1**	**100.7**	**36**
A81729	071	**75,000**	**67,400**	**84.6**	**96.8**	**80.5**	**91.6**	**92.2**	**100.6**	**36**
A81731	075	**74,000**	**67,400**	**84.6**	**96.8**	**80.1**	**91.5**	**92.2**	**100.5**	**36**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-272N**
(Commercial Designation **ACJ A320-272N)**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1124G1/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA)), 23398, 162193, 162744 and 163215 (Corporate Jet configuration)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81737	085	**71,000**	**67,400**	**84.7**	**96.6**	**78.9**	**91.2**	**92.2**	**100.4**	**36**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73956	103	**79,000**	**68,400**	**87.7**	**97.0**	**81.0**	**91.9**	**92.3**	**100.7**	**37**
A73957	055	**79,000**	**67,400**	**87.7**	**97.0**	**81.0**	**91.9**	**92.2**	**100.7**	**37**
A73958	054	**79,000**	**66,300**	**87.7**	**97.0**	**81.0**	**91.9**	**92.0**	**100.7**	**37**
A73965	053	**77,000**	**67,400**	**87.7**	**96.9**	**80.3**	**91.7**	**92.2**	**100.7**	**37**
A73966	052	**77,000**	**66,300**	**87.7**	**96.9**	**80.3**	**91.7**	**92.0**	**100.7**	**37**
A73971	069	**75,500**	**67,400**	**87.8**	**96.8**	**79.7**	**91.6**	**92.2**	**100.6**	**37**
A73973	071	**75,000**	**67,400**	**87.8**	**96.8**	**79.5**	**91.6**	**92.2**	**100.6**	**37**
A73979	051	**73,500**	**67,400**	**87.8**	**96.7**	**79.0**	**91.4**	**92.2**	**100.5**	**37**
A73980	050	**73,500**	**66,300**	**87.8**	**96.7**	**79.0**	**91.4**	**92.0**	**100.5**	**37**
A73987	083	**71,500**	**67,400**	**87.9**	**96.6**	**78.3**	**91.3**	**92.2**	**100.4**	**37**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A73989	085	**71,000**	**67,400**	**88.0**	**96.6**	**78.1**	**91.2**	**92.2**	**100.4**	**37**
A73993	057	**70,000**	**67,400**	**88.0**	**96.6**	**77.7**	**91.2**	**92.2**	**100.3**	**37**
A73994	056	**70,000**	**66,300**	**88.0**	**96.6**	**77.7**	**91.2**	**92.0**	**100.3**	**37**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76993	103	**79,000**	**68,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.6**	**100.7**	**37**
A74304	055	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**37**
A74303	054	**79,000**	**66,300**	**87.3**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**37**
A74296	053	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**37**
A74295	052	**77,000**	**66,300**	**87.4**	**96.9**	**80.0**	**91.7**	**92.3**	**100.7**	**37**
A74290	069	**75,500**	**67,400**	**87.4**	**96.8**	**79.4**	**91.6**	**92.4**	**100.6**	**37**
A74288	071	**75,000**	**67,400**	**87.4**	**96.8**	**79.3**	**91.6**	**92.4**	**100.6**	**37**
A74282	051	**73,500**	**67,400**	**87.5**	**96.7**	**78.7**	**91.4**	**92.4**	**100.5**	**37**
A74281	050	**73,500**	**66,300**	**87.5**	**96.7**	**78.7**	**91.4**	**92.3**	**100.5**	**37**
A74274	083	**71,500**	**67,400**	**87.6**	**96.6**	**78.1**	**91.3**	**92.4**	**100.4**	**37**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

160734 (Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74272	085	**71,000**	**67,400**	**87.6**	**96.6**	**77.9**	**91.2**	**92.4**	**100.4**	**37**
A74268	057	**70,000**	**67,400**	**87.6**	**96.6**	**77.5**	**91.2**	**92.4**	**100.3**	**37**
A74267	056	**70,000**	**66,300**	**87.6**	**96.6**	**77.5**	**91.2**	**92.3**	**100.3**	**37**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74512	103	**79,000**	**68,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.6**	**100.7**	**38**
A74511	055	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**38**
A74510	054	**79,000**	**66,300**	**87.3**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**38**
A74503	053	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**38**
A74502	052	**77,000**	**66,300**	**87.4**	**96.9**	**80.0**	**91.7**	**92.3**	**100.7**	**38**
A74497	069	**75,500**	**67,400**	**87.4**	**96.8**	**79.4**	**91.6**	**92.4**	**100.6**	**38**
A74495	071	**75,000**	**67,400**	**87.4**	**96.8**	**79.3**	**91.6**	**92.4**	**100.6**	**38**
A74489	051	**73,500**	**67,400**	**87.5**	**96.7**	**78.7**	**91.4**	**92.4**	**100.5**	**38**
A74488	050	**73,500**	**66,300**	**87.5**	**96.7**	**78.7**	**91.4**	**92.3**	**100.5**	**38**
A74481	083	**71,500**	**67,400**	**87.6**	**96.6**	**78.1**	**91.3**	**92.4**	**100.4**	**38**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix (one engine with 160734: Installation of Combustor Block C3 (Block C2 associated to Hybrid Air Assisted Nozzles (HAAN)); one engine with 167243: Installation of Block D combuster))

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A74479	085	**71,000**	**67,400**	**87.6**	**96.6**	**77.9**	**91.2**	**92.4**	**100.4**	**38**
A74475	057	**70,000**	**67,400**	**87.6**	**96.6**	**77.5**	**91.2**	**92.4**	**100.3**	**38**
A74474	056	**70,000**	**66,300**	**87.6**	**96.6**	**77.5**	**91.2**	**92.3**	**100.3**	**38**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76508	103	**79,000**	**68,400**	**87.0**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**39**
A76509	055	**79,000**	**67,400**	**87.0**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**39**
A76537	054	**79,000**	**66,300**	**87.0**	**97.0**	**80.7**	**91.9**	**92.1**	**100.7**	**39**
A76515	053	**77,000**	**67,400**	**87.1**	**96.9**	**79.9**	**91.7**	**92.3**	**100.7**	**39**
A76543	052	**77,000**	**66,300**	**87.1**	**96.9**	**79.9**	**91.7**	**92.1**	**100.7**	**39**
A76547	069	**75,500**	**67,400**	**87.1**	**96.8**	**79.4**	**91.6**	**92.3**	**100.6**	**39**
A76521	071	**75,000**	**67,400**	**87.1**	**96.8**	**79.2**	**91.6**	**92.3**	**100.6**	**39**
A76553	051	**73,500**	**67,400**	**87.2**	**96.7**	**78.7**	**91.4**	**92.3**	**100.5**	**39**
A76526	050	**73,500**	**66,300**	**87.2**	**96.7**	**78.7**	**91.4**	**92.1**	**100.5**	**39**
A76559	083	**71,500**	**67,400**	**87.3**	**96.6**	**78.0**	**91.3**	**92.3**	**100.4**	**39**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1129G-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167243 (Installation of Block D combustor)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A76560	085	**71,000**	**67,400**	**87.3**	**96.6**	**77.8**	**91.2**	**92.3**	**100.4**	**39**
A76562	057	**70,000**	**67,400**	**87.3**	**96.6**	**77.4**	**91.2**	**92.3**	**100.3**	**39**
A76535	056	**70,000**	**66,300**	**87.3**	**96.6**	**77.4**	**91.2**	**92.1**	**100.3**	**39**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM, PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83381	103	**79,000**	**68,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.6**	**100.7**	**40**
A83382	055	**79,000**	**67,400**	**87.3**	**97.0**	**80.7**	**91.9**	**92.4**	**100.7**	**40**
A83383	054	**79,000**	**66,300**	**87.3**	**97.0**	**80.7**	**91.9**	**92.3**	**100.7**	**40**
A83394	053	**77,000**	**67,400**	**87.4**	**96.9**	**80.0**	**91.7**	**92.4**	**100.7**	**40**
A83395	052	**77,000**	**66,300**	**87.4**	**96.9**	**80.0**	**91.7**	**92.3**	**100.7**	**40**
A83403	069	**75,500**	**67,400**	**87.4**	**96.8**	**79.4**	**91.6**	**92.4**	**100.6**	**40**
A83404	068	**75,500**	**66,300**	**87.4**	**96.8**	**79.4**	**91.6**	**92.3**	**100.6**	**40**
A83406	071	**75,000**	**67,400**	**87.4**	**96.8**	**79.3**	**91.6**	**92.4**	**100.6**	**40**
A83412	075	**74,000**	**67,400**	**87.5**	**96.8**	**78.9**	**91.5**	**92.4**	**100.5**	**40**
A83415	051	**73,500**	**67,400**	**87.5**	**96.7**	**78.7**	**91.4**	**92.4**	**100.5**	**40**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.**

Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC**

Engine Type Designation[1] **PW1129G-JM, PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

163279 (Engine intermix: "envelope" of Block C3 combustor / Block D combustor / GTFA)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A83416	050	**73,500**	**66,300**	**87.5**	**96.7**	**78.7**	**91.4**	**92.3**	**100.5**	**40**
A83422	078	**72,500**	**66,300**	**87.5**	**96.7**	**78.4**	**91.4**	**92.3**	**100.5**	**40**
A83427	083	**71,500**	**67,400**	**87.6**	**96.6**	**78.1**	**91.3**	**92.4**	**100.4**	**40**
A83428	082	**71,500**	**66,300**	**87.6**	**96.6**	**78.1**	**91.3**	**92.3**	**100.4**	**40**
A83429	085	**71,000**	**67,400**	**87.6**	**96.6**	**77.9**	**91.2**	**92.4**	**100.4**	**40**
A83433	057	**70,000**	**67,400**	**87.6**	**96.6**	**77.5**	**91.2**	**92.4**	**100.3**	**40**
A83434	056	**70,000**	**66,300**	**87.6**	**96.6**	**77.5**	**91.2**	**92.3**	**100.3**	**40**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81796	103	**79,000**	**68,400**	**86.6**	**97.0**	**79.5**	**91.9**	**92.4**	**100.7**	**41**
A81797	055	**79,000**	**67,400**	**86.6**	**97.0**	**79.5**	**91.9**	**92.2**	**100.7**	**41**
A81798	054	**79,000**	**66,300**	**86.6**	**97.0**	**79.5**	**91.9**	**92.1**	**100.7**	**41**
A81809	053	**77,000**	**67,400**	**86.7**	**96.9**	**78.7**	**91.7**	**92.2**	**100.7**	**41**
A81810	052	**77,000**	**66,300**	**86.7**	**96.9**	**78.7**	**91.7**	**92.1**	**100.7**	**41**
A81818	069	**75,500**	**67,400**	**86.7**	**96.8**	**78.1**	**91.6**	**92.2**	**100.6**	**41**
A81819	068	**75,500**	**66,300**	**86.7**	**96.8**	**78.1**	**91.6**	**92.1**	**100.6**	**41**
A81821	071	**75,000**	**67,400**	**86.7**	**96.8**	**77.9**	**91.6**	**92.2**	**100.6**	**41**
A81827	075	**74,000**	**67,400**	**86.8**	**96.8**	**77.6**	**91.5**	**92.2**	**100.5**	**41**
A81830	051	**73,500**	**67,400**	**86.8**	**96.7**	**77.4**	**91.4**	**92.2**	**100.5**	**41**

[1] See Note 1.

/continued on next page

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **Airbus S.A.S.** Aircraft Type Designation[1] **A320-273N**

Engine TC Holder **International Aero Engines, LLC** Engine Type Designation[1] **PW1129G/2-JM**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **167791 (Geared turbo fan advantage (GTFA))**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 14** Chapter[1] **14**

EASA Record No.	Variant	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See Note
		Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
A81831	050	**73,500**	**66,300**	**86.8**	**96.7**	**77.4**	**91.4**	**92.1**	**100.5**	**41**
A81837	078	**72,500**	**66,300**	**86.8**	**96.7**	**77.0**	**91.4**	**92.1**	**100.5**	**41**
A81842	083	**71,500**	**67,400**	**86.9**	**96.6**	**76.6**	**91.3**	**92.2**	**100.4**	**41**
A81843	082	**71,500**	**66,300**	**86.9**	**96.6**	**76.6**	**91.3**	**92.1**	**100.4**	**41**
A81844	085	**71,000**	**67,400**	**86.9**	**96.6**	**76.4**	**91.2**	**92.2**	**100.4**	**41**
A81848	057	**70,000**	**67,400**	**87.0**	**96.6**	**76.0**	**91.2**	**92.2**	**100.3**	**41**
A81849	056	**70,000**	**66,300**	**87.0**	**96.6**	**76.0**	**91.2**	**92.1**	**100.3**	**41**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Correspondence between the ICAO Annex 16 Volume I levels of amendment and the related EU regulations

The table below provides the correspondence between the levels of amendment of Volume I of ICAO Annex 16 and the related EU regulations that have implemented these levels of amendment since 2003, as well as the respective applicability dates.

ICAO Annex 16 Volume I		EU regulations	
Amendment level	**Applicability date**	**Regulation number**	**Applicability date**
Amendment 14	01/01/2024	Regulation (EU) 2025/870*	25/05/2025
Amendment 13	01/01/2021	Regulation (EU) 2021/1087*	25/07/2021
Amendment 12	01/01/2018	Regulation (EU) 2018/1139 (Art.9)	11/09/2018
Amendment 11-B	01/01/2015	Regulation (EU) 2016/4*	26/01/2016
Amendment 10	17/11/2011	Regulation (EU) No 6/2013*	29/01/2013
Amendment 9	20/11/2008	Regulation (EC) No 690/2009*	20/08/2009
Amendment 8	24/11/2005	Regulation (EC) No 216/2008 (Art.6)	29/03/2007
		Regulation (EC) No 334/2007*	29/03/2007
Amendment 7	21/03/2002	Regulation (EC) No 1701/2003*	28/09/2003
Amendment 6	04/11/1999	Regulation (EC) No 1592/2002 (Art.6)	28/09/2003

** Regulations that amend Article 6 of Regulations (EC) No 1592/2002 and (EC) No 216/2008, and Article 9 of Regulation (EU) 2018/1139*

TCDSN EASA.A.064.3 Notes

1. In cases where it is appropriate to issue a noise certificate, items so marked shall be included on EASA Form 45.
2. One or both engines without 22495 (specific buzz saw noise treatment in inlet).
3. Valid for CFM56-5B4 engine (SAC combustor Mod 24251) and CFM56-5B4/P (/P enhanced performance Mod 25800 with or without HPC upgrade kit 38770).
4. Valid for CFM56-5B4/2P engines (/P enhanced performance Mod 25800, and either DAC II C step 1 Mod 26610 or DAC II C PIP Mod 27727). One or both engines with or without 27772 (Improved fan frame forward panels). One or both engines with or without 32871 (Improved thrust reverser). One or both engines with or without 33987 (Chevron nozzle). One or both engines with or without 34155 (Basic NIP).
5. Valid for engines with or without performance improvement package (PIP Mod 152138). Both engines without improved fan frame forward panel (Mod 27772), with or without improved thrust reverser (Mod 32871), with or without core chevron nozzle (Mod 33987).
6. Valid for engines with or without performance improvement package (PIP Mod 152138).
7. Valid for engines with or without HPC upgrade kit (Mod 38770). Both engines without improved fan frame forward panel (Mod 27772), with or without improved thrust reverser (Mod 32871), with or without core chevron nozzle (Mod 33987).
8. Valid for engines with or without HPC upgrade kit 38770.
9. Valid for CFM56-5B4/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B4/2P (/P enhanced performance Mod 25800, and DAC IIC combustor Mod 26610). Both engines with 27772 (Improved fan frame forward panels). One or both engines without 34155 (Basic NIP).

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

10. Valid for CFM56-5B4/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B4/2P (/P enhanced performance Mod 25800 and DAC IIC combustor Mod 26610). One or both engines without 27772 (Improved fan frame forward panels). One or both engines without 34155 (Basic NIP).

11. Valid for CFM56-5B4/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B4/3 (TIP Mod 37147) with or without performance improvement package (PIP Mod 152138). Both engines with 27772 (Improved fan frame forward panels). One or both engines without 34155 (Basic NIP).

12. Valid for CFM56-5B4/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B4/3 (TIP Mod 37147) with or without performance improvement package (PIP Mod 152138). Both engines with 27772 (Improved fan frame forward panels). With or without 34155 (Basic NIP).

13. Valid for CFM56-5B4/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B4/3 (TIP Mod 37147) with or without performance improvement package (PIP Mod 152138). Both engines without 27772 (Improved fan frame forward panels). One or both engines without 32871 (Improved thrust reverser). One or both engines without 33987 (Chevron nozzle). One or both engines without 34155 (Basic NIP).

14. Valid for CFM56-5B5/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B5/3 (TIP Mod 37147) with or without performance improvement package (PIP Mod 152138). Both engines with 27772 (Improved fan frame forward panels). One or both engines without 34155 (Basic NIP).

15. Valid for CFM56-5B6/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B6/3 (TIP Mod 37147) with or without performance improvement package (PIP Mod 152138). Both engines with 27772 (Improved fan frame forward panels). One or both engines without 34155 (Basic NIP).

16. Valid for CFM56-5B6/P engine (/P enhanced performance Mod 25800) with or without HPC upgrade kit 38770, and CFM56-5B6/3 (TIP Mod 37147) with or without performance improvement package (PIP Mod 152138). Both engines with 27772 (Improved fan frame forward panels). With or without 34155 (Basic NIP).

17. Also applicable for engine V2527-A5 with Select Two package

18. Also applicable to aircraft fitted with Mod 161753 (SHARP - Short AiRfield Package)

19. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161753 (SHARP - Short AiRfield Package) and Mod 161591 (noise treatment on blocker doors)

20. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161753 (SHARP - Short AiRfield Package)

21. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161753 (SHARP - SHort AiRfield Package) and Mod 161591 (hardwalled blocker doors)

22. Valid with and without Mod.171771 (fan blade redesign).

23. Also applicable to aircraft fitted with Mod 161753 (SHARP - Short AiRfield Package) and Mod 161591 (noise treatment on blocker doors)

24. Also applicable to aircraft fitted with Mod 161753 (SHARP - SHort AiRfield Package) and Mod 161591 (hardwalled blocker doors)

25. Applicable to aircraft fitted with Mod 161753 (SHARP - SHort AiRfield Package), also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors)

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

26. Applicable to aircraft fitted with Mod 161753 (SHARP - SHort AiRfield Package), also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors). Also valid for Alternate Climb C rating.

27. Valid with and without Mod.171771 (fan blade redesign). Applicable to aircraft fitted with or without Mod 161753 (SHARP - SHort AiRfield Package), with or without Mod 161591 (hardwalled blocker doors)

28. Applicable to aircraft fitted with or without Mod 161753 (SHARP - SHort AiRfield Package), with or without Mod 161591 (hardwalled blocker doors)

29. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors).

30. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors)

31. Also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors).

32. Also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors)

33. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161591 (removal of acoustic treatment on blocker doors)

34. Valid with and without Mod.171771 (fan blade redesign). Applicable to aircraft fitted with or without Mod 161591 (Hardwelled Blocker door)

35. Applicable to aircraft fitted with or without Mod 161591 (Hardwelled Blocker door)

36. Also applicable to aircraft fitted with Mod 161591 (removal of acoustic treatment on blocker doors)

37. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors). Mod 161753 (SHARP - SHort AiRfield Package) is a pre-requisite for A320-273N.

38. Valid with and without Mod.171771 (fan blade redesign). Applicable to aircraft fitted with or without Mod 161591 (hardwalled blocker doors). Mod 161753 (SHARP - SHort AiRfield Package) is a pre-requisite for A320-273N. Valid with or without Mod. 265746

39. Valid with and without Mod.171771 (fan blade redesign). Also applicable to aircraft fitted with Mod 161591 (hardwalled blocker doors). Mod 161753 (SHARP - SHort AiRfield Package) is a pre-requisite for A320-273N. Valid with or without "derated take-off" option (Mod. 265746).

40. Applicable to aircraft fitted with or without Mod 161591 (hardwalled blocker doors). Mod 161753 (SHARP - SHort AiRfield Package) is a pre-requisite for A320-273N. Valid with or without Mod. 265746

41. Applicable to aircraft fitted with and without Mod 161591 (hardwalled blocker doors). Applicable to aircraft fitted with and without Mod 265746 (Installation of Derated Take-Off (DTO) option). Mod 161753 (SHARP - SHort AiRfield Package) is a pre-requisite for A320-273N.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Change Record

Issue	Date	Changes
Issue 1	13 July 2012	Initial Issue
Issue 2	30 August 2012	Variant 017 added
Issue 3	30 November 2012	Modification 160500 (Sharklets) added
Issue 4	21 December 2012	Modification 160500 (Sharklets) added for A320-231 and A320-232
Issue 5	21 March 2014	Removed model A320-111
Issue 6	06 January 2015	Added WV 019 for A320-211 / A320-212 / A320-231
Issue 7	13 March 2015	Added WV 019 for A320
Issue 8	22 June 2015	Added information about V2527-A5 Select Two package
Issue 9	24 November 2015	Added model A320-271n, added modification 160080 (Sharklets)
Issue 10	31 May 2016	Correction of A320-271N nomenclature, added Model A320-251N, revised engine manufacturer for PW1127G-JM to “International Aero Engines”, clarification of Airbus S.A.S. S.A.S. as TC holder
Issue 11	12 August 2016	Added records for A320-271N fitted with PW1127GA-JM engines; added WVs 069 and 071 for A320-251N and -271N; added several records for A320-214 and -216 fitted with modification 160080 (Sharklets)
Issue 12	20 October 2016	Added WVs 078 and 082 for A320-251N and A320-271N
Issue 13	31 May 2017	Added WV 068 for models A320-251N and A320-271N; Added mod 161038 (LEAP-1A Booster Step 2) for model A320-251N
Issue 14	27 June 2017	Added records for Intermix of Leap engines for A320-251N
Issue 15	21 July 2017	Added note regarding Mod 161753 (SHARP - Short AiRfield Package)
Issue 16	19 September 2017	TC holder address revised
Issue 17	05 January 2018	Added model A320-252N, added engine intermix configurations (mod 163279) for model A320-271N
Issue 18	30 January 2018	Added engine PW1127GA-JM with mod 160734 for model A320-271N
Issue 19	05 July 2018	Added WV 068 for models A320-271N, A320-251N and A320-252N
Issue 20	08 November2018	Added model A320-272N, added engine model LEAP-1A26E1 for A320-251N
Issue 21	15 November 2018	Re-added model A320-271N fitted with mod 160734 (these records were removed in Issue 20 by mistake)
Issue 22	16 January 2019	Recertification to Chapter 14 of various models; added A320neo corporate jet configurations (ACJ)
Issue 23	08 March 2019	Introduction of models A320-253N and A320-273N
Issue 24	12 April 2019	Removed records for ACJ A320-251N fitted with LEAP-1A26E1
Issue 25	22 November 2019	Added WVs 083 and 085 and records for engine intermix on A210-272N
Issue 26	14 January 2020	Added WVs 069 and 071 for A320-252N/-253N/-273N
Issue 27	01 October 2020	Revised
Issue 28	18 November 2020	Record A76773 added
Issue 29	1 December 2020	Added records for A320-271N fitted with PW1127G1-JM and PW1127G1A-JM engines with Block C3 combustor. Revised noise records for A320-271N, A320-272N and A320-273N for PW engine with Block C3 combustor.
Issue 30	16 April 2021	Multiple records added and revised.
Issue 31	28 May 2021	Update of Neo PW Intermix records
Issue 32	12 July 2021	Correction for omitted update of some A320-271N records
Issue 33	24 November 2022	Revision of some engine manufacturer names, modification of some Notes related to PIP Mod 152138.
Issue 34	09 December 2022	Addition of several ACJNeo records
Issue 35	08 December 2023	Addition of ACJ A320-271N and A320-273N records with PW1129G-JM engines. Correction of erroneous Lateral noise levels for some A320-271N records.
Issue 36	16 September 2024	Intermix records (Mod. 163279) modified for the A320-271N and A320-272N to no longer involve BoM engines; record A80326 added.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue 37	01 October 2024	Alignment on the Weight Variants approved in the TCDS. This includes the addition of WV103 for the A320-271N/272N/273N/251N/252N/253N, removal of WV 058, 059 and 075 for the A320-272N, removal of WV 060, 061, 066, 067, 070, 074, 076, 077, 080, 081, 084 for the A320-251N/252N/271N/272N, and removal of WV 110, 111, 112 for the A320-252N.
Issue 38	27 November 2024	Modification 160500 added in the description of modifications for some A320-214 records with sharklets.
Issue 39	17 February 2026	Deletion of invalid records for ACJ A320-271N, addition of PW1127G1C-JM engine records, update of some airframe modification numbers (related to sharklets), correction of erroneous noise levels for records A81026 and A81107, update of Notes field for some records.
Issue 40	07 April 2026	Added Mod. 171771 to the Notes Field of A320 Neo PW models, added PW GTFA records for A320 Neo.
Issue 41	05 May 2026	Revised Approach noise levels for Neo CFM Booster Step 2 (and intermix).
Issue 42	18 June 2026	Update of duplicated record numbers for the ACJ320-271N.

-END-

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.