TYPE-CERTIFICATE
DATA SHEET FOR NOISE

No. EASA.IM.A.191

for

De Havilland DHC-8

Type Certificate Holder:
De Havilland Aircraft of Canada Limited
123 Garratt Boulevard
Toronto, Ontario
CANADA M3K 1Y5

For models

DHC-8-102	DHC-8-201	DHC-8-301	DHC-8-401
DHC-8-103	DHC-8-202	DHC-8-311	DHC-8-402
DHC-8-106		DHC-8-314	
		DHC-8-315	

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

INTENTIONALLY LEFT BLANK

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-102**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW120A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B979	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**86.3**	**94.0**	**80.8**	**89.0**	**94.8**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-102**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B980	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**86.3**	**94.0**	**80.8**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-102**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 22 (1150 rpm Takeoff)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B981	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**85.5**	**94.0**	**80.8**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-102**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 22, AFM Supplement 23 (1150 rpm Takeoff, 1050 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B982	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**85.5**	**94.0**	**80.8**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1359	Hamilton Sundstrand	**14SF-7**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**97.2**	**98.0**	**-**
B983	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B985	Hamilton Sundstrand	**14SF-7**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B1362	Hamilton Sundstrand	**14SF-15**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**97.2**	**98.0**	**-**
B1363	Hamilton Sundstrand	**14SF-15**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B1364	Hamilton Sundstrand	**14SF-15**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

B1367	Hamilton Sundstrand	**14SF-23**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**97.2**	**98.0**	**-**
B1368	Hamilton Sundstrand	**14SF-23**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B1369	Hamilton Sundstrand	**14SF-23**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 23 (1050 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1385	Hamilton Sundstrand	**14SF-7**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**94.7**	**98.0**	**-**
B984	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B986	Hamilton Sundstrand	**14SF-7**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1386	Hamilton Sundstrand	**14SF-15**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**94.7**	**98.0**	**-**
B1360	Hamilton Sundstrand	**14SF-15**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1361	Hamilton Sundstrand	**14SF-15**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

B1387	Hamilton Sundstrand	**14SF-23**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**94.7**	**98.0**	**-**
B1365	Hamilton Sundstrand	**14SF-23**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1366	Hamilton Sundstrand	**14SF-23**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 23 and Mod 8/2579 (1050 rpm Approach and propeller intermix)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1388	Hamilton Sundstrand	**14SF-7, 14SF-15**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**94.7**	**98.0**	**-**
B1370	Hamilton Sundstrand	**14SF-7, 14SF-15**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1371	Hamilton Sundstrand	**14SF-7, 14SF-15**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1389	Hamilton Sundstrand	**14SF-7, 14SF-23**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**94.7**	**98.0**	**-**
B1375	Hamilton Sundstrand	**14SF-7, 14SF-23**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1376	Hamilton Sundstrand	**14SF-7, 14SF-23**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

B1390	Hamilton Sundstrand	**14SF-15, 14SF-23**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**94.7**	**98.0**	**-**
B1380	Hamilton Sundstrand	**14SF-15, 14SF-23**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1381	Hamilton Sundstrand	**14SF-15, 14SF-23**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 38 and Mod 8/2579 (1100 rpm Takeoff and propeller intermix)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1397	Hamilton Sundstrand	**14SF-7, 14SF-15**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**97.2**	**98.0**	**-**
B1399	Hamilton Sundstrand	**14SF-7, 14SF-23**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**97.2**	**98.0**	**-**
B1401	Hamilton Sundstrand	**14SF-15, 14SF-23**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 38 (1100 rpm Takeoff)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1392	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**97.2**	**98.0**	**-**
B1393	Hamilton Sundstrand	**14SF-15**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**97.2**	**98.0**	**-**
B1395	Hamilton Sundstrand	**14SF-23**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 38, AFM Supplement 23 (1100 rpm Takeoff, 1050 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1391	Hamilton Sundstrand	**14SF-7**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**94.7**	**98.0**	**-**
B1394	Hamilton Sundstrand	**14SF-15**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**94.7**	**98.0**	**-**
B1396	Hamilton Sundstrand	**14SF-23**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

AFM Supplement 38, AFM Supplement 23 and Mod 8/2579 (1100 rpm Takeoff, 1050 rpm Approach and propeller intermix)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1398	Hamilton Sundstrand	**14SF-7, 14SF-15**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**94.7**	**98.0**	**-**
B1400	Hamilton Sundstrand	**14SF-7, 14SF-23**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**94.7**	**98.0**	**-**
B1402	Hamilton Sundstrand	**14SF-15, 14SF-23**	**15,649**	**15,377**	**82.9**	**94.0**	**77.8**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-103**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **Mod 8/2579 (Propeller intermix)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1372	Hamilton Sundstrand	**14SF-7, 14SF-15**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**97.2**	**98.0**	**-**
B1373	Hamilton Sundstrand	**14SF-7, 14SF-15**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B1374	Hamilton Sundstrand	**14SF-7, 14SF-15**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B1377	Hamilton Sundstrand	**14SF-7, 14SF-23**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**97.2**	**98.0**	**-**
B1378	Hamilton Sundstrand	**14SF-7, 14SF-23**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B1379	Hamilton Sundstrand	**14SF-7, 14SF-23**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

B1382	Hamilton Sundstrand	**14SF-15, 14SF-23**	**15,966**	**15,377**	**85.9**	**94.0**	**80.0**	**89.0**	**97.2**	**98.0**	**-**
B1383	Hamilton Sundstrand	**14SF-15, 14SF-23**	**15,649**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**
B1384	Hamilton Sundstrand	**14SF-15, 14SF-23**	**14,969**	**15,377**	**86.1**	**94.0**	**79.8**	**89.0**	**97.2**	**98.0**	**-**

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-106**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 1** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B987	Hamilton Sundstrand	**14SF-7**	**16,465**	**15,377**	**85.6**	**94.0**	**80.5**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-106**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 23 (1050 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B988	Hamilton Sundstrand	**14SF-7**	**16,465**	**15,377**	**85.6**	**94.0**	**80.5**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-106**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW121**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 38, AFM Supplement 23 (1100 rpm Takeoff, 1050 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B989	Hamilton Sundstrand	**14SF-7**	**16,465**	**15,377**	**84.0**	**94.0**	**79.9**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-201**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123C**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B990	Hamilton Sundstrand	**14SF-23**	**16,465**	**15,377**	**85.6**	**94.0**	**80.5**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-201**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123C**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 38 (1100 rpm Takeoff)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B991	Hamilton Sundstrand	**14SF-23**	**16,465**	**15,377**	**84.0**	**94.0**	**79.9**	**89.0**	**97.2**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-201**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW123C**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 38, AFM Supplement 23 (1100 rpm Takeoff, 1050 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B992	Hamilton Sundstrand	**14SF-23**	**16,465**	**15,377**	**84.0**	**94.0**	**79.9**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-202**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123D**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B993	Hamilton Sundstrand	**14SF-23**	**16,465**	**15,377**	**85.6**	**94.0**	**80.5**	**89.0**	**97.2**	**98.0**	**-**
B1233	Hamilton Sundstrand	**14SF-23**	**16,465**	**15,649**	**85.6**	**94.0**	**80.5**	**89.0**	**97.1**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

The decimal values in MTOM and MLW were rounded to the nearest integer

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-202**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW123D**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 38, AFM Supplement 23 (1100 rpm Takeoff, 1050 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B995	Hamilton Sundstrand	**14SF-23**	**16,465**	**15,377**	**84.0**	**94.0**	**79.9**	**89.0**	**94.7**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-301**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 2** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1004	Hamilton Sundstrand	**14SF-15**	**18,643**	**18,144**	**87.4**	**94.0**	**84.3**	**89.0**	**98.9**	**98.0**	**-**
B996	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.4**	**94.0**	**84.3**	**89.0**	**98.9**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-301**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (900 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 2** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1005	Hamilton Sundstrand	**14SF-15**	**18,643**	**18,144**	**87.4**	**94.0**	**84.3**	**89.0**	**96.5**	**98.0**	**-**
B997	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.4**	**94.0**	**84.3**	**89.0**	**96.5**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-311**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1010	Hamilton Sundstrand	**14SF-15**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.9**	**98.0**	**-**
B1008	Hamilton Sundstrand	**14SF-15**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**95.0**	**98.0**	**-**
B1006	Hamilton Sundstrand	**14SF-15**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**95.1**	**98.0**	**-**
B1002	Hamilton Sundstrand	**14SF-23**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.9**	**98.0**	**-**
B1000	Hamilton Sundstrand	**14SF-23**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**95.0**	**98.0**	**-**
B998	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**95.1**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-311**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (900 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 3** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1011	Hamilton Sundstrand	**14SF-15**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.5**	**98.0**	**-**
B1009	Hamilton Sundstrand	**14SF-15**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1007	Hamilton Sundstrand	**14SF-15**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**94.8**	**98.0**	**-**
B1003	Hamilton Sundstrand	**14SF-23**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.5**	**98.0**	**-**
B1001	Hamilton Sundstrand	**14SF-23**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B999	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**94.8**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-314**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123B**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1018	Hamilton Sundstrand	**14SF-23**	**19,504**	**19,051**	**87.2**	**94.0**	**80.7**	**89.0**	**94.9**	**98.0**	**-**
B1015	Hamilton Sundstrand	**14SF-23**	**18,996**	**18,597**	**87.2**	**94.0**	**80.2**	**89.0**	**95.0**	**98.0**	**-**
B1012	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.3**	**94.0**	**79.9**	**89.0**	**95.1**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-314**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123B**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (900 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1019	Hamilton Sundstrand	**14SF-23**	**19,504**	**19,051**	**87.2**	**94.0**	**80.7**	**89.0**	**94.5**	**98.0**	**-**
B1016	Hamilton Sundstrand	**14SF-23**	**18,996**	**18,597**	**87.2**	**94.0**	**80.2**	**89.0**	**94.7**	**98.0**	**-**
B1013	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.3**	**94.0**	**79.9**	**89.0**	**94.8**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-314**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW123B**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39, 22 (900 rpm Approach, 1100 rpm Takeoff)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1020	Hamilton Sundstrand	**14SF-23**	**19,504**	**19,051**	**84.6**	**94.0**	**81.7**	**89.0**	**94.5**	**98.0**	**-**
B1017	Hamilton Sundstrand	**14SF-23**	**18,996**	**18,597**	**84.6**	**94.0**	**81.0**	**89.0**	**94.7**	**98.0**	**-**
B1014	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**84.7**	**94.0**	**80.7**	**89.0**	**94.8**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-315**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123E**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1031	Hamilton Sundstrand	**14SF-15**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.9**	**98.0**	**-**
B1029	Hamilton Sundstrand	**14SF-15**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**95.0**	**98.0**	**-**
B1027	Hamilton Sundstrand	**14SF-15**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**95.1**	**98.0**	**-**
B1025	Hamilton Sundstrand	**14SF-23**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.9**	**98.0**	**-**
B1023	Hamilton Sundstrand	**14SF-23**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**95.0**	**98.0**	**-**
B1021	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**95.1**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-315**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW123E**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (900 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 4** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1032	Hamilton Sundstrand	**14SF-15**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.5**	**98.0**	**-**
B1030	Hamilton Sundstrand	**14SF-15**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1028	Hamilton Sundstrand	**14SF-15**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**94.8**	**98.0**	**-**
B1026	Hamilton Sundstrand	**14SF-23**	**19,504**	**19,051**	**86.9**	**94.0**	**80.0**	**89.0**	**94.5**	**98.0**	**-**
B1024	Hamilton Sundstrand	**14SF-23**	**18,996**	**18,597**	**87.0**	**94.0**	**79.8**	**89.0**	**94.7**	**98.0**	**-**
B1022	Hamilton Sundstrand	**14SF-23**	**18,643**	**18,144**	**87.0**	**94.0**	**79.5**	**89.0**	**94.8**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-401**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1045	Dowty Propeller	**R408/6-123-F/17**	**28,690**	**27,783**	**84.1**	**94.0**	**77.8**	**89.0**	**94.9**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-401**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1051	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**84.0**	**94.0**	**78.6**	**89.0**	**94.8**	**98.0**	**-**
B1049	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**84.0**	**94.0**	**78.3**	**89.0**	**94.8**	**98.0**	**-**
B1047	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**84.0**	**94.0**	**78.0**	**89.0**	**94.8**	**98.0**	**-**
B1043	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**84.1**	**94.0**	**77.1**	**89.0**	**94.9**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-401**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (850 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1046	Dowty Propeller	**R408/6-123-F/17**	**28,690**	**27,783**	**84.1**	**94.0**	**77.8**	**89.0**	**93.1**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-401**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (850 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1052	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**84.0**	**94.0**	**78.6**	**89.0**	**93.1**	**98.0**	**-**
B1050	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**84.0**	**94.0**	**78.3**	**89.0**	**93.1**	**98.0**	**-**
B1048	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**84.0**	**94.0**	**78.0**	**89.0**	**93.1**	**98.0**	**-**
B1044	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**84.1**	**94.0**	**77.1**	**89.0**	**93.0**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-401**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

AFM Supplement 39, AFM Supplement 46 (850 rpm Approach, TO with max TO-Power with disabled uptrim)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1108	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**85.8**	**94.0**	**78.2**	**89.0**	**93.1**	**98.0**	**-**
B1109	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**85.8**	**94.0**	**77.9**	**89.0**	**93.1**	**98.0**	**-**
B1110	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**85.8**	**94.0**	**77.6**	**89.0**	**93.1**	**98.0**	**-**
B1111	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**85.9**	**94.0**	**76.7**	**89.0**	**93.0**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-401**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 46 (TO with max TO-Power with disabled uptrim)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1104	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**85.8**	**94.0**	**78.2**	**89.0**	**94.8**	**98.0**	**-**
B1105	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**85.8**	**94.0**	**77.9**	**89.0**	**94.8**	**98.0**	**-**
B1106	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**85.8**	**94.0**	**77.6**	**89.0**	**94.8**	**98.0**	**-**
B1107	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**85.9**	**94.0**	**76.7**	**89.0**	**94.9**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-402**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1055	Dowty Propeller	**R408/6-123-F/17**	**28,690**	**27,783**	**84.1**	**94.0**	**77.8**	**89.0**	**94.9**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-402**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **None**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1061	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**84.0**	**94.0**	**78.6**	**89.0**	**94.8**	**98.0**	**-**
B1059	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**84.0**	**94.0**	**78.3**	**89.0**	**94.8**	**98.0**	**-**
B1057	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**84.0**	**94.0**	**78.0**	**89.0**	**94.8**	**98.0**	**-**
B1053	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**84.1**	**94.0**	**77.1**	**89.0**	**94.9**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-402**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (850 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 5** Chapter[1] **3**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1056	Dowty Propeller	**R408/6-123-F/17**	**28,690**	**27,783**	**84.1**	**94.0**	**77.8**	**89.0**	**93.1**	**98.0**	**-**

[1] See Note 1.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-402**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 39 (850 rpm Approach)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1062	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**84.0**	**94.0**	**78.6**	**89.0**	**93.1**	**98.0**	**-**
B1060	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**84.0**	**94.0**	**78.3**	**89.0**	**93.1**	**98.0**	**-**
B1058	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**84.0**	**94.0**	**78.0**	**89.0**	**93.1**	**98.0**	**-**
B1054	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**84.1**	**94.0**	**77.1**	**89.0**	**93.0**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited**

Aircraft Type Designation[1] **DHC-8-402**

Engine TC Holder **Pratt & Whitney Canada Corp.**

Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1]

AFM Supplement 39, AFM Supplement 46 (850 rpm Approach, TO with max TO-Power with disabled uptrim)

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1116	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**85.8**	**94.0**	**78.2**	**89.0**	**93.1**	**98.0**	**-**
B1117	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**85.8**	**94.0**	**77.9**	**89.0**	**93.1**	**98.0**	**-**
B1118	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**85.8**	**94.0**	**77.6**	**89.0**	**93.1**	**98.0**	**-**
B1119	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**85.9**	**94.0**	**76.7**	**89.0**	**93.0**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Type Certificate Holder[1] **De Havilland Aircraft of Canada Limited** Aircraft Type Designation[1] **DHC-8-402**

Engine TC Holder **Pratt & Whitney Canada Corp.** Engine Type Designation[1] **PW150A**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels[1] **AFM Supplement 46 (TO with max TO-Power with disabled uptrim)**

Noise Certification Basis **ICAO Annex 16, Volume I** Edition / Amendment **Edition 8 / Amendment 12** Chapter[1] **14**

EASA Record No.	Propeller TC Holder	Propeller Type Designation[1]	Maximum Mass		Lateral / Full Power EPNL		Flyover EPNL		Approach EPNL		See Note
			Take-off[1] (kg)	Landing[1] (kg)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	Level[1] (EPNdB)	Limit (EPNdB)	
B1112	Dowty Propeller	**R408/6-123-F/17**	**29,574**	**28,123**	**85.8**	**94.0**	**78.2**	**89.0**	**94.8**	**98.0**	**-**
B1113	Dowty Propeller	**R408/6-123-F/17**	**29,257**	**28,009**	**85.8**	**94.0**	**77.9**	**89.0**	**94.8**	**98.0**	**-**
B1114	Dowty Propeller	**R408/6-123-F/17**	**28,998**	**28,009**	**85.8**	**94.0**	**77.6**	**89.0**	**94.8**	**98.0**	**-**
B1115	Dowty Propeller	**R408/6-123-F/17**	**27,987**	**27,442**	**85.9**	**94.0**	**76.7**	**89.0**	**94.9**	**98.0**	**-**

[1] See Note 1.

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Correspondence between the ICAO Annex 16 Volume I levels of amendment and the related EU regulations

The table below provides the correspondence between the levels of amendment of Volume I of ICAO Annex 16 and the related EU regulations that have implemented these levels of amendment since 2003, as well as the respective applicability dates.

ICAO Annex 16 Volume I		EU regulations	
Amendment level	**Applicability date**	**Regulation number**	**Applicability date**
Amendment 14	01/01/2024	Regulation (EU) 2025/870*	25/05/2025
Amendment 13	01/01/2021	Regulation (EU) 2021/1087*	25/07/2021
Amendment 12	01/01/2018	Regulation (EU) 2018/1139 (Art.9)	11/09/2018
Amendment 11-B	01/01/2015	Regulation (EU) 2016/4*	26/01/2016
Amendment 10	17/11/2011	Regulation (EU) No 6/2013*	29/01/2013
Amendment 9	20/11/2008	Regulation (EC) No 690/2009*	20/08/2009
Amendment 8	24/11/2005	Regulation (EC) No 216/2008 (Art.6)	29/03/2007
		Regulation (EC) No 334/2007*	29/03/2007
Amendment 7	21/03/2002	Regulation (EC) No 1701/2003*	28/09/2003
Amendment 6	04/11/1999	Regulation (EC) No 1592/2002 (Art.6)	28/09/2003

** Regulations that amend Article 6 of Regulations (EC) No 1592/2002 and (EC) No 216/2008, and Article 9 of Regulation (EU) 2018/1139*

TCDSN EASA.IM.A.191 Notes

1. In cases where it is appropriate to issue a noise certificate, items so marked shall be included on EASA Form 45.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Change Record

Issue	Date	Changes
Issue 1	30 April 2007	Initial Issue
Issue 2	06 January 2009	Page 33: Revise B1045 Page 35: Revise B1046 Page 37: Add record 1107 Page 37: Add record B1108 Page 37: Add record B1105 Page 37: Add record B1104 Page 38: Add record B1111 Page 38: Add record B1110 Page 38: Add record B1109 Page 38: Add record B1108 Page 39: Revise B1055 Page 41: Revise B1056 Page 43: Add record B1115 Page 43: Add record B1114 Page 43: Add record B1113 Page 43: Add record B1112 Page 44: Add record B1119 Page 44: Add record B1116 Page 44: Add record B1118 Page 44: Add record B1117
Issue 3	30 September 2009	Revised
Issue 4	21 May 2012	Add record B1233
Issue 5	04 June 2012	Revised title page
Issue 6	25 September 2019	TC-Holder revised
Issue 7	07 September 2021	TC-holder revised; DHC-8-401 and DHC-8-402: Recertification to Chapter 14
Issue 8	25 March 2022	Added records B1359-B1402 for DHC-8-103 at various configurations.
Issue 9	12 May 2026	The decimal values in MTOMs and MLWs were rounded to the nearest integer.

An Agency of the European Union

TE.CERT.00051-001 © European Union Aviation Safety Agency, 2026. All rights reserved. ISO9001 Certified.
Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.