Travel Agent

2026.3.11

CHEN Junle && Selena

香港科技大學
THE HONG KONG UNIVERSITY OF SCIENCE AND TECHNOLOGY

JC STEM Lab of Data Science Foundations
賽馬會數據科學基礎創科實驗室

Problem

JC STEM Lab of
Data Science Foundations
賽馬會數據科學基礎創科實驗室

Problem:
Planning a trip is labor intensive!



We want to build an AI travel agent that can:

JC STEM Lab of
Data Science Foundations
賽馬會數據科學基礎創科實驗室



UNDERSTAND NATURAL LANGUAGE TRAVEL REQUESTS

GENERATE MULTI-DAY TRAVEL ITINERARIES

INTEGRATE EXTERNAL INFORMATION SOURCES

REASON OVER MULTIPLE CONSTRAINTS (DATE, PREFERENCES, BUDGETS)

Overview

Core Processes:

1. Intent Extraction and Clarification (Extract)
2. Search and Draft Initial Version (Search & Draft)
3. Refine the Logic of Progression (Refine)
4. Resource Enrichment and Aggregated Output (Enrich)

Overview

JC STEM Lab of
Data Science Foundations
賽馬會數據科學基礎創科實驗室

Tools & APIs

1. LLM / Model API🧠:

   System's core reasoning engine that understands user requests, extracts travel preferences and generates the overall travel itinerary.

2. Amap Live Service API🗺️

   System's geographical data provider, offering real-world location information and distance verification to ensure routes are geographically feasible.

3. Serper API(Google Search Aggregation) 🔍

   A web search tool that retrieves images, travel guides, attraction details, and price information to enrich the travel itinerary.

Architecture

JC STEM Lab of
Data Science Foundations
賽馬會數據科學基礎創科實驗室

Frontend:

- collect user query and selected model
- submit to FastAPI
- render clarification form when needed
- render timeline, logistics, references, and route map when itinerary is ready

Backend

- resolve model credentials from .env
- call the selected LLM using the existing compatible chat-completions client
- collect grounding context from tools
- generate and refine itinerary data and persist trips in SQLite

Planning Flow

1. user enters a free-form query
2. backend parses the request heuristically
3. backend asks the selected model to extract normalized constraints
4. backend gathers tool context:
    1. Amap for hotels, restaurants, POIs, and walking directions
    2. SerperApi as the primary search engine
5. backend runs a draft LLM pass
6. backend runs a refinement LLM pass with search-grounded context
7. backend hydrates:hotel, POIs, images, route trip visuals
8. frontend renders the final result

Limitation

- The planning process is a bit slow.
- Amap api sometimes does not map the POI into the real address and it only accept the Chinese prompt and Chinese cities.
- We do not have access to many real world information like the flight, the price of visiting attractions, the price of the hotel and the train(12306).

Ending

香港科技大學
THE HONG KONG UNIVERSITY OF SCIENCE AND TECHNOLOGY

JC STEM Lab of
Data Science Foundations
賽馬會數據科學基礎創科實驗室