John
Dennis
Constructions

IDENTITY STANDARDS · DESIGN GUIDE · VERSION 1.0 · 2026

Design Guide

John Dennis Constructions — Built for Life



www.jdcindia.com

01 LOGO · THE FAMILY

Six keystones, one family.

Two courses of three, the upper course stepped by one unit, as a mason would lay them: a mark built, not drawn. Every lockup is set on that unit, x. Always use the master artwork files; never retype a lockup.

PRIMARY LOGO

John
Dennis
Constructions

ROLE
The masterbrand at its most complete. The full name, for trust.

USE ON
Hoardings, billboards, ads, under-construction sites, corporate documents.

MINIMUM
12 mm wide in print, 40 px on screen. Below this, use the mark.

SECONDARY · JDC

JDC

Letterheads, stationery, display pictures, website navigation, building identification. Always pair with the primary logo in the same communication or site.

SUB-BRANDS

JDC SELECT

JDC PLACE

JDC Select for luxury residential, **JDC Place** for commercial. One branded house: every sub-brand carries the mark.

PROJECT LOCKUP

JDC SELECT
ARISE

Sub-brand above the project name in Medium caps. Name cap-height = mark height, gap 6×, left-aligned. No sub-brand? Use the JDC lockup.

THE MARK

Favicon, app icon, social display picture. Use alone only where the name is already present or space is very small.

UNIT · x
The step between the two courses. Every logo measurement is a multiple of x.

KEYSTONE · 6x · 4x · 8.1x
Crown, base and height. Each side tapers 1x, 7.0° from vertical.

MARK · 19x × 16.2x
Proportion 1.17 : 1. Stones meet edge to edge: no gaps, gutters or outlines.


GAP TO WORDMARK
3x on the primary logo, 4x on the secondary and sub-brand lockups.

01 LOGO · USAGE

Room, size, two colours.

The logo only works if it is consistent. Give it room, never set it below its minimum, and use it only in Obsidian Concrete or Limestone Ivory, on the version that gives the strongest contrast.

CLEAR SPACE



Keep a clear zone of one keystone (6×) on every side. No type, image edge or graphic may enter it. Measure from the outer edge of the mark or wordmark.

MINIMUM SIZE

		PRINT	DIGITAL
Primary logo Not for small print or small UI	John Dennis Constructions	12 mm	40 px
Secondary · JDC	JDC	12 mm	40 px
Sub-brand	JDC SELECT	12 mm	40 px
Mark Favicon artwork drawn at 32 px		6 mm	16 px

Sizes are measured across the full width of the artwork. Below the primary logo's minimum, switch to the secondary logo or the mark.

COLOUR VERSIONS



Obsidian on Ivory
Default. Ivory, Sand Mist, light materials.



Ivory on Obsidian
Reversed. Obsidian, Concrete Grey, dark materials.



Ivory on dark images
Sky, shadow or glass. Add a 30–50% Obsidian scrim if needed.



Obsidian on light images
Pale facades and interiors. Contrast 3:1 or more.

MISUSE

Never alter, redraw, recolour or decorate the logo. Always use the master files.



Don't skew it | Don't tilt it | Don't stretch or squash | Don't use random colours | Don't use gradients | Don't use strokes or outlines | Don't add shadows or effects | Don't use any other font

02 COLOUR · CORE PALETTE

Two stones carry the brand.

Limestone Ivory is the warm half: space, warmth and light. Obsidian Concrete is the strong half: structure, strength and precision. Sand Mist and Concrete Grey extend them for surfaces, layering and technical information.

Limestone Ivory

Space · Warmth · Light · Human living · Calm luxury

#EBE3D8

RGB 235, 227, 216 CMYK 7, 8, 13, 0

Primary. Default background; logo and type on dark.

Obsidian Concrete

Structure · Strength · Precision · Shadow · Urban sophistication

#1F1F1F

RGB 31, 31, 31 CMYK 72, 66, 65, 75

Primary. Logo and type on light; dark backgrounds and website dark mode.

Sand Mist

#D8D0C4

RGB 216, 208, 196 CMYK 15, 14, 20, 0

Secondary. Cards, UI surfaces, brochure sections, layered backgrounds.

Concrete Grey

#6E6A64

RGB 110, 106, 100 CMYK 56, 50, 54, 19

Secondary. Dividers, technical drawings, UI borders, floorplan overlays.

Both primaries cover logos, typography, signage, hoardings, premium packaging and architectural linework.

MATERIAL INTERPRETATION

For interiors, finishes, material boards, signage substrates and photo styling. Not for logos or UI.

Charcoal concrete	Limestone ivory	Wet cement	Travertine	Architectural paper	Oxidized bronze	Landscape stone
#1F1F1F	#EBE3D8	#6E6A64	#B9B1A4	#D8D0C4	#8A6A45	#7C8574

02 COLOUR · ACCENTS & ACCESSIBILITY

Colour with a job to do.

Eight digital accents, each with a role: an action, a state, a sub-brand or a project. Never use them for the logo, and never let them outweigh the primaries.

Terracotta
#D9542B
RGB 217, 84, 43
CMYK 0, 61, 80, 15

Primary call to action, keystone markers, cursor, ARISE

Amber
#F2A93B
RGB 242, 169, 59
CMYK 0, 30, 76, 5

Focus states, eyebrows on dark, highlights, BKC ONE, JDC Place

Rose
#E8A598
RGB 232, 165, 152
CMYK 0, 29, 34, 9

Soft backgrounds, Chembur Tower

Sea
#1E5F8C
RGB 30, 95, 140
CMYK 79, 32, 0, 45

JDC Select, Navi Mumbai Waterfront

Deep Sea
#174C70
RGB 23, 76, 112
CMYK 79, 32, 0, 56

JDC Select dark surfaces and text

Teal
#2A8C82
RGB 42, 140, 130
CMYK 70, 0, 7, 45

Success states, confirmations

Sage
#8FA77E
RGB 143, 167, 126
CMYK 14, 0, 25, 35

Landscape, amenities, sustainability

Sand
#E8D3B5
RGB 232, 211, 181
CMYK 0, 9, 22, 9

Warm alternative surface, cards

COLOUR PROPORTION

Primaries ~80% · Accents ~20%



ACCESSIBILITY

Legible for everyone.

All text meets WCAG 2.2 AA: 4.5:1 for body text, 3:1 for large text (24 px+, or 18.7 px+ bold) and UI components.

AAA 7:1+ · **AA** 4.5:1+ · **Large only** 3:1+ · **Fail** below 3:1, never for text.

APPROVED PAIRINGS

Aa	Aa	Aa	Aa	Aa	Aa	Aa	Aa
13.0:1 · AAA Body text, headlines	**13.0:1 · AAA** Text on dark	**8.3:1 · AAA** Labels, CTAs on Amber	**8.3:1 · AAA** Eyebrows, focus on dark	**7.2:1 · AAA** JDC Select body text	**5.4:1 · AA** JDC Select text	**5.1:1 · AA** Terracotta text on light	**10.8:1 · AAA** Text on cards

PAIRINGS TO AVOID FOR SMALL TEXT

Aa	Aa	Aa	Aa	Aa	Aa	Aa
3.1:1 · Large only Terracotta body text	**3.1:1 · Large only** Small text on Terracotta	**4.2:1 · Large only** Small text on Grey	**3.1:1 · Large only** Grey text on Obsidian	**2.1:1 · Fail** Sage text on Ivory	**1.6:1 · Fail** Amber text on Ivory	**1.6:1 · Fail** Rose text on Ivory

Aa

Plus Jakarta Sans

One typeface for everything: headlines, body, labels and wordmarks. Geometric, open and warm, it reads precisely at 9 pt and confidently at the scale of a building.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 ₹ & @ % ( ) “ ” · —

LIGHT	Built for Life ₹5Cr	300
REGULAR	Built for Life ₹5Cr	400
MEDIUM	Built for Life ₹5Cr	500
SEMIBOLD	Built for Life ₹5Cr	600
BOLD	Built for Life ₹5Cr	700

SOURCE
Google Fonts, free under the SIL Open Font License.

FALLBACK
system-ui, -apple-system, “Segoe UI”, sans-serif. Never substitute another display face.

RUPEE
Always the ₹ glyph (U+20B9), set tight to the figure: ₹5Cr, ₹1.25 Cr.

03 TYPOGRAPHY · HIERARCHY

Large, tight, confident.

STYLE	WEIGHT · SIZE / LEADING / TRACKING	SAMPLE, REDUCED SCALE
DISPLAY	SemiBold **Print** 120–180 / 0.86 / –0.06em **Web** 96–230 px / 0.84 / –0.065em	Built for Life
H1	SemiBold **Print** 72–96 / 0.94 / –0.05em **Web** 56–84 px / 0.96 / –0.05em	Built for scale.
H2	SemiBold **Print** 48–64 / 1.0 / –0.045em **Web** 38–56 px / 1.0 / –0.045em	Find your home
H3	SemiBold **Print** 30–36 / 1.06 / –0.035em **Web** 28–36 px / 1.06 / –0.035em	Luxury properties, at the water’s edge
H4	SemiBold **Print** 22–24 / 1.2 / –0.02em **Web** 20–24 px / 1.2 / –0.02em	Key details
EYEBROW	SemiBold, caps **Print** 9–10 pt / +0.22em **Web** 12 px / +0.22em	JDC SELECT · NAVI MUMBAI
BODY	Regular **Print** 10–12 pt / 1.55 **Web** 16–18 px / 1.55	Every home opens to the view, and the light comes in.
CAPTION	Regular **Print** 7–8 pt / 1.45 **Web** 13–14 px / 1.45	Images are artist’s impressions. Plans are indicative.
BUTTON	SemiBold **Print** 9–10 pt / 0 **Web** 15–16 px / 0	Book a site visit →

Sentence case for headlines. No full stops on single-line labels. Never track headlines positively. Never set body below 9 pt in print or 16 px on screen.

04 VISUAL LANGUAGE · GRAPHIC ELEMENTS

The keystone, everywhere.

One shape carries the brand beyond the logo. The keystone, a trapezoid with a 14% taper, is used as a marker, a mask and a structural motif.

MARKER ABOVE HEADLINES

We were shown the slab schedule on our first visit.

34 × 24 px · Terracotta · 20 px above

BULLETS & DIVIDERS

- 1–3 BED residences
- 50/50 payment plan
- 10% on booking

14 × 10 px bullets · 18 × 12 px divider

IMAGE MASK



86 / 14 taper · portrait images

LOGO AS A WINDOW



The mark cut from a solid field to reveal the city. Teasers and launches.

SECTION INDICATOR

One stone per section; the current one in Terracotta.

CSS · mask **clip-path: polygon(0 0, 100% 0, 86% 100%, 14% 100%)** · marker **clip-path: polygon(0 0, 100% 0, 80% 100%, 20% 100%)**

ICONOGRAPHY

Drawn with one line.

22 icons on a 24 px grid with a 2 px safe area: 1.6 px stroke, round caps and joins, no fills. Scale in steps of 16 / 20 / 24 / 32 px. The same line weight as the website.

Location	Phone	Email	WhatsApp	Site visit	Brochure	Floor plan	Area	Bed	Bath	Parking
Lift	Gym	Pool	Security	Landscape	Building	Arrow	Close	Menu	Plus	Minus

✓ Pair with labels; one colour

✗ Mixed weights or colours

✗ Filled or decorative icons

04 VISUAL LANGUAGE · PHOTOGRAPHY

Simple. Clean. Modern. Real.


Show good architecture, clean spaces, natural living and thoughtful construction. Not overly luxury, not too corporate. Grade to natural light and warm neutral tones, correct verticals in post, and label every render “Artist’s impression”.

LIGHT
Natural, soft, directional

TONE
Warm neutrals, gentle contrast

LINES
True verticals; the building is the subject


MOMENTS
Real light, plants, textures, a lived-in warmth



Natural daylight, calm and even



Straight verticals, clear subject




Warm, lived-in, real materials



Calm area for the logo



Over-saturated colour and luxury clichés



Stock-office corporate crowds



Tilted, distorted verticals



Logo over a busy background

Reference images show direction only. Commission original photography of JDC sites for publication.



Built for Life

We don’t just build homes. We build legacies.

This design guide is the short edition of the JDC Brand Guidelines v1.0. Brand strategy, tone of voice, digital UI and motion, applications and the asset checklist live in the full book.

Brand enquiries: [brand@jdcindia.com]
[Office address], Mumbai 4000XX · +91 [XXXXX XXXXX]
www.jdcindia.com