BOEING




Battery Catalog

Your aircraft battery MRO solution

Global Services

Updated November 2020



Boeing (formerly Aviall) at a glance:

As one of the world's largest providers of new aviation parts and related aftermarket services, Boeing markets and distributes products for more than 250 manufacturers.

Boeing offers more than 2 million catalog items from customer service centers worldwide. Boeing also provides maintenance for aviation batteries, wheels and brakes, as well as hose assembly, kitting and paint-mixing services. The company offers a complete set of supply-chain and logistics services, including order processing, stocking and fulfillment, automated inventory management and reverse logistics to OEMs (original equipment manufacturers) and customers.

Contents

Chargers, Analyzers and Dischargers 2-7

Combination Chargers and Analyzers 2

Charging Only 4

Portable Chargers and Trickle Chargers 6

Dischargers and Capacity Testers 7

Service Tools 8-17

Shop Service Kits 8

Cell Pullers 10

Must Have Equipment 11

Test Equipment, Meters and Gauges 13

Shipping Containers 16

Ground Support and Accessories 18-23

Starting Carts and Accessories 18

Replacement Batteries for Start Carts 20

Cables, Heater Kits and Supplies 21

Attachable Portable Plugs and Receptacles 22

Connectors and Receptacles 22

Ground Power Units 23

Sealed Batteries and Battery Packs 24-25

Boeing (formerly Aviall) Replacement Battery Packs 24

OEM Replacement Battery Packs 25

Connectors And Receptacles 26-30

Attachable Handles 26

Concorde Battery Accessories 26

Rebling Connectors 27

Concorde Battery Corporation 31-49

Concorde Battery Specific Data 32-36

Concorde Cross Reference Data 36-49

Enersys/Hawker 50-52

Enersys/Hawker Cross Reference Data 51-52

Teledyne/Gill 53-56

Gill Battery Specific Data 54-56

Marathon/Norco 57-66

Marathon Battery Specific Data 58

Marathon Norco Cross Reference Guide 59-66

Saft Aircraft Batteries 67-96

Saft Bordeaux Battery Cross Reference Data 68-74

Saft US Eligibility Battery Cross Reference Data 75-81

Contact and Marketing Information 82-83

Chargers, Analyzers and Dischargers

Combination chargers and analyzers

Index of terms — charge mode
CC - Constant Current **CP** - Constant Potential **CV** - Constant Voltage **REFLEX** - Term to describe proprietary pulse charge by MarathonNorco Aerospace **DC** - Direct Current **PULSE** - DC pulse with strictly controlled rise time, pulse width, frequency and amplitude.



JFM SuperMasterCharger

- Charges and analyzes NiCad and Lead Acid batteries
- Charges two batteries simultaneously
- Constant Current (1–50AH)
- Discharges two batteries simultaneously (up to 1920 watts)
- Temperature sensing plate included
- Satisfies the requirements of most large (10 A-hr to 100 A-hr rechargeable battery systems
- 24 button keypad to select the test mode, program the test parameters and view status and results

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
9899603001	Full Size Charger/Analyzer	CC/CV/ Peak Stop	208V, 230V, 245 VAC	150 lbs	28"	28.25"	24.75"



Avix Supercharger 60

- Easy to use
- Charges and analyzes all NiCad batteries (1–60 Ah)
- Charges two batteries simultaneously (up to 50 cells)
- Constant current (1–50AH)
- Discharges two batteries simultaneously (up to 1920 watts)
- Lead Acid or NiCad
- Operates as digital voltmeter
- Temperature sensing plate included
- Touchpad rather than wear type contacts

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
SUPERCHARGER60	Full Size Charger/ Analyzer	CC/CV/CP/Peak Xfer/ Peak Stop	115V/208V/230V/245VAC	175 lbs	28”	29”	25”



Christie RF80-M

- Seven inch touch screen display
- Up to 80 Amps ReFLEX® charge, 65 Amps CC/CP charge and 60 Amps discharge
- Manual mode
- Program mode
- Alarm signals at each end of task
- Programmable alert
- DigiFLEX analysis
- Enhanced safety features
- CE tested and certified

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
123020-001	Full Size Charger/Analyzer	CC/CP/ReFlex	115V/208V/230V/245VAC	145 lbs	18.55”	21.5”	11”

Click part number to view shop.boeing.com part page



Christie RF80-K

- Easy to use
- Well organized front panel and simple, accessible controls
- Dual charge (Constant Current)
- Auto discharge (timed and voltage cut-off)
- Lead Acid or NiCad
- Reconditions NiCad batteries
- Unique ReFLEX charging technique
- Exclusive DigiFLEX analysis

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
121630-006	Full Size Charger	CC/CP/ReFlex/DC	187-265VAC, 47-63Hz, 25Ahr max analyzer	175 lbs	28”	29”	25”



CA1550 24 Case Model Aircraft Battery Charger/Analyzer

- Easy to use
- Well organized front panel and simple, accessible controls
- Dual charge (Constant Current)
- Auto discharge (timed and voltage cut-off)
- Lead Acid or NiCad
- Reconditions NiCad batteries
- Unique ReFLEX charging technique
- Exclusive DigiFLEX analysis

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
CA1550CML	CA1550 24V Charger Analyzer in Case	12/24V CC/CP; DC 0-50A; CV 0-25A	115–230 VAC adjustable 50/60Hz	60 lbs	21”	17.5”	8.5”



miniMasterCharger

- Battery backup for short power interruption
- Interfaces with the BTAS-16 computerized test system for monitoring, programming and control
- Discharge Lead Acid or NiCad up to 10Ah (battery packs)
- One year warranty — parts/labor
- Replaces SuperMiniCharger BS1094M (still supported)
- Special Constant Resistance DC mode for packs that specify capacity testing with a resistive load
- Temperature monitoring

Part No.	Description	Charge Mode	AC Input
9891601102	Battery Charger/Analyzer for small battery systems (up to 10A/Hr)	CC/CV/DC/Constant Resistance Load, Capacity Test	115/230VAC, 50-60Hz

Chargers, Analyzers and Dischargers

Charging only



CASP 2500

- Four automatic operating modes
- Charges up to 10 Amps
- Discharges up to 14 Amps
- Charge and analyze/discharge in auto
- Factory pre-programing available
- Up to six batteries channels available
- ReFlex charging
- Easy hook-up and operation via PC
- Epson Printer included

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
121971-001	Pro-Ease Casp 2500 Charger/Analyzer	Reflex, CC, CV	90–135 VAC or 180–265 VAC, Auto Selected	14 lbs	8.75”	14”	4”



BC8000 Cordless Battery Capacity Tester and Battery Charger

- Universal AC power input 90~264vac (47 to 64hz)
- 4 line LCD display
- 10mv voltage resolution
- Audio warning when capacity test is complete or malfunction of the unit
- Over temperature protection
- Real time internal clock with battery backup

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
4168	Battery Capacity Tester and Charger	DC	Universal AC power input 90~264vac (47 to 64hz)	19 lbs	9”	12”	16”



Alpha C-25

- Easy to use instructions on the face
- Adjustable current 0-25 Amps
- Current model has a red case and black face
- Dual digital ammeter and voltmeter: Selectable charge time with digital readout
- Isolated charge — one or two batteries
- Lead Acid or NiCad 12 or 24 V (All up to 50 Amps)
- Partner with Beta D50 for charge and discharge capabilities

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
ALPHAC25	4142 Alpha C25 Charger	CC/CP	115–230 V AC	45 lbs	6”	15”	14”





Gill® GC-024 24VDC Lightweight Battery Charger

- Light weight/high strength aluminum case
- Fully automatic: Three stage charger can be left on the battery for long periods
- Circuit protection: Reverse polarity and short circuit protected (fused)
- Charge status LED's: Power on, charging and fully charged
- UL and CE approved
- Supported with a two year warranty

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
GC024	Light Weight Lead Acid Charger	CP/Float	110-240 VAC@60Hz	2.1 lbs	7.5"	1.9"	3.5"



Gill® GC-012 Battery Charger, 12V

Gill® GC-012 12VDC charger is a light-weight, fully automatic 3-stage charger that can be left on the battery for long periods of time.

- High strength aluminum case
- LED status shows power on, charging and full charging
- Circuit protection against reverse polarity and short circuits
- Charge control that is a modified constant current charge to a constant finishing voltage, then to a float standby
- Power cord length 6 feet and 4 foot
- Charge cord with ring terminals included

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
60148	Lightweight Battery Charger	DC	100-240 VAC @50/60 HZ	1.8 lbs	6.5"	1.8"	3.5"



Gill® TDMC Battery Charger

- Easy to use
- 4 Amp output
- 12 or 24V Lead Acid Batteries preset constant potential charge setting
- Timed Constant Current function
- Adjustable amperage in 0.5 Increments
- Automatic switching from charger mode to float charge
- No calibration required
- Reverse and short circuit protection

Part No.	Description	Charge Mode	AC Input	Weight
TDMC90	TDMC Battery Charger	CC/CV/Float	115-230VAC@50-60Hz, 2 Amps	9 lbs

Chargers, Analyzers and Dischargers

Portable chargers and trickle chargers



Activator 282U

The Activator 282U™ is a direct connect, fully automatic 2 amp charger capable of charging a 24 volt military or aviation battery of any rating from zero to full capacity. It is also a standby maintenance unit without the use of “trickle” charging, thus extending the life and durability of the battery. There is no gassing, heat or other detrimental results of trickle or float charge.

- Extends battery life
- Direct connect or clip style cables
- Microprocessor controlled, multi-step charge algorithm
- Long connection leads

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
282U	Portable 24 Volt Aircraft Battery Charger	CC/CP/Pulse	90-260 VAC	1.5 lbs	4.5"	3.5"	5.5"



Activator 282 Charger for 24 Volt Batteries

- 24V Lead Acid or NiCad batteries
- Attaches directly to battery with no shorts or misconnect via Elcon type connector
- Charges, tops then floats
- Portable and easy to use
- Pulse charges deeply discharged batteries

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
282	Portable 24 Volt Aircraft Battery Charger	CC/CP/Pulse	90-260VAC 47-63Hz	20 oz	4.25”	3.5”	5.25”



TCS-1 Trickle Charger

- Float voltage and maximum charging current
- Lead Acid or NiCad
- Low Current, Constant Current and Constant Voltage charger
- Usable on batteries from 5Ah to 70Ah without readjustment

Part No.	Description	Charge Mode	AC Input
9891007004	TCS–1 Trickle Charger	CC/CV	115VAC (230VAC optional) 50-60Hz

Dischargers and capacity testers



Beta D-50

- CC discharge adjustable from 0–50 Amps
- Selectable discharge time with digital readout, audible alarm at end of test
- Lead Acid or NiCad
- Selectable voltage cutoff
- Partner with Alpha C25 for charge and discharge capabilities

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
BETAD50	Discharge and Capacity Test Unit	DC	AC selector on Rear, 115 or 230 V	30 lbs	10.25”	15”	14”



BC-5000 Cordless Battery Capacity Tester

- Automatic shut off when end point voltage is reached
- Capacity tests all 12 and 24 V Lead Acid batteries
- Powered by battery during test
- Programmable from 10-50 Ah discharge in 1Ah increments
- Results displayed in percent of discharge for ease of interpretation
- Incorporates automatic over temperature protection and protection from reverse polarity set up
- Audio alert when capacity test is complete

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
4163	Cordless Battery Capacity Tester	DC	None Required	10 lbs	9”	12”	10”



TCT1000 Cordless Battery Capacity Tester

- Automatic shut off when end point voltage is reached and protected from reverse polarity set up
- Capacity tests all 12 and 24 V Lead Acid and NiCad
- Powered by battery during test
- Programmable from 10-59 Ah discharge
- Results displayed in percent of discharge for ease of interpretation

Part No.	Description	Charge Mode	AC Input	Weight	Width	Depth	Height
TCT1000	Cordless Battery Capacity Tester	DC	None Required	10 lbs	9”	8”	8”

Service Tools

Shop service kits

Battery Shop Service Kits
Maintenance Kits are provided by Saft and Marathon Norco Aerospace
Kits generally include: Syringe, cell puller, vent caps, o-rings, screws, washers, vent tool, receptacle dust cover and wrench



Marathon Maintenance Kit Standard Battery

Fully stocked maintenance kit for Standard NiCad Battery

Part No.	Description
32480-001	Kit: Maintenance Battery

32480–001 Bill of Material:		
Part No.	**Description**	**Quantity**
32535–001	Case	1 ea
14000–001	Resistor clips	5 ea
33180–001	Hex bit, 3/16 x 3/8 drive	1 ea
31379–001	Shorting clips	22 ea
32515–001	Cell puller, universal	1 ea
25624–001	Vent wrench	1 ea
30938–001	Torx bit, T–30	1 ea
32479-004	Syringe tip, black	1 ea
32479-003	Syringe tip, blue	1 ea
32479-002	Syringe tip, white	1 ea
32479-001	Syringe tip, green	1 ea
32415-001	Syringe 20cc	1 ea





Marathon Maintenance Kit Micro Maintenance (M3) Batteries

Part No.	Description
33178-001	Kit: Maintenance For Aw 139

33178–001 Bill of Materials		
Part No.	**Description**	**Quantity**
32535–001	Case	1 ea
14000–001	Resistor clips	5 ea
31379–001	Shorting clips	22 ea
33177-001	Stud terminal adapter	1 ea
33180–001	Hex bit, 3/16 x 3/8 drive	1 ea
32515–001	Cell puller, universal	1 ea
25624–001	Vent wrench	1 ea
32479-004	Syringe tip, black	1 ea
32479-003	Syringe tip, blue	1 ea
32479-002	Syringe tip, white	1 ea
32479-001	Syringe tip, green	1 ea
32415-001	Syringe 20cc	1 ea

Click part number to view shop.boeing.com part page





Saft Maintenance Kit

Part No.	Description
416161	Tool: Kit Std Battery

416161 Bill of Material:		
Part No.	**Description**	**Quantity**
15528	Universal vent wrench	1 ea
164829	Equalizing resistors	20 ea
105112 (020916–001/ 020915–004)	Syringe	1 ea
416159	Cell extraction wrench M8	1 ea
416159	Cell extraction wrench – M10	1 ea
414724 for MS Valves/ 104184 All Other	Nozzle 38mm	1 ea
410199	Nozzle 33mm	1 ea
15778	Nozzle 24mm	1 ea
16544	Nozzle 20mm	1 ea
14591	Nozzle 15mm	1 ea
14590	Nozzle 12mm	1 ea
104184	Nozzle 20mm for MS Valves	1 ea

Note: For Batteries with CE160952 Type A (mainly used on Eurocopter Aircraft) Use Part No. 416160. Kit contains an additional wrench M22 and M18

Service Tools

Cell pullers

Note: Equivalency letters available



#10 Metric Cell Puller for Saft Batteries

This cell removal tool is designed to be threaded onto the stud of the cell and provides the needed leverage to then pull and remove. It is quick and easy.


Part No.	Description
BS1074M	Cell Puller: 10mm Metric. Same



Cell Puller #8 Metric

No need to ever ruin the threaded studs on your Saft Batteries. Use this cell removal tool. It is designed to be threaded onto the stud of the cell. A quick, easy pull is all you need to then remove the cell. The puller provides all the leverage you will need.

Part No.	Description
BS1075M	Cell Puller: 8mm Metric



Cell Puller Manufactured by Saft for Saft Batteries

- Manufactured by Saft for Saft Batteries
- Call for Price and Delivery- Special Order Item
- See Also BS1074M and BS1075M

Part No.	Description
416159	Tool: Wrench, Cell Puller



BS1032P

Cell Puller for Marathon Batteries

Designed for Marathon Batteries. This cell removal tool is designed to be threaded into the cell, it provides the needed leverage to then pull and remove the cell. This tool makes a hard job quick and easy.

Part No.	Description
BS1032P	Cell Puller #10–32 Female — Designed for Marathon Batteries
BS428P	Cell Puller 1/4 — 28 Female — Designed for Marathon Batteries



Cell Puller for Marathon Batteries

- Manufactured by Saft for Saft Batteries
- Call for Price and Delivery- Special Order Item
- See Also BS1074M and BS1075M

Part No.	Description
32515-001	Tool: Cell Puller

Must have equipment



Battery Hardware Cleaning Basket

- Keeps a batteries hardware together for thorough cleaning
- Used properly, this cleaning basket safely protects small parts from accidentally being lost in the plumbing

Part No.	Description
BS497P	Washbasket: Hardware, Battery



Go-No-Go Gauge

- For Elcon disconnects only
- Not for use with Rebling equipment
- Used to measure the I.D. of Elcon and Cannon type female battery connectors to verify correct electrical contact with the male connector on the battery

Part No.	Description
BS1073M	Gauge: Go-No-Go

Universal Vent Valve Wrench for NiCad Batteries

Don't waste any more time trying to find the cap wrench that fits your battery.

- Handy tool for adjusting vent caps
- Fits all batteries:, Saft, Marathon, Eagle Picher and others
- Specially made for multiple battery owners

Part No.	Description
700260	Vent: Wrench

Saft Vent Valve Wrench

Part No.	Description
413876	Tool: Wrench, Vent

MarathonNorco Vent Valve Wrench

Part No.	Description
25624-001	Wrench: 2 Ends



Resistor Clips

- High tensile steel
- Sold in packages of 20
- 1 OHM, 5 watt
- A must have for every NiCad service facility

Part No.	Description
BS2183	Clip: Ohm



Shorting Clips

Sold in packages of 20

Part No.	Description
BS20SC	Clip: 20pk



Saft Shorting Clips

Special order item

Part No.	Description
022069-000	Clip: Battery Shorting



Marathon Shorting Clips

Sold individually

Part No.	Description
31379-001	Clip: Shorting, Electrical



Saft Vent Valve Tester

Part No.	Description
024398-000	Adapter: Vent Valve



Saft Vent Valve Tester

Part No.	Description
025098-000	Adapter: Vent Valve

Service Tools



Battery Carrier Sling

- Epoxy coated steel ends hook over battery vents
- Flexible polyester webbing is comfortable to hold
- Rated in excess of 200 lbs
- Safe, non-conductive webbing
- Great for handling batteries in difficult locations

Part No.	Description
BS2284	Strap: Carry, Battery



Plain Receptacle Cover

Part No.	Description
700220	Cover: Dust



BTP01-50 Universal Battery Temp Plate

The BTP01-50 is designed to monitor temperature of batteries placed on it. Automatically shuts down the charger in the event the temperature exceeds 50 degrees Celsius. Audible and visual alarms combined with auto power off enable user to reduce monitoring while charging batteries.

- Auto shut off
- Manual reset
- 120 V 15 amp AC
- Audio & visual alarms
- Plate dimensions 10” X 10” X 3/8”

Part No.	Description
BTP01-50	Plate: Temp, Battery, 120v, 15a



FR-1 Aircraft Hydrometer

- Glass shaft with rubber bulb
- Designed for aircraft flooded lead acid batteries
- Requires only a small amount of fluid
- Ideal for close quarters

Part No.	Description
FR1	Tester: Hydrometer



Parasitic Tester

Concorde Battery’s Parasitic Load Tester Adaptor (PLTA) used in conjunction with a digital multimeter (DMM) will measure the parasitic load on aircraft batteries when the master switch is off and the aircraft is inactive. The adaptor is designed to mate with a MS3509 style quick disconnect receptacle. The innovative PLTA was conceived and engineered in response to concerns in the aviation community about the effect of parasitic loads on battery capacity, state of charge, airworthiness and battery life.

- Measuring parasitic loads is easy to do by connecting Concorde’s PLTA between the battery receptacle and the aircraft mating plug then connecting the tip-jacks to a DMM
- Rated for loads up to 10 amperes and equipped with a 10 amp fuse

Part No.	Description
4102	Tester: Load, Parasitic

Service Tools

Test equipment, meters and gauges

Temp Sensor Testing Unit

- Easy to use
- Designed to ensure your NiCad battery temp sensors are fully functional to manufacturer's specifications
- Includes heat chamber, digital thermometer, sensor wand and complete sensor specification cross reference

Part No.	Description
BS2185	Chamber: Test, Temp Sensor



Christie's DataFX

- Battery measurement and documentation device
- Monitors cells and records cell readings throughout the service process
- Associated printer will provide a hard copy of cell readings as programed
- For more information refer to the product documentation at www.mptc.com

Part No.	Description
121711-004	Pro Ease Datafx



Fluke 177

Fluke Brand Multimeters


- 0.3% basic accuracy
- Digital display with analog bar graph
- Automatic touch hold
- Resistance, continuity and diode measurements
- Sleep mode preserves battery life
- Lifetime warranty

Call the Battery Shop for price, delivery and latest model

Model	Description	Current Amps AC/DC	Resistance (Ohms)	Basic Accuracy	True RMS	Comment
Fluke 177	1000/1000	10/10	50M	.09% plus/minus 2 Counts	Yes	Used as Standard on Boeing (formerly Aviall) Bench

Service Tools





Sample ABATS Screenshot



Bonnet



Universal Clips

ABATS

ABATS is a computer aided battery maintenance tracking system that provides the user with the technology to accurately monitor and record individual cell voltages and water consumption during a NiCad service cycle. ABATS provides the same functionality and performance as our ADAS system, but with a new design and user interface and better data storage and reporting capabilities.

- All Batteries up to 22 Cells
- All Cell readings taken quickly at once
- Chart and graphs make analysis of results quick and easy
- Reporting and Network capabilities

System Includes:

- Software
- 12 months subscription to updates
- 1 bonnet of choice (universal or custom)
- 1 bonnet interface cable
- 1 USB interface box

Part No.	Description
ABATS	Tester: Battery System

See page 15 for complete listing of bonnets



ABATS H20 Accessory©

ABATS is a computer aided battery maintenance tracking system that provides the user with the technology to accurately monitor and record individual cell voltages and water consumption during a NiCad service cycle. ABATS provides the same functionality and performance as our ADAS system, but with a new design and user interface and better data storage and reporting capabilities.

- ABATS accessary
- Provides repeatability and accuracy
- Automatically fills NiCad cell to proper level and records the amount of water added into the ABATS system
- Water data recorded in ABATS with time stamp and totalized on final report
- Data can be utilized to increase battery on-wing time, reducing maintenance costs

Note: H_20 accessory is not a stand alone system. Must interface with ABATS.

Part No.	Description
BS426	Tester: Battery,H20 Box, ABATS

ABATS Bonnet Listing			
Part No.	**Description**	**Additional Information**	**Battery MFG**
BS2211	BONNET; ABATS, LEXAN	4076,40576,40776,4078,401176,2758,4059,4017CH3	SAFT
BS2213	BONNET; ABATS, LEXAN	237,623,576,237,823,000	SAFT
BS2219	BONNET; ABATS, LEXAN	SP400,MA05-20, SP747,TSP286	MARATHON
BS2221	BONNET; ABATS, LEXAN	MA5(19 CELL)	MARATHON
BS2212	BONNET; ABATS, LEXAN	1656	SAFT
BS2218	BONNET; ABATS, LEXAN	1756	SAFT
BS2215	BONNET; ABATS, LEXAN	SP1700	MARATHON
BS2216	BONNET; ABATS, LEXAN	CA727-20	MARATHON
BS2217	BONNET; ABATS, LEXAN	DC9-MD80 11-CELL(NOT FOR ULM)	SAFT/MARATHON/GE
BS2214	BONNET; ABATS, LEXAN	SP170A	MARATHON
BS2255	BONNET; ABATS, LEXAN	2520	SAFT
BS2257	BONNET; ABATS, LEXAN	1606	SAFT
BS2256	BONNET; ABATS, LEXAN	16156	SAFT
BS2246	BONNET; ABATS, LEXAN	CA154-1	MARATHON
BS2254	BONNET; ABATS, LEXAN	2026	SAFT
BS2261	BONNET; ABATS, LEXAN	20126	MARATHON
BS2248	BONNET; ABATS, LEXAN	CA21H-20	MARATHON
BS2241	BONNET; ABATS, LEXAN	SP900,BTCA9-20,TSP941	SAFT
BS2258	BONNET; ABATS, LEXAN	4579,539CH	SAFT
BS2260	BONNET; ABATS, LEXAN	4000A1-1H	MARATHON
BS2267	BONNET; ABATS, LEXAN	STMA9	SAFT
BS2268	BONNET; ABATS, LEXAN	5103	SAFT/GE
BS2272	BONNET; ABATS, LEXAN	43B050LB03 (11 CELL)	MARATHON
BS2275	BONNET; ABATS, LEXAN	MA2	MARATHON
BS2285	BONNET; ABATS, LEXAN	CA54	SAFT
BS2288	BONNET; ABATS, LEXAN	12101	SAFT
BS2289	BONNET; ABATS, LEXAN	4608-1	MARATHON
BS2290	BONNET; ABATS, LEXAN	CA101	SAFT
BS2295	BONNET; ABATS, LEXAN	2353-1	MARATHON/SAFT
BS2252	BONNET; ABATS, UNIVERSAL	All Models	ALL

Service Tools

Shipping containers

ATA 300 Spec Shipping Containers

Bill Thomas Associates, Inc. provides protective solutions for your Aircraft Rotables. Each Container is specially made to accommodate any component.

- Ship DG with confidence
- UN 2795 Haz-Mat compliant
- ATA 300 Category 1 containers are effective for at least 100 trips
- Triple-seal Tongue & Groove (patent pending)
- X-link P.E. resists puncture and cracking
- Chemical and leak resistant
- Customized interiors
- No sharp corners or splinters
- Customized, full-color permanent exterior graphics available

Call your local Boeing Battery Shop with your battery OEM, Part No. and quantity, we will provide you with a quotation



BTA-M6 open and BTA-14001



BTA-M4 and BTA M5

Part No.	Battery Part No.	Notes
BTA-M4-1	2758	
BTA-M4-2	40176-6, 401176-9, 40678-2, TSP 410, 40576, 40176-7, 30874-001 BTSP-400, 9750W0370, 4037CH,TSP-408L, 1152112-2, 32441	
BTA-M4-4	12277-2, BTSP-179, TSP-1708L 1152268-1-1, 32472	
BTA-M4-6	43B050LB01	
BTA-M4-7	4579, 024147-000(539CH-1),BA35-01	
BTA-M4-8	23180, 23186, CA 727-20, 2376, SP-900,SP-276	
BTA-M4-9	4059, 4078, 4037CH,40178-24, 431CH24	
BTA-M4-10	1656-6, 1658	
BTA-M4-13	Generic, No Specific P/N	
BTA-M4-14	Combi, 4076 & 1756	Holds Either/Or
BTA-M4-15	4076 Series, 4071-1, 405CH1	
BTA-M4-16	BA27-01/BA101-2 (777), ACME 263BA101	
BTA-M4-17	CA54-01/CA154-01, 23661-001, CA-101N	
BTA-M4-18	CA54-02 (-02 and up)	
BTA-M4-19	024055-000, BA34-02, 427CK-1 (GL511-2301-5)	
BTA-M4-20	024054-000, 2353-1, 9750W0640, 2726CH1, 257CH9, BA3401 (GL511-2201-5)	
BTA-M4-23	30874-0001	
BTA-M4-24	23498-1, 23491 (BAe146)	
BTA-M4-25	505CH, 5347CH1 (024797-000)	
BTA-M4-26	Combi, 4078-3 Dual 1756-3 (4078-3) (176CH3 is ULM 1756-3), 4318ch24 (replaces 40178-24) 024453-000 or 024637-000	Holds Either/Or
BTA-M4-27	447CH7 & 4078-7	
BTA-M4-31	Gill 641S (For Helicopter), 151CH1	
BTA-M4-32	1606-1	
BTA-M4-37	1756 OR SP-170	
BTA-M4-40	5317CH1	
BTA-M4-41	4078 or RG380 or 1756 w/insert	
BTA-M4-44	1159SCAV519-1 (5317CH1)	
BTA-M4-48	Sealed battery P/N 9750W0350. (UN2800), 1756-3	
BTA-M5-1	BTSP-4445L (32248-001)	
BTA-M5-3	2/ea MD80 batteries	
BTA-M5-17	12101, 225BS101-1	
BTA-M5-19	83856-902 (787 Lithium)	Different Price Category
BTA-M5-22	9750W	
BTA-M5-23	TED UN3481 LI-ION Battery in Equipment	
BTA-M6-1	450VH1, 774403-03	A350

Battery Approved Maintenance Organization in Toronto, Canada



Did You Know Boeing (formerly Aviall) has a battery Approved Maintenance Organization (AMO) in Toronto?

The new AMO is Transport Canada approved and is authorized to service all Saft, Marathon, Concorde, Hawker Energy and Securaplane batteries.

Additional capabilities include:

- Deep cycle, top charge, cleaning, reblocking, regular service, overhaul, test and recertification. No matter what level of service you require, Boeing supports the maintenance of many types of main, auxiliary and emergency power supplies.
- When you purchase a battery from Boeing, our extensive inventory allows us to perform the initial charge required for installation and have your battery ready for shipment the next day.

Saft Approved

For more information, call: **1-800-284-2551**

North America & AOG: 1-800-284-2551
International Sales: +1-972-586-1564
Airline Sales: 1-800-284-2559

shop.boeing.com/aviation-supply

Ground Support and Accessories

Starting carts and accessories

Boeing (formerly Aviall) DC Start Carts
All of our carts have a full year warranty IPC, CMM and drawings included Heater Blanket optional The AMP Hour (Ah) rating indicates approximately how many starts you can expect between charges



The Big Bee 28.5 V Starting Cart

The Big Bee is designed for private owners, corporate operators and FBOs.

- 28.5 volts of “pure” DC (no AC ripple)
- Designed for use on all aircraft, 12 or 24 volt
- Repeatedly gives quick, efficient starts
- Expect 20–25 starts between charges
- External 28 volt charger with 11–hour timer and ammeter included
- 11 foot main 4/0 heavy duty starting cable included
- Pneumatic 12” tires with roller bearings and grease fittings
- 12 volt isolated receptacle, 12 volt cable with alligator clips included

Part No.	Nominal Volts	Charger Voltage	Capacity	Cold Cranking Amps	Shipping Wt. (pounds)	Length (inches)	Width (inches)	Height (inches)
BIGB	28 V DC	110	340 Ah	1400	520	49	31	30
BIGBEXP	28 V DC	230	340 Ah	1400	520	49	31	30
BIGBEXPD*	28 V DC	230	340 Ah	1400	520	49	31	30

* Acid packaged separately



The Super Bee II 28.5 V Starting Cart

The Super Bee II is designed for all turbine and piston aircraft.

- 28.5 volts of pure DC starting power (no AC ripple)
- 25-35 starts between charges
- Illuminated capacity gauge
- 10 foot Main 4/0 heavy duty starting cable included
- Pneumatic tires and castors with roller bearings
- 12 volt cable with alligator clamps
- Designed for quick, cool starts every time
- External 28 volt charger with 11–hour timer and ammeter included

Part No.	Nominal Volts	Charger Voltage	Capacity	Cold Cranking Amps	Shipping Wt. (pounds)	Length (inches)	Width (inches)	Height (inches)
SUPERBII	28 V DC	110	680 Ah	1400	1090	48	32	48
SUPERBIIEXP	28 V DC	230	680 Ah	1400	1090	48	32	48
SUPERBIIEXPDRY*	28 V DC	230	680 Ah	1400	1090	48	32	48

* Acid packaged separately



The Bumble Bee 28.5 V Starting Cart

Top of the line in pure DC start carts.

- Towable cart
- 28.5 volts of pure DC power
- 25-35 starts between charges
- Heavy-Duty tow bar locks front wheels when up
- Pneumatic 16" tires with roller bearings
- Operates on 110 VAC
- Charger is built into cart
- Illuminated capacity gauge.
- 11 foot main 4/0 heavy duty starting cable included
- 12 volt DC isolated receptacle, 12 volt cable with alligator clips included

Part No.	Nominal Volts	Charger Voltage	Capacity	Cold Cranking Amps	Shipping Wt. (pounds)	Length (inches)	Width (inches)	Height (inches)
BUMBLEB	28 V DC	110	680 Ah	1400	1362	56	43	48
BUMBLEBEXP	28 V DC	230	680 Ah	1400	1362	56	43	48
BUMBLEBEXPDRY*	28 V DC	230	680 Ah	1400	1362	56	43	48

* Acid packaged separately



FoxCart Power Cart

The FoxCart Power Cart features an all-steel chassis frame with three-piece box siding. Handles at each end enable movement, and the power cables can either be wrapped around them or coiled on top of the unit for storage. Both power cables are clamped internally to the frame to reduce strain.

- Power cable can be coiled on top or wrapped around the handles for easy storage
- Heavy duty caster wheels that can be locked in place to prevent movement
- Reverse current protection
- Output power is adjustable between 24 VDC - 32 VDC in seven (7) position steps
- Standard FoxCart includes a 50 foot 4/3 wire AC cable with a Hubbell 3100P6W connector and a 15 foot 2/0 DC cable with Anderson aircraft connector.

Part No.	Input voltage	Output voltage	Current (Peak)	Current (continuous)	Shipping Wt. (pounds)	Length (inches)	Width (inches)	Height (inches)
FC1200-1	208V-240V 1Ø	28	1200	600	550	50.5	30	31.5
FC1600-1	208V-480V 3Ø	28	1600	800	550	50.5	30	31.5
FC2000-1	208V-480V 3Ø	28	2000	1000	550	50.5	30	31.5

Ground Support and Accessories

Replacement batteries for start carts

Replacement batteries are specially designed for the battery cart application and are not interchangeable with other 8D batteries.

They contain:

- Hotter acid (1.285 specific gravity)
- More and longer plates
- Provides a unique cranking performance for all jets

Part No.	Starting Cart	Number Required
BS080PD	BigB	2
BS166PD	BigB	1
BS080PD	SuperBII	4
BS081PD	SuperBII	1
BS080PD	BumbleB & Others	4
BS081PD	BumbleB & Others	1

Replacement Battery — Limited Warranty

All Boeing (formerly Aviall) batteries are warranted for 90 days against defects in materials and workmanship. Thereafter, batteries are warranted for a total of one (1) year or a pro rata adjustment basis against failure, except where such failure is due to abuse, neglect, breakage, freezing, overcharging or undercharging.



BS080P Replacement Battery

- For use on BigB, BumbleB, and SuperBII Carts
- Requires 18 qts of acid

Part No.	Description	Volts
BS080PD	Replacement Battery	12



BS081P Replacement Battery

- For use on BumbleB or SuperBII carts
- Requires 12 qts of acid

Part No.	Description	Volts
BS081PD	Replacement Battery	8



BS166PD Replacement Battery

- For use on BigB carts
- Requires 6 qts of acid

Part No.	Description	Volts
BS166PD	Replacement Battery	4



DT



DT3QT

Electrolyte

- For use in Boeing (formerly Aviall) start cart batteries

Part No.	Description	Volts
DT	Battery Acid 2 Quart Pack	1.285
DT3QT	Battery Acid 3 Quart Pack	1.285

Cables, heater kits and supplies



Heavy Duty Jumper Cables

Used to jump light aircraft from an Boeing (formerly Aviall) battery cart.

Part No.	Description
BS095P	Cable: Battery Cart,12v



110368G2E



112080G2

Cable Assemblies and Cable Ends

Used to jump light aircraft from an Boeing (formerly Aviall) battery cart.

Part No.	Description	MILSPEC
110368G2	3-pole body attachable	MS25488
112080G1	3 pole connector kit – 1/0	MS25488-25
112080G2	Pole connector kit – 2/0	MS25488-26
112080G3	3 pole connector kit – 3/0 and 4/0	MS25488-27
R65G3B10	10' cable 4/0	MS90347-10
R65G3B15	15' cable 4/0	MS90347-15
R65G3B20	20' cable 4/0	MS90347-20
R65G3B25	25' cable 4/0	MS90347-25



R65G3B10

Battery Cart Heater

Part No.	Description
BS2138	Heater kit for BigB
BS2139	Heater Kit for BumbleB
BS2136	Heater Kit for SuperBII

Battery cart heater. At zero (0° F) degrees, our heaters will warm-up our carts to 50° F, and increase the battery capabilities by 200%

Ground Support and Accessories

Attachable® portable plugs and receptacles



R65G1E

DC Attachable 3–Pole Portable Plugs/Receptacles

- Crimped or cable-soldered contact lugs
- Machined copper power contacts to reduce contact resistance
- MANUFACTURED TO MS25486 SPECIFICATIONS AND QUALIFIED TO MIL-C-7974D.
- Molded of Hypalon® (DuPont)
- Resistance to moisture and chemicals
- Stands up under severe wear and tear
- 28v DC

Complete Portable Plug Part No.	Grommet Kit Only Part No.	Portable Receptacle Part No.	Cable Accommodations	Cable Type
R65G1E	**112080G1**	**R68G1E**	Two #1/0 single conductor	MIL-C-5756
R65G2E	**112080G2**	**R68G2E**	Two #2/0 single conductor	MIL-C-5756
R65G3E	**112080G3**	**R68G3E**	Two #4/0 single conductor	MIL-C-5756
R65G9E	**112080G9**	**R68G9E**	Two #2/0 single conductor	Welding 0.66

Connectors and receptacles



R65G1E

DC Aattachable 3–Pole Portable Plug

R71 series Attachable® 3 pole plugs, 28 V DC.
Manufactured to MS25487 specifications.

Complete Portable Plug Part No.	Grommet Kit Only Part No.	Description	Cable Accomodations	Cable Type	Figure
R71G5E	**112085G5**	Oval front	2 #4/0 single conductor and 1 #10 conductor	MIL-C-5756	C
R71G6E	**112085G6**	Rectangular front	2 #4/0 single conductor and 1 #8 single conductor	MIL-C-5756	B

Plug with Set Screw

- Garter springs increase mating pressure and connection reliability
- The R121 plug features the convenience of a no-crimp, no-solder, set screw termination
- Mated connectors are sealed by integrally-designed gaskets
- Mechanisms are encased in durable Hypalon® insulation housing
- Socket-type contacts reinforced with stainless steel garter springs

Part No.	Description
R121	Plug: W/Set Screw



4627B

AC Power Receptacles – 6 Pole

- Bases molded of glass-reinforced material for low moisture absorption and high strength
- Copper power and brass control contacts are machined and silver-plated to MS tolerances
- Shield is of anodized aluminum to guide plug insertion and guard against misalignment (where applicable).
- Studs and contact nuts for lug connections are located at the rear of the receptacle
- Power terminal studs have 3/8-24 thread. Control terminal studs have 10-32 N.F. thread
- Provide compact, weather-tight connections for quick indoor or outdoor battery charging
- Recommended wherever hydraulic fluids, oils, acids, and other potentially-destructive elements shorten a connector's life
- Corkscrew locking plugs and receptacles

Part No.	Military Part No.	Description	Assemblies
4627B	MS90362-3	Receptacle only	R67 (MS25486) plug and MS903287 cable assy.
4628B	MS90362-4	Receptacle with rear cover and shield	R67 (MS25486) plug and MS903287 cable assy.
4631B	MS90362-1	Receptacle with shield and fine thread terminals	R67 (MS25486) plug and MS903287 cable assy.
4654B	MS17845-1	Shield only	R67 (MS25486) plug and MS903287 cable assy.

Battery Connector R125

Part No.	Description	Amps Continuous	Volts	AWG Cable Sizes
R125G2	R125 plug with conical lug	65	600	#8
R125G3	R125 plug with conical lug	95	600	#6
R125G4	R125 plug with conical lug	125	600	#5-4
R125G7	R125 plug with conical lug	230	600	#1/0
R125G10	R125 plug with conical lug	360	600	#4/0

Receptacle

Part No.	Description	Charge Mode	AC Input
4657B	4657 Receptacle	360; 600 continuous volts	AWG Cable Size 10-4/0

Ground power units



Part No.	Description
121834-001	R-400 Mobile GPU

Christie — R-400 28 V DC Ground Power Unit

The Rectodyne Model R-400 serves a broad range of aircraft ground power needs. Provides regulated DC power for avionics and lighting systems. NSN: 6130-01-462-5927

Features & Benefits

- 400 amps continuous, 2,000 amps peak for turbine spooling
- Adjustable output current limiting and output voltage
- Automatic thermal protection and RFI Suppression
- Convenient cable hooks, and casters for easy movement
- Easy maintenance access
- Easy-view slanted front panel
- Fan failure protection
- Remote ON-OFF capability
- Weatherproof package includes rugged analog meters
- Worldwide, 3-phase 50/60 Hz AC input
- Output Current Limiting: Front panel 6-position switch
- Output Current Measurement: Front panel meter, 0-2,400 A DC
- Output Voltage: Front panel 6-position switch
- Output Voltage Measurement: Front panel meter, 0-50 V DC

Sealed Batteries and Battery Packs

Boeing (formerly Aviall) replacement battery packs — FAA/PMA approved

121.5 ELT Replacement Battery Packs

Made in small batches to ensure optimum shelf life



BS2166



BS2190



BS2173

Part No.	ELT Unit	D&M	Artex	Merl	Piper	Narco	Cessna	Leigh
BS2166	Narco ELT10		00-10-006 00-10-009	BP1010	758-452	57674-0001 50659-0101		
BS2190	Sharc 7 & Deft		00-04-006A	BP-1015			C589510-2010	00-04-006
BS2173	D&M ELT6	DMU158-1	00-60-62	BP1020			C589511-0103 C589511-0107 C589511-0113 C589511-0114 C589511-0117	
BS2173	D&M ELT8.1	DMU158-1						
BS2173	D&M ELT14-1	DMU158-11						



Replacement Battery Pack

- PMA replacement for Page C366-01-100
- Installs in Page Assembly D366-04-001

Part No.	Description
BS2197	Page pk

OEM replacement battery packs


3214-31


3301-31

Diehl Battery Packs

Part No.	Description
3214-31	Diehl Pack
3301-31	Diehl Pack



Goodrich Lighting System

Part No.	Description
C734-01-030	Page pack

Radiant Power Corporation



The 2013-1A Battery Pack is used on Radiant BPS7-3 and RPS1-8 systems, and the Bruce 100865 lighting system. EMB135, EMB145 and Bombardier RJ Emergency Exit Light Power Supply.

- NiCad, Dry, Emergency, 1.2V, Rechargeable

Part No.	Weight	Width	Length	Height
2013-1A	2.66 lbs	6.44"	12.5"	3.13"

Battery Pack



Used to repair 2013-1A

- Replacement cells for 2013-1A Battery Pack.
- Set of 6 cells with welded tabs.
- For use on BPS7-3, RPS1-8 and 100865 Power Supply Assemblies.

Part No.	Description
2017PK	Battery: Cell, Rechargable, 6pk

Honeywell-Grimes Battery Pack


61-0478-9

NiCad, Sealed

Part No.	Weight	Width	Length	Height
61-0478-9	1.768 lbs	4"	12"	3"
61-0478-11	1.89 lbs	3"	4.07"	12.25"

Underwater Acoustic Beacon



The DuKane underwater acoustic beacon is designed to generate a 37.5 kHz signal that radiates underwater to a distance of about 2 miles.

- Works to a depth of 20, 000 feet.
- Operated by a field replaceable lithium battery, part number 8102007K
- Meets MIL-I-45208A

Part No.	Description
DK100	Beacon: Acoustic, Underwater

Underwater Acoustic Beacon



The DuKane underwater acoustic beacon is designed to generate a signal that radiates underwater to a distance of about 2 miles.

- Works to a depth of 20, 000 feet.
- Operated by a field replaceable lithium battery.
- Meets MIL-I-45208A. FAA TSO-C121 and British CAA AR-01085 Approved.
- Also approved by the U.S. Navy and Government/Military installation (NWSCESD91-103)

Part No.	Description
DK120-90	Beacon: Acoustic, Underwater, 90-Day

Connectors and Receptacles

Attachable handles

Anderson Attachable Handle

- Attachable® handle for 400 Hz ground power connectors.
- Designed to protect the power connector
- Impervious to jet fuel, Skydrol®, glycol, water, and other aircraft fluids
- Light weight (2lbs/1kg) and exceptional impact characteristics
- No control boxes required for cable assembly
- Optional switches
- Replaceable, weatherproof switches control ground power and the cable retriever at the connector
- Used as a convenient hand grip for engaging and disengaging, reducing strain on the connector during handling

Part No.	Description
30G1	Anderson Attachable Handle Assembly, Non-electrified

Concorde battery accessories



CBP3349-2W — Two Wire Elcon Style Connector

- Equivalent to MS3349-2
- Elcon products BD16-1
- Rebling Plastics 7003 (with shell installed)

Part No.	Description
4002	Connector: Battery, Elcon



Two Wire Cannon Style Connector

- Equivalent to MS3349-3
- Rebling Plastics 8003

Not PMAd

Part No.	Description
4010	Connector: Battery, Cannon

Rebling connectors



Rebling Quick Disconnect Plugs

- Accommodates rapid connection and release of battery electrical load
- Four-wire design per MS25182–2
- Mates with Rebling's type 7002 aero-battery receptacles (and all others meeting MS3509)
- Corrosion resistant stainless steel shaft and fasteners
- QPL listed per MS25182–2 and MIL-P-18184

Part No.	Description
7007	Connector: Battery



Rebling Quick Disconnect Plugs

- 7016 body molded from a chemically resistant and heat resistant plastic
- Designed to mate with all MS3509 style (Rebling's 7002 series) receptacles
- 7016 is identical to Rebling's 7017 disconnect except the cover length is shorter providing clearance for auxiliary connectors mounted on the battery
- Compensation for part-to-part dimensional variations and relative mating receptacle contact pins motion
- Engagement with the receptacle is accomplished by rotating a "T" shaped handle into a detent position
- Embossed body polarity markings and a molded keyway ensure correct polarity is achieved with the mating receptacle
- Large contact area of silver-plated copper alloy across socket-receptacle pin interface produces very low electrical losses
- The 7016-1 has a "T" shaped handle, while the 7016-2 has a round knob

Part No.	Description
7016-1	Quick Disconnect T Handle
7016-2	Quick Disconnect Round Handle

Connectors and Receptacles



Rebling Quick Disconnect Plugs

- 7017 is identical to Rebling's 7016 disconnect except the cover length is shorter providing clearance for auxiliary connectors mounted on the battery 7017–1 has a "T" shaped handle while the 7017-2 has a round knob
- 7017 is a two-wire connector designed to mate with all MS 3509 style (Rebling's 7002 series) receptacles. It is QPL listed per MS 3349-2
- 7017 body molded from a chemically resistant and heat resistant plastic. Molded Keyway, embossed body polarity markings and embossed torque values
- Large contact area of silver-plated copper alloy across socket-receptacle pin interface produces very low electrical losses
- Low insertion forces and minimal wear on both the shaft and sockets
- Protective coverings over the socket area are molded from the same heat resistant plastic as the body
- Self aligning
- The hardened stainless steel locking screw has been tested to withstand 5000 engagements with the mating receptacle

Part No.	Description
7017-1	Quick Disconnect T Handle
7017-2	Quick Disconnect Round Handle



Rebling Aero Battery Receptacles

- 7002 Style 1 Aero Battery Receptacle is a two-pin type receptacle conform to MS3509 style 1 and are on the Qualified Products List (QPL) per MIL-E-81099
- Attached directly to the battery housing
- Available with hollow or threaded post electrical connections (available with Terminal Adapters)
- Color coded, pink for lead acid and blue for nickel cadmium type batteries
- Designed to mate with Rebling's Series 7000 Quick Disconnects and those conforming to MS25182-2 and MS3349-2
- Hollow or Threaded posts
- Shaped to insure correct polarity is maintained when connecting the battery to the system
- Variety of Terminal Adapter configurations

Part No.	Description
7002-3	Hollow Posts
7002-7	Blue Threaded Posts

Annual On-Site Battery Charger Calibration

Now Available from Boeing (formerly Aviall)

Boeing has Calibration Technicians available to perform on-site calibration and simple repairs on your battery charging equipment.

Battery chargers must be calibrated annually! Reduce your shipping costs, down time and lost revenue by calling Boeing to have your shop put on the schedule for annual on-site calibration. While on site at your location, the technician can also perform simple charger repairs and provide basic training in the use of chargers and other battery shop equipment. If extensive repairs or overhauls are required, those repairs can be completed in our MarathonNorco/Christie, JFM authorized Factory and Power Products Repair Facility and Warranty Center in Dallas, Texas..

Brands include: Christie, Avix JFM, Power Products, Concorde BC Series and Gill TCT Series.



Instruments will be calibrated using standards whose accuracies are traceable to the National Institute of Standards and Technology within the limitations of the type of self-calibration techniques. Their calibrations system complies with ISO9002, ANSI/2540 and ISO 100112-1

For more information, call: **1-800-284-2551**

North America & AOG: 1-800-284-2551
International Sales: +1-972-586-1564
Airline Sales: 1-800-284-2559

shop.boeing.com/
aviation-supply

SAFT and Marathon Approved Ni-Cad 40-Hour Training Course

Battery certification course:

Boeing's battery school supports the aviation battery industry by training battery repair professionals in our FAA, Saft and MarathonNorco approved 40-hour course for Battery Repairman Certification and in IA renewal workshops.

Click HERE to learn more or complete the form below.



School Date: _____

Student Name: _____

Company Name: _____

Address: _____

Phone: _____

Email: _____

Acct Number: _____

PO: _____

*If you wish to cancel, you must do so 30 days in advance of the school date. If you do not, you will forfeit the $1100 USD registration fee. No applications are confirmed until payment is received.

Classes are held four times annually:

- April 19-23, 2021
- July 19-23, 2021
- September 20-24, 2021
- November 8-12, 2021

Classes are held Monday - Thursday, 8:00 a.m - 5:00 p.m. and Friday, 8:00 a.m - 12:00 p.m.
2755 Regent Blvd, DFW Airport, TX 75261
(972) 586-1850

If paying by check ($1100), please mail to:*
Boeing
Attn: Jay Sumner
8045 Woodley Ave.
Van Nuys, CA 91406 USA
Phone: (818) 997-5070
Email: jay.a.sumner@boeing.com

Questions Covered:

- "Why do Ni-Cad's need to be serviced?"
- "What techniques make them last longer?"
- "What kind of charger/analyzer do I need?"
- "What is Ni-Cad memory or fade?"
- "Is constant current charging better than..."
- "How are temperature sensors tested?"

Training Included:

- Basic battery electronics
- State of the art documentation
- Charging
- Discharging
- Overhaul
- Charger theory
- Safety
- Lead-Acid theory
- Hands-on application
- EPS theory
- Ni-Cad sealed cell service
- New equipment update
- Experienced staff
- Continued support

For more information, call: **1-800-284-2551**

North America & AOG: 1-800-284-2551
International Sales: +1-972-586-1564
Airline Sales: 1-800-284-2559

shop.boeing.com/
aviation-supply

Concorde® Battery Corporation

For over 40 years, Concorde Battery Corporation has designed and manufactured application specific valve regulated sealed lead acid batteries for commercial and military aircraft in West Covina, California and Austell, Georgia. Concorde batteries are used as Original Equipment on a large variety of aircraft; a result of a proven reputation for unmatched performance, quality, safety and reliability.

Concorde batteries are crafted for quality by people with years of design and manufacturing experience. Every battery is inspected and tested during each step of the manufacturing process to ensure performance and weight specifications are met throughout construction. Prior to shipment, each battery undergoes a final capacity test and simulated engine start. Every Concorde battery must meet or exceed 100% capacity and high rate discharge current testing prior to shipment. Batteries are not shipped with the expectation that they will "cycle up" in the field. These processes ensure that your battery is ready to meet your aircraft's demands at first installation and every use thereafter.

Product improvement and innovation are keystones to Concorde's continued success. A staff of electrical engineers is dedicated to advancing sealed lead acid battery technology in Concorde's State of the Art laboratory. They have developed proprietary paste formulas, unique grid handling processes, perfected cure environments and activation times to provide optimal electrical performance in hot and cold temperatures, longer battery life and sustainable power output. Tightly packed plates with large over the cell wall intercell connections, proprietary Polyguard® Separator Systems and robust shock absorption construction combine to maximize outrush current, minimize self-discharge, extend battery life and reduce wear in the most challenging environments. Concorde batteries comply with Military specifications MIL-STD-704F, MIL-PRF-8565K and RTCA DO-293A FAA requirements. Accordingly, each RG® battery is constructed to ensure optimal performance in the harshest on-board environments and must be electrically sound after exposure to temperatures ranging from 160°F to -70°F. RG® Series batteries are the gold standard for aircraft battery performance.

Concorde RG-380E Series of batteries are commonly used for turbine starting applications. Available in 38 Ah, 42 Ah, 46 Ah, 48 Ah and 53 Ah variants with polypropylene, stainless steel (fireproof), or aluminum (fire resistant) containers and multiple configurations to provide temperature sensors, heaters, vent tubes or vent louvers in one container size.

Should you require a more unique solution, Concorde has you covered. Concorde provides more aircraft battery designs than any other manufacturer. If a solution is not available in the configurations you require, Concorde is capable of designing an application specific battery for your needs thanks to specialized manufacturing processes that allow for flexibility. Concorde batteries are seen worldwide with over 100 Original Equipment installations and 50+ supplementary type certificates.

Concorde Battery Corporation has a proven history of safety, reliability and longevity. We stand behind every battery shipped and each battery is supported by a world class customer support team and a hassle free warranty. Concorde batteries ship HazMat exempt and are 100% recyclable.

Concorde Battery Specific Data



RG24-11M



RG24-15



RG24-15M



RG24-16



RG-25XC



RG-35AXC

General Aviation Main/Starting Battery Specifications										
Concorde® Battery Part No.	Voltage	Rated Capacity	Ipp	Ipr	Ipp	Ipr	Ipp	Ipr	Max Weight	
			23°C (74°F)		-18°C (0°F)		-30°C (-22°F)			
		Rate in ampere hours	A	A	A	A	A	A	Lb	Kg
RG24-10	24v	8.5	432	313	210	173	134	110	22.00 lbs	10.0 kg
RG24-11	24v	11	625	450	350	250	250	200	26.50 lbs	12.0 kg
RG24-11M	24v	11	625	450	350	250	250	200	26.50 lbs	12.0 kg
RG24-12	24v	11	625	450	350	250	250	200	26.50 lbs	12.0 kg
RG-12LSA	12v	11	575	400	275	225	170	125	13.00 lbs	5.9 kg
RG24-15	24v	13.6	850	600	575	375	450	350	29.50 lbs	13.4 kg
RG24-15M	24v	13.6	850	600	575	375	450	350	29.50 lbs	13.4 kg
RG24-16	24v	13.6	850	600	575	375	450	350	29.50 lbs	13.4 kg
RG24-20	24v	19	900	600	600	475	475	375	42.00 lbs	19.1 kg
RG-25	12v	22	700	500	450	375	325	250	22.75 lbs	10.3 kg
RG-25XC	12v	24	850	600	600	500	475	400	23.50 lbs	10.7 kg
RG-35A	12v	29	1000	800	675	575	475	350	29.50 lbs	13.4 kg
RG-35AXC	12v	33	1200	900	800	700	625	550	32.00 lbs	14.5 kg

Click part number to view shop.boeing.com part page


RG-206


RG-350


RG-355


RG-407

Helicopter Starting Series										
Concorde® Battery Part No.	Voltage	Rated Capacity	Ipp	Ipr	Ipp	Ipr	Ipp	Ipr	Max Weight	
			23°C (74°F)		-18°C (0°F)		-30°C (-22°F)			
		Rate in ampere hours	A	A	A	A	A	A	Lb	Kg
RG-203	24v	12	1561	601	1275	466	1514	335	33	15
RG-206	24v	17	900	625	600	425	450	300	42	19.1
RG-222	24v	17	900	625	600	425	450	300	43	19.5
RG-350	24v	17	900	625	600	425	450	300	41	18.6
RG-355	24v	17	900	625	600	425	450	300	41.5	18.8
RG-500	24v	17	900	625	600	425	450	300	42	19.1
RG-600-1	24v	17	900	625	600	425	450	300	42	19.1
RG-600-2	24v	17	900	625	600	425	450	300	42	19.1
RG-223	24v	17	900	625	600	425	450	300	43	19.5
RG-641	24v	17	900	625	600	425	450	300	41.5	18.8
RG-224	24v	24	1025	650	725	500	575	400	51	23.1
RG-624	24v	24	1025	650	725	500	575	400	52	23.6
RG-325	24v	25	1000	650	750	600	550	450	52	23.6
RG-CIS25	24v	26	1375	950	975	625	750	450	66	29.9
RG-407	24v	27	1225	900	1000	825	800	650	62	28.2
RG-235	24v	44	1200	950	1025	800	875	675	86	39
RG-365	24v	43	1075	875	800	675	650	550	81	36.7
RG-427	24v	34	1800	1200	1325	650	1025	500	79	35.8

Concorde Battery Specific Data



RG-380E/44



RG-380E/44LH



RG-380E/60L



RG-390E

Turbine Starting Aircraft Battery										
Concorde® Battery Part No.	Voltage	Rated Capacity	Ipp	Ipr	Ipp	Ipr	Ipp	Ipr	Max Weight	
			23°C (74°F)		-18°C (0°F)		-30°C (-22°F)			
		Rate in ampere hours	A	A	A	A	A	A	Lb	Kg
RG-47	24v	17	900	625	600	425	450	300	43	19.5
RG-49	24v	17	900	625	600	425	450	300	42	19.1
RG-400E/13	24v	13	950	250	615	125	400	100	36.5	16.6
RG-42	24v	17	900	625	600	425	450	300	43	19.5
RG-145-2	24v	17	900	625	600	425	450	300	42.5	19.7
RG-91	24v	22	1615	910	1504	691	1513	469	55	24.9
RG-390E/25	24v	25	1000	650	750	600	550	450	53	24
RG-390E	24v	28	1350	950	1025	800	800	600	62	28.1
RG-380E/40B	24v	38	1350	1050	900	750	650	550	81	36.7
RG-380E/40L	24v	38	1350	1050	900	750	650	550	84	38.1
RG-380E/44	24v	42	1350	1000	875	750	750	600	86	39
RG-380E/44K	24v	42	1350	1000	875	750	750	600	89	40.4
RG-380E/44L	24v	42	1350	1000	875	750	750	600	89	40.4
RG-380E/44LS	24v	42	1350	1000	875	750	750	600	91	41.3
RG-380E/44KS	24v	42	1350	1000	875	750	750	600	91	41.3
RG-380E/44KSH	24v	42	1350	1000	875	750	750	600	91	41.3
RG-380E/44KH	24v	42	1350	1000	875	750	750	600	89	40.4
RG-380E/44LH	24v	42	1350	1000	875	750	750	600	89	40.4
RG-380E/44LSH	24v	42	1350	1000	875	750	750	600	91	41.3
RG-441	24v	44	1200	950	1025	800	875	675	86	39
RG-442	24v	44	1200	950	1025	800	875	675	86	39
RG-380E/46	24v	46	1375	1050	1075	850	875	675	86	39
RG-380E/60K	24v	48	1600	1200	1200	950	900	700	96	43.6
RG-380E/60L	24v	48	1600	1200	1200	950	900	700	96	43.6
RG-380E/60B	24v	48	1600	1200	1200	950	900	700	96	43.6
RG-380E/53L	24v	53	1650	1200	1325	1000	1125	800	96	43.6
RG-380E/53K	24v	53	1650	1200	1325	1000	1125	800	96	43.6
RG-380E/53KS	24v	53	1650	1200	1325	1000	1125	800	98	44.5



RG-126



RG-128-1



RG-145-2



RG-150-2



RG-443

Emergency Aircraft Batteries										
Concorde® Battery Part No.	Rated Cap. C1 = 1 hr. rate in ampere hours	Voltage	Length		Width		Height		Weight	
			Inches	MM	Inches	MM	Inches	MM	Lb	Kg
RG-120	0.7	24v	5.97	151	6.76	171	2.38	60	3.5	1.6
RG-121-1	2	24v	7.02	178	4.37	111	3.3	83	6.4	2.9
RG-122-1	2	24v	8.19	207	3.3	83	4.45	113	6.4	2.9
RG-122-2	2	24v	8.19	207	3.3	83	4.45	113	6.4	2.9
RG-121-2	2	24v	7.02	178	4.37	111	3.3	83	6.4	2.9
RG-121-3	3.3	24v	7.02	178	4.37	111	4.68	118	10	4.6
RG-122-3	3.3	24v	8.19	207	4.68	118	4.45	113	10	4.6
RG-122-4	3.3	24v	8.19	207	4.68	118	4.45	113	10	4.6
RG-300	3.3	24v	8	203	3.54	90	5.19	132	9.6	4.4
RG-125	3.5	24v	9.93	251	5.05	128	5.1	129	11.95	5.4
RG-126	3.5	24v	9.9	250	3.61	91	5.04	128	11.95	5.4
RG-150-1	3.5	24v	13.83	351	2.25	57	7.62	194	14	6.4
RG-150-2	3.5	24v	13.83	351	2.25	57	7.62	194	14	6.4
RG-128-1	3.8	24v	9.79	248	5.66	144	2.66	67	11.2	5.1
RG-128-3	3.8	24v	9.79	248	5.66	144	9.79	248	11.2	5.1
RG-128-2	3.8	24v	9.79	248	5.66	144	9.79	248	11.2	5.1
RG-132	6	24v	4.45	113	7.29	184	8.1	205	14.5	6.6
RG-616	6	24v	12.04	306	4.81	122	4.61	117	16.7	7.6
RG-140	7	24v	9.28	236	7.6	193	4.58	116	14.6	6.6
RG-443	11	24v	10.05	254	7.6	192	6.1	154	27	12.3
RG-45	12	24v	12.01	305	4.81	122	7.67	195	34	15.4
RG-46	12	24v	13.07	332	6.32	161	5.13	130	34	15.4
RG-131	12	24v	12.8	324	5.04	128	6.28	159	31	14.1
RG-385	13	24v	12.32	313	6.78	172	5.47	139	34	15.4
RG-145-2	17	24v	10.22	260	6.3	160	7.48	190	42.5	19.7

Concorde Cross Reference Data

For most up to date cross reference information please visit concordebattery.com

FAA Approval Information

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Agusta	A109C, A109E, A119, AW119 MKII (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR09360RC	RG-407; 6228 (Placard)	PMA Supplement No. 57 Issued 6/16/03 Rev. 1/15/10 TSO Authorized: RG-407
Agusta	A119, AW119 MKII (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR04007AT	RG-427 ; 6228 (Placard)	PMA Supplement No. 104 Issued 9/16/13 TSO Authorized: RG-427
Agusta	A109A, A109C, A109E (Replacing Ni-Cd battery)	Rotorcraft Support (818) 997-7667	STC# SR01456LA	RG-407	PMA Supplement No. 62 Issued 10/30/03 Rev. 4/12/2017 TSO Authorized: RG-407
Agusta	AB139, AW139 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR03072NY	RG-380E/44L or RG-380E/60L; RG-407 (Auxiliary); 6228 (Placard)	PMA Supplement No. 113 Issued 12/16/16 TSO Authorized: RG-407; RG-380E/44L, /60L
Airbus Group	TBM 700 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SA00775LA	RG-380E/44; 8481 (Placard)	PMA Supplement No. 39 Issued 4/23/99 TSO Authorized:RG-380E/44
Airbus Helicopters	AS350 B, BA, B1, B2, B3, D (Replacing P/N 151CH-1 Ni-Cd battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-350	PMA Supplement No. 52 Issued 2/18/03 TSO Authorized: RG-350
Airbus Helicopters	AS350 B, B1, B2, BA, C, D, D1 (To replace P/N 1606-1 Ni-Cd battery)	Falcon Crest (800) 833-5422	STC# SR09185RC	RG-355	PMA Supplement No. 35 Issued 3/06/98 TSO Authorized: RG-355
Airbus Helicopters	AS355 E, F, F1, F2, N (To replace P/N 1606-1 Ni-Cd battery)	Falcon Crest (800) 833-5422	STC# SR09186RC	RG-355	PMA Supplement No. 35 Issued 3/06/98 TSO Authorized: RG-355
Airbus Helicopters	BK-117-A-1, -A-3, -A-4, - B-1, - B-2, -C-1 (Replacing Ni-Cd battery)	Falcon Crest (800) 833-5422	STC & STA# SR09034RC	RG-390E	PMA Supplement No. 21 Issued 11/15/95 TSO Authorized: RG-390E
Airbus Helicopters	BO-105C & BO-105S (Replacing Ni-Cd battery)	Falcon Crest (800) 833-5422	STC# SR09016RC	RG-390E	PMA Supplement No. 21 Issued 11/15/95 TSO Authorized: RG-390E
Airbus Helicopters	EC130B4, EC130ST2 (Replacing P/N 151CH-1 Ni-Cd battery)	Rotorcraft Support (818) 997-7667	STC# SR02073LA	RG-350	PMA Supplement No. 88 Issued 7/15/09 TSO Authorized: RG-350
Airbus Helicopters	AS332C, AS332C1, AS332L, AS332L1, AS332L2, EC225LP (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR02588LA	RG-332-1 or RG-332-2	PMA Supplement No. 114 Issued 11/14/16 TSO Authorized: RG-332-1, -2
American Champion	7ECA, 7GCAA, 7KCAB, 8GCBC, 8KCAB	Amer. Champion (262) 534-6315	TC# A-759 TC# A-21CE	RG-25	PMA Supplement No. 31 Issued 6/03/97
Aviat Inc.	A-1A, A-1B, S-2C	Aviat Inc. (307) 885-3151	TC# A22NM TC# A8SO	RG-25	PMA Supplement No. 42 Issued 8/06/01
Aviat Inc.	A-1, S-1S, S-1T, S-2, S-2A, S-2S, S-2B	Aviat Inc. (307) 885-3151	TC# A22NM TC# A8SO	RG-25	PMA Supplement No. 18 Issued 8/02/95
Avions de Transport Regional (ATR)	ATR42 Series; ATR72 Series (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST03930AT	RG-380E/44; RG-42 (Emergency) 7945 (Dummy TS); 6716 (Placard)	PMA Supplement No. 97 Issued 9/28/11 TSO Authorized: RG-42; RG-380E/44
Beechcraft	MU-300-10, 400, 400A (Replacing Ni-Cd battery)	Textron Aviation (800) 256-6012	STC# SA2494SO	RG-380E/40B	PMA Supplement No. 22 Issued 1/23/96 TSO Authorized: RG-380E/40B
Beechcraft	A200CT (Military), RC-12K	Wilco (800) 767-7593	FAA Design Approval	TS-C6 (P/N 5-0125, Kit, TS, TS-C6)	PMA Supplement No. 70 Issued 5/28/04
Beechcraft	65-90, 65-A90, B90, C90, E90, F90, 99, A100, B100, 200, 300, MU-300-10, 400, 400T (T-1A) (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/44 or RG-380E/40B	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44

Click part number to view shop.boeing.com part page

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Beechcraft	65-90, 65-A90, 65-A90-1 (JU-21A, U-21A, RU- 21A, RG-21D, U-21G, RU-21H), 65-A90-4 (RU- 21E, RU-21H), B90, C90, 65-A90-2 (RU-21B), 65-A90-3 (RU-21C), E90, H90 (T-44A), C90A, F90, 99, 99A, 99A (FACH), 100, A99, A99A, A100 (U-21F), B99, A100A, B100, C99, 200 (A100-1(U-21J)), A200C (UC-12B), 200C, B200, B200C (C-12F, UC-12F, UC-12M, C-12R), A200 (C-12A, C-12C), 200T, 200CT, A200CT (C-12D, C-12F, FWC-12D, RC-12D, RC-12F, RC-12G, RC-12H, RC-12K, RC-12P, RC-12Q), B200CT, B200T, 300, 300LW, B300, B300C, 1900, 1900C, 1900C (C-12J), 1900D (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SA01260WI	Options as follows: RG-380E/40L RG-380E/40K RG-380E/44L RG-380E/44K RG-380E/60L RG-380E/60K	PMA Supplement No. 73 Issued 8/11/04 TSO Authorized: RG-380E/40L, /40K, /44L, /44K, /60L, /60K
Beechcraft	Kingair 65-90, 65-A90, 65-A90-1 (Military U-21A, RU21A, RU21D, JU21A, U-21G, RU21H/GRV), 65-A90-4 (Military RU21E, RU21H/GRII & IV), B90, C90, 65-A90-2 (Military RU-21B), 65-A90-3 (Military RU-21C), E90, H90, (Military T-44A), C90A, F90, 99 & 99A, (Military 99A), 100, A99, A99A, A100 (Military U-21F), B99, A100A, B100, C99, 200, A200C, (Military UC-12), 200C, B200, B200C, (Military C12F, UC-12F & UC-12M), A200 (Military C-12A, C-12C), 200T, 200CT, A200CT (Military C-12D, FWC-12D, RC-12D, C-12F, RC-12G, RC-12H), B200CT, B200T, 200T, A100-1 (Military U-21J), A200CT (Military RC-12K), 1900, 1900C, 1900D, 300, 300LW, B300, B300C, (S/N: FM-1 & subsequent, FN-1 & subsequent) (Replacing Ni-Cd battery)	Wilco (800) 767-7593	STC# SA00741WI	Options as follows: RG-380E/40K RG-380E/44K RG-380E/60K	PMA Supplement No. 41 Issued 8/16/01 Rev. 8/13/02 TSO Authorized: RG-380E/40K, /44K, /60K
Beechcraft	200, 300, & B300 Series (Replacing Ni-Cd battery)	Textron Aviation (800) 256-6012	STC# SA2699SO	RG-380E/40B	PMA Supplement No. 22 Issued 1/23/96 TSO Authorized: RG-380E/40B
Beechcraft	400A (S/N RK-98 and after) (Replacing Beechcraft part no.)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40L	PMA Supplement No. 49 Issued 1/23/03 TSO Authorized: RG-380E/40L
Beechcraft	Hawker 1000 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00640LA	RG-380E/60K; 9861 (Tray, Temp); Misc. Hardware	PMA Supplement No. 39 Issued 4/23/99 PMA Supplement No. 105 Issued 3/13/14 TSO Authorized: RG-380E/60K
Beechcraft	BH.125 Series 1A, 1A/522, 1A/R-522, 1A/S-522; Series 3A, 3A/R, 3A/RA, BH.125 400A, 600A, HS.125 600A, 700A, BAe 125-800A; Hawker 800, 800XP (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00415LA	RG-390E	PMA Supplement No. 39 Issued 4/23/99 TSO Authorized: RG-390E
Beechcraft	DH.125 Series, HS.125 Series, BH.125 Series (Replacing Ni-Cd emergency battery only)	Concorde Battery (800) 757-0303	STC# ST01223WI	RG-125	PMA Supplement No. 65 Issued 1/30/04 TSO Authorized: RG-125
Beechcraft	400A Series (S/N's RK-98 and after) (Replacing 38Ah lead-acid battery)	Textron Aviation (800) 256-6012	STC# ST02506AT	Options as follows: RG-380E/44, RG-380E/44L, RG-380E/60L	PMA Supplement No. 44 Issued 6/13/02 TSO Authorized: RG-380E/44, /44L, /60L
Beechcraft	35, A35, B35, C35, 35R, D35, E35, F35, G35, 35, J35, K35, M35, 35-33, N35, 35-A33, 35-B33, P35, S35, 35-C33, E-33, F-33, G-33, V35, V35A, 35B, 35-C33A, E33A, E33C, 36, A36, F33A, F33C, A36TC, B36TC, 23, A23, A23A, A23-19, A23-24, A24, 19A, M19A, B19, B23, C23, A24R, B24R, C24R	Wilco (800) 767-7593	STC# SA00638WI	RG-35A (12V) RG-35AXC (12V) RG24-16 (24V)	PMA Supplement No. 37 Issued 6/22/98 Rev. 6/29/98 PMA Supplement No. 82 Issued 7/18/07 TSO Authorized: RG24-16
B-N Group Ltd.	BN-2, BN-2A, BN-2A-2, BN-2A-3, BN-2A-6, BN-2A-8, BN-2A-9, BN-2A-20, BN-2A-21, BN-2A-26, BN-2A-27, BN-2B-20, BN-2B-21, BN-2B-26, BN-2B-27, BN-2T, BN-2T-4R	Concorde Battery (800) 757-0303	FAA Design Approval	RG-390E	PMA Supplement No. 34 Issued 11/18/97 TSO Authorized: RG-390E
Bell	206A & 206B (Replacing Ni-Cd battery)	Falcon Crest Av. (800) 833-5422	STC & STA# SR09054RC	RG-206	PMA Supplement No. 23 Issued 4/04/96 TSO Authorized: RG-206

Concorde Cross Reference Data

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Bell	212 (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/6/92 TSO Authorized: RG-380E/40B, /44
Bell	214ST (Replacing Ni-Cd battery) (Battery available through STC holder)	Falcon Crest Av. (800) 833-5422	STC# SR09225RC	RG-214	PMA Supplement No. 45, Issued 10/22/02
Bell	222U (Replacing Ni-Cd battery)	Falcon Crest Av. (800) 833-5422	STC# SR09142RC	RG-380E/44	PMA Supplement No. 30 Issued 5/18/97 TSO Authorized: RG-380E/44
Bell	212, 412, 412EP (Replacing Ni-Cd battery)	Falcon Crest Av. (800) 833-5422	STC & STA# SR09053RC	RG-380E/44	PMA Supplement No. 23 Issued 4/04/96 TSO Authorized: RG-380E/44
Bell	206L-1, 206L-3, 206L-4 (Replacing Ni-Cd battery)	Falcon Crest Av. (800) 833-5422	STC & STA# SR09069RC	RG-222	PMA Supplement No. 25 Issued 6/07/96 TSO Authorized: RG-222
Bell	222, 222B (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR04212AT	RG-222; 6716 (Placard)	PMA Supplement No. 110 Issued 9/22/15 TSO Authorized: RG-222
Bell	407 (Replacing Ni-Cd battery) (Battery available through STC holder)	Falcon Crest Av. (800) 833-5422	STC# SR09359RC	RG-407A1	PMA Supplement No. 58, Issued 6/19/03
Bell	407, 427, 430 (Replacing Ni-Cd battery)	Rotorcraft Support (818) 997-7667	STC# SR01456LA	RG-407 or RG-427 (RG-427 – Bell 407, 427 only)	PMA Supplement No. 62 Issued 10/30/03 Rev. 4/12/2017 TSO Authorized: RG-407, RG-427
Boeing	737-300, -400, -500 Series (Replacing Ni-Cd Battery)	Concorde Battery (800) 757-0303	STC# ST04373AT	RG-380E/40D	PMA Supplement No. 118 Issued 8/23/2017 TSO Authorized: RG-380E/40D
Boeing	737-600, -700, -800, -900 Series (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST03932AT	RG-380E/60B 9507 (Dummy Temp. Plug); 7053 (Bolt)	PMA Supplement No. 96 Issued 9/28/11 PMA Supplement No. 115 Issued 12/12/16 TSO Authorized: RG-380E/60B
Bombardier Inc.	CL-600-2B16, -2B19, -2C10, -2D24 (Replacing Ni-Cd battery)	Concorde Battery (800) 756-0303	STC# ST01646WI	RG-223; RG-380E/44L (APU); 5-0166 (Kit, TS, TS-C11A); 5-0283 (Kit, TS, TS-C11B)	PMA Supplement No. 99 Issued 1/13/12 Rev.1/16/15 TSO Authorized: RG-223; RG-380E/44L
Bombardier Inc.	DHC-8-100, -200, -300 (Replacing Ni-Cd battery)	Concorde Battery (800) 756-0303	STC# ST01643WI	RG-380E/44 or RG-380E/60L; 5-0290 (Plug, Dummy TS); 6299 (Placard)	PMA Supplement No. 95 Issued 9/09/11 Rev. 9/23/16 TSO Authorized: RG-380E/44, /60L
British Aerospace	Jetstream 3101 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SA2994SO	RG-390E	PMA Supplement No. 16 Issued 5/18/92 TSO Authorized: RG-390E
British Aerospace	Jetstream 3201 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SA2995SO	RG-390E	PMA Supplement No. 16 Issued 5/18/92 TSO Authorized: RG-390E
British Aerospace	Jetstream 3201 (S/N: 790 – 9999) (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00342LA	RG-380E/40B or RG-380E/44	PMA Supplement No. 32 Issued 6/11/97 TSO Authorized: RG-380E/40B, /44

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Cessna	SINGLE ENGINE MODELS 120, 140, 140A, 150, 150A, 150B, 150C, 150D, 150E, 150F, 150G, 150H, 150J, 150K, 150L, 150M, A150K, A150L, A150M, 152, A152, 170, 170A, 170B, 172, 172A, 172B, 172C, 172D, 172E, 172F (USAF T-41A), 172G, 172H (USAF T-41A), 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172R, 172S, 175, 175A, 175B, 175C, P172D, R172E (USAF T-41B)(USAF T41C&D), R172F(USAF T-41D), R172G ((USAF T-41C & T- 41D), R172H (USAF T-41D), R172J, R172K, 172RG, 177, 177A, 177B, 177RG,180, 180A, 180B, 180C, 180D, 180E, 180F, 180G, 180H, 180J, 180K, 182, 182A, 182B, 182C, 182D, 182E, 182F, 182G, 182H, 182J, 182K, 182L, 182M, 182N, 182P, 182Q, 182R/T182, R182, TR182, 182S, 182T, T182T, 185, 185A, 185B, 185C, 185D, 185E, A185E, A185F, 188, 188A, A188, A188A, 188B, A188B, T188C, 190, 195, 195A, 195B, 206, 206H, U206, P206, U206A, P206A, P206B, TU206A, TU206B, TP206A, TP206B, U206B, P206C/TP206C, P206D/TP206D, P206E/TP206E, U206C/TU206C, U206D/TU206D, U206E/TU206E, U206F/TU206F, U206G/TU206G, T206H, 207/T207, 207A/T207A, 305B, 305E, 210, 210A, 210B, 210C, 210D, 210E, 210F, T210F, 210G, T210G, T210H, 210H, T210J, 210J, 210K/T210K, 210L/T210L, 210M/T210M, 210N, P210N, T210N, 210R, P210R, T210R, 210-5 (205), 210- 5A (205A), 305B, 305E (Military TO-1D, O-1D, O-1F), 337, 337A (USAF 02B), 337B, 337C, 337D, 337E, 337F, 337G, 337H/T337H, T337B, T337C, T337D, T337E, T337F, T337G, M337B (USAF 02A), P337H, T337H-SP. TWIN ENGINE MODELS T303, 310, 310A (USAF U-3A), 310B, 310C, 310D, 310E (USAF U-3B), 310F, 310G, 310H, E310H, E310I, E310J, 310J, 310J-1, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R, 320, 320-1, 320A, 320B, 320C, 320D, 320E, 320F, 335, 340, 340A, 401, 401A, 401B, 402, 402A, 402B, 402C, 404, 411, 411A, 414, 414A, 421, 421A, 421B, 421C	Concorde Battery (800) 757-0303	STC# SA01118WI 3	RG-25 or RG-25XC Replaces Cessna P/N 0511319-1 RG-35A or RG-35AXC Replaces Cessna P/N 0712605-1 or P/N 0712604-1 or P/N 0311053 RG24-16 Replaces Cessna P/N C614001-0106 RG24-15M Replaces Cessna P/N C614002-0102 RG24-10 Replaces Cessna P/N C614001-0105 RG24-20 Replaces Cessna P/N 5018200-201 & REBAT P/N R2425	PMA Supplement No. 83 Issued 9/20/07 Rev. 10/21/09 TSO Authorized: RG24-15M, RG24-16
Cessna	120, 140, 140A, 170, 170A, 170B, 172 thru 172Q, 172R, 172S, 210, 210A thru 210R, T210F thru T210R, P210N, P210R, 210-5, 210-5A, 175, 175A, 175B, 175C, 172RG, P172D, R172E, R172F thru R172K, 177, 177A, 177B, 177RG, 180, 180A thru 180K, 185, 185A thru 185E, A185E, A185F, 188, 188A, 188B, A188, A188A, A188B, T188C, 206, U206, P206, U206A, P206A, P206B, TU206A, TU206B, TP206A, TP206B, U206B, P206C/TP206C thru P206E/TP206E, U206C/TU206C thru U206G/TU206G,206H, 207, 207A, T207, T207A, 305B, 305E, 337, 337A thru 337H, T337B thru T337H, M337B, P337H, T337H-SP, 150, 150A thru 150M, A150K thru A150M, 152, A152	Wilco (800) 767-7593	STC# SA00897WI 3	RG-25 or RG25XC Replaces Cessna P/N 0511319-1 RG-35A or RG35AXC Replaces Cessna P/N 0712605-1 RG24-11 or RG24-15 Replaces Cessna P/N C614002-0102 RG24-11M or RG24-15M Replaces Cessna P/N C614001-0106	PMA Supplement No. 43 Issued 9/04/01 TSO Authorized: RG24-15, RG24-15M
Cessna	210 (S/N: 21059503 & on), T210	Wilco (800) 767-7593	STC# SA2558CK	RG24-11M	PMA Supplement No. 14 Issued 2/07/91
Cessna	182, 182A, 182B, 182C, 182D, 182E, 182F, 182G, 182H, 182J, 182K, 182L, 182M, 182N, 182P,182Q, 182R, R182/TR182, 182R/T182 (182 through S/N: 18265965 except: 18263479)	Wilco (800) 767-7593	STC# SA00753WI	RG-35A RG-35AXC	PMA Supplement No. 41 Issued 8/16/01 Rev. 8/13/02
Cessna	182 Series (S/N:18263479, 18265966 and up), R182 and TR182 Series (S/N: R18200001 and up)	Wilco (800) 767-7593	STC# SA00753WI	RG24-15	PMA Supplement No. 41 Issued 8/16/01 Rev. 8/13/02 TSO Authorized: RG24-15

Concorde Cross Reference Data

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Cessna	425 (Conquest I) (Replacing Ni-Cd battery)	Wilco (800) 767-7593	STC# SA2435CE	RG-380E/44	PMA Supplement No. 14 Issued 2/07/91 TSO Authorized: RG-380E/44
Cessna	441 (Conquest II) (Replacing Ni-Cd battery)	Wilco (800) 767-7593	STC# SA2496CE	RG-380E/44	PMA Supplement No. 14 Issued 2/07/91 TSO Authorized: RG-380E/44
Cessna	550 (Citation II) Series (Replacing Ni-Cd batteries)	Concorde Battery (800) 757-0303	STC# ST01639LA	RG-131	TSO Authorized: RG-131
Cessna	510 (Replacing Concorde P/N RG-390E)	Concorde Battery (800) 757-0303	STC# SA02653LA	RG-390E/30	PMA Supplement No. 117 Issued 8/22/17 TSO Authorized: RG-390E/30
Cessna	(Caravan) 208, 425, 441 ; (Citation II) 500, 501, 550, 551 (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
Cessna	680 Sovereign (Replacing Ni-Cd batteries)	Concorde Battery (800) 756-0303	STC# ST04366AT	RG-380E/53L or RG-380E/60L 5-0121 (Kit, TS, TS-C1B) 6424 (Screw, Cap, Socket Head – Inc. in 5-0121 Kit, TS, TS-C1B)	PMA Supplement No. 116 Issued 5/30/17 TSO Authorized: RG-380E/53L, /60L
Cirrus	SR20, SR22	Concorde Battery (800) 757-0303	STC# SA01304WI	RG24-11M or RG24-15M	PMA Supplement No. 76 Issued 2/18/05 TSO Authorized: RG24-15M
Dassault	Falcon 7X, 10, 900EX, 2000, 2000Ex Fan Jet Falcon Fan Jet Falcon Series C, D, E, F, G Mystere-Falcon 50, 200, 900 Mystere-Falcon 20-C5, -D5, -E5, -F5 (Replacing original battery airframe connector – Several commercial designations listed on the Type Certificates as derivatives of approved models & all commercial designations are eligible under this STC).	Concorde Battery (800) 757-0303	STC# ST04273AT	4000	PMA Supplement No. 111 Issued 8/19/16
Dassault	Falcon 7X (Replacing original 25Ah lead-acid battery)	Concorde Battery (800) 757-0303	STC# ST04185AT	RG-390E/KH; 5-0312 (Kit, HCU, HCU-7X); 8214 (Hold down bar, 7X)	PMA Supp.108 Issued 6/05/15 TSO Authorized: RG-390E/KH; HCU-7X
Dassault	Falcon 10 (Replacing 22Ah Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00774LA	RG-390E; 9899 (TS Tray)	PMA Supplement No. 39 Issued 4/23/99 TSO Authorized: RG-390E
Dassault	Falcon 20 Series, C, D, E, F (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
Dassault	Falcon 50, 50EX, 900, 900EX, 900DX, 2000, 2000EX (Replacing Ni-Cd or lead-acid emergency battery)	Concorde Battery (800) 757-0303	STC# ST01571WI	RG-128 Series	PMA Supplement No. 90 Issued 2/12/10 TSO Authorized: RG-128 Series
Dassault	MF 50 (Replacing 23Ah Ni-Cd battery) (Battery Mod. - Dassault)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-390E/LS	PMA Supplement No. 51 Issued 2/21/03 TSO Authorized: RG-390E/LS
Dassault	MF900, F900EX (Replacing 23Ah Ni-Cd battery) (Battery Mod. - Dassault)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-390E/LS	PMA Supplement No. 51 Issued 2/21/03 TSO Authorized: RG-390E/LS
Dassault	Falcon 2000 (Replacing 36Ah Ni-Cd battery) (Battery Mod. - Dassault)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/44LS	PMA Supplement No. 51 Issued 2/21/03 TSO Authorized: RG-380E/44LS
de Havilland Aircraft	See Bombardier Inc. & Viking Air Ltd				
Dornier	328-100 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00732DE	RG-380E/44LS	PMA Supplement No. 98 Issued 11/10/11 TSO Authorized: RG-380E/44LS

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
EADS CASA	C-212-CB, -CC, -CD, -CE, -CF, -DF, -DE (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST04178AT	Options as follows: RG-380E/40B or RG-380E/44 or RG-380E/46; RG-616 (Auxiliary); Install Kit: 7766 (Connector) & 7767 (Strain Relief); 6228 (Placard)	PMA Supplement No. 107 Issued 2/09/14 TSO Authorized: RG-616; RG-380E/40B, /44, /46
EADS CASA	CN-235, CN-235-100, CN-235-200, CN-235-300, C295 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST04211AT	RG-235 7906 (Dummy TS); 6228 (Placard)	PMA Supplement No. 109 Issued 9/21/15 TSO Authorized: RG-235
Embraer	EMB-110P1, EMB-110P2 (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
Embraer	EMB-120, EMB-120RT, EMB-120ER, EMB- 120FC, EMB-120QC (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST02600LA	Options as follows: RG-380E/40B or RG-380E/44 or RG-380E/46; 6746 (Placards 6746-1, -2)	PMA Supplement No. 112 Issued 8/22/16 TSO Authorized: RG-380E/40B, /44, /46
Embraer	135BJ, 135ER, 135LR, 135KE, 135KL, 145, 145EP, 145ER, 145LR, 145MP 145MR, 145XR (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST01520WI	RG-442; 5-0124 (Kit, TS, TS-C4)	PMA Supplement No. 86 Issued 3/09/09 TSO Authorized: RG-442
Embraer	EMB-500 (Phenom 100) (Replacing lead-acid battery)	Concorde Battery (800) 757-0303	STC# SA01633WI	RG-390E	PMA Supplement No. 94 Issued 9/09/11 TSO Authorized: RG-390E
Embraer	EMB-505 (Phenom 300) (Replacing lead-acid battery)	Concorde Battery (800) 757-0303	STC# SA01703WI	RG-380E/44; RG-390E (Auxiliary) 7000 (Spacer – Use with RG-390E)	PMA Supplement No. 102 Issued 12/14/12 TSO Authorized: RG-390E; RG-380E/44
Enstrom Helicopter	F-28F & 280FX	Enstrom Helicopter (906) 863-1200	TC# H1CE, Rev. 20, Rev. A	RG-35A (12V) RG24-11M (24V)	PMA Supplement No. 23 Issued 4/04/96
Garlick Helicopters	Bell UH-1F, UH-1P, TH-1F (Replacing Ni-Cd battery)	Tamarack Heli. (406) 777-1044	(Omitted pending STC number correction)	RG-390E	PMA Supplement No. 53 Issued 3/26/03 TSO Authorized: RG-390E
Globe	GC-1A, GC-1B	Swift Museum (423) 745-9547	TC# A-766	RG-35A	PMA Supplement No. 63 Issued 10/30/03
Gulfstream	Galaxy/Gulfstream 200	Gulfstream Aero. (214) 902-7770	STC# ST09945SC	5-0122 (Kit, Temp. Sensor TS-C2A)	PMA Supplement No. 87 Issued 4/13/09
Gulfstream	(Gulfstream I) G-159 (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
Gulfstream	GII (G-1159), GIII (G-1159A), GII (G-1159B) (DC System) (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00773LA	RG-380E/44	PMA Supplement No. 40 Issued 4/30/99 TSO Authorized: RG-380E/44
Gulfstream	GIII (G-1159A)(s/n 357, 402 & up), GIV (AC System) (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00544LA	RG-380E/44; 9713 (Adaptor, Charger)	PMA Supplement No. 38 Issued 11/02/98 TSO Authorized: RG-380E/44
Israel Aircraft	1121, 1121A, 1121B (Jet Commander) 1123, 1124 (Westwind) (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
JetProp LLC	Piper PA-46-310P, PA-46-350P (Included as part of STC for turbine conversion)	Jet Prop LLC (509) 535-4401	STC# ST00541SE	RG-46	PMA Supplement No. 54 Issued 4/29/03
JetProp LLC	Piper PA-46-310P, PA-46-350P (Higher Capacity Replacement) (Included as part of STC for turbine conversion)	Jet Prop LLC (509) 535-4401	STC# ST00541SE	RG-49	PMA Supplement No. 54 Issued 4/29/03 TSO Authorized: RG-49
Kaman Aerospace	K1200	Concorde Battery (800) 757-0303	TC# TR7BO	RG-380E/40B	PMA Supplement No. 26 Issued 6/21/96 TSO Authorized: RG-380E/40B

Concorde Cross Reference Data

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Learjet	23, 24, 25, 28, 29, 35, 36, 55 (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
Learjet	40, 45 (Replacing Concorde Part No. RG-443) (STC for emergency battery only)	Global Aviation (316) 425-0998	STC# ST01639WI	RG-145-2	PMA Supplement No. 93 Issued 9/09/11 TSO Authorized: RG-145-2
Learjet	45 (Replacing lead-acid emergency) (STC for emergency battery only)	Concorde Battery (800) 757-0303	STC# ST01173WI	RG-443	PMA Supplement No. 59 Issued 6/23/03
M-7 Aerospace	SA226-AT, SA227-AT, SA226-T, SA227-CC, -DC (RG-390ES replaces M-7 P/N FASRG390ESTC)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-390ES	PMA Supplement No. 60 Issued 6/25/03 TSO Authorized: RG-390ES
M-7 Aerospace	Fairchild SA227AC, SA227BC (RG-390ES replaces M-7 P/N FASRG390ESTC)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-390ES	PMA Supplement No. 17 Issued 6/27/95 TSO Authorized: RG-390ES
M-7 Aerospace	Fairchild SA226-T, SA226-T(B), SA227-TT (Replaces P/N RG-91A which replaces M-7 P/N FASRG91STC)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-91	PMA Supplement No. 69 Issued 5/17/04
Maule	M-4-210, M-4-220, M-4-180, M-5-180, M-5-210, M-5-220, M-5-235, M-5-210TC, M-5-200, M-6-180, M-6-235, M-7-235, M-7-235A, M-7-235B, M-7-235C, M-7-260, M-7-260C, M-8-235, MT-7-235, MT-7-260, MX-7-160, MX-7-160C, MX-7-180, MX-7-180A, MX-7-180B, MX-7-180C, MX-7-180AC, MX-7-235, MXT-7-160, MXT-7-180, MXT-7-180A	Maule Aerospace (229) 985-2045	FAA Design Approval	RG-35A RG-35AXC	PMA Supplement No. 64 Issued 1/06/04
MD Helicopter	MD369, 369A, 369D, 369F, 369FF, 369H, 369HM, 369HS, 369HE, 369E and 500N (Replacing Ni-Cd battery)	Advanced Power (909) 599-7319	STC# SR00716SE	RG-500; CBP-3349-2W (Connector Part No. 4002); 9542 (Adaptor)	PMA Supplement No. 47 Issued 12/02/02 TSO Authorized: RG-500
MD Helicopter	MD369D, 369E, 369F, 369FF, 500N, 600N (Replacing lead-acid or Ni-Cd battery)	Concorde Battery (800) 757-0303	STC SR00846DE	RG-624; CBP-3349-2W (Connector Part No. 4002); 8481 (Placard)	TSO Authorized: RG-624
MD Helicopter	600N (Replacing Ni-Cd battery with the connector receptacle on right side of battery container – Used for most 600N models)	Concorde Battery (800) 757-0303	STC# SR01564LA	RG-600-1; CBP-3349-2W (Connector Part No. 4002); 9542 (Adaptor)	PMA Supplement No. 67 Issued 2/06/04 TSO Authorized: RG-600-1
MD Helicopter	600N (Replacing Ni-Cd battery with the connector receptacle on left side of battery container)	Concorde Battery (800) 757-0303	STC# SR01564LA	RG-600-2; CBP-3349-2W (Connector Part No. 4002); 9542 (Adaptor)	PMA Supplement No. 67 Issued 2/06/04 TSO Authorized: RG-600-2
MD Helicopter	MD-900 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR03895AT	RG-407; 5-0349 (Elbow Coupling Assembly) (Assembly includes 8003, (Elbow, Vent Adaptor), & 8086 (Coupling))	PMA Supplement No. 92 Issued 9/09/11 TSO Authorized: RG-407
Mitsubishi	MU-2B, MU-2B-10, -15, -20, -25, -26, -26A, 30, 35, 36, 36A, 40, 60, MU-300-1, -1A (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
Mitsubishi	YS-11A Series (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SA2795SO	RG-390E	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-390E
Mooney	M20, M20A, M20B, -20C, -20D, -20E, -20F, M20G, M20J (S/N 24-0001 to 24-2999), M20K (S/N 25-0001 to 25-0999)	Concorde Battery (800) 757-0303	Identicality per 14 CFR § 21.303	RG-35A (Replacing R-33) or RG-35AXC (Replacing R-35)	PMA Supplement No. 77 Issued 3/01/05
Mooney	M20J, M20K, M20L, M20M, M20R, M20S, M20TN (24V models) (Please note certain 24V models may have fitment issues when attempting to install part no. RG24-15. Please contact Concorde for details).	Concorde Battery (800) 757-0303	Identicality per 14 CFR § 21.303	RG24-11M (Replacing manifold battery) or RG24-15 (24V)	PMA Supplement No. 84 Issued 2/01/08

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Piaggio Aero Industries SpA	P180	Concorde Battery (800) 757-0303	STC# SA01653LA	RG-380E/40L; 5-0242 (Kit, TS, TS-C6A)	PMA Supplement No. 74 Issued 9/27/04 TSO Authorized: RG-380E/40L
Pilatus	PC-12 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# ST00776LA	RG-380E/44	PMA Supplement No. 39 Issued 4/30/99 TSO Authorized: RG-380E/44
Piper	PA-12, PA-12S, PA-18, PA-18 "105" (Special), PA-18 "125" (Army L-21B), PA-18 "135" (Army L-21B), PA-18 "150", PA-18A, PA-18A "135", PA-18A "150", PA-18S, PA-18S "105", PA-18S "125", PA-18S "135", PA-18S "150", PA-18AS "125", PA-18AS "135", PA-19 (Army L-18C), PA-19S, PA-20, PA-20 "115",PA-20 "135", PA-20S, PA-20S "115", PA-20S "135", PA-22, PA-22-108, PA-22-135, PA-22-150, PA-22-160, PA-22S-135, PA-22S-150, PA-22S-160, PA-23, PA-23-160, PA-23-235, PA-23-250 (Navy UO-1), PA-E23-250, PA-24, PA-24-250, PA-24-260, PA-25, PA-25-235, PA-25-260, PA-28-140, PA-28-150, PA-28-151, PA-28-160, PA-28-161, PA-28-180, PA-28-181, PA-28-201T, PA-28-235, PA-28-236, PA-28R-180, PA-28R-200, PA-28R-201, PA-28R-201T, PA-28RT-201, PA-28RT-201T, PA-28S-160, PA-30, PA-31, PA-31-300, PA-31- 350 & T-1020, PA-31-325 C/R, PA-32-260, PA-32-300, PA-32-301, PA-32-301T, PA-32S-300, PA-32R-300, PA-32RT-300, PA-32RT-300T, PA-32R-301, PA-32R-301T, PA-34-200, PA-34- 200T, PA-34-220T, PA-36-285, PA-36-300, PA-36-375, PA-36-285, PA-38-112, PA-39, PA-40, PA-44-180, PA-44-180T TURBO, PA-46-310P, PA-46-350P, PA-60-600, PA-60-601, PA-60- 601P, PA-60-602P, PA-60-700P, PA-400	Concorde Battery (800) 757-0303	STC# SA01147WI 3	RG-25 ; RG-25XC Replaces original battery P/N 450-030 RG-25 - Replaces original battery P/N 450-022 RG-35A; RG-35AXC Replaces original battery P/N 450-035 RG24-11 ; RG24-15 ; RG24-16 Replaces original battery P/N 450-027 or 450-032 RG24-11M ; RG24-15M Replaces original battery P/N 450-101 RG24-20 - Replaces original battery P/N 450-028, 450-031 or 450-029 (Note – Install. kit may be required) PMA reference only : 5-0161 (Installation kit) ; 9771 (Hold down bar) ; 8798 (Spacer)	PMA Supplement No. 50 Issued 3/7/03 Rev. 2/10/15 PMA Supplement No. 103 Issued 2/26/13 TSO Authorized: RG24-15, RG24-15M, RG24-16
Piper	PA-12, PA-12S, PA-18, PA-19 (Army L-18C), PA-18 "125" (Army L-18A) , PA-18 "135" (Army L-21B), PA-18A, PA-18A "135", PA-18 "105", PA-18S, PA-19S, PA-18S "125", PA-18S "135", PA-18AS "125", PA-18AS "135", PA-18S "105", PA-18 "150", PA-18A "150", PA-18S "150", PA-18A, PA-18A "135", PA-18A "150"; PA-20, PA-20 "115", PA-20S, PA-20S "115", PA-20S "135", PA-20 "135", PA-22, PA-22-135, PA-22S-135, PA-22- 150, PA-22S-150, PA-22-160, PA-22S-160, PA-22-108, PA-24, PA-24-250, PA-24-400, PA-24-260, PA-25, PA-25-235, PA-25-260,PA-23,PA-23, PA-23-160, PA-23-250, (Navy UO-1), PA-28-160, PA-28-150, PA-28-180, PA-28S-160, PA-28S-180, PA-28-235, PA-28-140, PA-28R-200, PA-28-151, PA-28-181, PA-28-161, PA-28R-201,PA-28R-201T, PA-28-236, PA-28RT-201, PA-28RT-201T, PA-28-201T, PA-32-260, PA-32-300, PA-32S-300, PA-32R-300, PA-32RT-300, PA-32RT-300T, PA-32R-301 (SP), PA-32R-301 (HP), PA-32R-301T, PA-32-301, PA-32-301T, PA-38-112, PA-36-285, PA-36-300, PA-36-375, PA-46-310P, PA-46-350P	Wilco (800) 767-7593	STC# SA00954WI 3	RG-25 or RG-25XC Replaces original battery P/N 450-030 RG-35A or RG-35AXC Replaces original battery P/N 450-035 RG24-11 or RG24-15 Replaces original Battery P/N 450-032 RG24-11M or RG24-15M Replaces original battery P/N 450-101 RG24-20 Replaces original battery P/N 450-031	PMA Supplement No. 43 Issued 9/04/01 TSO Authorized: RG24-15, RG24-15M

Concorde Cross Reference Data

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Piper	PA-23 Apache, PA-23-160, PA-23-250 (Navy UO-1), PA-23-235, PA-E-23-250 Aztec, PA-23-250, PA-31 Navajo, PA-31-300 Navajo, PA-31-350 Chieftan & T-1020, PA-31-325 Navajo C/R, PA-44-180 Seminole, PA-44-180T Turbo Seminole, PA-30 Twin Comanche, PA-39 Twin Comanche, PA-40 Twin Comanche, PA-34-200 Seneca, PA-34-200T Seneca II, PA-34-220T Seneca III, IV, V	Wilco (800) 767-7593	STC# SA00954WI 3	RG-25 or RG-25XC Replaces P/N 450-030 RG-35A or RG-35AXC Replaces P/N 450-035 RG24-11 or RG24-15 Replaces P/N 450-032 RG24-11M or RG24-15M Replaces P/N 450-101 RG24-20 Replaces P/N 450-031	PMA Supplement No. 61 Issued 7/14/03 TSO Authorized: RG24-15, RG24-15M
	(Cheyenne) PA-31T, PA-31T1, PA-31T2, PA- 31T3, PA-42, PA-42-720, PA-42-1000 (Replacing Ni-Cd battery)	Wilco (800) 767-7593	STC# SA00843WI	Options as follows: RG-380E/44L RG-380E/44K RG-380E/60L RG-380E/60K	PMA Supplement No. 80 Issued 12/02/05 TSO Authorized: RG-380E/44L, 44K, 60L, 60K
Polskie Zaklady Lotnicze Sp. Z.o.o.	PZL M28 05 (Replacing Ni-Cd battery)	Concorde Battery (800) 756-0303	TC# A56CE	RG-CIS25; 5-0263 (Kit, TS, TS-C10)	PMA Supplement No. 106 Issued 9/15/14 TSO Authorized: RG-CIS25
Revo Inc.	(Lake) LA-4, LA-4-200, Model 250 (S/N: 1-25 only)	Revo Inc. (Phone unknown)	FAA Design Approval	RG-35A or RG-35AXC	PMA Supplement No. 25 Issued 6/07/96
Robinson Helicopter	R-22	Robinson (310) 539-0508	TC# H10WE	RG-25XC	PMA Supplement No. 75 Issued 2/18/05
Robinson Helicopter	R-44	Robinson (310) 539-0508	TC# H11MN	RG-25XC (12V), RG24-15 (24V)	PMA Supplement No. 75 Issued 2/18/05
Sabreliner	NA 265, NA 265-20, -30, -40, -70, -80 (Replacing flooded lead-acid battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/40B or RG-380E/44	PMA Supplement No. 15 Issued 1/06/92 TSO Authorized: RG-380E/40B, /44
Sabreliner	265-40, -60, -65, -70, -80 (Replacing Ni-Cd battery)	Jet Harbor Inc. (954) 772-2863	STC# ST01294AT	RG-380E/44	PMA Supplement No. 36 Issued 4/20/98 TSO Authorized: RG-380E/44
Sabreliner	265-65 (Replacing Ni-Cd battery)	Jet Harbor Inc. (954) 772-2863	STC# ST01294AT	RG-206 (Emergency Battery)	PMA Supplement No. 36 Issued 4/20/98 TSO Authorized: RG-206
Short Brothers. & Harland Ltd.	SD 3-30 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/44	PMA Supplement No. 29 Issued 1/17/97 TSO Authorized: RG-380E/44
Short Brothers & Harland Ltd.	SD 3-30 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-126 (Emergency Battery)	PMA Supplement No. 29 Issued 1/17/97 TSO Authorized: RG-126
Short Brothers & Harland Ltd.	SD 3-60 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/44	PMA Supplement No. 28 Issued 1/17/97 Rev. 2/21/97 TSO Authorized: RG-380E/44
Short Brothers & Harland Ltd.	SD 3-60 (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	FAA Design Approval	RG-126 (Emergency Battery)	PMA Supplement No. 28, Issued 01/17/97 Rev. 2/21/97 TSO Authorized: RG-126

Manufacturer	Model & Certificate Notes[8]	Certificate Holder	Certificate Number (or FAA Design Approval)	Concorde Part Number[7]	FAA Approval Type
Sikorsky	CH-54B	Helicopter Transp. (541) 754-2400	STC# SR01241SE	RG-390E	PMA Supplement No. 78 Issued 3/2/05 TSO Authorized: RG-390E
	S-76A (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR00091LA	RG-380E/40B	PMA Supplement No. 19 Issued 8/24/95 TSO Authorized: RG-380E/40B
	S-76B (Replacing Ni-Cd battery)	Concorde Battery (800) 757-0303	STC# SR03819AT	RG-390E	PMA Supplement No. 91 Issued 4/09/10 TSO Authorized: RG-390E
	S-76A, C, C+ (Replacing Ni-Cd battery)	Falcon Crest Av. (800) 833-5422	STC & STA# SR09050RC	RG-380E/44	PMA Supplement No. 22 Issued 01/23/96 TSO Authorized: RG-380E/44
Slingsby Aviation	Firefly Models T67M260 & T67M260-T3A	Slingsby Aviation (011) (44) (1751) 432474	TC# A73EU Rev. 2 BA 17, Issue 6	RG24-11M	PMA Supplement No. 27 Issued 7/03/96
Tamarack Helicopters	Bell UH-1F, TH-1F, UH-1P (Replacing Ni-Cd battery)	Tamarack Heli. (406) 777-0144	STC# SR01349LA	RG-390E	PMA Supplement No. 53 Issued 3/26/03 TSO Authorized: RG-390E
Textron Aviation	See Beechcraft & Cessna				
True Flight Holdings	AA-1, AA-1A, AA-1B, AA-1C, AA-5, AA-5A, AA-5B, AG-5B	Concorde Battery (800) 757-0303	STC# SA01250WI	RG-25 or RG-25XC (12V); RG24-11M or RG24-15M (24V)	PMA Supplement No. 71 Issued 6/04/04 TSO Authorized: RG24-15M
Twin Commander	680T, 680V, 680W, 690, 690A, 690B, 690C, 695, 695A, 690D & 695B	Concorde Battery (800) 757-0303	FAA Design Approval	RG-380E/44	PMA Supplement No. 15 Issued 1/06/91 TSO Authorized: RG-380E/44
Univair	415-C, 415-D, 415-CD (S/N 113 and up)	Univair (303) 375-8882	TC# A-718 Rev. 29, Issued 07/14/05	RG-25	PMA Supplement No. 79 Issued 11/23/05
Univair	Ercoupe: 415-E, 415-G, 415F-1 (All S/N's) Forney: F-1A (S/N 5715 – 5729)	Univair (303) 375-8882	TC# A-787 Rev. 33, Issued 07/14/05	RG-25	PMA Supplement No. 79 Issued 11/23/05
Univair	Forney: F-1A (S/N 5730 and up) Alon: A-2, A-2A; Mooney M-10	Univair (303) 375-8882	TC# A-787 Rev. 33, Issued 07/14/05	RG-25	PMA Supplement No. 79 Issued 11/23/05
Univair	Stinson: 108, 108-1, 108-2, 108-3, 108-5	Univair (303) 375-8882	TC# A-767 Rev. 27, Issued 07/14/05	RG-35A	PMA Supplement No. 79 Issued 11/23/05
Viking Air Ltd	DHC-6-1, -100, -200, -300 (Replacing Ni-Cd or lead-acid battery)	Concorde Battery (800) 757-0303	STC#SA03971AT	RG-380E/44 or RG-380E/60L; RG-300 (Aux.- Optional); 5-0455 (Aux. Mating Conn.); 4000 (Conn.- AN-3150 lead-acid replacement only)	PMA Supplement No. 101 Issued 8/20/12 Rev. 10/13/15 TSO Authorized: RG-380E/44, /60L; RG-300

Concorde Cross Reference Data

Authorized per FAA TSO-C1734			
Concorde Part Number	**Date of Approval**	**Concorde Part number**	**Date of Approval**
RG-42 and RG-42[ ]	May 27, 2011	RG-380E/46 and RG-380E/46[ ]	October 5, 2012
RG-47 and RG-47[ ]	July 1, 2010	RG-380E/46L and RG-380E/46L[ ]	October 5, 2012
RG-49 and RG-49[ ]	July 1, 2010	RG-380E/46LS and RG-380E/46LS[ ]	October 5, 2012
RG-121 Series	December 3, 2007	RG-380E/46K and RG-380E/46K[ ]	October 5, 2012
RG-122 Series	December 3, 2007	RG-380E/46KS and RG-380E/46KS[ ]	October 5, 2012
RG-125	July 31, 2008	RG-380E/60B and RG-380E/60B[ ]	November 4, 2010
RG-126	July 31, 2008	RG-380E/60K and RG-380E/60K[ ]	July 29, 2009
RG-128 Series	June 25, 2008	RG-380E/60KS and RG-380E/60KS[ ]	July 29, 2009
RG-129 Series	June 25, 2008	RG-380E/60L and RG-380E/60L[ ]	July 29, 2009
RG-131	January 3, 2008	RG-380E/60LS and RG-380E/60LS[ ]	July 29, 2009
RG-132	June 25, 2008	RG-390E and RG-390E[ ]	October 20, 2008
RG-145-1 and RG-145-1[ ]	November 5, 2010	RG-390ES and RG-390ES[ ]	October 20, 2008
RG-145-2 and RG-145-2[ ]	November 5, 2010	RG-390E/L and RG-390E/L[ ]	October 20, 2008
RG-206 and RG-206[ ]	July 1, 2010	RG-390E/LS and RG-390E/LS[ ]	October 20, 2008
RG-222 and RG-222[ ]	March 27, 2009	RG-390E/25 and RG-390E/25[ ]	December 14, 2011
RG-223 and RG-223[ ]	May 27, 2011	RG-390E/25S and RG-390E/25S[ ]	December 14, 2011
RG-224 and RG-224[ ]	May 27, 2011	RG-390E/25L and RG-390E/25L[ ]	December 14, 2011
RG-300 and RG-300[ ]	June 15, 2012	RG-390E/25LS and RG-390E/25LS[ ]	December 14, 2011
RG-325 and RG-325[ ]	February 29, 2012	RG-400E/13	March 6, 2008
RG-350 and RG-350[ ]	July 1, 2010	RG-407 and RG-407[ ]	March 29, 2011
RG-355 and RG-355[ ]	July 1, 2010	RG-427 and RG-427[ ]	March 12, 2013
RG-380E/40B and RG-380E/40B[ ]	September 9, 2008	RG-441 and RG-441[ ]	November 7, 2008
RG-380E/40K and RG-380E/40K[ ]	September 9, 2008	RG-442 and RG-442[ ]	November 7, 2008
RG-380E/40KS and RG-380E/40KS[ ]	September 9, 2008	RG-500 and RG-500[ ]	July 1, 2010
RG-380E/40L and RG-380E/40L[ ]	September 9, 2008	RG-600 and RG-600[ ]	July 1, 2010
RG-380E/40LS and RG-380E/40LS[ ]	September 9, 2008	RG-1835-1 and RG-1835-2	February 19, 2009
RG-380E/44 and RG-380E/44[ ]	August 15, 2008		
RG-380E/44K and RG-380E/44K[ ]	August 15, 2008		
RG-380E/44KS and RG-380E/44KS[ ]	August 15, 2008		
RG-380E/44L and RG-380E/44L[ ]	August 15, 2008		
RG-380E/44LS and RG-380E/44LS[ ]	August 15, 2008		
RG-380E/44KH and RG-380E/44KH[ ]	February 29, 2012		
RG-380E/44KSH and RG-380E/44KSH[ ]	February 29, 2012		
RG-380E/44LH and RG-380E/44LH[ ]	February 29, 2012		
RG-380E/44LSH and RG-380E/44LSH[ ]	February 29, 2012		

Authorized per FAA TSO-C173a[5]		
Concorde Part Number	**Description**	**Date of Approval**
HCU-6	LRU – Heater Control Unit Component	February 15, 2017
RG24-15	Battery	May 8, 2017
RG24-15M	Battery	May 8, 2017
RG24-16	Battery	May 8, 2017
RG-41/53	Battery	July 26, 2017
RG-150-1	Battery	April 29, 2014 Amended: March 17, 2016
B-150-1	Subassembly	April 29, 2014
BS-150-A	Subassembly	April 29, 2014
RG-150-2	Battery	April 29, 2014 Amended: March 17, 2016
MB-150-2	Subassembly	April 29, 2014
RG-150-1[-Y]	Battery	April 29, 2014 Amended: March 17, 2016
MB24-3.5-1	Subassembly	April 29, 2014
BS-150-C	Subassembly	April 29, 2014
RG-150-2[-Y]	Battery	April 29, 2014 Amended: March 17, 2016
RG-150-5	Battery	March 17, 2016
RG-150-6	Battery	March 17, 2016
RG-150-5[-Y]	Battery	March 17, 2016
RG-150-6[-Y]	Battery	March 17, 2016
MB24-3.5-2	Subassembly	April 29, 2014
RG-213	Battery	April 6, 2017
RG-235 and RG-235[ ]	Battery	August 27, 2014
RG-292-103	Battery	February 2, 2016
RG-330	Battery	December 6, 2016
RG-332-1 and RG-332-1[ ]	Battery	December 19, 2014
RG-332-2 and RG-332-2[ ]	Battery	December 19, 2014
RG-365 and RG-365[ ]	Battery	December 4, 2015
RG-380E/40D and RG-380E/40D[ ]	Battery	April 28, 2015
RG-380E/53L and RG-380E/53L[ ]	Battery	October 18, 2014
RG-380E/53LS and RG-380E/53LS[ ]	Battery	October 18, 2014
RG-380E/53K and RG-380E/53K[ ]	Battery	October 18, 2014
RG-380E/53KS and RG-380E/53KS[ ]	Battery	October 18, 2014
RG-380E/40GH-6	LRU - Battery Component	February 15, 2017
RG-380E/44GH-6	LRU - Battery Component	February 15, 2017
RG-380E/46GH-6	LRU - Battery Component	February 15, 2017
RG-380E/53GH-6	LRU - Battery Component	February 15, 2017
RG-380E/60GH-6	LRU - Battery Component	February 15, 2017
RG-380E/60KH and RG-380E/60KSH	Battery	April 29, 2013
RG-380E/60LH and RG-380E/60LSH	LRU - Battery Component	April 29, 2013
RG-390E/KH and RG-390E/KSH	LRU - Battery Component	April 29, 2013

Concorde Cross Reference Data

Concorde Part Number	Description	Date of Approval
RG-390E/LH and RG-390E/LSH	LRU - Battery Component	April 29, 2013
RG-390E/30 and RG-390E/30[ ]	Battery	November 20, 2015
RG-390E/30S and RG-390E/30S[ ]	Battery	November 20, 2015
RG-390E/30L and RG-390E/30L[ ]	Battery	November 20, 2015
RG-390E/30LS and RG-390E/30LS[ ]	Battery	November 20, 2015
RG-616 and RG-616[ ]	Battery	December 17, 2013
RG-624	Battery	December 7, 2016
RG-641 and RG-641[ ]	Battery	April 1, 2014
RG-CIS25 and RG-CIS25[ ]	Battery	December 3, 2014

Authorized per FAA TSO-C173a Incomplete[6]

Concorde Part Number	Description	Date of Approval
HCU-1	LRU - Heater Control Unit Component	August 9, 2013
HCU-2	LRU - Heater Control Unit Component	August 9, 2013
HCU-3	LRU - Heater Control Unit Component	August 9, 2013
HCU-4	LRU - Heater Control Unit Component	August 9, 2013
HCU-7X	LRU - Heater Control Unit Component	August 9, 2013

NOTES

Note 1 - Installations listed may require the battery purchase of an STC and/or STC Kit, aircraft modifications, etc. Contact the Concorde factory or the Certificate Holder for installation replacement details prior to battery purchase.

Note 2 - The products listed herein may be subject to export restrictions imposed by the United States. Export Licenses may be required. Customers are advised to contact Concorde for additional information on EAR or ITAR information as it pertains to these products.

Note 3 – It is highly recommended for the aircraft's original battery part number to be confirmed prior to choosing a replacement battery listed on this STC. The original number should be carefully matched to the Concorde battery listed as the replacement to avoid an error in battery selection. Please note for some replacement model numbers, there are certain Concorde models that are preferred based on fitment. Other batteries listed are for PMA information only. The original battery part number is typically available in the aircraft parts catalog.

Note 4 – The batteries listed under TSO were approved under Technical Standard Order C173 by the US Federal Aviation Administration which applies to permanently installed, rechargeable lead-acid batteries intended to provide power for aircraft equipment including emergency and standby systems and electrical power to start aircraft engines or auxiliary power units when required. Those installing a battery listed, on or in a specific type or class of aircraft, must determine that the aircraft installation conditions are within the TSO Standards. TSO articles must have a separate approval for installation in an aircraft. This article may be installed only according to 14 CFR part 43 or the applicable airworthiness requirements.

Note 5 - The conditions and tests required for TSO approval of this article are minimum performance standards. It is the responsibility of those installing the article on or within a specific type or class aircraft to determine that the aircraft installation conditions are within the TSO standards. TSO articles must have separate approval for installation in an aircraft. The article may be installed only if performed under 14 CFR Part 43 or the applicable airworthiness requirements.

Note 6 – The conditions and tests required for TSO approval of this article are minimum performance standards. It is the responsibility of those installing the article on or within a specific type or class aircraft to determine that the aircraft installation conditions are within the TSO standards. TSO articles must have separate approval for installation in an aircraft. The article may be installed only if performed under 14 CFR Part 43 or the applicable airworthiness requirements. The TSO-C173a is incomplete and its functions are listed in the installation Component Maintenance Manual.

Note 7 – Please note batteries listed herein are assumed to be main battery replacements unless otherwise indicated. STC documents may include model numbers prefixed "CB". The CB series has been discontinued and batteries from that product line have been removed from the Eligibility List. Even if removed, they remain legal options if still available in the field.

Note 8 – Note 8 – Please contact Concorde Customer Service or the approval holder for installation details prior to making a battery or STC Kit purchase. Please also refer to aircraft eligibility information published at concordebattery.com.

Enersys/Hawker

Power/Full Solutions For A Global Marketplace

EnerSys®, the global leader in stored energy solutions for industrial applications, manufactures and distributes reserve power and motive power batteries, battery chargers, power equipment, battery accessories and outdoor equipment enclosure solutions to customers worldwide. Motive power batteries and chargers are utilized in electric forklift trucks and other commercial electric powered vehicles. Reserve power batteries are used in the telecommunication and utility industries, uninterruptible power supplies, and numerous applications requiring stored energy solutions including medical, aerospace and defense systems. Outdoor equipment enclosure products are utilized in the telecommunication, cable, utility, transportation industries and by government and defense customers. The company also provides aftermarket and customer support services to its customers from over 100 countries through its sales and manufacturing locations around the world.

General/Commercial Aviation Batteries

All Hawker® aviation batteries are classified as non-spillable and unrestricted for land, sea or air transportation per US D.O.T. Regulation 49 C.F.R. Section 173.159 paragraph d when correctly packaged. These batteries need very little maintenance, have no memory effect and do not suffer fading. Depending on application, operation and use, these batteries can last up to five years, allowing a fit-and-forget installation. Maintenance, when required, is simple and quick; only visual inspection and a capacity test are needed. A dedicated lead acid battery shop is not required, as the batteries can be serviced in an existing Ni-Cd battery shop.



B777 24 Volt/5 Ampere Hour Flight Controls Battery

Features and Benefits:

- Virtually Maintenance free
- Extreme operating temperature range (-40°C to +70°C)
- Long service life
- Fast recharge capability
- Charging flexibility (CC, CV, CC/CV, IUI)
- Longest shelf life for VRLA (2 years @ +25°C)
- Low internal resistance
- Long float life (10+ years at 25°C)
- Reblockable
- Certified as nonspillable per 49 CFR § 173.159(d)

Part No.	Description
9750B0818	Battery: Sealed, Lead Acid,5ah

Enersys/Hawker Cross Reference Data

Most current listings and technical data available at enersys.com.

Manufacturer	Type	Role	Battery	Shipset Qty
Aerospatiale	Alouette		**36Ah**	
Aerospatiale	Puma		**36Ah**	
De Havilland	Chipmunk		**2 x 18Ah Monobloc**	
De Havilland	Chipmunk	T10	**9750D0741**	1
British Aerospace	HS125-700		**9750E0640 or 9750E0750**	2
British Aerospace	HS125	CC2/CC3	**9750E0751**	2
British Aerospace	HS146		**9750E0640**	1 or 2
British Aerospace	HS146	C2	**9750E0640**	2
British Aerospace	BAC1-11		**9750E0750**	2
British Aerospace	Bulldog	T Mk 1	**9750-0741**	1
British Aerospace	Canberra	PR9/T4/E15	**9750E0751**	2
British Aerospace	Dominie	T1	**9750E0751**	2
British Aerospace	Harrier II	GR-5	**9750T0663**	1
British Aerospace	Harrier II	GR-7/T10	**9750T0663**	1
British Aerospace	Hawk		**9750-0740**	2
British Aerospace	Hawk	T1	**9750D0741**	2
British Aerospace	Hawk 100		**9750-0740**	2
British Aerospace	Hawk 200		**9750-0744**	2
British Aerospace	Hunter		**9750D0741**	2
British Aerospace	Jetstream 31		**9750E0750, 9750E0640**	2
British Aerospace	Jetstream 31	T1	**9750E0751**	2
British Aerospace	Jetstream 31	T Mk1 - T Mk3	**9750E0751**	2
British Aerospace	Jetstream 41		**9750F0531**	2
British Aerospace	Sea Harrier	FRS MK 1	**9750D0741**	1
British Aerospace	Sea Harrier	FRS MK 2	**9750D0741**	1
British Aerospace	Strikemaster		**9750-0740**	2
British Aerospace	VC10	K2/K3/K4/C1/ C1K	**9750E0751**	2 + 1
Bae-Aerospatiale	Concord		**9750E0645**	
Beech	Kingair E90		**9750F0542**	1
Bell	212		**9750F0550**	1
Boeing	777		**9750B0818**	3
Boeing Vertol	Osprey	V22	**9750T0639**	1
Britten-Norman	Defender		**9750E0650 or 9750F0530**	
Britten-Norman	Islander		**9750E0650**	1
Britten-Norman	Islander	AL1	**9750E0751**	1
Britten-Norman	Trilander		**9750E0650**	1
Cessna	208 Caravan		**9750F0538**	1

European Rating - 1 hour to 20V @ +20°C (+68°F)

USA Military Rating - 1 hour to 18V @ +21°C (+70°F) at end of life (MIL-B-8565)

Please validate Part No.s and Approvals with Hawker Batteries

Manufacturer	Type	Role	Battery	Shipset Qty
Dassault	Rafale		**9750H0757**	1
Dassault	Mirage	F-1	**36Ah**	
Douglas	DC-3		**37Ah**	
Fokker	F27		**9750D0738, 9750D0740**	
Gaf	JINDIVICK Mk 4		**(9750D0741)**	1
Lockheed Martin	Fighting Falcon	F-16 updates	**9750S0746**	1
Hal	Kiran		**9750D0734**	
Handley Page	Herald		**9750D0740**	
Learjet	45		**9750R0824**	1
Lockheed	Hercules	C.1P/W2/C3P	**9750F0540**	1
Lockheed	Stealth Fighter	F-117	**9750R0819**	2
Lockheed	Dragonlady	U2	**9750D0738**	
Boeing	Goshawk	T45-S	**9750-0740**	2
Boeing	Harrier	AV-8A	**9750D0740**	1
Boeing	Harrier Ii	AV-8B	**9750T0639**	1
Boeing	Hornet	F-18	**9750R0819**	2
Boeing	Matador	AV8-S	**9750-0740**	1
Boeing	Matador	TAV8-S	**9750-0740**	1
Boeing	Matador Ii	EAV-8B	**9750T0639**	1
Northrop	Talon (Tiger)	T-38 NASA	**9750R0817**	1
Pilatus	PC6		**9750F0531**	1
Pilatus	PC7		**9750F0531**	1
Pilatus	PC9		**9750F0531**	1
Raytheon Hawker	HS125-800		**9750E0640 or 9750Y0662**	2
Boeing	Lancer	B-1B	**9750S0775**	2
Shorts	Skyvan		**9750D0744**	
Shorts	Tucano	T1	**9750T0675**	2
Siai-Marchetti	SF-211	Singapore AF	**9750G0816**	1
Siai-Marchetti	SF-260		**9750D0742**	1
Sikorsky	Blackhawk	VH60	**9750T0639**	
Sikorsky	Blackhawk	Australian AF	**9750G0822**	1
Sikorsky	Seahawk	Australian Navy	**9750G0817**	1
Vought	Corsair	A7-D	**9750-0637**	1
Westland	Wessex	HC2	**9750D0741**	2
Westland-Agusta	EH101		**9750E0640**	1
Westland-Agusta	Merlin		**9750E0640**	1

TELEDYNE BATTERY PRODUCTS
Everywhereyoulook™

Teledyne, a global public company, provides two battery product lines to the aviation market: Gill LT – a premium sealed no maintenance VRLA battery designed for maximum starting amps Gill Dry Charge – an economical high reliability solution for non-acrobatic pilots

Valve Regulated Batteries LT Series Premium Sealed Aircraft Batteries

Gill's LT line of VRLA batteries are FAA approved, factory sealed and shipped fully charged and ready to install. LT is designed to provide higher starting and residual power, fast recharge and superior life and was specifically designed for the extreme demands of jet, rotor and turbo-prop aircraft.

2 Year Warranty, 18 month capacity check – see manufacturer for details


7025-20


7035-28


7242-14


7243-14


7243-16


7246-20


7407-28


7638-36


7638-44


7638-44ST


7638-44T


7638-48P


7638-53


7639-25


7639-27


7639-30LT


7639-34


7641-20

Gill LT Sealed Batteries

Gill LT Sealed Batteries										
Model	Volts (nominal)	Amp Hours	30 Minute Emergency Capacity	Max Weight lbs.	Power Performance (A)					
					@73F (23C)		@0F (-18C)		@-22F (-30C)	
					Ipp	Ipr	Ipp	Ipr	Ipp	Ipr
7025-20	12	20	32	22.9	875	700	635	430	440	320
7035-28	12	28	45	30	1,599	1,088	1,100	840	850	600
7242-14	24	14	22	29	1,200	270	720	230	512	200
7243-14	24	14	22	29.2	1,200	270	720	230	512	200
7243-16	24	16	25	29.9	1,100	480	640	300	495	250
7246-20	24	20	28	43.9	1,250	850	810	550	610	410
7407-28	24	28	45	66.5	1,599	1,088	1,100	840	850	600
7638-36	24	36	63	84.9	1,660	1,260	1,300	985	980	775
7638-44	24	44	70	88.6	1,857	1,247	1,677	1,051	1,411	948
7638-44ST (Steel Case)	24	44	70	91.5	1,857	1,247	1,677	1,051	1,411	948
7638-44T	24	44	70	88.6	1,857	1,247	1,677	1,051	1,411	948
7638-48P	24	48	75	97.3	2,200	1,600	1,660	1,240	1,350	1,005
7638-53	24	53	80	95.8	1,959	1,323	1,526	1,021	1,225	828
7639-25	24	25	45	61.8	1,503	1,002	1,104	734	793	596
7639-27	24	27	45	61.8	1,503	1,002	1,104	734	793	596
7639-30LT	24	30	50	66.3	1,627	1,173	1,180	870	849	642
7639-34	24	34	55	66.4	1,636	1,168	962	774	761	604
7641-20	24	20	35	44.3	1,430	920	850	560	630	410

Ipp = Peak (Starting) Power in Amps
Ipr = Constant Voltage Residual Starting Power

For easy Gill battery look-up for your aircraft, please visit: gillbatteries.com.

TELEDYNE BATTERY PRODUCTS
Everywhereyoulook™

Dry Charged (Reliable Flooded Aircraft Batteries)

Gill is the only manufacturer of FAA approved Dry Charge aircraft batteries, a tried and true technology. Just add Gill electrolyte and go. The shelf life for dry charge batteries can be 20 years or more before electrolyte is added which makes them ideal battery solutions for hard to reach geographic locations, emergency repair parts, and a smart economical choice where a sealed battery is not required.

Warranty: G-200 Series, 1 year or 600 hours; G-6381, 2 years or 1200 hours; all others, 1 year or 600 hours - see manufacturer for details


G-25


G-35


G-35M


G-88


G-240


G-241


G-242


G-243


G-244


G-245


G-246


G-247


G-639C


G-639E


G-640C


G-640E


G-641


G-6381C


G-6381E


GE-50C


GE-50E


GE-51C


GE-51E


GE-54C


GE-54E

Gill Dry Charged Batteries

Gill Dry Charged Batteries (Flooded Not Sealed)						
Model	**Volts (nominal)**	**Amp Hours (C1)**	**30 Minute Emergency Rate. (A)**	**Electrolyte Required (Quarts)**	**60 Second Discharge at -18°C (0°F, A)**	**Nominal Weight lbs.**
G-25	12	18	30	2	225	21.3
G-35	12	23	40	3	250	27
G-35M	12	23	40	3	250	26.3
G-240	24	8	13	3	106	23
G-241	24	8	13	3	106	24.3
G-242	24	10	17	3	150	27
G-243	24	10	17	3	150	28
G-244	24	18	30	4	225	38.5
G-245	24	18	30	4	225	39.5
G-246	24	19	32	4	250	41.5
G-247	24	19	32	4	250	42.5
G-6381C	24	43	70	9	445	80
G-6381E	24	43	70	9	445	80
G-639C	24	24	40	5	345	55
G-639E	24	24	40	5	345	55
G-640C	24	14	25	3	180	34
G-640E	24	14	25	3	180	34
G-641	24	18	30	4	275	41.5
GE-50C	24	31	55	8	325	80
GE-50E	24	31	55	8	325	80
GE-51C	24	22	35	4	235	56
GE-51E	24	22	35	4	235	56
GE-54C	24	10	16	3	106	34
GE-54E	24	10	16	3	106	34
G-88	12	65	108	8	500	78

For easy Gill battery look-up for your aircraft, please visit: gillbatteries.com.

Gill Battery Accessories



DT



DT3QT

Electrolyte

Part No.	Description	Volts
DT	Battery Acid 2 Quart Pack	1.285
DT3QT	Battery Acid 3 Quart Pack	1.285

TELEDYNE BATTERY PRODUCTS
Everywhereyoulook™

Marathon/Norco Aerospace

For more than sixty years MarathonNorco Aerospace has successfully served commercial and military aviation markets with reliable cost effective products and continues to provide a total solution to aircraft power needs from engine, APU starting, emergency power, to ground support and battery maintenance.

We are committed through the implementation of AS9100-D for continuous improvement activities to supplying its customers with the highest quality, value engineered products available, delivered on time and defect free.

Micro Maintenance Batteries

MarathonNorco's Micro Maintenance (M3) batteries are improved low-maintenance Nickel-Cadmium batteries that supply reliable power for large commercial aircraft, regional aircraft, military aircraft, corporate aircraft and helicopters. M3 batteries are FAA-PMA approved for many aircraft models offered in sizes from 17 to 75 ampere-hours are interchangeable with existing batteries. Therefore, you can easily make the change to a low-maintenance battery without aircraft modifications and can service the product with your existing battery shop equipment.

SuperPower Batteries

The rechargeable vented Nickel-Cadmium batteries are widely used for engine starting and emergency power in commercial, corporate and military aircraft - fixed wing and rotary. They also supply power for military weapons, ground vehicles, medical and telecommunications equipment. The SuperPower Battery product line has been designed to provide maximum power for engine and APU starting applications.

Marathon Battery Specific Data



32364-001



32845-001



33183-001

Marathon Micro Maintenance Batteries					
Part No.	**Amp Hour**	**Length:**	**Height:**	**Width:**	**Weight:**
32855-001	17Ah	10.70” max	7.38” max	6.45” max	38.5 lbs
32752-001	17Ah	11.33” max	7.56” max	6.27” max	37.5 lbs
32749-001	17Ah	10.3” max	7.48” max	5.87” max	37 lbs
31918-003	17Ah	10.0” max	7.50” max	6.21” max	39.5 lbs
32955-002	23Ah	9.88” max	7.61” max	9.63” max	60 lbs
33206-001	28Ah	10.00” max	8.98” max	7.80” max	55 lbs
33181-004	33Ah	9.88” max	7.61” max	9.63” max	60 lbs
32663-001	44Ah	9.94” max	10.25” max	9.69” max	80 lbs
32824-001	44Ah	10.5” max	10.25” max	9.75” max	82 lbs
32845-001	44Ah	15.66” max	10.125” max	6.5” max	81 lbs
32848-001	44Ah	10.50” max	10.25” max	9.65” max	80 lbs
32857-001	44Ah	9.94” max	10.31” max	9.70” max	80 lbs
33183-001	54Ah	10.93” max	11.40” max	9.76” max	96 lbs
32364-001	75Ah	7.85” max	10.19” max	6.50” max	45 lbs



32472-001



32441-002

Marathon SuperPower Batteries					
Part No.	**Amp Hour**	**Length:**	**Height:**	**Width:**	**Weight:**
32472-001	17Ah	7.65” max	7.75” max	7.72” max	38.5 lbs
32441-002	40Ah	10.50" max	10.25" max	9.69" max	76.5 lbs



31433-001

Marathon Battery					
Part No.	**Amp Hour**	**Length:**	**Height:**	**Width:**	**Weight:**
31433-001	53Ah	11.58"	10.19”	7.68”	63 lbs

Marathon Norco Cross Reference Guide

Click part number to view shop.boeing.com part page

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
Aerospatiale	ATR 42, 72 Series	TCA 1742	31718-002	20-17H100	2 (05-12-95)	STC ST00222AT
Aerospatiale	ATR 42, 72 Series	TSP 442	31714-001	20-44SP100	1 (05-23-94)	
Aerospatiale	ATR 42, 72 series	M3 –44-11	32857-001	19-44M³120	17R1(12-17-99)	Alternate to TSP-442
Aerospatiale	ATR 42, 72 series	M3 –17-2	32855-001	19-17M³100	18(09-03-99)	Alternate to TCA 1742
Aerospatiale (Eurocopter, France)	AS 355 Series	TCA 1735	30408-001	20-17H100	1 (05-23-94)	STC SH4971SW
Aerospatiale (Eurocopter, France)	AS 350 Series	TCA 1735	30408-001	20-17H100	1 (05-23-94)	STC SH4970SW
Aerospatiale (Eurocopter, France)	SA 315B	TCA 440	30376-001	20-40H100	1 (05-23-94)	STC SH4960SW
Aerospatiale (Eurocopter, France)	SA 319B	TCA 440	30376-001	20-40H100	1 (05-23-94)	STC SH4961SW
Aerospatiale (Eurocopter, France)	AS 350 Series	TSP 1735 TSP 1735L	30402-001	20-17SP100	1 (05-23-94)	STC SH4970SW
			30402-002	20-17SP100		
Aerospatiale (Eurocopter, France)	AS 355 Series	TSP 1735 TSP 1735L	30402-001	20-17SP100	1 (05-23-94)	STC SH4971SW
			30402-002	20-17SP100		
Aerospatiale (Eurocopter, France)	SA319B	TSP 440	30377-001	20-40SP100	1 (05-23-94)	STC SH4961SW
Aerospatiale (Eurocopter, France)	SA 315B	TSP 440	30377-001	20-40SP100	1 (05-23-94)	STC SH4960SW
AgustaWestland	AW-139	CTSP-280-1	31995-002	20-28SP100	57 (02-04-2008)	
AgustaWestland	AW-139	M3-44-22	33204-001	19-44M³120	59 (11-04-2008)	
AgustaWestland	A109-A, All.	CA-21H-1	27515-002	19-20H120	60 (06-02-2009)	
AgustaWestland	A109-a, All, C.	CTCA-21H-1	31517-002	19-20H120	60 (06-02-2009)	
AgustaWestland	A109-LUH, N.	CTSP-400	31519-001	20-40SP100	60 (06-02-2009)	
AgustaWestland	A109-A, All, C, K, K2, E, S. A119	CTSP-280-1	31995-002	20-28SP100	60 (06-02-2009)	
AgustaWestland	A109-A, All, C, K, K2, e, s. A119	M3X–33-1	33181-001	19-28M³X100	60 (06-02-2009)	
AgustaWestland	AB-139, AW-139	M3-44-27	33204-002	20-44M³120	69 (2-20-14)	
AgustaWestland	AW-1095SP	M³X-33-4	33181-004	20-28M³X100	71 (5-23-14)	
Airbus	A318 Model -111, -112, A319 Model-111, -112, -113, -114, -115, -131, -132, -133; A320 Model-111, -211, -212. -214, -231, -232, -233; A321 Model-111, -112. -131, -211, -212, -213, -231, -232	M3X–23-1	32955-002	20-23M³X100	35R1 (4-18-2008)	Replace Saft 2758
Airbus	A300, Model B2-1A, B2-1C, B4-2C, B2K-3C, B4-103, B2- 203, B4-203, B4-601, B4-603, B4-620, B4-605R, B4- 622, BR-622R, C4-605R Variant F, F4-605R, F4- 622R; A310, Model 203, 204, 221, 222, 304, 322, 324, 325.	M3-25-1 MOD A	33082-001	20-25M³120	44R1 (12/14/2006)	Replace Saft 2520 SIL 33082-0804
Airbus	A300, Model B2-1A, B2-1C, B4-2C, B2K-3C, B4-103, B2- 203, B4-203, B4-601, B4-603, B4-620, B4-605R, B4- 622, BR-622R, C4-605R Variant F, F4-605R, F4- 622R; A310, Model 203, 204, 221, 222, 304, 322, 324, 325.	M3-25-1	33082-002	20-25M³120	44R1 (12/14/2006)	Replace Saft 2520
Beech Aircraft (Raytheon)	200 Series	CA 400	29327-001	30862-001 Kit	1 (05-23-94)	Installation Kit P/N 30862-001, STC SA5674SW Installation Dwg. 30853-001
Beech Aircraft (Raytheon)	C-90, E-90, 99, B99	CA 5H	24535-015	19-36H120	1 (05-23-94)	

Marathon Norco Cross Reference Guide

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
Beech Aircraft (Raytheon)	65-90, 65-A90, B90, C90, C90A, E90, H90.	KSP 400	30461-01C	20-40SP100	1 (05-23-94)	STC SA00112AT
Beech Aircraft (Raytheon)	99, 99A, A99A, B99, C99, 100, A100, A100A, A100C, B100.	KSP 400	30461-01C	20-40SP100	1 (05-23-94)	STC SA00114AT
Beech Aircraft (Raytheon)	200, 200C, 200CT, 200T, A200, B200, B200C, B200CT, B200T, 300, B300, B300C, 300LW, 1900, 1900C, 1900B.	KSP 400	30461-01C	20-40SP100	1 (05-23-94)	STC SA00110AT
Beech Aircraft (Raytheon)	200, 200C, 200CT, 200T, A200, B200, B200C, B200CT, B200T, 300, B300,B300C, 300LW,1900, 1900C,1900B, F90, 65-90, 65-A90 ,B90, C90,C90A, E90, H90, 99, 99A, A99A, B99, C99, 100, A100, A100A, A100C, B100.	KSP 400L	30461-02C	20-40SP100	10(07-08-98)	Alternate to Marathon KSP-400
Beech Aircraft (Raytheon)	200, 200C, 200CT, 200T, A200, B200, B200C, B200CT, B200T, 300, B300, B300C, 300LW, 1900, 1900C, 1900D, 65-90,65 A90, B90, C90, C90A, E90, H90, 99, 99A, A99A, B99, C99, 100, A100, A100A, A100C, B100, A99.	M3 –44-7	32824-001	19-44M³120	16(09-03-99)	Alternate to KSP-400 and KSP-400L
Beech Aircraft (Raytheon)	200 Series	SP 400 SP 400L	30126-001	20-40SP100	1 (05-23-94)	Installation Kit P/N 30862-001, STC SA5674SW Installation Dwg. 30853-001
			30126-002	20-40SP100		
Bell Helicopter Textron	206A, 206A-1, 206B, 206B-1, 206L	CA 103	27662-021	19-10H120	1 (05-23-94)	
Bell Helicopter Textron	206A, 206B, 206L	CA 1700	29365-01C	20-17H100	1 (05-23-94)	Installation Kit P/N 29401-001, STC SH4765SW Installation Dwg. 30427-001
Bell Helicopter Textron	206L-1, 206L-3	CA 170A	30450-001	20-17H100	1 (05-23-94)	Bell P/N 206-075-742-101
Bell Helicopter Textron	205A, 205A-1, 212	MA 5	24535-010	19-36H120	1 (05-23-94)	
			30135-002	20-17SP100		
Bell Helicopter Textron	206A, 206B, 206L	SP 1700 SP 1700L	30135-001	20-17SP100	1 (05-23-94)	Installation Kit P/N 29401-001, STC SH4765SW Installation Dwg. 30427-001
Bell Helicopter Textron	206L-1, 206L-3	SP 170A	30554-01C	20-17SP100	1 (05-23-94)	Bell P/N 206-075-742-101
Bell Helicopter Textron	206L-1, 206L-3	SP 170AL	32007-001	20-17SP100	1 (05-23-94)	
Bell Helicopter Textron	204B, 205A, 205A-1, 212, 222, 222B, 222U, 412	TMA 5-20	30703-001	20-36H120	1 (05-23-94)	
Bell Helicopter Textron	412	TMA-5-20C	30703-002	20-36H120	27(5-10-2000)	Alternate TMA-5-20
Bell Helicopter Textron	206A, 206B, 206L	M3-1700L	32749-001	19-17M³100	28(5-10-2000)	Alternate to CA-1700, SP-1700, SP- 1700L
Bell Helicopter Textron	206L-1, 206L-3	M3-170AL	32752-001	19-17M³100	29(5-10-2000)	Alternate to CA170, SP170A, SP170AL
Bell Helicopter Textron	222,222B	TSP 1722	31871-001	20-17SP100	5R (08-21-95)	Bell P/N 206-075-742-105
Bell Industries	100-000036 on 747 Series Aircraft	S-104T	38924-025	S-104	4 (06-22-95)	Alternate to Marathon 38924-019
Bell Helicopter	214, 222, 412, 430 AllSeries.	18-S-104	39563-001		43 (11/27/2001)	
Bell Helicopter	407,427,430	TSP-283	31908-001		50 (7-1-2005)	
Boeing Aircraft	747 Series	CA 154-1	28656-002	19-15M220	1 (05-23-94)	

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
Boeing Aircraft	727 Series	CA 27	28111-002	19-24ME220	1 (05-23-94)	Boeing P/N 10-60707-6 Replaced by CA 27-20C
Boeing Aircraft	727 Series	CA 27-20	28111-003	20-24ME220	1 (05-23-94)	Boeing P/N 10-60707-9 Replaced by CA-27-20C
Boeing Aircraft	727 Series	CA 27-20C	28111-004	20-24ME220C	3R (11-14-95)	Boeing P/N 10-60707-15
Boeing Aircraft	707-300 Series, 707-400 Series	CA 54-1	28002-001	19-5H120	1 (05-23-94)	
Boeing Aircraft	747 Series	CA 54-3	27826-002	19-5H120	1 (05-23-94)	
Boeing Aircraft	727 Series	CA 727-20	25582-003	20-24M220	1 (05-23-94)	Boeing P/N 10-60707-10 Replaced by CA727-20CR
Boeing Aircraft	727 Series	CA 727-7	25582-002	19-24M220	1 (05-23-94)	Replaced by CA 727-20CR
Boeing Aircraft	727 Series	CA 727-9	25582-004	20-24H100	1 (05-23-94)	Boeing P/N 10-60707-14
Boeing Aircraft	727 Series	CA 727-20C	25582-005	20-24M220C	3R (11-14-95)	Replaced by CA727-20CR
Boeing Aircraft	737-100, 200, 200C	CA 727-20C	25582-005	20-24M220C	5R (08-21-95)	Replaced by CA 727-20CR
Boeing Aircraft	737 Series	CA 737	28277-001	19-24M220	1 (05-23-94)	Boeing P/N 10-60707-5
Boeing Aircraft	737-100,200,200C	CA-727-20CR	25582-006	20-24M220CR	12R(08-06-98)	Boeing P/N 10-60707-16 Replaces Marathon CA-727-20C or CA-727-20 Battery
Boeing Aircraft	727,727-100,727C-100C,727-200,200F Series	CA727-20CR	25582-006	20-24M220CR	12R(08-06-98)	Boeing P/N 10-60707-16 Replaces Marathon CA-727-20C CA-727-20, CA727-7
Boeing Aircraft	727 Series	KCA 727	29069-001	19-24M220	1 (05-23-94)	Boeing P/N 10-60707-8 Replaced by KCA 727-20CR
Boeing Aircraft	727 Series	KCA 727-20	29069-002	20-24M220	1 (05-23-94)	Boeing P/N 10-60707-11 Replaced by KCA 727-20CR
Boeing Aircraft	727 Series	KCA 727-20C	29069-003	20-24M220C	1 (05-23-94)	Replaced by KCA 727-20CR
Boeing Aircraft	727,727-100,727C-100C,727-200,200F Series	KCA-727- 20CR	29069-004	20-24M220CR	12R(08-06-98)	Boeing P/N 10-60707-17, Replaces Marathon KCA727-20 KCA 727-20C, KCA727
Boeing Aircraft	737-300, 400, 500 Series	SP 747	30874-001	20-38SP100	1 (05-23-94)	Boeing P/N 60B40017-9
Boeing Aircraft	737-700 Series	SP747	30874-001	20-38SP100	8(3-16-98)	Replaces Saft 40176-7
Boeing Aircraft	747-100,100B,100BSUD, 200B,200F,200C,747SR, 747SP	SP 747	30874-001	20-38SP100	14(12-10-98)	Replaces SAFT 40176-7
Boeing Aircraft	747-400, 400D 757-200, 200PF, 200CB 767-200, 300, 300F 737-300, 400, 500	TSP-46-1	32669-001	20-46SPE100	15(4-26-99)	Replace Saft 4579 (Boeing P/N S282T002-1)
Boeing Aircraft	747-400, 400D 757-200, 200PF, 200CB 767-200, 300, 300F 737-300, 400, 500	M³-54-1	32536-001	19-54M³120	47 (2-18-2004)	Alternate to TSP-46-1 and SAFT 4579
Boeing Aircraft	737-600,-700,-800, -900 Series, 747-400, -400 F Series, 767-200, -300, -400 ER Series	M3X-54-1	33183-001	19-54M³X120	53R2 (6-12-06)	Boeing P/N S282T003-1
Boeing Aircraft	757-200, -200PF, -200CB Series, 757-300 Series	M3X-54-1	33183-001	19-54M³X120	58 (5-28-2008)	Boeing P/N S282T-002-1, Eldec P/N BA06-01, Saft 4579.

Marathon Norco Cross Reference Guide

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
Boeing Aircraft	737-900 ER	M³X-54-1	33183-001	19-54M³X120	72 (4-27-2015)	Boeing P/N S282T003-1 Eldec P/N BA-35-01 Saft P/N 024147-000 (539CH-1)
Boeing Aircraft	234	TCA 7	29986-001	19-12M220	1 (05-23-94)	
Boeing Aircraft	717-200 Series	BP-95	BP-95 Battery Pack		25 (1-31-2000)	
Bombardier	DHC-8-400, -401, 402	TSP-408L-1	32441-002	20-40SP100L	63 (7-25-2011)	Replaces Honeywell 1152112-2
Bombardier	DHC-8-400, -401, -402	TSP-1708L	32472-001	20-17SP100	63 (7-25-2011)	Replaces Honeywell 1152268-1
Bombardier/Canadair	CL 600-2B19 (RJ-100/RJ-200* SERIES)	TSP 1760L	31918-001	20-17SP100	5R (08-21-95)	Replaces Saft 1756-1 * Ref. TCDS A21EA Rev 20, Note 8
Bombardier/Canadair	CL 600-2B19 (RJ-100/RJ-200* SERIES)	UTSP460L	31006-001	20-44SP100	5R (08-21-95)	Replaces Saft 4078-3 * Ref. TCDS A21EA Rev 20, Note 8
Bombardier/Canadair	CL 600-2B19 (RJ-100/RJ-200* SERIES)	TSP-1760L-1	31918-002	20-17SP100	36 (6-21-2001)	Replaces TSP-1760L * Ref. TCDS A21EA Rev 20, Note 8
Bombardier/Canadair	CL 600-2B19 (RJ-100/RJ-200* SERIES)	M3-1760L-1	31918-003	20-17M³120	34 (6-21-2001)	Alternate to TSP-1760L and TSP-1760L-1 * Ref. TCDS A21EA Rev 20, Note 8
Bombardier/Canadair	CL 600-2B19 (RJ-100/RJ-200* SERIES)	UTSP-460L-1	31006-003	20-44SP100	37 (7-3-2001)	Replaced UTSP-460L * Ref. TCDS A21EA Rev 20, Note 8
Bombardier/Canadair	CL 600-2B19 (RJ-100/RJ-200* SERIES)	M3-460L-1	31006-004	20-44M³120	38 (7-3-2001)	Alternate to UTSP-460L and UTSP-460L-1 * Ref. TCDS A21EA Rev 20, Note 8
Bombardier/ Canadair	CL-600-2B16 (CL-604)	UTSP-460L-1	31006-003	20-44SP100	51 (7-1-2005)	
Bombardier/Canadair	CL-600-2B16 (CL-604)	M3-460L-1	31006-004	20-44M³120	51 (7-1-2005)	
Bombardier/Canadair	CL-600-2B16 (CL-604),CL- 600-2B19 (REGIONAL JET SERIES 100, 200, & 440), CL-600-2C10 (REGIONAL JET SERIES 700 & 701), CL-600-2D15 (Regional Jet Series 705), CL600-2D24 (REGIONAL JET SERIES 900).	M3-460L-1A	31006-006	20-44M³120	51R1 (6-7-2011)	
Bombardier/Canadair	CL-600-2B16 (CL-604),CL- 600-2B19 (REGIONAL JET SERIES 100, 200, & 440), CL-600-2C10 (REGIONAL JET SERIES 700 & 701), CL-600-2D15 (Regional Jet Series 705), CL600-2D24 (REGIONAL JET SERIES 900).	TSP-1760L-1	31918-002	20-17SP100	51R1 (6-7-2011)	
Bombardier/Canadair	CL-600-2B16 (CL-604),CL- 600-2B19 (REGIONAL JET SERIES 100, 200, & 440), CL-600-2C10 (REGIONAL JET SERIES 700 & 701), CL-600-2D15 (Regional Jet Series 705), CL600-2D24 (REGIONAL JET SERIES 900).	M3-1760L-1	31918-003	20-17M³120	51R1 (6-7-2011)	
British Aerospace	1-11 400 Series	CA 54-1	28002-001	19-5H120	1 (05-23-94)	
British Aerospace (Jetstream)	3101, 3201	BTM 502/2 099-29612/2	BTM 502/2		1 (05-23-94)	
British Aerospace (Raytheon Corporate Jets Ltd)	DH-125-1A Series, DH-125-3A Series	CA 125	27518-001	19-3H120	1 (05-23-94)	
British Aerospace (Raytheon Corporate Jets Ltd)	146 Series 100A, 200A	TSP 940	31392-002	20-24SP100	1 (05-23-94)	Replace Saft 23491-3 Battery
Canadair Ltd (Bombardier)	CL 600 Series, CL 601 Series	UTSP 400	31006-002	20-40SP100	1 (05-23-94)	

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
Cessna Aircraft	441	ATCA 21H	29486-001	20-20H120	1 (05-23-94)	Cessna P/N 9910308
Cessna Aircraft	441	ATCA 441	30976-001	20-40H100	1 (05-23-94)	Installation Kit P/N 30865-001, STC SA5673SW Installation Dwg. 30857-001
Cessna Aircraft	525,650	ATSP 280	31169-001	20-28SP100	7 (11/14/97)	Cessna P/N 9914058-9
Cessna Aircraft	650	ATSP 400-2	30665-002	20-40SP100	1 (05-23-94)	Cessna P/N 9914058-201
Cessna Aircraft	425, 500, 650	ATSP 44	30978-002	20-44SP100	1 (05-23-94)	Cessna P/N 9914058-6
Cessna Aircraft	650	ATSP 44	30978-002	20-44SP100	1 (05-23-94)	Cessna P/N 9914058-6
Cessna Aircraft	750	ATSP 44	30978-002	20-44SP100	6 (11/14/97)	Cessna P/N 9914058-6
Cessna Aircraft	441	ATSP 441	30978-001	20-40SP100	1 (05-23-94)	Installation Kit P/N 30865-001, STC SA5673SW Installation Dwg. 30857-001
Cessna Aircraft	425	CA 16N	27288-001	20-36H120	1 (05-23-94)	
Cessna Aircraft	500, 501	CA 5H	24535-015	19-36H120	1 (05-23-94)	Cessna P/N's 9912040-1, 5508081-6, 5518119-3
Cessna Aircraft	208	TSP 410	30994-001	20-40SP100	1 (05-23-94)	
Cessna Aircraft	425, 500, 650, 750	M³-44-1	32663-001	19-44M³120	21 (10-07-99)	Alternate to ATSP-44
Cessna Aircraft	525,550,550 Bravo, S550,560,750	ATSP-44	30978-002	20-44SP100	32 (08-25-00)	Cessna P/N 9914058-6
Cessna Aircraft	425,500,525,550,550 Bravo, S550,560,650,750	M3-44-1	32663-001	19-44M³120	33 (08-25-00)	Alternate to ATSP-44
DeHavilland Aircraft (Boeing Canada)	DHC-7-1, -100, -101, -102, -103	BTCA 400	29653-001	20-40H100	1 (05-23-94)	Superceded by BTSP 400
DeHavilland Aircraft (Boeing Canada)	DHC-6, DHC-6-1, -100, 200, 300, DHC-7, DHC-7-1, -100, -101, -102, -103	BTCA 5	29094-001	19-36H120	1 (05-23-94)	
DeHavilland Aircraft (Boeing Canada)	DHC -8-100, -200, -300 Series	BTSP 179	31346-001	19-17SP100	4 (6-22-95)	DeHavilland P/N 31346-001
DeHavilland Aircraft (Boeing Canada)	DHC-7-1, -100, -101, -102, -103, DHC-8-100 Series.	BTSP 400	30441-001	20-40SP100	1 (05-23-94)	
DeHavilland Aircraft (Boeing Canada)	DHC-8-100, -200, -300 Series	BTSP 400	30441-001	20-40SP100	4 (06-22-95)	DeHavilland P/N 8SC0148
DeHavilland Aircraft	DHC-7 and DHC-8 Series	M3-44-15	32890-001	19-44M³120	42 (11-14-2001)	Alternate to BTSP-400
Dornier	DO 328-100	DTSP 400L	31879-001	20-40SP100	5R (08-21-95)	
Dornier	228-100, -101, -200, -201, -202	TSP 280	30986-001	20-28SP100	1 (05-23-94)	Replace Saft 2778-2, STC SA7831SW
Embraer	EMB 110P1, 110P2	BTM 506	29330		1 (05-23-94)	
Embraer	EMB-110P1, 110P2	BTMA 5-20	29360-002	20-36H120	1 (05-23-94)	
Embraer	EMB 110P1, 110P2, 120, 120RT, 120ER	BTSP 400	30441-001	20-40SP100	5R (08-21-95)	Replaces Saft 4076-9
Embraer Aircraft	EMB-110P1, -110P2, -120, 120RT, -120ER Series	M3-44-15	32890-001	19-44M³120	40 (11-14-2001)	Alternate to BTSP-400
Embraer	EMB-145,EMB-145ER, 145MR, 145LR, 135ER, 145XR, 145EP	BTSP-4445L	32248-001	20-44SP100	11R3 (8-10-2005)	Embraer P/N SPD 145-26258
Embraer	EMB-145, 145ER, 145MR, 145LR, 135ER, 145XR, 145EP	M3 –44-8	32845-001	19-44M³120	19R4 (8-10-2005)	Alternate to BTSP-4445L
Embraer	EMB-135BJ, -135ER, -135KL, 135LR, -145EP, - 145ER, 145LR, -145XR	BTSP-4445L	32248-001	20-44SP100	52 (09-30-2005)	
Embraer	EMB-135BJ, -135ER,-135KL 135LR, -145EP, 145ER, s145LR	M3-44-8	32845-001	19-44M³120	55(12-2-2005)	Alternate to BTSP-4445L

Marathon Norco Cross Reference Guide

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
Fairchild Aircraft (Swearingen)	SA-26AT, SA-226T, SA-226AT, SA-226T(B), SA-226TC	CA 9-20	28974-001	20-24H120	1 (05-23-94)	
Fairchild Aircraft (Swearingen)	SA-26AT, SA-226T, SA-226AT, SA-226T(B), SA-226TC	CA 91-20	29206-001	20-24H120	1 (05-23-94)	
Fokker	F-27 Series	CA 20H-20	29341-001	20-20H120	1 (05-23-94)	
Gates (Learjet)	23	CA 21H-1	27515-002	19-20H120	1 (05-23-94)	
Gates (Learjet)	23, 24, 24 A, B, D, E, F, 25, 25A, B, C, D, F	TCA 21H-1	28855-001	19-20H120	1 (05-23-94)	
Gates (Learjet)	24, 25, 28, 29	TCA 5	28856-001	19-36H120	1 (05-23-94)	
Gates (Learjet)	24, 25, 35	TCA 5-20-1	29017-002	20-36H120	1 (05-23-94)	
Gates (Learjet)	55, 55B	TSP 455-1	30838-002	20-40SP100	1 (05-23-94)	
Gulfstream Aerospace	G1159A, G-IV	CA 154-2	28695-001	19-15M220	1 (05-23-94)	
Gulfstream Aerospace	G1159	CA 154-7	29449-001	19-15M220	1 (05-23-94)	
Gulfstream Aerospace	G1159	CA 54-1	28002-001	19-5H120	1 (05-23-94)	
Gulfstream Aerospace	G159, G1159, G1159B	GSP 400	31013-001	19-44SP100	9 (07-08-98)	Alternate to Marathon MA-5
Gulfstream Aerospace	G1159A	GSP-400	31013-001	19-44SP100	39 (7-3-2001)	Alternate to Marathon MA-5
Gulfstream Aerospace	G-1159A, G-IV	GTMA 5-20	30560-001	20-36H120	1 (05-23-94)	
Gulfstream Aerospace	G1159A, G-IV	GTSP 400	31009-001	20-44SP100	1 (05-23-94)	
Gulfstream Aerospace	G159, G1159, G1159B	MA 5	24535-010	19-36H120	1 (05-23-94)	
Gulfstream Aerospace	G280	5-S-113	42060-001	5-S113	70 (3-5-14)	
Hiller Aviation	FH-1100	CA 10N	15890-003	19-10H120	1 (05-23-94)	
Hiller Aviation	FH-1100	CA 4	24382-012	19-24M220	1 (05-23-94)	
Israel Aircraft Industries	1124	CA 400A	29327-002	20-40H100	1 (05-23-94)	
Israel Aircraft Industries	WW 1125 Astra & Astra SPX	ATSP-900L-1	32348-001	20-24SP100	22 (11-12-99)	
Israel Aircraft Industries	1121, 1121A, 1121B, 1123, 1124, 1124A	20-S113 Modular	38451-004	20-S-113	22 (11-12-99)	
Israel Aircraft Industries	WW 1125 Astra & Astra SPX	5-S113 Modular	42060-001	5-S-113	22 (11-12-99)	
Jetstream Aircraft (British Aerospace)	3101, 3201	BTCA 5-20	29094-002	20-36H120	5R (08-21-95)	
Jetstream Aircraft (British Aerospace)	3101, 3201	BTCA 9-20A	30250-001	20-24H120	5R (08-21-95)	
Jetstream Aircraft (British Aerospace)	3101, 3201	BTSP 400	30441-001	20-40SP100	5R (08-21-95)	Alternate Marathon BTCA 5-20
Jetstream Aircraft	3101 and 3201 Series	M3-44-15	32890-001	19-44M^{3}120	41 (11-14-2001)	Alternate to BTSP-400
Jetstream Aircraft (British Aerospace)	4101	TSP 281	31923-002	20-28SP100	5R (08-21-95)	
Jetstream Aircraft (British Aerospace)	4101	TSP 414	31921-002	20-44SP100	5R (08-21-95)	
Learjet	Learjet 60 Series	TSP 4460	32043-001	20-44SP100	1 (05-23-94)	
Lockheed	1329-25	STCA-162-2	29464-002	20-36H120	1 (05-23-94)	
Lockheed	1329-25	STCA 420-2	29463-002	20-40H100	1 (05-23-94)	
McDonnell Douglas	DC-9 Series	CA 13	27183-001	11-36H120	1 (05-23-94)	
McDonnell Douglas	DC-9 Series	CA 138	30475-001	11-38H100	1 (05-23-94)	Licensed from NiCad Systems Replaced GE 43034LB02 & 03
McDonnell Douglas	DC-9 Series	CA 139	30839-001	11-38H110	1 (05-23-94)	Replaces GE 438034LB02 & 03
McDonnell Douglas	DC-9 Series	CA 139	31282-001	11-38H110 Kit	1 (05-23-94)	Replaces GE 43034AC14G2 & 05G1
McDonnell Douglas	DC-9 Series, DC-10 Series	CA 154-1	28656-002	19-15M220	1 (05-23-94)	

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
McDonnell Douglas	DC 10-10	CA 154-2	28695-001	19-15M220	1 (05-23-94)	
McDonnell Douglas	DC 8-61, -61F, -63, -63F	CA 54-1	28002-001	19-5H120	1 (05-23-94)	
McDonnell Douglas	DC-8-61, 61F, 63, 63F, DC-8-54, -55, DC-8-55	CA 54-2	28002-002	19-5H120	1 (05-23-94)	
McDonnell Douglas	DC-9 Series, DC-10 Series	CA 54-3	27826-002	19-5H120	1 (05-23-94)	
McDonnell Douglas	DC-9 Series	SP 138	30475-002	11-38SP100	1 (05-23-94)	Replaces GE 438034LB02 & 03
McDonnell Douglas	DC 10-30,30F, -40,- 40F,MD11,11F Series	TCA 52	31433-001	11-52H120	13(12-10-98)	Replaces Saft 50LB01 and GE 43B050LB01
McDonnell Douglas	DC-10-10, -15, -30, -30F, -40, -40F, MD-10, MD- 11, MD-11F SERIES	TCA 52	31433-001	11-52H120	23 Rev 1 (7/19/2002)	
McDonnell Douglas (Boeing)	MD-90-30, 717-200 SERIES	7-75M3120	32364-001	7-75M³120	24(12-08-99)	Replaces Eldec BA-36-01
McDonnell Douglas (Hughes)	369 HS S/N 511 thru 780, 369 HM S/N 248 thru 282	TCA 106	29097-001	19-10H120	1 (05-23-94)	McDonnell Douglas P/N 369H4540-BSC
McDonnell Douglas (Hughes)	369 D S/N 3 & Sub.,HS 781 & Sub.,HM 283 & Sub.	TCA 106-3	29362-002	19-10H120	1 (05-23-94)	McDonnell Douglas P/N 369H4540-503, -507
McDonnell Douglas (Hughes)	369 D, H, HM, HE	TCA 1753	30695-001	20-17H100	1 (05-23-94)	Installation Kit P/N 30620-002, STC SH5495SW Installation Dwg. 30621-002
McDonnell Douglas (Hughes)	369 HS S/N 781S thru 874S	TCA 1753	30695-001	20-17H100	1 (05-23-94)	Installation Kit P/N 30620-001, STC SH5999SW Installation Dwg. 30621-001
McDonnell Douglas (Hughes)	369 HS S/N 001S thru 780S	TCA 1754	30896-001	20-17H100	1 (05-23-94)	Installation Kit P/N 30620-001, STC SH5999SW Installation Dwg. 30621-001
McDonnell Douglas (Hughes)	369 D, H, HM, HE	TSP 1753	30695-002	20-17SP100	1 (05-23-94)	Installation Kit P/N 30620-002, STC SH5495SW Installation Dwg. 30621-002
McDonnell Douglas (Hughes)	369 HS S/N 781S thru 874S	TSP 1753	30695-002	20-17SP100	1 (05-23-94)	Installation Kit P/N 30620-001, STC SH5999SW Installation Dwg. 30621-001
McDonnell Douglas (Hughes)	369 HS S/N 001S thru 780S	TSP 1754	30900-001	20-17SP100	1 (05-23-94)	Installation Kit P/N 30620-001, STC SH5999SW Installation Dwg. 30621-001
McDonnell Douglas (Hughes)	369D S/N 1309 & Sub.,E S/N 125 & Sub., F S/N 55 & Sub.	TSP 1755	30949-001	20-17SP100	1 (05-23-94)	McDonnell Douglas P/N 369D296503-3
McDonnell Douglas (Hughes)	369 FF S/N 55 & Sub.	TSP 1755	30949-001	20-17SP100	1 (05-23-94)	McDonnell Douglas P/N 369D296503-7
McDonnell Douglas	369D, H, HM s/n 001 thru 1308, 369HS and 781S thru 874S	M31753	32766-001	19-17M³100	30 (5-10-2000)	Alternate to TCA-1753, TSP-1753
McDonnell Douglas	369D s/n 1309 and Sub., E s/n125 and Sub., F s/n 55 and Sub., FF s/n and Sub.	M31755	32761-001	19-17M³100	31 (5-10-2000)	Alternate to TSP-1755
McDonnell Douglas	DC-9 all series	TM3-44-4	32794-001	11-44M³120	26 (5-8-2000)	Includes MD-80 per STC.
Mitsubishi (Beech)	MU-2 Series	CA 20H	27990-001	19-20H120	1 (05-23-94)	

Marathon Norco Cross Reference Guide

Manufacturer	Model	Battery Type	Part No.	Cell Part No.	PMA Supplement No.	Remarks
Mitsubishi (Beech)	MU-2 Series	CA 21H-1	27515-002	19-20H120	1 (05-23-94)	
Mitsubishi (Beech)	MU-2 Series	CA 5	24535-009	19-36H120	1 (05-23-94)	
Mitsubishi (Beech)	MU2B-25, -26, -26A, -35, -36, -36A, -40, -60	STSP 400	30247-001	20-40SP100	1 (05-23-94)	STC SA00108AT
Mitsubishi (Beech)	MU2B-10, -15, -20, -25, -26, -30, -35, -36	STSP 400	30247-001	20-40SP100	1 (05-23-94)	STC SA00109AT
Piaggio	P-180	GP 180	31055-001	20-38SP100	5R (08-21-95)	
Saab Aircraft	340A, SF340A, 340B	TSP 434	31233-001	20-44SP100	5R (08-21-95)	Replaces Saft 4078-7
Saab Aircraft	340A, SF340A, 340B	M3 –44-9	32848-001	20-44M³120	20(09-03-99)	Alternate to TSP-434
Saberliner (Rockwell Int'l)	NA 265-40	MA 5	24535-010	19-36H120	1 (05-23-94)	
Saberliner (Rockwell Int'l)	NA 265-40	MA 9	26934-002	19-24H120	1 (05-23-94)	
Saberliner (Rockwell Int'l)	NA 265-65	STCA 400	29423-001	20-40H100	1 (05-23-94)	
Saberliner (Rockwell Int'l)	NA 265-65	STCA 400A	29822-001	20-40H100	1 (05-23-94)	
Short Brothers	SC-7 Series	CA 21H-1	27515-002	19-20H120	1 (05-23-94)	
Short Brothers	SD3-30	KTCA 21H-20	29248-001	20-20H120	1 (05-23-94)	
Sikorsky Aircraft	S-76A Series	CA 176	29487-002	20-17H100	1 (05-23-94)	Sikorsky P/N 76550-03009-104
Sikorsky Aircraft	S-61L, N, R, NM	CA 20H	27990-001	19-20H120	1 (05-23-94)	
Sikorsky Aircraft	S-76A Series	CA 376	29490-001	20-36H120	1 (05-23-94)	Sikorsky P/N 76550-03009-103
Sikorsky Aircraft	S-76B Series	SP 276	31201-001	20-24SP100	1 (05-23-94)	Sikorsky P/N 76550-03009-105
Sikorsky Aircraft	S-76A, S-76C	SP 376L	31999-001	20-44SP100	2 (05-12-95)	Alternate to Marathon CA 376

Saft

Saft is the premier battery supplier to the global civil and military aerospace industry

Saft designs and manufactures high performance batteries for both civil and military aircraft.
The company has earned a reputation for performance, reliability and durability through its mastery of nickel technology specifically developed for aircraft. Besides its products, Saft is also known for being a dedicated partner that delivers technical expertise, professional service and around-the-clock support, all for the lowest total cost of ownership.

In co-operation with airframe and system integrators, Saft has developed batteries for the majority of the world's civil and military aircraft and its client list includes all the world's major aircraft manufacturers. Saft brings to any program its long experience of developing battery technology for aircraft systems. It always undertakes careful review, involving all appropriate functions (engineering, quality, logistics…) of the aircraft requirements and proposes optimized solutions with prudent and appropriate margins to ensure that the requirements are met reliably.

Batteries are flight-critical components that play a key safety role on board an aircraft. Choosing a Saft battery means benefitting from three essential functions:

- High peak power for autonomous engine or APU starting, essential on the ground and especially important in the event of an in-flight engine flame-out,
- Back-up power in case of an in-flight electrical generation system failure where the battery must be able to supply the energy for essential avionic instruments until landing,
- Regulation of the aircraft's DC network voltage.

Please see the following list for Saft Aircraft Applicability

Saft Cross Reference Data

Saft Bordeaux battery

- Nickel – Cadmium batteries for Aircraft applications
- New Ultra low Maintenance technology or “ULM” technology extends on wing time and reduces the removal rate and necessary maintenance by increasing available water. No Aircraft modification is necessary.

Manufacturer	Aircraft Model	Battery Model	Saft FRANCE Part Number	US Part Number	Cell Qty	Model	Saft FRANCE Part Number	US Cell Part Number	Comments
HAL	ALH/LUH - helicopters	345CD1	415241		20	CVD 34KH	413481		
ATR	ATR 42/ATR 72 Series	178CH1	416488		20	CVH 170KA	416492		
	ATR 42/ATR 72 Series	1658-6 (can be replaced by ULM® battery 178CH1)	415614		20	VHP170KH-3	166129	023484-000	can be replaced by ULM® battery 178CH1 for longer maintenance interval
	ATR 42/ATR 72 Series	40678-2 (can be replaced by ULM® battery 447CH8)	412724	023670-000	20	VHP430KH-3	165797	019858-000	can be replaced by ULM® battery 447CH8 for longer maintenance interval
	ATR 42/ATR 72 Series	447CH8	416487		20	CVH 441KH	414470		
Airbus	A300, A300-600, A310	2520	103376		20	VO25KA	103247		
	Airbus/ Aerospatiale A300F4-600R	2520	103376		20	VO25KA	103247		
	A330-300/A340	4059*	412242		20	VHP370KA-3	165823	019859-000	
	A319, A320, A321	2758	410946		20	VHP230KA-3	410406		
	A319, A320 , A321	Skyzen®	416526		20	CVH280KA	416458		Ultra Low Maintenance
	A330-300	4059	412242		20	VHP370KA-3	165823	019859-000	
	A330/A340	405CH	414361		20	CVH400KA	413597	023413-000	Ultra Low maintenance
	319, 321, 341, 342 Series	4050A1	102094		20	V040KH	063428	016650-000	
	319, 321, 341, 342 Series	4000A1-1	H116105	018684-000	20	VO40KH	063428	016650-000	
	A340-500/600	505CH	414985		20	CVH 500KA	414984		
	A350/A380	505CH2	415576		20	CVH 500KA	414984		
Agusta	Agusta A109	2778	166130		20	VHP270KH	165949	021103-000	
	Agusta A109	2026		017494-000	20	VP200KHB		018911-000	
Beechcraft Corporation	Queen Air Series	1277	100504	018232-000	19	VP120KH-MS	063425		
	Beech King Air Series (1900 Series)	40576		023311-000	20	VP400KH-AC		018859-000	
	Beech King Air Series (1900 Series)	4037CH		024809-000	20	CVH400KA-AC		023504-000	Ultra Low Maintenance upgrade for 40576
	Beechjet, Hawker Series (HS.125 Series 400A, 400B)	4076-10	410763	017702-000	20	VP400KH	063412	015602-000	
	Beech King Air Series (1900 Series)	40576-14		023663-000	20	VP400KH-AC		018859-000	
Bell	Bell Jetranger	1656	106408	015700-000	20	VP160KH	063417	015723-000	
	Bell Jetranger	1658	410385	024770-000	20	VHP170KH-3	166129	023484-000	
	204, 205, 212, 222, 412	4071-3		023044-000	20	VO40KH	063428	016650-000	
	Bell Jetranger	1756		023470-000	20	VP170KH		017496-000	
Bell	204, 205, 212, 222,412	4076-15	412786	024555-000	20	VP400KH	063412	015602-000	

Saft has received Airbus OEM approval to upgrade the main battery, 4059, to the 405CH ULM. The upgrade requires a modification of the existing Thales Avionics Battery Charge Limiter (BCL) to BCL Standard 8. The Serivce Information Letter (SIL) Number 0303 describes the instruction for this modification.

Manufacturer	Aircraft Model	Battery Model	Saft FRANCE Part Number	US Part Number	Cell Qty	Model	Saft FRANCE Part Number	US Cell Part Number	Comments
Beryev	Be200	1658-1	410051		20	VHP 170KH-3	166129		
Boeing	747 Series	605	120145		19	VP65K	100742		
Boeing	747-200, -300 series	605	120145		19	VP65K	100742		
Boeing	747-200, -300 series	12101	166763	018460-000	19	V012LKB	119956	016714-000	
	Boeing 727, 737	23180	100408	016833-000	20	V023KH	063410	016726-000	
	Boeing 727, 737	23186	106900	016362-000	20	VP230KH	063415	015698-000	
	747 Series	40176-7 & 40176-4	117481	016392-000 & 015920-000	20	VP400KH	063412	015602-000	40176-4 replaced by 40176-7
	737-600, -700, -800	539CH1		024147-000	20	CVH531KA		024257-000	Ultra Low Maintenance
	737, 747, 757, 767	605	120145		19	VP65K	100742		
	737, 747, 757, 767	4579		018550-000	20	VHP450KA-1		018520-000	See ULM Options: 539CH1 and 539CH2
	737,747,757,767	539CH2		025962–000	20	CVH531KA		024257–000	ULM Upgrade for 4579(aircraft with Eldec 4–254 Charger.
	747-400 AND 767 Series	539CH1		024147-000	20	CVH531KA		024257-000	Ultra Low Maintenance Upgrade for 4579 (aircraft with Eldec 8–930 charger)
	737-300, -400, -500, -700, 747 Series	605	120145		19	VP65K	100742		
	737-300, -400, -500	4017CH3		024643-000	20	CVH400KA	413597	023413-000	Ultra Low Maintenance Upgrade for 40176-7
	747-100, -200, -300	4017CH3		024643-000	20	CVH400KA	413597	023413-000	Ultra Low Maintenance Upgrade for 40176-7
	737-300, -400, -500, -700	40176-7	117481	016392-000	20	VP400KH	063412	015602-000	
	737-600, -700, -800	539CH1		024147-000	20	CVH531KA		024257-000	Ultra Low Maintenance
	757–200/300	539CH1		024147–000	20	CVH531KA		024257–000	ULM Upgrade for aircraft with Eldec 8–930 charger
Bombardier	Regional Jet (Series 100)	4078-3 use 40178-24		024453-000	20	VHP430KH-3	165797	019858-000	
	Canadair (Bombardier) Challenger 300	441CH1	415204		20	CVH441KH	414470		Ultra Low Maintenance
	Global Express GL511-2201-1, BX00101-01, BA34-01	257CH9		024054-000	20	CVH250KA		023412-000	ULM: New Battery proprietary to Bombardier
	Global Express, GL511-2301-1, BX00201-01, BA34-02	427CK1		024055-000	20	CVK420KA		024187-000	ULM: New Battery proprietary to Bombardier
	Canadair (Bombardier) Challenger Series	40178-24		024453-000	20	VHP430KH-3	165797	019858-000	
	Regional Jet (Series 100)	40178-24		024453-000	20	VHP430KH-3	165797	019858-000	
	Regional Jet (Series 100)	1756-3		024637-000	20	VP170KH		017496-000	

Saft Cross Reference Data

Saft Bordeaux battery (continued)

Manufacturer	Aircraft Model	Battery Model	Saft FRANCE Part Number	US Part Number	Cell Qty	Model	Saft FRANCE Part Number	US Cell Part Number	Comments
Bombardier	Regional Jet (CRJ 200 and 700)	4318CH24		025271–000		CVH430KA		025853–000	APU ULM Upgrade for 40178–24
	Regional Jet (CRJ 200 and 700	176CH3		025255–000		CVH170KA		025852–000	Main: ULM Upgrade for 1756–3
	Canadair CL-600, CL-601	40178-26		025008-000	20	VHP430KH-3	165797	019858-000	
British Aerospace	Hawker 125	4078-11	413347		20	VHP430KH-3	165797	019858-000	
British Aerospace	Jetstream 41/31/32	4078-17	413233		20	VHP430KH-3	165797	019858-000	
British Aerospace	146-100A, -200A, -300A	23491	410426		20	VO23KH	063410	016726-000	
British Aerospace	Avro 146-RJ70A, -RJ85A, -RJ100A	23491	410426		20	VO23KH	063410	016726-000	
British Aerospace	Hawker Series (HS.125 Series 700)	23491	410426		20	VO23KH	063410	016726-000	
British Aerospace	Hawker 125	23491-3	410861		20	V023KH	063410	016726-000	
British Aerospace	Hawker 125	2371-4		023043-000	20	V023KH	063410	016726-000	
British Aerospace	Hawker 125	2371-5		018465-000	20	V023KH	063410	016726-000	
Casa	Casa C-212 Series	616	411146		20	VP65K	100742		
Casa	CN-235-100, -200, -300	40109-1	410295		20	VHP370KA-3	165823	019859-000	
Casa	CN-235-10	40100-1	166768		20	V040KH	063428	016650-000	
Casa	Casa C-212 Series	GB170		011360-000	19	K07.5KH		019872-000	
Casa	Casa C-212 Series	2376-2	165603	019330-000	20	VP230KH	063415	015698-000	
Casa	Casa C-212 Series	4071-2	166731	019513-000	20	V040KH	063428	016650-000	
Cessna	Cessna 441	20126-2		023320-000	20	VP200KHB		018911-000	
Cessna	Citation 550, 560, 650	4078-14		023167-000	20	VHP430KH-3	165797	019858-000	
Cessna	Citation 750	4078-14		023167-000	20	VHP430KH-3	165823	019858-000	
Cessna	Citation 550, 560, 650 and 750	4417CH1		024904-000	20	CVH441KH	414470		Ultra Low Maintenance Replaces 4076-13, 4078-14 and ATSP-44.
Cessna	Citation 550, 560, 650	4076-13		023322-000	20	VP400KH	063412	015602-000	
Cessna	Caravan 208	4078-19		023694-000	20	VHP430KH-3	165797	019858-000	
Daher-Socata	TB30 Epsilon	16106-1	167554		20	VP 160KM-SQ	167590		
Dassault Falcon	Falcon 50	1201	160153	017437-000	19	V012LKB	119956	016714-000	
Dassault Falcon	Mystère Falcon 10	23176	112695		20	VP 230KH	063415		
Dassault Falcon	Mystère Falcon 900 Mystère Falcon 50	2376	105428		20	VP 230KH	063415		
Dassault Falcon	Mystère Falcon 20-5	2376-1	114765		20	VP 230KH	063415		
Dassault Falcon	Mystère Falcon 900/Falcon 900 Ex /Mystère Falcon 50	2376-4	410862		20	VP 230KH	063415		
Dassault Falcon	Mystère Falcon 900/Falcon 900 Ex /Mystère Falcon 50	276CH10	415957		20	CVH 271KH	415227		
Dassault Falcon	Mystère Falcon 20-5	276CH23	415959		20	CVH 271KH	415227		
Dassault Falcon	Dassault Falcon Fanjet	4071	102390		20	VO 40KH	063428		

Manufacturer	Aircraft Model	Battery Model	Saft FRANCE Part Number	US Part Number	Cell Qty	Model	Saft FRANCE Part Number	US Cell Part Number	Comments
Dassault Falcon	Dassault Falcon Fanjet	4071-1	114725		20	VO 40KH	063428		
Dassault Falcon	Dassault Falcon Fanjet	4076-1	115967	016987-000	20	VP400KH	063412	015602-000	
Dassault Falcon	Mystère Falcon 900/Falcon 900 Ex/Falcon 2000/ Falcon 2000EX	4076-10	410763	017702-000	20	VP400KH	063412	015602-000	
Dassault Falcon	Mystère Falcon 900/Falcon 900 Ex/Mystère Falcon 50/Falcon 2000/ Falcon 2000EX/ Falcon Fanjet	405CH10	415970		20	CVH 400KA	413597		
Dassault Falcon	Mystère Falcon 900/Falcon 900 Ex/Mystère Falcon 50/Falcon 2000/ Falcon 2000EX/ Falcon Fanjet	405CH23	415633		20	CVH 400KA	413597		
Dassault Falcon	Dassault Falcon Fanjet, Mystère Falcon 50/200/ Falcon 2000/ Falcon 2000EX	4076-23	415019		20	VP400KH	063412	015602-000	See Saft Service Letter S02-05
De Havilland	Dash 8	401176-9		020412-000	20	VP400KH	063412	015602-000	
De Havilland	DeHavilland DHC 6, DHC 7	4076-9	167556	017692-000	20	VHP40KH	063412	015602-000	
De Havilland	DHC 8	12277-2		020413-000	19	VP120KHB		018910-000	
De Havilland	DHC-8 100 Series	407CH9		024947–000		CVH400KA		023413–000	ULM Upgrade for 401176–9
Dornier/Fairchild	DO 328-100	4078-4	410384		20	VHP430KH-3	165797	019858-000	
Dornier/Fairchild	Dornier/Fairchild DO228 Series	4078-4	410384		20	VHP430KH-3	165797	019858-000	
Dornier/Fairchild	Dornier/Fairchild DO228 Series	2778-2	410001		20	VHP270KH-3	165949	021103-000	
Embraer	Embraer 170/175/190/195	2726CH1	415242		19	CVH271KH	415227		Ultra Low Maintenance
Embraer	Embraer E-190-E2	2726CH3	416464		19	CVH271KH	415227		Ultra Low Maintenance
Embraer	Embraer 135/145	442CH1	415449		19	CVH441KH	414470		Ultra Low Maintenance
Embraer	Embraer 110P1, 120, 120RT, 120ER	407CH9		024947-000	20	CVH400KA	413597	023413-000	Ultra Low Maintenance Upgrade for 4076-9
Embraer	Embraer 110, 120, 121	4706-0	167556	017692-000	20	VP400KH	063412	015602-000	Alternates with 407CH9 ULM
Embraer	Tucano (EMB-312)	23678-2	412546		20	VHP260KH-3-SQ	410232		
Embraer	Tucano (EMB-312)	A278CH2	415234		20	CVH271KH-SQ	415230		Ultra Low Maintenance - upgrade from 23678-2 (PN 412546) following Embraer SB312-24-0022 - no aircraft modification needed.
Embraer	Super Tucano - ALX - EMB-314	A530CH1	414815		20	CVH533KH-SQ	414978		
Enstorm	Enstorm 480 Series	1756-2		023808-000	20	VP170KH		017496-000	
Airbus Helicopters (Eurocopter)	EC120/EC130/ AS350/AS355	151CH1	414429		20	CVH150KH	414400	023407-000	Ultra Low Maintenance

Saft Cross Reference Data

Saft Bordeaux battery (continued)

Manufacturer	Aircraft Model	Battery Model	Saft FRANCE Part Number	US Part Number	Cell Qty	Model	Saft FRANCE Part Number	US Cell Part Number	Comments
Airbus Helicopters (Eurocopter)	EC 135	2378-2	166591		20	VHP 260KH-3	166300		
Airbus Helicopters (Eurocopter)	AS365	2708-2	410687		20	VHP430KH-3	165797	019858-000	
Airbus Helicopters (Eurocopter)	EC135	276CH1	414218		20	CVH271KH	415227		Ultra Low Maintenance Upgrade for 2378-2
Airbus Helicopters (Eurocopter)	SA330, 313, 315, 316, 318,	4000A1H	114098		20	VO40KH	165949	021103-000	
Airbus Helicopters (Eurocopter)	AS330/AS332	40208-1	166409		20	VHP430KH-3	165797	019858-000	
Airbus Helicopters (Eurocopter)	AS365/AS366/ EC155	40208-2	410089		20	VHP430KH	165797	019858-000	
Airbus Helicopters (Eurocopter)	AS350, 355, 332	40308-1	412729		20	VHP4C0KH	412774		
Airbus Helicopters (Eurocopter)	BK117C (EC 145)	409CH2	414975		20	CVH401KH	414972		Ultra Low Maintenance
Airbus Helicopters (Eurocopter)	BK117C (EC145)	447CH1	415538		20	CVH441KH	414470		Ultra Low Maintenance
Airbus Helicopters (Eurocopter)	SA330, 365, 360	4006A-1H	162707		20	VP400KH	063412	015602-000	
Airbus Helicopters (Eurocopter)	SA3565 Series	40206-2	167468		20	VP400KH	063412	015602-000	
Airbus Helicopters (Eurocopter)	AS365	1656-1	114769	017390-000	20	VP160KH	063417	015723-000	
Airbus Helicopters (Eurocopter)	MBB-BK117/ BO105	2376-5	167214	019438-000	20	VP230KH	063415	015698-000	
Airbus Helicopters (Eurocopter)	Eurocopter AS350, 355 & 332	1606-1	161172	018624-000	20	VP160KM	161144	018917-00	
Airbus Helicopters Canada	Airbus Helicopter B3e	2376-1	114765		20	VP 230KH	063415	015698-000	Ultra Low Maintenance Upgrade for 2378-2
Fairchild/ Swearingen	Fairchild/Swearin SA227-AT, -AC, FA300	gton 23576-1		023521-000	20	VP230KH	063415	015698-000	
Fairchild/ Swearingen	SA227-AC, -AT	23576-1		023521-000	20	VP230KH	063415	015698-000	
Fairchild/ Swearingen	SA227-TT	23676-1		023495-000	20	VP230KH	063415	015698-000	
Fokker	F28 MK 0070/0100	2371	100429		20	VO 23KH	063410		
Fokker	Fokker F27Mk050/060	4078-8	411399		20	VHP430KH-3	165797	019858-000	
Fokker	F27 MK 100 – 600	4078-1	410090		20	VHP 430KH-3	165797		
Fokker	F28Mk0100 (Fokker 100)	23578	410920		20	VPH260KH-3	166300		
Fokker	F28Mk70	23578	410920		20	VHP260KH-3	166300		
Fokker	F28Mk 1000/4000	4608-1	412341		20	VHP460KH	412388		
Fokker	F28Mk70	4608-1	412341		20	VHP460KH	412388		
Fokker	F28Mk 1000/4000	2353-1	114733		19	VO23KH	063410	016726-000	
Fokker	F27Mk100 à to 700 F27 MK 100 – 600	4050A1-1	114760		20	VO40KH	063428	016650-000	
Gulfstream	G150	276CH7	415779		20	CVH271KH	415277		Ultra Low Maintenance
Gulfstream	G200/Galaxy	276CH7	415779		20	CVH271KH	415277		Ultra Low Maintenance
Gulfstream	G200/Galaxy	40178-21	414377		20	VHP430KH-3	165797	019858-000	
Gulfstream	G200/Galaxy	4078-21	SEE COMMENT	S	20	VHP430KH-3	165797	019858-000	USE 40178-21

Manufacturer	Aircraft Model	Battery Model	Saft FRANCE Part Number	US Part Number	Cell Qty	Model	Saft FRANCE Part Number	US Cell Part Number	Comments
Gulfstream	G200/Galaxy	2778-18	413658		20	VHP270KH-3	165949	021103-000	
Gulfstream	Gulfstream G-III, G-IV	12101	166763	018460-000	19	VO12LKB	119956	016714-000	
Gulfstream	Gulfstream G-III, G-IV	4076-11		023515-000	20	VP400KH	063412	015602-000	
Gulfstream	G-V	5317CH1		024705-000	20	CVH530KA		023456-000	Ultra Low Miantenance
Israeli Aircraft Industries	Israeli Aircraft Industries 1121A, B, 1123, 1124, 1125	4076-3	117926	017455-000	20	VP400KH	063412	015602-000	
Jetstream Aircraft Ltd.	Bae ATP (Jetstream 61)	40178	414219		20	VHP 430KH-3	165797		
JJetstream Aircraft Ltd.	Bae ATP (Jetstream 61)	40179	411110		20	VHP370KA-3	165823	019858-000	
JJetstream Aircraft Ltd.	Jetstream Aircraft Ltd HS748	23390	105587		20	VO23KH	063410	016726-000	
JJetstream Aircraft Ltd.	Jetstream Aircraft Ltd HS748	23396	430380		20	VP230KH	063415	015698-000	
Learjet	Learjet 31, 35, 36, 55	4076	102446	015580-000	20	VP400KH	063412	015602-000	Requires installation of OEM Temperature Sensor
Learjet	Learjet 60	40678-4		023450-000	20	VHP450KH-1		023065-000	
Learjet	Learjet 45	4079-10		024976-000	20	VHP370KA-3	165823	019859-000	
LET	LET L610-G	4079-5	412764		20	VHP370KA-3	165823	019859-000	
LET	L410 UVP - E/ L410 UVP - E9/ L410 UVP - E20/ L420	26108	413331		20	VHP260KH	166300		
Lockheed	L-1011-385 Series	5103		015890-001	20	VP510KA		018422-000	
Lockheed	Lockheed 1329-25	40376		016834-000	20	VP400KH	063412	015602-000	
McDonnel Douglas	369HM, HS, HE, HD	16156	411300	017230-000	20	VP160KH	063417	015723-000	
McDonnel Douglas	369D, E & FF	16256-3		023510-000	20	VP160KH	063417	015723-000	
McDonnell Douglas	DC9 and MD-80 Series	43B034LB	3	21904-000	11	43BO34AC142		021903-000	
McDonnell Douglas	MD-900, MD-600	27578-2		024470-000	20	VPH270KH-3	165949	021103-000	
McDonnell Douglas	MD-900	2386-1		023773-000	20	VP200KHB		018911-000	
McDonnell Douglas	Dc-10/MD-11	43B050LB	1	021932-000	43	43BO50AC01-2		021930-000	
McDonnell Douglas	DC9, MD-80 Series	4025CH1		023964-000	11	CVH400KIA	413597	023413-000	ULM upgrade Requires Secureaplane STC charger upgrade
Mielec — PZL	Mielec-PZL M-28 SKYTRUCK	26108-5	414814		20	VP260KH-3	166300		
Mitsubishi	Mitsubishi MU-2	4076	102446	015580–00	20	VP400KH	063412	015602-000	
Pilatus	PC7MKII	A4076-21	413605		20	VP400KH-SQ	166927		
Pilatus	PC6	4071-1	114725		20	VO 40KH	063428		
Pilatus	PC9	4078-12	412263		20	VP430KH-SQ	411228		
Piper	PA-42, -720	40776		023673-000	20	VP400KHAC		018859-000	
Piper	PA-42, -100	401076		023677-000	20	VP400KHAC		018859-000	
Raytheon	Raytheon Corportate Jets Hawker 1000	4078-11	413347		20	VHP430KH-3	165797	019858-000	

Saft Cross Reference Data

Saft Bordeaux battery (continued)

Manufacturer	Aircraft Model	Battery Model	Saft FRANCE Part Number	US Part Number	Cell Qty	Model	Saft FRANCE Part Number	US Cell Part Number	Comments
SAAB	Saab 340, 2000 Erieye (AEW&C)	1658-2	410231		20	VHP 170KH-3	166129		
SAAB	2000	27478	412755		20	VHP270KH-3	165949	021103-000	
SAAB	B 340 A, B	447CH7	414471		20	CVH441KH	414470		Ultra Low Maintenance Upgrade for the 40787-7
SAAB	340A, B	4078-7 (can be replaced by ULM® battery 447CH4)	410493	02110-000	20	VHP430KH-3	165797	019658-000	
Sabreliner	NA265-65 1227	40876		018409-000	20	VP400KH	063412	015602-000	
Sabreliner	NA265-20, 40, 60, 70, 80	4076-10	410763	017702-000	20	VP400KH	063412	015602-000	
Sabreliner	NA265-65, 1227	40876-10		018515-000	20	VP400KH	063412	015602-000	
Schweitzer Aircraft Corp	Schweizer Aircraft Corp 269D	176		023470-000	20	VP170KH		017496-000	
Shorts Brothers	SD330, 360	20V03KHB	B 414548		20	V03KHB	102875		
Shorts Brothers	SD330, 360	4076-5	16234	017750-000	20	VP400KH	063412	015602-000	
Sikorsky Helicopter	SA-76A, SA-76C	4076-12		019500-000	20	VP400KH	063412	015602-000	
Sikorsky Helicopter	SA-76B	2376-10		023828-000	20	bp230kh	063415	015698-000	
Sikorsky Helicopter	SA226-T, -AT, T(B), –TC, TB	27576-2		023525-000	20	VP230KH	063415	015698-000	
Sikorsky Helicopter	SA226-T(A), -T(B)	23676-2		023498-000	20	VP230KH	063415	015698-000	
SUKHOI	RRJ series/ SuperJet 100	274CH2	416355		20	CVH 271KH	415227		
Socata	Socata TBM-700	4076-1	115967	016987-000	20	VP400KH	063412	015602-000	
Tupolev	TU-134, TU-154B, TU-154	26108	41331		20	VHP260KH3	166300		
Tupolev	TU-204 Series	26108-1	413956		20	VHP260KH-3	166300		
Xian	(XAC) Y7-100	4078-22	413799		20	VHP430KH-3	165797	019858-000	
Yakovlev	YAK42	40118-12 40118-2	413748		20	VHP370KH	165823	019858-000	
Yakovlev	YAK40	26108	413331		20	VHP260KH-3	166300		

MFG	Aircraft Model	Battery Model	SFR Cell Part No.	Temp Sensor Assembly
MIL	MIL MI8MT, MI-8MTV, MI-17	26108-1	166300	413957
MIL	MI8T	2506A2	413225	116051
MIL	MIL MI8MT, MI-8MTV, MI-17	2506A-2	413225	116051

Saft US battery

Manufacturer	Model Eligibility	Battery Ref.	US Part Number	Rev	Rev Date	Supplement No/Date	Remarks	OEM Reference No.
Aerospatiale/Alenia	ATR 42, ATR 72 Series	1656	015700-000	W	12/17/1997	20/07-15-93	Lic. Agree/STC*	
	ATR 42-200,-300, -320 ATR 72-101, -201, -102, -202, -211, & -212	1656-6 1656-6	021193-000 021193-000	B B	1/27/1998 1/27/1998	23/02-16-94 28/10-27-94 Rev. 11-14-94	Lic. Agree/OEM Lic. Agree/OEM	SFr 410627 SFr 410627
	ATR 42, ATR 72 Series	4078	018718-000	K	1/3/2002	20/07-15-93	Lic. Agree/STC*	
	ATR 72-101, -201, -102, -202, -211, & -212 ATR 42-200, -300, & 320	4078-2 4078-2	022259-000 022259-000	D D	1/30/2002 1/30/2002	23/02-16-94 28/10-27-94 Rev. 11-14-94	Lic. Agree/OEM Lic. Agree/OEM	SFr 410194 SFr 410194
	ATR 42-200, -300, & 320 ATR 72-101, -102, -201, -202, -211, -212	40678-2 40678-2	023670-000 023670-000	C C	2/22/1999 2/22/1999	28/10 27-94 Rev. 11-14-94 30/12-06-94	Lic. Agree/OEM Lic. Agree/OEM	SFr 412724 SFr 412724
	ATR 42-200, -300, & 320 ATR 72-101, -102, -201, -202, -211, -212	176CH6 176CH6	025898-000 025898-000	A A	12/15/2011	95/2-16-11 95/2-16-11	T & C per 21.303(c)4 T & C per 21.303(c)4	SFr 410627 SFr 410627
	ATR 42-200, -300, & 320 ATR 72-101, -102, -201, -202, -211, -212	438CH2 438CH2	025899-000 025899-000	A A	12/15/2011	95/2-16-11 95/2-16-11	T & C per 21.303(c)4 T & C per 21.303(c)4	SFr 412724 SFr 412724
Beech Aircraft	A65, 70	1277	018410-000	R	5/28/1998	09/09-04-92	Identical per 21.303(c)4	50-380078
	B99, F90, A100, B100, B200, 200C, A200C	40576	023311-000	H	2/12/2004	09/09-04-92	Identical per 21.303(c)4	101-381008-7
	C90, E90, H90, C99, B200, 200T, 200CT, B200T, B200C, B200CT, 1900, 1900C	40576	023311-000	H	2/12/2004	24/04-29-94	Identical per 21.303(c)4	101-381008-7
	B99, F90, A100, B100, B200, 200C, A200C., C90, E90, H90, C99, B200, 200T, 200CT, B200CT, 300, B300, B300C, 1900, 1900C, 1900D	4037CH	024809-000	B	12/31/2002	63R/03/25/99	T & C per 21.303©4	
	B200C	40576-14	023663-000	C	4/13/2005	23/02-16-94	Identical per 21.303(c)4	101-381008-9
	1900D, 300, B300, B300C	40576	023311-000	H	2/12/2004	47/10-07-97	Identical per 21.303(c)4	101-381008-7
	2000	40576	023311-000	H	2/12/2004	66/11-29-99	T & C per 21.303©4	
	400, 400A	4076-10	017702-000	U	12/31/2002	61/08-31-98	Identical per 21.303(c)4	
Bell Helicopter	206A,206B,206L 206A,206B,206L	1656 Inst. Kit Inst. Drwng	016710-000 015523-000	J M	11/3/1998 11/3/1998	01/04-07-77 01/04-07-77	STC SH736SO STC SH736SO	
	206 BIII	1658 Inst. Kit	018720-000 016710-000	Obsolete J	Obsolete 11/3/1998	27/07-18-94 27/07-18-94	Lic. Agree/STC	STC SA5980NM
	206BIII	1658 Inst. Kit	024770-000 016710-000	A J	4/8/1999 11/3/1998	58/06-25-98	STC SA5980NM	
	206A, 206B, and 206L Series	1658 Inst. Kit	018720-000 016710-000	Obsolete J	Obsolete 11/3/1998	42/09-09-96	Identical per 21.303(c)4	
	206A, 206B, and 206L	1658 Inst. Kit	024770-000 016710-000	A J	4/8/1999 11/3/1998	59/07-30-98	Identical per 21.303(c)4	
	206B, 206L III	1756	023470-000	A	5/17/1996	16/05-14-93	Identical per 21.303(c)4	206-075-742-103
	204B, 205A, 205A-1, 212, 222, 222B, 222U, 412	4071-3	023044-000	D	5/5/2009	49/03-03-98	Identical per 21.303(c)4	
	204B, 205A, 205A-1, 212, 222, 222B, 222U, 412	4076-15	024555-000	D	5/5/2009	52/03-23-98	Identical per 21.303(c)4	
	412CF	5347CH1	024797-000	C	11/18/2008	79/03-15-07	Identical per 21.303(c)4	
	206B, 206L-1, 206L-3, 206L-4 and 407	176CH	025897-000	A	11/4/2008	89/07-27-09	T & C per 21.303(c)4	206-074-742-103 and
	206B Series	Mounting Kit	016710-001	B	7/13/2011	97/04-09-12	STC SH736SO	

Saft Cross Reference Data

Saft US battery (continued)

Manufacturer	Model Eligibility	Battery Ref.	US Part Number	Rev	Rev Date	Supplement No/Date	Remarks	OEM Reference No.
Boeing Airplane Co.	747-400 Series, 747-400F Series	539CH-1	024147-000	G	11/4/2005	73/02-04-04	Lic. Agree/OEM	S282T003-1
	747-200, -300 Series	12101	018460-000	N	9/16/1997	34/05-05-95	Identical per 21.303(c)4	OEM
	727/737	23180	016833-000	P	7/21/1995	05/07-20-92	Lic. Agree/OEM	10-60707-13
	727/737	23186	016362-000	U	7/21/1995	05/07-20-92	Lic. Agree/OEM	10-60707-12
	MD-900/MD-600N	27578-2	024470-000	D	3/26/2004	54/04-21-98	Lic. Agree/OEM	
Boeing Airplane Co.	747	40176-7	016392-000	AB	3/22/2006	05/07-20-92	Lic. Agree/OEM	60B40017-7
	737-300, -400, -500	40176-7	016392-000	AB	3/22/2006	18/06-09-93	Lic. Agree/OEM	60B40017-7
	737-700	40176-7	016392-000	AB	3/22/2006	53/04-07-98	Lic. Agree/OEM	60B40017-7
	737-700, -800	539CH-1	024147-000	G	11/4/2005	50/03-06-98 51/03-23-98	Lic Agree/OEM	S282T003-1
	737-600	539CH-1	024147-000	G	11/4/2005	62/10-02-98	Lic Agree/OEM	S282T003-1
	737-700C, -900 Series, 767-400ER Series	539CH-1	024147-000	G	11/4/2005	71/07-13-01	Lic Agree/OEM	S282T003-1
	737-300, -400, -500, -700, 747	4017CH-3	024643-000	B	8/26/1998	57/06-02-98	Identical per 21.303(c)4	
	747SP, 747-200	40176-4	015920-000	Y	10/17/2003	45/07-07-97	Lic. Agree/OEM	
	737, 747, 757, 767	4579	018550-000	AA	7/29/2004	05/07-20-92	Lic. Agree/OEM	S282T002-1
	767-200 Series	539CH-1	024147-000	G	11/4/2005	74/08-03-05	Lic. Agree/OEM	S282T003-1
	767-300 Series	539CH-1	024147-000	G	11/4/2005	75/02-10-06	Lic. Agree/OEM	S282T003-1
	737-300, -400, -500, -700, 747-SP, -100, -200	4317CH1	025930-000	A	10/10/2008	87/03-04-09	T & C per 21.303(c)4	60B40017-7
	757-200, -200CB, -200PF, -300 Series	539CH-1	024147-000	G	11/4/2005	86/02-10-06	Lic. Agree/OEM	S282T003-1
	737, 747, 757, 767	539CH2	025962-000	A	3/19/209	88/05-28-09	T & C per 21.303(c)4	S282T002-1
	737, 747, 757, 767 Series	539CH1	024147-000	G	11/4/2005	91/06-07-10	T & C per 21.303(c)4	S282T002-1
	737-300,600,700C,800,900 - 747-400 Series, 400F Series - 757-200 Series, 200CB Series, 200PF Series, 300 Series - 767- 200 Series, 300 Series, 400ER Series	539CH2	025962-000	A	3/19/2009	93/07-19-10	T & C per 21.303(c)4	S282T003-1
	747-8 Series, 8F Series	5319CH1	025920-000	B	7/31/2009	96/02-06-12	Lic. Agree/OEM	S282T003-4
	737-700	539CH2	025962-000	A	3/19/209	93/07-19-10	T & C per 21.303(c)4	S282T003-1
British Aerospace	DH125, HS125, BH125	2371-5	018465-000	P	1/31/2003	07/12-31-91	STC SA1184SO	
	BAe125-800A	2371-4	023043-000	F	5/16/2008	12/01-14-93	STC SA2958SO	

Manufacturer	Model Eligibility	Battery Ref.	US Part Number	Rev	Rev Date	Supplement No/Date	Remarks	OEM Reference No.
Canadair (Bombardier)	CL-600-1A11,2A12,2B16	4076-8	017690-000	V	7/24/1994	04/01-06-88	Lic. Agree/OEM	600-59151-1
	CL-600-1A11,-2A12,-2B16	4079-4	020584-000	J	7/24/1994	04/01-06-88	Lic. Agree/OEM	600-59151-3
	CL-600-1A11,-2A12,-2B16, 2B19 Series 100	4078-3	020583-000	L	4/12/1996	04/01-06-88 14/03-24-93	Lic. Agree/OEM	600-59151-5
	CL-600-1A11,-2A12,-2B16, 2B19 Series 100	4078-24 Conversion kit	024452-000	New	10/24/1997	50/03-06-98	Lic. Agree/OEM	600-59151-9
	CL-600-2B19 Series 100	1756-1	022835-000	B	1/20/1998	14/03-24-93	Lic. Agree/OEM	601R59041-1
	CL-600-2B19 Series 100	1756-3 Conversion kit	024451-000	B	9/9/2003	50/03-06-98	Lic. Agree/OEM	601R59041-1
	CL-600-1A11 (CL-600), CL-600-2A12, (CL-601), CL-600-2B16 (CL- 601-3A, CL-601-3R & CL-604)	40178-24	024453-000	F	1/18/2007	60/08-25-98	Lic. Agree/OEM	600-59151-11
	CL-600-1A11 (CL-600), CL-600-2A12 (CL-601), CL-600-2B16 (CL- 601-3A, CL-601-3R & CL-604)	1756-3	024637-000	B	9/9/2003	60/08-25-98	Lic. Agree/OEM	601R59041-3
	CL-600-2B19 Series 100	40178-24	024453-000	C	10/23/2003	56/05-26-98	Lic. Agree/OEM	600-59151-11
	CL-600-2B19 Series 100	1756-3	024637-000	B	9/9/2003	56/05-26-98	Lic. Agree/OEM	601R59041-3
	CL-600-2C10 Series 700	40178-24	024453-000	C B	10/23/2003 9/9/2003	69/03-02-01	Lic. Agree/OEM	600-59151-11
	CL-600-2C10 Series 700	1756-3	024637-000			69/03-02-01	Lic. Agree/OEM	601R59041-3
	CL-600-1A11, (CL-600), CL-600-2A12,(CL-601) CL-600-2B16, (CL- 601-3A, CL-601-3R)	40178-26 Conversion kit	025008-000 025010-000	C New	2/18/2002 7/5/2000	70/05-18-01	Lic. Agree/OEM	600-59151-13 Canadair P/N 025010-000

Saft Cross Reference Data

Saft US battery (continued)

Manufacturer	Model Eligibility	Battery Ref.	US Part Number	Rev	Rev Date	Supplement No/Date	Remarks	OEM Reference No.
Canadair (Bombardier)	BD-700-1A10	257CH9	024054-000	R	4/7/2006	67/06-01-00 Rev 4-06-01	Lic. Agree/OEM	GL511-2201-1
	BD-700-1A10	427CK1	024055-000	V	3/16/2006	67/06-01-00 Rev 4-06-01	Lic. Agree/OEM	GL511-2301-1
	BD7-00-1A10, BD-700-1A11, BD-700-1A12	257CH9	024054-000	R	4/7/2006	76/02-10-06	Lic. Agree/OEM	GL511-2201-3
	BD7-00-1A10, BD-700-1A11, BD-700-1A12	427CK1	024055-000	V	3/16/2006	76/02-10-06	Lic. Agree/OEM	GL511-2301-3
	BD7-00-1A10, BD-700-1A11, BD-700-1A12	257CH9	024054-000	R	4/7/2006	77/06-07-06	Lic. Agree/OEM	GL511-2201-5
	BD7-00-1A10, BD-700-1A11, BD-700-1A12	427CK1	024055-000	V	3/16/2006	77/06-07-06	Lic. Agree/OEM	GL511-2301-5
	CL-600-2B19, CL-600-1A11 (CL600), CL-600-2A12 (CL601), CL-600- 2B16 (CL-601-3A, CL-601-3R, CL604)	4318CH24	025271-000	B	10/5/2007	81/01-14-08	T & C per 21.303(c)4	
	CL-600-2B19, CL-600-2B16 (CL604)	176CH3	025255-000	A	3/22/2006	81/01-14-08	T & C per 21.303(c)4	
	CL-600-2B16, CL-604 Variant (CL605)	40178-24	024453-000	F	1/18/2007	98/07-20-12	Lic. Agree/OEM	
	CL-600-2B16, CL-604 Variant (CL605)	1756-3	024637-000	C	4/5/2011	98/07-20-12	Lic. Agree/OEM	
	CL-600-2C10 Series 700	4318CH24	025271-000	B	10/5/2007	82/05-02-08	T & C per 21.303(c)4	
	CL-600-2C10 Series 700	176CH3	025255-000	A	3/22/2006	82/05-02-08	T & C per 21.303(c)4	
	CL-600-2D15 Series 705	1756-3	024637-000	B	9/9/2003	90/05-14-10	Identical per 21.303(c)4	601R59041-3
	CL-600-2D15 Series 705	40178-24	024453-000	F	1/18/2007	90/05-14-10	Identical per 21.303(c)4	600-59151-11
	CL-600-2D15 Series 705	176CH3	025255-000	A	3/22/2006	92/06-16-10	T & C per 21.303(c)4	601R59041-3
	CL-600-2D15 Series 705	4318CH24	025271-000	B	10/5/2007	92/06-16-10	T & C per 21.303(c)4	600-59151-11
	CL-600-2D24 Series 900	40178-24	024453-000	F	1/18/2007	83/05-21-08	Identical per 21.303	
	CL-600-2D24 Series 900	1756-3	024637-000	B	9/9/2003	83/05-21-08	Identical per 21.303	
	CL-600-2D24 Series 900	176CH3	025255-000	A	3/22/2006	85/07-17-08	T & C per 21.303(c)5	
	CL-600-2D24 Series 900	4318CH24	025271-000	B	10/5/2007	85/07-17-08	T & C per 21.303(c)5	
	CL-600-2E25, Series 1000	40178-24	024453-000	F	1/18/2007	99/09-04-12	Lic. Agree/OEM	600-59151-11
	CL-600-2E25, Series 1000	1756-3	024637-000	C	4/5/2011	99/07-04-12	Lic. Agree/OEM	601R59041-3
	CL-600-2C10 Series 700 (Revision of Supp.69)	40178-24	024453-000	F	1/18/2007	100/01-15-13	Identical per 21.303(c)4	600-59151-11
	CL-600-2C10 Series 700 (Revision of Supp.69)	1756-3	024637-000	C	4/5/2011	100/01-15-13	Identical per 21.303(c)4	601R59041-3
	CL-600-2E25, Series 1000	176CH3	025255-000	B	4/19/2011	102/5-22-13	T & C per 21.303	601R59041-3
	CL-600-2E25, Series 1000	4318CH24	025271-000	D	5/20/2010	102/5-22-13	T & C per 21.303	600-59151-11
	CL-600-2B16, CL-604 Variant (CL605)	176CH3	025255-000	B	4/19/2011	102/5-22-13	T & C per 21.303	601R59041-3
	CL-600-2B16, CL-604 Variant (CL605)	4318CH24	025271-000	D	5/20/2010	102/5-22-13	T & C per 21.303	600-59151-11
	BD-500-1A10, BD-500-1A11	425CK1	416392	G	8/18/2016	103/11-07-17	Lic. Agree/OEM	C07500016-001
CASA	C-212-CB, -CC, -CD, -CE, -CF	GB-170	011360-000	Y	4/3/2003	36/07-11-95	Identical per 21.303(c)4	SFr 459501
CASA	C-212-CB, -CC, -CD, -CE, -CF	2376-2	019330-000	K	1/4/1996	36/07-11-95	Identical per 21.303(c)4	SFr 165603
CASA	C-212-DF, -DE	4071-2	019513-000	H	1/30/2002	36/07-11-95	Identical per 21.303(c)4	SFr 166731
Cessna Aircraft	Cessna 441	20126-2	023320-000	B	4/19/1996	09/09-04-92	Identical per 21.303(c)4	9910308-3
Cessna Aircraft	Cessna 550, 560	4076-13	023322-000	D	7/31/1995	17/05-14-93	Identical per 21.303(c)4	9914058-5
Cessna Aircraft	Cessna 650	20126-3	023321-000	C	1/9/1995	09/09-04-92	Identical per 21.303(c)4	9914058-1 & -3
Cessna Aircraft	Cessna 650	4076-13	023322-000	D	7/31/1995	09/09-04-92 16/05-21-93	Identical per 21.303(c)4	9914058-5

Manufacturer	Model Eligibility	Battery Ref.	US Part Number	Rev	Rev Date	Supplement No/Date	Remarks	OEM Reference No.
Cessna Aircraft	Cessna 550, 560, 650	4078-14	023167-000	E	1/16/2001	41/08-21-96	Identical per 21.303(c)4	9914058-11
Cessna Aircraft	Cessna 208, 208A, and 208B	4078-19	023694-000	E	1/30/2002	32/03-20-95	Lic. Agree/OEM	
Cessna Aircraft	Cessna 750	4078-14	023167-000	E	1/16/2001	61/08-31-98	Identical per 21.303(c)4	9914058-11
Cessna Aircraft	Cessna 550, 560, 650, 750	4417CH14	024904-000	B	5/12/2000	66/11-29-99	T & C per 21.303(c)4	
Cessna Aircraft	Cessna 680	4078-14	023167-000	F	10/8/2004	80/08-17-07	Identical per 21.303(c)4	9914058-11
Cessna Aircraft	Cessna 550, 560, 650, 750	437CH14	025776-000	A	8/22/2007	81/01-14-08	T & C per 21.303(c)4	
Cessna Aircraft	Cessna 680	437CH14	025776-000	A	8/22/2007	85/07-17-08	T & C per 21.303(c)4	
Dassault Aviation	Mystere-Falcon Model 10, 50	23176	016585-000	W	3/26/1999	35/06-01-95	Lic. Agree/OEM	SFr 112695
Dassault Aviation	Mystere-Falcon Model 900	2376	015680-000	Y	3/17/1999	35/06-01-95	Lic. Agree/OEM*	SFr 105428
Dassault Aviation	Mystere-Falcon Model 20	2376-1	017490-000	Q	1/17/1996	35/06-01-95	Lic. Agree/OEM	SFr 114765
Dassault Aviation	Mystere-Falcon Model 50, 900	2376-4	018804-000	H	7/28/1997	35/06-01-95	Lic. Agree/OEM	SFr 410862
Dassault Aviation	Mystere-Falcon Model Fanjet	4071	016592-000	M	1/30/2002	35/06-01-95	Lic. Agree/OEM*	SFr 102390
Dassault Aviation	Mystere Falcon 50	1201	017437-000	M	10/13/1997	46/09-11-97	Lic. Agree/OEM	SFr 160153
Dassault Aviation	Fan Jet Falcon	4071-1	018100-000	M	1/30/2002	46/09-11-97	Lic. Agree/OEM	SFr 114725
Dassault Aviation	Fan Jet Falcon	4071-2	019513-000	H	1/30/2002	46/09-11-97	Lic. Agree/OEM	SFr 166731
Dassault Aviation	Fan Jet Falcon	4071-3	023044-000	C	1/30/2002	46/09-11-97	Lic. Agree/OEM	
Dassault Aviation	Mystere Falcon 200	4076	015580-000	AA	1/30/2002	46/09-11-97	Lic. Agree/OEM*	SFr102446
Dassault Aviation	Falcon 2000	4076-10	017702-000	U	12/31/2002	46/09-11-97	Lic. Agree/OEM	SFr 410763
Dassault Aviation	Mystere-Falcon Model Fanjet	4071-1	018100-000	M	1/30/2002	35/06-01-95	Lic. Agree/OEM	SFr 114725
Dassault Aviation	Mystere-Falcon Model 900, 2000	4076-1	016987-000	T	1/30/2002	35/06-01-95	Lic. Agree/OEM	SFr 115967
deHavilland (Bombardier)	DS6-100, - 200 & -300	4076-9	017692-000	Y	1/30/2002	13/02-05-93	Lic. Agree/OEM	FA-69113-A04
deHavilland (Bombardier)	DS7, 100 , 101	4076-9	017692-000	Y	1/30/2002	13/02-05-93	Lic. Agree/OEM	FA-72113-E01
deHavilland (Bombardier)	DS8-100, 100A, 102, 103, 300A, 311	12277-2	020413-000	N	4/8/2004	08/02-04-92	Lic. Agree/OEM	8SC0147
deHavilland (Bombardier)	DHC-8-200, Dash 8 Series 200, DHC-8-300, Dash 8 Series 300	12277-2	020413-000	N	4/8/2004	08R/01-03-16	Lic. Agree/OEM	8SC0147
deHavilland (Bombardier)	DS8-100, 100A, 102, 103, 300A, 311	401176-9	020412-000	N	4/25/1996	08/02-04-92	Lic. Agree/OEM	8SC0148
deHavilland (Bombardier)	DHC-8-200, Dash 8 Series 200, DHC-8-300, Dash 8 Series 300	401176-9	020412-000	N	4/25/1996	08R/01-03-16	Lic. Agree/OEM	8SC0148
deHavilland (Bombardier)	DS6-100, -200 & -300	407CH9	024947-000	C	10/12/2006	68/08-04-00	Test and Computation	
deHavilland (Bombardier)	DS7, 100, 101	407CH9	024947-000	C	10/12/2006	68/08-04-00	Test and Computation	
deHavilland (Bombardier)	DHC-8-200, Dash 8 Series 200, DHC-8-300, Dash 8 Series 300	407CH9	024947-000	C	10/12/2006	78/11-16-06	Test and Computation	
deHavilland (Bombardier)	DHC-8-100, Dash 8 Series 100	401176-9	020412-000	N	4/25/1996	84/06-16-08	Lic. Agree/OEM	8SC0148
deHavilland (Bombardier)	DHC-8-100, Dash 8 Series 100	12277-2	020413-000	N	4/08/20047	84/06-16-08	Lic. Agree/OEM	8SC0147
deHavilland (Bombardier)	DHC-8-100, Dash 8 Series 100	407CH9	024947-000	C	10/12/2006	87/03-04-09	T & C per 21.303(c)4	8SC0148
deHavilland (Bombardier)	DHC-8 Series 400	416381	416381-000	E	8/10/2012	101/03-15-13	Identical per 21.303(c)4	STC ST03247NY
Embraer	EMB-110P1, 110P2, EMB 120, 120RT, 120ER	4076-9	017692-000	Y	1/30/2002	29/11-03-94	Identical per 21.303(c)4	167556
Embraer	EMB-110P1, 110P2, EMB 120, 120RT, 120ER	4078-10	022019-000	F	1/30/2002	38/10-31-95	Identical per 21.303(c)4	Appr. Repl. For 017692-000
Embraer	EMB-110P1, 110P2, EMB 120, 120RT, 120ER	407CH9	024947-000	C	10/12/2006	68/08-04-00	Test and Computation	

Saft Cross Reference Data

Saft US battery (continued)

Manufacturer	Model Eligibility	Battery Ref.	US Part Number	Rev	Rev Date	Supplement No/Date	Remarks	OEM Reference No.
Enstrom	480 Series	1756-2	023808-000	B	1/31/2003	43/12-24-96	Lic Agree/OEM	
Eurocopter (Aerospatiale)	SA 350 Series, AS 355 Series, AS332 Series	1606-1	018624-000	J	5/17/1996	30/12-06-94	Lic. Agree/OEM	Eurocopter P/N 1606-1
Eurocopter (Aerospatiale)	SA365 Series	1656-1	017390-000	S	12/21/1995	30/12-06-94	Lic. Agree/OEM	Eurocopter P/N 1656-1
Eurocopter (Aerospatiale)	Model 366G (Series)	2376-3	018482-000	M	1/17/1996	03/05-03-84	Identical per 21.303(c)4	366-0-020-01
Eurocopter (Canada)	BO-105-LSA-3	2376-5	019438-000	H	7/31/1995	21/08-30-93	Lic. Agree/OEM	
Eurocopter (GMBH)	BO-105-A,-C,-S,-LSA-1	2376-5	019438-000	H	7/31/1995	22/11-02-93	Lic. Agree/OEM	
Eurocopter (GMBH)	BK-117-A-1,A-3,A-4,B-1	2376-5	019438-000	H	7/31/1995	22/11-02-93	Lic. Agree/OEM	
Eurocopter (Aerospatiale)	SA330,313,315,316,318,319,321,341,342 Series	4000A1	018383-000	F	7/6/1998	30/12-06-94	Lic. Agree/OEM	Eurocopter P/N 4000A1E
Eurocopter (Aerospatiale)	SA330, 313, 315, 316, 319, 341, & 342 Series	4000A1-1	018684-000	N	10/26/1999	30/12-06-94	Lic. Agree/OEM	Eurocopter P/N 4000A1-1E
Eurocopter (Aerospatiale)	SA 330 Series, AS 365 Series, AS 360 Series	4006A-1	018656-000	J	7/6/1998	30/12-06-94	Lic. Agree/OEM	Eurocopter P/N 4006A-1
Fairchild/Swearingen	SA227-AT,-AC,FA300	23576-1	023521-000	A	7/6/1998	16/05-21-93	Identical per 21.303(c)4	27-19200
Fairchild/Swearingen	SA226-T,-AT,-T(B),-TC, TB, SA227-AC,AT	23576-2	023525-000	C	5/30/2001	16/05-21-93	Identical per 21.303(c)4	26-33330
Fairchild/Swearingen	SA227-TT	23676-1	023495-000	A	6/30/1998	16/05-21-93	Identical per 21.303(c)4	27-19206
Fairchild/Swearingen	SA226-T(A),-T(B)	23676-2	023498-000	NEW	12/7/1992	16/05-21-93	Identical per 21.303(C)4	27-19207
Gulfstream American	G - 1159A, G IV	4076-11	023515-000	B	5/28/1996	23/02-16-94	Identical per 21.303(c)4	1159SCAV369
Gulfstream American	G-IV	12101	018460-000	N	9/16/1997	34/03-23-87	Identical per 21.303(c)4	
Gulfstream American	G-V	5317CH-1	024705-000	F	7/29/2004	49/03-03-98	Identical per 21.303(c)4	
Israeli Aircraft Industries	1121, 1121A, 1121B, 1123, 1124, 1124A, 1125,1A1 Astra S	4076-3	017445-000	P	1/30/2002	48/10-31-97	Lic. Agree/OEM*	
Learjet	31,353,655	4076	015580-000	AA	1/30/2002	19/06-22-93	Lic. Agree/OEM*	
Learjet	60	40678-4	023450-000	B	1/30/2002	15/04-06-93	Lic. Agree/OEM	
Learjet	45	4079-10	024976-000	B	1/30/2002	72/12-17-01	STC ST00500DE-D	
Lockheed	1329-25	40376	016834-000	V	12/22/1995	37/08-15-95	Identical per 21.303(c)4	Lockheed P/N JR2011-2
Lockheed	L-1011-385 Series	5103	015890-001	AB	12/11/2000	37/08-15-95	Identical per 21.303(c)4	Lockheed P/N 67491-101
McDonnell Douglas	DC-9, All Series	4025CH-1	023964-000	N	6/2/2004	44/05-12-97	Lic.Agree/Securaplane STC ST00336LA	
McDonnell Douglas	DC-9 -11, -12, -13,-14, -15, -15F, -21, 31, -32, -32F, -33F, -34, -34F, -41, 51, -81, -82, -83, -87, MD-88.	34LB02	021929-000	Obsolete	Obsolete	10/10-02-92	Lic. Agree/OEM	
McDonnell Douglas	DC-9-11, -12, -13, -14, -15, -15F, -21, -31, -32, -32F, -33F, -34, -34F, -41, -51, -81, -82, -83, -87, MD-88.	43B034LB03	021904-000	E	6/18/2003	10/10-02-92	Lic. Agree/OEM	
McDonnell Douglas	DC-9-11, -12, -13, -14, -15, -15F, -21, -31, -32, -32F, -33F, -34, -34F, -41, -51, -81, -82, -83, -87, MD-88.	40253	019654-000	L	5/22/2003	64/05-26-99	T & C per 21.303(c)4	
McDonnell Douglas	DC-10-30, -30F, -40, -40F, MD-11, MD-11F	43B050LB01	021932-000	H	1/20/1999	06/12-30-91	Lic. Agree/OEM	
McDonnell Douglas	DC-10-30, -30F, -40, -40F, MD-11, MD-11F	5512CH1	025654-000	A	6/6/2008	85/07-17-08	T & C per 21.303(c)5	
McDonnell Douglas Helicopter	369HM,HS,HE,& D	16156 w/kit Inst. Drwng	017444-000 017443-000	E C	1/16/2001 1/3/1996	02/10-11-77	STC SH958SO	
McDonnell Douglas Helicopter	369HM,HS,HE,&D	16156/w kit Inst. Drwng	017444-000 017443-000	E C	1/16/2001 1/3/1996	25/05-19-94 25/05-19-94	STC SH958SO	Supercedes Sup. No.2
McDonnell Douglas Helicopter	369HM,HS,HE,&D	16156-1/w Kit Inst. Drwng	018122-000 018121-000	C B	8/4/1997 1/3/1996	26/06-10-94 26/06-10-94	STC SH958SO	
McDonnell Douglas Helicopter	369D, E, & FF	16256-3	023510-000	C	3/5/1999	23/02-16-94	Identical per 21.303(c)4	369D296503-9

Manufacturer	Model Eligibility	Battery Ref.	US Part Number	Rev	Rev Date	Supplement No/Date	Remarks	OEM Reference No.
McDonnell Douglas Helicopter	MD-900	2386-1	023773-000	F	1/31/2003	31/02-27-95	Lic. Agree/OEM	900ER750013
Mitsubishi	MU-2B-10, -15, --20, -25, -26, -26A, 30, -35, -36, -36A, -40, -60	4076	015580-000	AA	1/30/2002	19/06-22-93	Lic. Agree*	
Piper	PA-42,PA-42-720	40776	023673-000	C	10/3/2003	27/06-18-94	Identical per 21.303(c)4	72031-02
Piper	42-1000	401076	023677-000	A	12/22/1995	37/08-15-95	Identical per 21.303(c)4	PIPER P/N 450037
SAAB AB	SF340A,340B	4078-7	021110-000	G	1/30/2002	23/02-16-94	Lic. Agree/OEM	9302864-003
Sabreliner Corp	NA265-20, -40, -60, -70, -80	4076-10	017702-000	U	12/31/2002	11/11-02-92	Lic. Agree/OEM	
Sabreliner Corp	NA265-65	1277	018232-000	K	8/8/1997	11/11-02-92	Lic. Agree/OEM	
Sabreliner Corp	NA265-65	40876	018409-000	H	1/4/1996	11/11-02-92 30/12-06-94	Lic. Agree/OEM	SABRELINER 18409
Sabreliner Corp	NA265-65	40876-10	018515-000	G	6/28/1996	40/03-19-96	Lic. Agree/OEM	SABRELINER 18515
Schweizer Aircraft Corp.	Model 269D	1756	023470-000	A	5/17/1996	39/02-22-96	Lic. Agree/OEM	
Sikorsky Helicopter	S-76A	4076-12	019500-000	L	1/30/2002	12/01-14-93	STC SH4184SW	
Sikorsky Helicopter	S-76B	2376-10	023828-000	B	7/6/1998	37/08-15-95	Identical per 21.303(c)4	SAFT 2376 - 19498/14
Sikorsky Helicopter	S-76C	4076-12	019500-000	L	1/30/2002	65/09-07-99	Test and Computation	76550-03009-103
Shorts Brothers	SD 330, SD 360	4076-5	017750-000	T	1/30/2002	33/03-28-95	Lic. Agree/OEM	SHORTS 162354
Socata	TBM-700	4076	015580-000	AA	1/30/2002	19/06-22-93	Lic. Agree*	
Socata	TBM-700	4076-1	016987-000	T	1/30/2002	55/05-04-98	Lic. Agree/OEM	

Customer Service Centers

Location	Telephone	Fax	Address
Asia			
Beijing	86-10-6410-6086	86-10-6410-6091	Room 1801A, Tower A, Pacific Century Place, No. 2A, Gong Ti Bei Lu, Chaoyang District, Beijing, China 100027
Hong Kong	852-2318-0233	852-2331-9222	Unit 2203 Goodman Global Gateway, 168 Yeung Uk Road, Tsuen Wan N.T., Hong Kong
Singapore	65-6542-5420	65-6542-8222	Boeing Pte, Ltd., 2 Loyang Lane, #05-01/02, Singapore 508913
Shanghai	86-21-6391-0619	86-21-6391-0987	Boeing Airstocks Ltd. Shanghai, Representative office, Rm 2202, Shanghai Times Square Office Building, No. 93 Huai Hai Road (M), Huangpu District, Shanghai 200021, P.R. China
Australia/New Zealand			
Auckland	64-9-275-0571	64-9-275-6569	Unit 2/17 Airpark Dr., Airport Oaks, Auckland 2022, New Zealand
Brisbane	61-7-3277-8322	61-7-3274-1170	Building 111, Ditchman Ave, Airport, Archerfield QLD 4108, Australia
Melbourne	61-3-9339-3000	61-3-9338-9773	20-22 Lindaway Pl., Tullamarine VIC 3042, Australia
Perth	61-8-9332-7855	61-8-9332-8858	11 Eagle Dr., Jandakot Airport, Jandakot, WA 6164, Australia
Europe			
Aberdeen			Wellheads Industrial Centre, Wellheads Crescent, Dyce, Aberdeen AB21 7GA, UK
Amsterdam	31-252-245-900	31-252-245-970	Schillingweg 40, Nieuw Vennep, 2153 PL, The Netherlands
Latin America/Caribbean			
Miami	954-625-3940	954-625-3931	3350 Davie Rd., Ste. 205, Davie, FL 33314-1638
Middle East			
Dubai	971-4-2998980	971-4-2998985	P.O. Box 293879, Plot 42B, By DAFZ - Gate 2, Near to Airport Terminal 2, Dubai Airport Free Zone, Dubai, U.A.E.
North America			
Anchorage		907-243-4150	4451 Aircraft Dr. Ste. C, Anchorage, AK 99502-0906
Atlanta			100 World Drive, Ste. 240, Peachtree City, GA 30269
Chicago		630-513-6651	3950 Swenson Ave., St. Charles, IL 60174-3446
Dallas		972-586-1982	P.O. Box 619048, Dallas, TX 75261-9048
Los Angeles		818-997-0473	8045 Woodley Ave., Van Nuys, CA 91406-1322
Miami		954-625-3931	3350 Davie Rd., Ste. 205, Davie, FL 33314-1638
Montreal		450-437-3997	12845 Rue Brault, Mirabel, Québec, J7J 0C4 Canada
New York		973-263-0662	2 Cranberry Rd., Parsippany, NJ 07054-1053
Philadelphia		610-591-6199	c/o The Boeing Company, 100 South Stewart Ave, Ridley Park, PA 19078
Toronto		905-676-9046	7425 Tranmere Drive, Unit 2, Mississauga, ON L5S 1L4 Canada
Vancouver		604-270-3115	#1-13511 Crestwood Pl., Richmond, BC V6V 2E9 Canada

For North America Customer Service Centers, dial 1-800-284-2551 to be automatically directed to the Boeing branch nearest your area code. If all lines are busy, your call will be redirected to the next available Boeing customer service representative, during normal business hours (8AM - 5PM | PST, MST, CST, EST).

Fax: 1-800-329-2842

Global Repair Services

Location	Telephone	Address	Airport	FAA station #
Battery Services				
Chicago	630-232-5035	3950 Swenson Ave., St. Charles, IL 60174-3446	DPA	LV5R029N
Dallas	972-586-1850	2755 Regent Blvd, Dallas, TX, 75261-9048	DFW	RD4R488M
Los Angeles	818-787-3983	8045 Woodley Ave., Van Nuys, CA, 91406-1322	VNY	RD42488M
Miami	954-625-3914	3350 Davie Rd., Ste. 206, Davie, FL 33314-1638	MIA	RD44488M
New York	973-257-8705	2 Cranberry Rd. UNIT 2, Parsippany, NJ, 07054-1053	MMU	RD4D488M
Toronto	905-672-6833	7425 Tranmere Dr #2, Mississauga, ON L5S 1L4	YYZ	AMO# 40-16
Hose Shops				
Dallas	800-945-0686	P.O. Box 619048, Dallas, TX, 75261-9048 Shipping / Street Address: 2750 Regent Blvd., DFW Airport, TX, 75261	DFW	
Los Angeles	818-994-3423	8045 Woodley Ave., Van Nuys, CA, 91406-1322	VNY	WH2R266L
Miami	954-625-3915	3350 Davie Rd., Ste. 206, Davie, FL 33314-1638	MIA	
Wheel and Brake Services				
Chicago	630-232-5030	3950 Swenson Ave., St. Charles, IL 60174-3446	DPA	LV5R029N
Crown Point	219-661-2235	Sisu Services 674 N. , Madison St. Crown Point, IN 46307	GYY	LQ5R024N
Dallas	972-586-1370	P.O. Box 619048, Dallas, TX, 75261-9048	DFW	UAVR972K
Los Angeles	818-781-7163	8045 Woodley Ave., Van Nuys, CA, 91406-1322	VNY	YRYR585L
Miami	954-625-3910	3350 Davie Rd., Ste. 206, Davie, FL 33314-1638	MIA	XVLR346L
New York	973-257-9240	2 Cranberry Rd., Parsippany, NJ, 07054-1053	MMU	VFTR164L
Rotables				
Dallas (C.O.R.E.)	866-284-2552	Dallas Service Center, 2750 Regent Blvd, Shipping Ramp 2, DFW Airport, TX 75261	DFW	

Value-Added Services

Location	Telephone	Address	Airport
Paint Mixing			
Dallas	1-800-284-2551	100 South Royal Lane, Coppell, TX 75019	DFW
Chemical Management			
Dallas	1-800-284-2551	100 South Royal Lane, Coppell, TX 75019	DFW
Kitting Services			
Dallas	972-586-4865	P.O. Box 619048, Dallas, TX, 75261-9048	DFW

Boeing
2750 Regent Blvd.
DFW Airport, Texas 75261
Phone: +1.800.284.2551
shop.boeing.com/aviation-supply

Copyright © 2020 Boeing. All rights reserved.

8980 GA 11_20