Updated February 2016

AVIALL
A BOEING COMPANY



Helicopter Products Catalog



Aviall at a glance:

As one of the world's largest providers of new aviation parts and related aftermarket services, Aviall markets and distributes products from more than 240 manufacturers.

Aviall offers more than 2,000,000 catalog items from its Dallas headquarters and customer service centers located in North America, Europe, and Asia-Pacific. Aviall provides maintenance for aviation batteries, wheels and brakes, as well as hose assembly, kitting and paint-mixing services.

Contents

Helicopter Platforms	2-90
Agusta A109	2
Airbus Helicopter AS330	4
Airbus Helicopter AS332	5
Airbus Helicopter AS350	6
Airbus Helicopter AS355	10
Airbus Helicopter AS365	12
Airbus Helicopter BK117	13
Airbus Helicopter B0105	15
Airbus Helicopter EC120	16
Airbus Helicopter EC121	17
Airbus Helicopter EC122	17
Airbus Helicopter SA315	17
Airbus Helicopter SA316	17
Bell 204	18
Bell 205	22
Bell 206	26
Bell 212	37
Bell 214	44
Bell 222	48
Bell 230	52
Bell 407	55
Bell 412	58
Bell 430	68
Brantly 305	71
Brantly B2	71
Enstrom 280	72
Enstrom F28	72
Hiller UH12	73
Hughes 269	74
Hughes 300	75
Hughes 369	76
MD-500	77
MD-520	79
MD-530	80

Helicopter Platforms (continued)	
MD-600	81
MD-900	82
Kaman K1200	82
Robinson R22	83
Robinson R44	84
Sikorsky S61	85
Sikorsky S76	86
Aviall Services	**91-97**
Rotables	91
Battery Repair	93
Chemical Management	94
Kitting	95
Hose Fabrication	96
Wheel and Brake	97
Featured Suppliers	**98**
Aircraft Lighting	98
Aircraft Fluids	98
Hardware	98
Avionics and Instruments	**99**
Featured Suppliers	99
Sensor Systems	99
Emergency and Safety	**100-103**
Emergency Beacons	100
Floatation Devices	101
Oxygen Systems	103
Headsets	**104-106**
David Clark	104
Rugged Race	105
Telex	106
Tools and Test Equipment	**107**
Featured Suppliers	107



Agusta A109

A lightweight, twin-engine, eight-seat multi-purpose SAR/ utility helicopter. Developed as the A109 by Agusta, later renamed the AW109 after the merger of Agusta and Westland Helicopters to form AgustaWestland.

Role: SAR/utility helicopter
Manufacturer: Agusta, AgustaWestland
Max Speed: 193 mph
Range: 503 nautical miles
Engine Type: 2 x Pratt & Whitney Canada PW206C Turboshaft

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

AGUSTA A109

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**10900001-1**	Tel-Tail Floodlights	A109, A, A2, C, K2, E	STC-SH4676SW
	10900002-1	Recognition Light: Forward Facing	A109, A, A2	STC-SH3754SW
	10900002-3	Recognition Light: Forward Facing	A109C, K2	STC-SH3754SW
	10900002-5	Recognition Light: Forward Facing	A109E	STC-SH3754SW
GE Lighting	**1683**	Lamp: Aircraft, Bayonet, Single	A109A	-
	4596	Lamp: Landing, Screw Terminals	A109A	-
Honeywell Lighting & Electronics	**15-0521-7**	Navigation Cockpit Utility Light	A109	-
	45-0339-11	Search Light: Controllable	A109	-
	A2064-1683	Light: Tail Position	A109	-
	B3550-307	Light: Dome	A109	-
Avionics				
Aerosonic	**PH500**	Pitot Probe	A109BA	-
Batteries				
Gill Battery	**G641**	Battery: Lead Acid	A109	-
Marathon Norco	**27515-002**	Battery: NiCad	A109-A, A2	20-40SP100
	31517-002	Battery: NiCad	A109-A, A2, C	19-20H120
	31519-001	Battery: NiCad	A109-LUH, N	-
	31995-002	Battery: NiCad	A109-A, A2, C, K, K2, E, A	19-28M3X100
	33181-001	Battery: NiCad	A109-A, A2, C, K, K2, E, A	19-20H120
	CTSP280	Battery: NiCad	A109	20-28SP100
Saft	**FR 166130**	Battery: NiCad, VHP270KH, 2778	A109	-
	FR 166456	Battery: NiCad	A109	-
	FR 414579	Battery: NiCad	A109	-
	FR 459934	Battery: NiCad	A109	-
	US 017494-000	Battery: NiCad	A109	-
Engine Accessories				
APC - Aircraft Parts Corp.	**150SG111Q**	APC Generator	A109, A	Replaces Lucas 23032-027
	150SG117Q	APC Generator	A109, A	Replaces Lucas 23032-027
	160SG136Q	APC Generator	A109C	-
	160SG137Q	APC Generator	A109K	Replaces Lucas 23032-027
APC - Aircraft Parts Corp.	**160SG139Q**	APC Generator	A109F	-
	GCSG505-28-1	D.C. Generator Control Unit	A109C, K2, E Power	-
	GCSG505-37	D.C. Generator Control Unit	A109 Unified	-

AGUSTA A109 (continued)

Manufacturer	Part Number	Description	Model	Comments
Filtration				
PTI Technologies	**21-11220**	Element: Hydraulic	A109, A1	-
	21-16122	Element: Hydraulic	A109, A1	-
	7593016-101	Filter Assembly: Inline Air	A109C	-
	7593045-001	Element: Air	A109C	-
	7595660-101	Element Kit: Fuel RR6895028	A109C	-
	7596653-101	Element: Lube	A109C	-
Fuel Systems				
Parker Airborne	**1C27-11**	Fuel Pump	A109, A, A2, C, K2	-
	1C27-11OH	Fuel Pump Cartridge: Overhaul Exchange	A109, A, A2, C, K2	Replaces 2C35-3
	2C35-3	Fuel Pump Assembly	A109, A, A2, C, K2	Replaces 109-0611-53-1
Ground Support				
Tronair	**01-1154-0000**	Portable Towbar	A109A	Kits
	01-1202-0000	Multi Head Towbar	A109A, C, E, S, Mark II	Requires Tow Bar Head (CE) 01-0524-0000
	01-1954-6000	Rack: Towbar Head Storage	A109A, C, E, S, Mark II	-
	01-1954-6002	Rack: Towbar Head Storage Double	A109A, C, E, S, Mark II	-
	02-0511-0132	Main Jack (5 ton/4.5 metric ton)	A109A, C, E, S, Mark II	2 ea. req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	A109A, C, E, S, Mark II	2 ea. req. Jack Pad Adapters R-1187-02
	112820C	GPU: 28.5 Volt Diesel	A109A, C, E, Mark II	Ask sales rep for correct rectifier
	5110	Hydraulic Power Unit: 51 Series	A109A, C, E, S, Mark II	Ask sales rep for other options and coupling
	K-3579	Adapter Kit	A109A, C, E, S	
Rotables				
Aviall Rotables	**150SG117Q**	Starter Generator	A109C	-
	160SG136Q	Starter Generator	A109A	-
	160SG137Q	Starter Generator	A109K	-
	160SG138Q	Starter Generator	A109K	-
	160SG139Q	Starter Generator	A109F	-
Tires				
Goodyear Tire & Rubber	**145K41-1**	Tire Size 14.5 x 5.5-6	A109A	14/TL



Airbus Helicopter AS330

The Aerospatiale SA-330 Puma was originally developed for the French military by Sud Aviation. It is a twin-engine, four bladed medium transport helicopter. Because of it's commercial success, it developed into the AS-332 Super Puma manufactured by Eurocopter. It has also been well received by the military and has seen action in a number of conflicts, including the Iraq and Falklands Wars.

Role: Utility helicopter
Manufacturer: Aérospatiale
Status: Active service
Produced: 1968-87
Max Speed: 159 mph
Range: 313 nautical miles
Engine Type: Turbomeca Turmo turboshaft engines

AIRBUS HELICOPTER AS330

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**307**	Tail Light	AS330J	-
	313	Taxi Light	AS330J	-
Wamco Lighting	**WLA7512-24**	Lamp	AS330B1	-
Batteries				
Saft	**2506-1**	Battery: NiCad	AS330	-
	4006A1	Battery: NiCad	AS330	-
Ground Support				
Tronair	**01-0577-0000**	Nose Jack	AS330	-
	01-1202-0000	Head Towbar	AS330	Req.-attachment head 01-0535-0000
	02-0511-0132	Main Jack (5 ton/4.5 metric ton)	AS330	2 ea req. Jack Pad Adapters R-1187-01
	05-3005-1100	Hydraulic Unit	AS330	with option 06 and 2 EA KHC1005



Airbus Helicopter AS332

The Eurocopter AS332 Super Puma (now Airbus H215) is a twin-engine, four-bladed off-shoot of the earlier AS-330. It is larger than the original SA330 Puma. The military version is the AS532 Cougar.

Role: Medium Utility Helicopter
Manufacturer: Airbus Helicopters, Indonesian Aerospace, Aérospatiale
Status: Active
Produced: 1978–present
Max Speed: 162 mph
Range: 454 nautical miles
Engine Type: Turbomeca Makila turboshaft

AIRBUS HELICOPTER AS332

Manufacturer	Part Number	Description	Model	Comments
Batteries				
Saft	**1606-1**	Battery: NiCad	AS332	-
	1608-1	Battery: NiCad	AS332	-
	40208-1	Battery: NiCad	AS332	-
	40208-5	Battery: NiCad	AS332	-
	40308-1	Battery: NiCad	AS332	-
Fuel Systems				
Parker Airborne	**1C27-20**	Fuel Pump: Cartridge	AS332, L, L1	Replaces Bronzavia C11BC0031, C11BA-0102, C11BC-041, C11BD-011, C11BD-021; Intertechnique 2030H02; Zenith P94C16-601, -602, -608
	1C44-1	Fuel Pump Assembly	AS332L	Replaces Bronzavia C11BC003; Intertechnique 2030H02; Zenith P94C16-601, -602
	1C44-10H	Fuel Pump Assembly: Overhaul Exchange	AS332L	
	1C44-2	Fuel Pump Assembly	AS332, L, L1	Replaces Bronzavia C11BC0031, C11BA-0102, C11BC-041, C11BD-011, C11BD-021; Intertechnique 2030H02; Zenith P94C16-601, -602, -608
	1C44-20H	Fuel Pump Assembly: Overhaul Exchange	AS332, L, L1	
	1C64-8	Fuel Pump Assembly	AS332, L, L1	
Ground Support				
Tronair	**01-0517-0132**	Nose Jack	AS332	1 ea
	01-0577-0000	Head Towbar	AS332	-
	02-0517-0132	Multi Head Towbar	AS332	-
	05-3005-1100	Hydraulic Unit	AS332	with option 06 and 2 ea KHC1005
	332A3001-1	Cabin Window	AS332C, C1, L, L1	L/H-R/H, Clear or Light Grey Tint
	332A3002-1	Cabin Window	AS332C, C1, L, L1	L/H-R/H, Clear or Light Grey Tint
	332A3005-1	Lower Nose Window	AS332C, C1, L, L1	L/H Clear or Light Grey Tint
	332A3005-2	Lower Nose Window	AS332C, C1, L, L1	R/H Clear or Light Grey Tint



Airbus Helicopter AS350

The Eurocopter AS350 Écureuil (Squirrel) is a single-engine light helicopter originally designed and manufactured in France by Aérospatiale (now Airbus Helicopters). In North America, the AS350 is marketed as the AStar.

Role: Light utility helicopter
Manufacturer: Aérospatiale, Eurocopter, Airbus Helicopters
Status: Active, in production
Produced: 1975 – present
Max Speed: 178 mph
Range: 357 nautical miles
Engine Type: Turbomeca Arriel

AIRBUS HELICOPTER AS350

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**35000001-3**	Tel-Tail Floodlights	AS350 B1, B2, B3, C, D, D1	STC - SH274WE
	35000001-7	Tel-Tail Floodlights	AS350 B1, B2, B3, C, D, D1 (LED)	STC - SH274WE
GE Lighting	**307**	Lamp: 28V, 8W Bayonet	AS350	-
	4596	Lamp: Landing, Screw Terminals	AS350	-
Wamco Lighting	**WLA7512-24**	Lamp	AS350B, B2, BA, D	-
Batteries				
Concorde Battery Corp	**RG350**	Battery: Lead Acid	AS350BA, B1, B2, B3, D	Use when replacing 151CH1
	RG355	Battery: Lead Acid	AS350BA, B1, B2, B3, D	Use when replacing 1606-1
Marathon Norco	**17H100**	Battery Cell: NiCad	AS350	-
	17SP100	Battery Cell: NiCad	AS350	-
	TCA1735	Battery: NiCad	AS350	-
	TSP1735	Battery: NiCad	AS350	-
	TSP1735L	Battery: NiCad	AS350	-
Saft	**1601-1**	Battery: NiCad	AS350	-
	1608-1	Battery: NiCad	AS350	-
	40208-1	Battery: NiCad	AS350	-
	40208-5	Battery: NiCad	AS350	-
	40308-1	Battery: NiCad	AS350	-
Filtration				
Purolator Advanced Filtration	**1741320**	Scavenge Oil Filter Kit	AS350C, D, D1, B, B1, B2, BA, B3	-
	1763440	Element Assembly: Fuel	AS350C, D, D1, B, B1, B2, BA, B3	Eurocopter P/N:704A34629022, LeBozec P/N: 402A12-4, Puroflow P-1113, Western Filter P/N: WF335192
	1763451	Element Assembly: Hydraulic	AS350C, D, D1, B, B1, B2, BA, B3	Eurocopter P/N:704A34621006, Goodrich P/N: 157152, Puroflow P/N: P-1110, Western Filter P/N: WF335193
	1763819	Element Assembly: Lube	AS350C, D, D1, B, B1, B2, BA, B3	Eurocopter P/N: N6799915621, SoFrance GD4100, Western Filter P/N: WF335191 and P-1114
	1764385	Element Assembly: Hydraulic	AS350C, D, D1, B, B1, B2, BA, B3	Eurocopter P/N: 806966, Goodrich P/N: CH0305101342N01

AIRBUS HELICOPTER AS350 (continued)

Manufacturer	Part Number	Description	Model	Comments
Fuel Systems				
Parker Airborne	**1C45-1**	Fuel Pump Assembly	AS350D	Replaces: Aerospatiale 350A55-1011-3; Zenith P94B12-203
	1C45-3	Fuel Pump Assembly	AS350D	
	1C45-30H	Fuel Pump Assembly: Overhaul Exchange	AS350D	
	1C45-2	Fuel Pump Assembly	AS350B, B1, B2, BA, C, D, D1	Replaces: Aerospatiale 704A44510.040; Zenith P94B12-208, -203, 207, 209 1C45-5
	1C45-4	Fuel Pump Cartridge	AS350B, B1, B2, BA, C, D, D1	
	1C45-50H	Fuel Pump Cartridge: Overhaul Exchange	AS350B, B1, B2, BA, C, D, D1	
Ground Support				
Brackett Aircraft	**BDWAT**	Mechanical Wheels	AS350	-
	BDWATH	Hydraulic Wheels	AS350	-
	HM&M	Towbar	AS350	-
	HPT350	Whirly Tug	AS350	-
Tronair	**02-0222-0111**	Front Jack	AS350	Long Skid 2 Ea
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	AS350	2 ea req. Jack Pad Adapters R-1187-02
	02-0222-0111	Rear Jack	AS350	Long Skid 2 Ea
	02-0234-0111	Rear Jack	AS350	Long Skid 1 ea
Ignition Systems				
Champion	**53317-3**	Lead	AS350B1, B2 ASTAR	
	53317-3	Lead	AS350BA	
	CH34016-1	Igniter	AS350, D	-
	CH34016-1	Igniter	AS350D	-
	CH34187A	Igniter	AS350G	-
	CH34304	Igniter (Long Life)	AS350G	-
	CH34595	Igniter	AS350B3	-
	CH34745	Igniter	AS350B1, B2 ASTAR	-
	CH34745	Igniter	AS350BA	-
Continental Motors	**10-360840-1**	Igniter	AS350D	-
	10-383225-1	Exciter	AS350D	-
	10-700210-1, 2	Ignition Lead	AS350	-
Rotables				
Aviall Rotables	**0177555170**	Tachometric Box	AS350	-
	11-84961	Cooler: Oil	AS350	-
	11-84964	Cooler: Oil	AS350	-
	150SG114Q	Starter Generator	AS350	-
	2306-557-00-10	Indicator: Gauge, Rear	AS350	-
	2309-362-00-10	Ammeter Indicator	AS350	-
	3057-3-136-5	Indicator: Torque	AS350	-
	3057-3-136-6	Indicator: Torque	AS350	-
	350A31-0033-06	Vibration Absorber Assembly	AS350	-

AIRBUS HELICOPTER AS350 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Aviall Rotables	**350A32-0110-00M**	Epicyclic	AS350	-
	350A33-0200-07	Box: Tail Gear	AS350	-
	350A33-2030-00	Spider Assembly: Pitch Change	AS350	-
	350A37-1004-11	Swashplate Assembly	AS350	-
	350A37-1126-02	Link: Scissors	AS350	-
	350A37-1127-02	Link: Scissors	AS350	-
	350A37-1290-04	Shaft: Main Rotor	AS350	-
	350A75-2080-00	Absorber	AS350	-
	355A11-0020-11	Blade: Main Rotor	AS350	-
	355A11-0030-04	Blade: Main Rotor	AS350	-
	374GC01Y	Master Electrical Box	AS350	-
	5633-707-80-12	Indicator: NG	AS350	-
	5637-551-00-12	Indicator: EGT	AS350	-
	5813-700-00-10	Indicator: Tachometer	AS350	-
	5813-700-00-11	Indicator: Tachometer	AS350	-
	61015-008-1	Torque Indicator	AS350	-
	61476-402-1	Indicator: Tachometer NR/NTL	AS350	-
	64530-068-4	Indicator: NG	AS350	-
	64751-003-2	Fuel Transmitter	AS350	-
	64818-020-1	Indicator: Engine Oil	AS350	-
	64818-303-1	Fuel Pressure	AS350	-
	704A47-612-120	Indicator NR	AS350	-
	704A47-723-006	Annunciator: Failure Warning	AS350	-
	748934-2	Indicator: Fuel Quantity	AS350	-
	7813-175-00-13	Indicator: Rotor RPM	AS350	-
	910GC01Y01	Printed Circuit Board	AS350	-
	BFS150A1	Pressure Regulator: Hydraulic	AS350	-
	BFS155-1	Filter Regulator Unit	AS350	-
	GC10257-5	PC Board	AS350	-
	KCA0113W	Compass: Stand-by	AS350	-
	P94B12-209	Fuel Pump	AS350	-
	SC8042	Servo Control	AS350	-
	SC8043	Servo Control	AS350	-
	SEL-0C19EH	Indicator: T4	AS350	-
Windows				
Nordam	**350-100-1**	Skylight: L/H	AS350	350A25-1004-64
	350-100-2	Skylight: R/H	AS350	350A25-1004-65
	350-200-1	Lower Window: L/H	AS350	350A25-1006-56
	350-200-2	Lower Window: R/H	AS350	350A25-1006-57
	350-200-3	Lower Window: L/H	AS350	350A21-0200-26

AIRBUS HELICOPTER AS350 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	350-200-4	Lower Window: R/H	AS350	350A21-0200-27
	350-300-3	Windshield: L/H with Abrasion Resistant Coating	AS350	350A25-1371-20
	350-300-4	Windshield: R/H with Abrasion Resistant Coating	AS350	350A25-1371-21
	350-300-5	Windshield: L/H without Abrasion Resistant Coating	AS350	350A25-1371-20
	350-300-6	Windshield: R/H without Abrasion Resistant Coating	AS350	350A25-1371-21
	350-400-3	Crew Window: Reduced, L/H	AS350	350A25-0040-30
	350-400-4	Crew Window: Reduced, R/H	AS350	Standard assembly
	350-400-5	Cargo Window: Sliding Door, L/H	AS350	350A25-0030-32
	350-400-6	Cargo Window: Sliding Door, R/H	AS350	Standard assembly
	350-401-1	Sliding Door Window with Slide: L/H	AS350	Standard assembly
	350-401-2	Sliding Door Window with Slide: R/H	AS350	Standard assembly
	350-500-1	Passenger Window: L/H	AS350	350A25-0060-21
	350-500-2	Passenger Window: R/H	AS350	350A25-0060-21
Nordam	**350-501-1**	Logging Bubble: L/H	AS350	Not FAA approved
	350-501-2	Logging Bubble: R/H	AS350	Not FAA approved
	350-502-1	Lower Window: L/H Door	AS350	350A25-0050-69
	350-502-2	Lower Window: R/H Door	AS350	350A25-0050-69
	350-506-3	Reduced Door with Slide: L/H	AS350	Standard assembly
	350-506-4	Reduced Door with Slide: R/H	AS350	Standard assembly
	M468AS100-1	Forward Window with Slide: L/H	AS350	350A25-0050-00
	M468AS100-2	Forward Window with Slide: R/H	AS350	350A25-0050-01
	M468AS100-21	Forward Window: L/H	AS350	350A25-0050-00
	M468AS100-22	Forward Window: R/H	AS350	350A25-0050-01
	M468AS100-25	Forward Anti-Vibration Window with Slide: L/H	AS350	350A25-0050-00
	M468AS100-26	Forward Anti-Vibration Window with Slide: R/H	AS350	350A25-0050-01
	M468AS101-1	Windshield: Lexan One Piece	AS350	350A25-1238-24
	M468AS101-3	Windshield: Poly 84 One Piece	AS350	350A25-1238-24

Aviall is expanding its helicopter offering and has AS350 instruments and accessories available for exchange.

Instruments & Accessories		
Part Number	**Description**	**Aircraft**
5633-707-80-12	INDICATOR NG	AS350B2
704A47-632-051	INDICATOR T4	AS350B2
61476-403-1	INDICATOR NR	AS350B2
64751-003-3	TRANSMITTER, FUEL GAUGE	AS350 B
38399-330-02	INDICATOR AIRSPEED	AS350B2
704A46-814-049	GRADUATOR LIGHT	AS350B
GA103	GENERATOR LIGHT	AS350B
1-1223-03	INDICATOR FUEL GAUGE	AS350B
704A47-723-006	PANEL FAILURE WARNING	AS350B
B19030MD04	VEMD	AS350B





Airbus Helicopter AS355

The Airbus Helicopters (formerly Eurocopter) AS-355 Ecureuil 2 (Twin Squirrel or TwinStar) is a twin-engine light helicopter originally manufactured by Aérospatiale in France (later part of Eurocopter Group, now Airbus Helicopters). Early models are powered by twin Rolls-Royce 250 engines. N models and later use Turbomeca Arrius engines.

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

Role: Light utility helicopter
Manufacturer: Airbus Helicopters, Aérospatiale
Produced: 1975 - present

Max Speed: 172 mph
Range: 380 nautical miles
Engine Type: Rolls-Royce Model 250

AIRBUS HELICOPTER AS355

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**35500001-3**	Tel-Tail Floodlights	AS355 E, F, F1, F2	STC-SH4769SW
	35500001-7	Tel-Tail Floodlights	AS355N	STC-SH4769SW
GE Lighting	**4596**	Lamp: Landing, Screw Terminals	AS355E	-
Wamco Lighting	**WLA7512-24**	Lamp: Nav 24V 40W	AS355E, F1, F2, N	-
Fuel Systems				
Parker Airborne	**1C27-20**	Fuel Pump Cartridge	AS355E, F, F1, F2, N, Dauphin 2	-
	1C44-2	Fuel Pump Assembly	AS355E, F, F1, F2, N, Dauphin 2	Replaces Bronzavia C11BC0031, C11BA-0102, C11BC-041, C11BD-011, C11BD-021; Intertechnique 2030H02; Zenith 94C16-601, -602, -608
	1C44-2OH	Fuel Pump Assembly: Overhaul Exchange	AS355E, F, F1, F2, N, Dauphin 2	-
	1C64-8	Fuel Pump Assembly	AS355E, F, F1, F2, N, Dauphin 2	-
Ignition Systems				
Champion	**YB63-1**	Igniter	AS355	-
Rotables				
Aviall Rotables	**150SG111Q**	Starter Generator	AS355N	Standard assembly
	150SG117Q	Starter Generator	AS355N	Standard assembly
	23032-022	Starter Generator	AS355N	-
	23032-027	Starter Generator	AS355N	-
Windows				
Nordam	**350-100-1**	Skylight: L/H	AS355	350A25-1004-64
	350-100-2	Skylight: R/H	AS355	350A25-1004-65
	350-200-1	Lower Window: L/H	AS355	350A25-1006-56
	350-200-2	Lower Window: R/H	AS355	350A25-1006-57
	350-200-3	Lower Window: L/H	AS355	350A21-0200-26
	350-200-4	Lower Window: R/H	AS355	350A21-0200-27
	350-300-3	Windshield: L/H with Abrasion Resistant Coating	AS355	350A25-1371-20
	350-300-4	Windshield: R/H with Abrasion Resistant Coating	AS355	350A25-1371-21
	350-300-5	Windshield: L/H without Abrasion Resistant Coating	AS355	350A25-1371-20

AIRBUS HELICOPTER AS355 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Nordam	**350-300-6**	Windshield: R/H without Abrasion Resistant Coating	AS355	350A25-1371-21
	350-400-3	Crew Window: Reduced, L/H	AS355	350A25-0040-30
	350-400-4	Crew Window: Reduced, R/H	AS355	Standard assembly
	350-400-5	Cargo Window: Sliding Door, L/H	AS355	350A25-0030-32
	350-400-6	Cargo Window: Sliding Door, R/H	AS355	Standard assembly
	350-401-1	Sliding Door Window with Slide: L/H	AS355	Standard assembly
	350-401-2	Sliding Door Window with Slide: R/H	AS355	Standard assembly
	350-500-1	Passenger Window: L/H	AS355	Standard assembly
	350-500-2	Passenger Window: R/H	AS355	350A25-0060-21
	350-501-1	Logging Bubble: L/H	AS355	Not FAA approved
	350-501-2	Logging Bubble: R/H	AS355	Not FAA approved
	350-502-1	Lower Window: L/H Door	AS355	350A25-0050-69
	350-502-2	Lower Window: R/H Door	AS355	350A25-0050-69
	350-506-3	Reduced Door with Slide: L/H	AS355	Standard assembly
	350-506-4	Reduced Door with Slide: R/H	AS355	Standard assembly
	M468AS100-1	Forward Window with Slide: L/H	AS355	350A25-0050-00
	M468AS100-2	Forward Window with Slide: R/H	AS355	350A25-0050-01
	M468AS100-21	Forward Window: L/H	AS355	350A25-0050-00
	M468AS100-22	Forward Window: R/H	AS355	350A25-0050-01
	M468AS100-25	Forward Anti-Vibration Window with Slide: L/H	AS355	350A25-0050-00
	M468AS100-26	Forward Anti-Vibration Window with Slide: R/H	AS355	350A25-0050-01
	M468AS101-1	Windshield: Lexan One Piece	AS355	350A25-1238-24
	M468AS101-3	Windshield: Poly 84 One Piece	AS355	350A25-1238-24



Airbus Helicopter AS365

The Airbus Helicopters AS-365 Dauphin (Dolphin), formerly known as the Aérospatiale SA-365 Dauphin 2 and the Eurocopter AS-365 Dauphin, is a medium-weight multipurpose twin-engine helicopter currently produced by Airbus Helicopters. Both Airbus and Eurocopter use the AS prefix, which is usually reversed and shown as SA by Aerospatiale. It Is used in both civil and military operations. Most models are powered by a Turbomeca Arriel turboshaft engine.

Role: Transport and Utility helicopter
Manufacturer: Airbus Helicopters, Aérospatiale
Status: In service
Produced: 1975-present

Max Speed: 190 mph
Range: 447 nautical miles
Engine Type: Turboméca Arriel 2C turboshaft

AIRBUS HELICOPTER AS365

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**36500001-1**	Tel-Tail Floodlights	AS365C, C1, C2	STC-SH1179EA
	36500001-3	Tel-Tail Floodlights	AS365N, N1	STC-SH5867SW
	36500001-5	Tel-Tail Floodlights	AS365N2, N3	STC-SH5867SW
	36500002-1	Recognition Light	AS365N, N1, SA-366G1	STC-SH5866SW, EASA# R.S. 01071
	36500002-3	Recognition Light	AS365N2	STC-SH5866SW, EASA# R.S. 01071
	36500003-1	Main Rotor Illumination Light Systems	AS365N1	STC-SH7579SW, EASA# R.S. 01072
	36500003-3	Main Rotor Illumination Light Systems	AS365N2, N3	STC-SH7579SW, EASA# R.S. 01072
GE Lighting	**1683**	Lamp: Aircraft, Bayonet, Single	AS365	-
Batteries				
Saft	**1656-1**	Battery: NiCad	AS365	350A25-1371-20
	2506-1	Battery: NiCad	AS365	350A25-1371-21
	2708-2	Battery: NiCad	AS365	350A25-0040-30
	4006A1	Battery: NiCad	AS365	Standard assembly
Fuel Systems				
Parker Airborne	**1C64-8**	Fuel Pump Assembly	AS365N, N1, N2	Replaces Bronzavia C11BC0031, C11BA-0102, C11BC-041, C11BD-011, C11BD-021; Intertechnique 2030H02; Zenith 94C16-601,-602,-608
	1C27-20	Fuel Pump Cartridge	AS365N, N/N1, N2	
	1C44-2	Fuel Pump Assembly	AS365N, N1, N2	
	1C44-2OH	Fuel Pump Assembly: Overhaul Exchange	AS365N, N1, N2	
Ground Support				
Brackett Aircraft	**BDWAS365**	Hydraulic Wheels	AS365	Standard assembly
	HM7M	Towbar	AS365	Standard assembly
	HPT350	Whirly Tug	AS365	350A25-0060-21
Ignition Systems				
Champion	**CH34595**	Igniter	AS365N3	-
Rotables				
Aviall Rotables	**150SG122Q**	Starter Generator	AS365N	-
	150SG125Q	Starter Generator	AS365	-



Airbus Helicopter BK117

The Airbus BK 117 was jointly produced between Eurocopter and Kawasaki Heavy Industries in 1997. Originally powered by a Lycoming LTS101 engine, the BK117 went through a series of ownership changes and has since become the Airbus H145. It can carry up to eleven people, including a two-man crew, depending upon configuration. It is used primarily for emergency medical services and search and rescue. The military UH-72 version is used for training, med-evac, recon and light attack duties.

Role: Utility and Transport
Manufacturer: Kawasaki Heavy Industries, Messerschmitt-Bölkow-Blohm
Status: Production ceased
Produced: 1979-2004
Max Speed: 155 mph
Range: 292 nautical miles
Engine Type: Lycoming LTS101

AIRBUS HELICOPTER BK117

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**11700001-1**	Tel-Tail Floodlights	BK117 A1, A3, A4, B1, B2, C1	STC - SH3510SW
	11700002-1	Recognition Light	BK117 B2, C1	STC - SH5588SW
	11700002-1	Recognition Light	BK117 A1, A3, A4, B1	STC - SH5588SW
Honeywell Lighting & Electronics	**10-0706-23**	Emergency Exit Light	BK117	-
	15-0007-97	Cockpit Floodlight	BK117	-
	20-0158-1B	Instrument Lighting	BK117	-
	30-0504-23	Light: Strobe	BK117	-
	31-4079	Lens	BK117	-
	45-0253-29	Search Light: Dual Mode	BK117	-
	45-0253-31	Search Light: Dual Mode	BK117	-
	45-0253-33	Search Light: Dual Mode	BK117	-
	50-0030-1	Taxi Light	BK117	-
	60-3157	Power Supply: Emergency Exit	BK117	-
	60-3474-3	Power Supply	BK117	-
	80-0512-( )	Master Caution Panel	BK117	-
	B3550-1-1	Light: Dome	BK117	-
	G8385-7	Light: Landing	BK117	-
Avionics				
Aerosonic	**PH502BKC**	Pitot Probe	BK117	-
Fuel Systems				
Parker Airborne	**1C64-7**	Fuel Pump Assembly	BK117, A1, A3, A4, B1, B2, C1	117-64151-01, 117-64151-03 D107318 Replaces Steinheil Lear Sigler AG D107319
Windows				
Nordam	**M-BK117-21100-1**	Cockpit Lower Window Assembly: L/H	BK117	117-21181-1
	M-BK117-21100-2	Cockpit Lower Window Assembly: R/H	BK117	117-21181-2
	M-BK117-21221-10	Roof Window: Blue, R/H	BK117	Nordam design
	M-BK117-21221-3	Roof Window: Clear, L/H	BK117	BK117-21221-01
	M-BK117-21221-4	Roof Window: Clear, R/H	BK117	BK117-21221-02

AIRBUS HELICOPTER BK117 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	M-BK117-21221-5	Roof Window: Green, L/H	BK117	Nordam design
	M-BK117-21221-6	Roof Window: Green, R/H	BK117	Nordam design
	M-BK117-21221-7	Roof Window: Gray, L/H	BK117	Nordam design
	M-BK117-21221-8	Roof Window: Gray, R/H	BK117	Nordam design
	M-BK117-21221-9	Roof Window: Blue, L/H	BK117	Nordam design
	M-BK117-22500-1	Cabin Window with Slide: Clear, L/H	BK117	117-22522-01
	M-BK117-22500-17	Cabin Window: Clear, L/H	BK117	117-22500-01
	M-BK117-22500-18	Cabin Window: Clear, R/H	BK117	117-22500-02
	M-BK117-22500-2	Cabin Window with Slide: Clear, R/H	BK117	117-22522-02
	M-BK117-22500-21	Cabin Window with Slide: Gray, L/H	BK117	117-22522-01
	M-BK117-22500-22	Cabin Window with Slide: Gray, R/H	BK117	117-22522-02
	M-BK117-22500-27	Cabin Window: Gray, L/H	BK117	117-22522-01
	M-BK117-22500-28	Cabin Window: Gray, R/H	BK117	117-22522-02
	M-BK117-24100-1	Crew Door Window with Slide: Clear, L/H	BK117	117-24164-1
Nordam	M-BK117-24100-16	Retainer: R/H	BK117	Nordam design
	M-BK117-24100-17	Crew Door Window: Clear, L/H	BK117	Nordam design
	M-BK117-24100-2	Crew Door Window with Slide: Clear, R/H	BK117	117-24164-2
	M-BK117-24100-20	Crew Window with Slide: Gray, R/H	BK117	117-24164-2
	M-BK117-24100-21	Crew Window with Slide: Gray, L/H	BK117	117-24164-1
	M-BK117-24100-27	Crew Window: Gray, L/H	BK117	117-24164-1
	M-BK117-24200-1	Passenger Window with Slide: Clear, L/H	BK117	117-24232-1
	M-BK117-24200-2	Passenger Window with Slide: Clear, R/H	BK117	117-24232-2
	M-BK117-24200-22	Passenger Window with Slide: Gray, R/H	BK117	117-24232-2
	M-BK117-24200-23	Passenger Window with Slide: Gray, L/H	BK117	117-24232-1
	M-BK117-24200-28	Passenger Window: Gray, R/H	BK117	117-24232-2
	M-BK117-24200-29	Passenger Window: Gray, L/H	BK117	117-24232-1
	M-BK117-24200-3	Passenger Window: Clear, L/H	BK117	117-24232-1
	M-BK117-24200-4	Passenger Window: Clear, R/H	BK117	117-24232-2
	M-BK117-243021-3	Clam Shell Cargo Window: Clear, L/H	BK117	Nordam design



Airbus Helicopter BO105

The Messerschmitt-Bölkow-Blohm Bo 105 is a light, twin-engine helicopter powered by two Rolls-Royce model 250 engines. It is a multi-role helicopter developed by Bölkow of Ottobrunn, Germany. It holds the distinction of being the first light twin-engine helicopter in the world, and is the first rotorcraft that could perform aerobatic maneuvers. Production of the Bo 105 began shortly after Messerschmitt-Bölkow-Blohm (MBB) merged with Eurocopter in 1991. The BO 105 evolved into the Eurocopter EC 135.

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

AIRBUS HELICOPTER BO105

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**10500001**	Tel-Tail Floodlights	BO105A, C, S, LS A-1, LS A-3	STC-SH1065EA
	10500002-1	Recognition Light	BO105 LS A-3	STC-SH3568SW
	10500002-1	Recognition Light	BO105A, C, S, LS A-1	STC-SH3568SW
GE Lighting	**1683**	Lamp: 28V, 29W	BO105	-
	327	Lamp: 28V, 5W	BO105	-
	4553	Lamp: Sealed Beam 28V, 250W	BO105	-
Honeywell Lighting & Electronics	**30-0504-23**	Light: Strobe	BO105	-
	41850A14-4580	Search and Landing Light	BO105	-
	50-0030-1	Taxi Light	BO105	-
	60-3474-5	Power Supply	BO105	-
	A8970B2-327	Light: Instrument	BO105	-
Fuel Systems				
Parker Airborne	**1C64-7**	Fuel Pump Assembly	BO105, CB, CBS	117-64151-01, 117-64151-03 D107318 Replaces Steinheil Lear Sigler AG D107319
	2C27-3	Fuel Pump Cartridge	BO105, CB, CBS	
	2C27-30H	Fuel Pump Assembly: Overhaul Exchange	BO105, CB, CBS	
Ignition Systems				
Champion	**YB63-1**	Igniter	BO105	
Rotables				
Aviall Rotables	**150SG111Q**	Starter Generator	BO105	-
	150SG117Q	Starter Generator	BO105	-
	23032-010	Starter Generator	BO105	-
	23032-011	Starter Generator	BO105	-
	23032-020	Starter Generator	BO105	-
	23032-022	Starter Generator	BO105	-
Windows				
Nordam	**105-200-1**	Chin Bubble: L/H	BO105	105-22212
	105-200-2	Chin Bubble: R/H	BO105	105-22215
	105-300-1	Windshield: L/H	BO105	105-22206
	105-300-2	Windshield: R/H	BO105	105-22209
	105-400-1	Roof Window: L/H	BO105	105-22231
	105-400-2	Roof Window: R/H	BO105	105-22232

AIRBUS HELICOPTER BO105 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Nordam	**105-500-1**	Aft Window: L/H	BO105	105-00233
	105-500-2	Aft Window: R/H	BO105	105-00234
	M105-23301-1	.080 Forward Window with Lower Slide: Clear, L/H	BO105	105-23301-32
	M105-23301-2	.080 Forward Window with Lower Slide: Clear, R/H	BO105	105-233401-32
	M105-23301-22	.100 Forward Window with Lower Slide: Clear, R/H	BO105	105-233401-32
	M105-23301-23	.100 Forward Window with Lower Slide: Clear, L/H	BO105	105-23301-32
	M105-23301-24	.100 Forward Window with Upper Slide: Clear, R/H	BO105	105-233401-32
	M105-23301-25	.100 Forward Window with Upper Slide: Clear, L/H	BO105	105-23301-32
	M105-23301-30	.100 Forward Window with Middle Slide: Clear, R/H	BO105	105-233401-32
	M105-23301-31	.100 Forward Window with Middle Slide: Clear, L/H	BO105	105-23301-32
	M105-23302-1	.080 Aft Window with Slide: Clear, L/H	BO105	105-23601-31
	M105-23302-2	.080 Aft Window with Slide: Clear, R/H	BO105	105-23601-32
	M105-23302-24	.100 Aft Window with Slide: Clear, R/H	BO105	105-23601-32
	M105-23302-25	.100 Aft Window with Slide: Clear, L/H	BO105	105-23501-31



Airbus Helicopter EC120

The Airbus Helicopters EC120 Colibri (formerly Eurocopter) single-engine (Rolls-Royce Model 250) single rotor, light helicopter has a 5-seat design offering a useful load of 1,596 pounds. It was originally intended by Aerospatiale to replace the Gazelle and SA 315B Lama helicopters. The building of the EC-120 was a multinational effort with participation coming from France, China, Singapore and Australia. This helicopter is used in various roles, such as border patrol, police observation, and even precision aerobatic displays.

AIRBUS HELICOPTER EC120

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Honeywell Lighting & Electronics	**45-0253-29**	Search Light: Dual Mode	EC120	-
	45-0253-31	Search Light: Dual Mode	EC120	-
	45-0253-33	Search Light: Dual Mode	EC120	-
	60-3909-1	Cabin Speaker	EC120	-
	70-0274-3	Controller	EC120	-
Batteries				
Saft	**151CH1**	Battery: NiCad	EC120	-
	151CH2	Battery: NiCad	EC120	-
Ground Support				
Brackett Aircraft	**BDW-AT**	Mechanical Wheels	EC120	
	BDW-ATH	Hydraulic Wheels	EC120	
	HM-6M	Towbar	EC120	
	HPT-350	Whirly Tug	EC120	

AIRBUS HELICOPTER EC121

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Honeywell Lighting & Electronics	**45-0253-31**	Search Light: Dual Mode	EC121	-

AIRBUS HELICOPTER EC122

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Honeywell Lighting & Electronics	**45-0253-33**	Search Light: Dual Mode	EC122	-



Airbus Helicopter SA315

The Aérospatiale SA 315B Lama is a French single-engined helicopter originally designed to meet an Nepalese Army Air Service and Indian Air Force requirement for a rotorcraft capable of undertaking operations at hot and high conditions. It combines the Turbomeca Artouste turboshaft power plant and the rotor system of the Alouette III with a reinforced version of the Alouette II's airframe.

Role: General Purpose Helicopter
Manufacturer: Aérospatiale
Introduction: 1971
Engine Type: Turbomeca Artouste IIIB turboshaft

AIRBUS HELICOPTER SA315

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**307**	Lamp: Aircraft, Bayonet, Single	SA315B	-
	4553	Lamp: Aircraft, Bayonet, Single	SA315B	-
Batteries				
Saft	**2506-1**	Battery: NiCad	SA315B	-
	4000A1	Battery: NiCad	SA315B	-



Airbus Helicopter SA316

The Aérospatiale Alouette III is a single-engine, light utility helicopter manufactured by Aérospatiale of France. The first version of the Alouette III, the SE 3160 prototype, first flew on 28 February 1959. The SA 316A (SE 3160) entered production in 1961 and remained in production until 1968, when it was replaced by the SA 316B.

Role: Light utility helicopter
Manufacturer: Aérospatiale
Introduction: 1960
Status: Active
Engine Type: Turbomeca Artouste IIIB turboshaft

AIRBUS HELICOPTER SA316

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**307**	Lamp: Aircraft, Bayonet, Single	SA316B, G	Tail Light
	4553	Lamp: Landing, Screw Terminals	SA316B, G	Landing Light
Batteries				
Saft	**2506-1**	Battery: NiCad	SA315B	4000A1
	4000A1	Battery: NiCad	SA315B	4006A1



Bell 204

The Bell 204 is a multipurpose utility helicopter used in a wide variety of applications, from aerial firefighting to cargo lifting. The Bell 204 was developed as a civilian version of the Bell UH-1 Iroquois single-engine military helicopter.

Role:	Multipurpose utility helicopter	**Max Speed:**	135 mph
Manufacturer:	Bell Helicopter	**Range:**	300 nautical miles
Status:	Production completed	**Engine Type:**	Lycoming T53
Produced:	1956-1980s		

BELL 204

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**4580**	Lamp: Landing, Screw Terminals	204B	-
Avionics				
Aerosonic	**PH500**	Pitot Probe	204C	-
Batteries				
Gill Battery	**G6381E**	Battery: Lead Acid	204B	Requires STC kit SH2186SO
	G6381ES	Battery: Lead Acid	204B	Requires STC kit SH2186SO
	SH21186SO	Conversion Kit for G6381 Series	204B	Converting NiCad to Lead acid
Marathon Norco	**30703-001**	Battery: NiCad TMA 5-20	204B	20-36H120
Saft	**102390**	Battery: NiCad 4071	204	016592-000
	102446	Battery: NiCad 4076	204	015580-000
	412786	Battery: NiCad 4076-15	204B	024555-000
	459265	Battery: NiCad 4071-3	204B	023044-000
Filtration				
PTI Technologies	**36638**	Filter Assembly: Inline Air	204B	-
	50221	Filter Assembly: Hydraulic	204B	-
	6655566	Element: Hydraulic	204B	-
	6658323	Element: Hydraulic	204B	-
	7553125	Element: Lube	204B	-
Ground Support				
Brackett Aircraft	**BDW-245B-1801**	Ground Handling Wheels	204	-
	HT-7M	Towbars	204	-
	HT-88	Towbars	204	-
Tronair	**02-0511-0132**	Main Jack (5 ton/4.5 metric ton)	204	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	204	2 ea req. Jack Pad Adapters R-1187-02
	04-6028-0121	Universal Lift	204	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	204	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	204	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	204	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	204	Hydraulic Service MIL-PRF-83282
	06-5009-6800	Fluid Service Unit: Lube 2-1/2 Gal	204	Engine Oil MIL-PRF-23699

BELL 204 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
	06-5010-6800	Fluid Service Unit: Lube 6 Gal	204	Engine Oil MIL-PRF-23699
	06-5022-6500	Fluid Service Unit: Hyd 2 Gal	204	Hydraulic Service MIL-PRF-83282
	06-5022-6800	Fluid Service Unit: Lube 2 Gal	204	Engine Oil MIL-PRF-23699
	06-5042-0500	Hydraulic Fluid Service Cart	204	Hydraulic Service MIL-PRF-83282
	06-5042-0800	Engine Oil Service Cart (8 gal/30l)	204	Engine Oil MIL-PRF-23699
	07-3000-1921	Fuel Transfer Card	204	-
	07-3001-4900	Fuel Sampler Cup - 36 oz	204	-
	08-4048-0013	Engine Compressor Washer Portable	204	-
	09-4003-4010	Deicer: Hand-Held Sprayer, Unheated	204	Holds 2-1/2 Gallons of deicer fluid
Tronair	**112820C**	GPU: 28.5 Volt Diesel	204	Ask sales rep for correct rectifier
	11-6610-6000	Battery Charger/Analyzer	204	NiCad
	5010	Hydraulic Power Unit: 50 series	204	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	204	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	204	-
	K-1152	Adapter Kit	204	PT6A-3B
	K-2012	Gooseneck Book Kit	204	Optional
	K-2013	Pneumatic Pump Kit	204	Optional
	K-2953	Hand Winch Kit	204	Optional
	K-3057	Crane Hook Attachment	204	Kit Required
	KHC-4020	HPU Self Cleaning Circulation Kit	204	(MB) Optional
Rotables				
Lord Corp	**J-8085-50-V2**	Pylon Mount	204	204-031-927-107
	J-9797-6-V	Friction Damper	204	204-031-920-003
Wheels & Brakes				
Meggitt Aircraft Braking Systems	**9460089**	Rotor Brake	204	-
Windows				
	M204-300-1	Sliding Crew Door (Kydex)	204	204-030-799-001
	M204-459-1	Forward Crew Door Window: L/H, (Kydex)	204	204-030-459-1
	M204-459-2	Forward Crew Door Window: R/H, (Kydex)	204	204-030-459-2
	M204SW666-1	Windshield: L/H (Kydex)	204	204-030-666-32
	M204SW666-2	Windshield: R/H (Kydex)	204	204-030-666-37
Nordam	**M204SW666-3**	Windshield: L/H (Kydex)	204	204-030-666-43
	M204SW666-4	Windshield: R/H (Kydex)	204	204-030-666-44
	M204SW666-5	Windshield: L/H (Kydex)	204	204-030-666-87
	M204SW666-6	Windshield: R/H (Kydex)	204	204-030-666-89
	M205-032-669-233	Cargo Window: Clear	204	205-032-669-233
	M205-032-669-233A	Cargo Window: Blue	204	205-032-669-233
	M205-032-669-233B	Cargo Window: Gray	204	205-032-669-233

BELL 204 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	M205-212-285-1	Litter Window Panel: L/H, (Kydex)	204	205-030-285-1
	M205-212-285-2	Litter Window Panel: R/H, (Kydex)	204	205-030-285-2
	M205-212-770-1	Upper Crew Door Window: L/H (Kydex)	204	204-030-770-1
	M205-212-770-2	Upper Crew Door Window: R/H (Kydex)	204	204-030-770-2
	M205SW673-1	Roof Window: L/H, (Kydex)	204	205-030-673-23
	M205SW673-11	Roof Window: L/H, (Kydex)	204	205-030-673-31
	M205SW673-12	Roof Window: R/H, (Kydex)	204	205-030-673-32
	M205SW673-13	Roof Window: R/H, (Kydex)	204	205-030-673-37
	M205SW673-14	Roof Window: R/H, (Kydex)	204	205-030-673-38
	M205SW673-15	Roof Window: Blue, L/H, (Kydex)	204	205-030-673-103
	M205SW673-16	Roof Window: Blue, R/H, (Kydex)	204	205-030-673-104
	M205SW673-17	Roof Window: L/H, (Kydex)	204	205-030-673-37
	M205SW673-18	Roof Window: R/H, (Kydex)	204	205-030-673-38
	M205SW673-19	Roof Window: L/H, (Kydex)	204	205-030-673-31
	M205SW673-2	Roof Window: R/H, (Kydex)	204	205-030-673-24
	M205SW673-20	Roof Window: R/H, (Kydex)	204	205-030-673-32
	M212-713-1	Window Assembly: Passenger Door	204	205-030-713-5
Nordam	**P204-657-19**	Chin Bubble: L/H	204	204-030-657-19
	P204-657-20	Chin Bubble: R/H	204	204-030-657-20
	P204-657-35	Chin Bubble: L/H	204	204-030-657-35
	P204-657-36	Chin Bubble: R/H	204	204-030-657-36
	P204-668-1	Cargo Door Window	204	204-032-668-07
	P204669-1	Window Panel: L/H	204	204-030-669-5
	P204669-2	Window Panel: R/H	204	204-030-669-6
	P204-673-1	Roof Window: L/H	204	204-030-673-29
	P204-673-2	Roof Window: R/H	204	204-030-673-23
	P204-799-1	Sliding Crew Window	204	204-030-799-01
	P204-899-1	Logging Bubble: L/H	204	Not FAA approved
	P204-899-2	Logging Bubble: R/H	204	Not FAA approved
	P205-501-1	Clearview Bubble: L/H	204	Not FAA approved
	P205-501-2	Clearview Bubble: R/H	204	Not FAA approved
	P205-669-1	Window Panel	204	205-031-669-7
	P205673-1	Roof Window: L/H	204	205-030-673-23
	P205-673-17	Roof Window: L/H	204	205-030-673-37
	P205-673-18	Roof Window: R/H	204	205-030-673-38
	P205-673-2	Roof Window: R/H	204	205-030-673-24
	P205-673-31	Roof Window: L/H	204	205-030-673-31

BELL 204 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Tech Tool Plastics	**204B-1021-1**	Roof Window: Green, L/H	204	204-030-673-29, 204-030-673-57
	204B-1021-2	Roof Window: Green, R/H	204	204-030-673-23, 204-030-673-45
	204B-1023-1	Windshield: L/H	204	204-030-666-43
	204B-1023-1SR	Windshield: L/H (Scratch Resistant)	204	212-030-464-001
	204B-1023-2	Windshield: R/H	204	204-030-666-44
	204B-1023-2SR	Windshield: R/H (Scratch Resistant)	204	212-030-464-003
	204B-1024-1	Nose Bubble: L/H	204	204-030-657-35
	204B-1024-2	Nose Bubble: R/H	204	204-030-657-36
	204B-1024-3	Nose Bubble: L/H	204	204-030-657-19
	204B-1024-4	Nose Bubble: R/H	204	204-030-657-20
	204B-1025-1	Forward Crew Window: L/H	204	204-030-459-1
	204B-1025-2	Forward Crew Window: R/H	204	204-030-459-2
	204B-1026-1	Upper Crew Window: L/H	204	204-030-770-1
	204B-1026-2	Upper Crew Window: R/H	204	204-030-770-2
	204B-1027-1	Crew Slide Window: L/H or R/H	204	204-030-799-1
	205D-1022-1	Roof Window: Green, L/H	204	205-030-673-31
	205D-1022-1B	Roof Window: Blue, L/H	204	205-030-673-101
	205D-1022-2	Roof Window: Green, R/H	204	205-030-673-61, 205-030-673-71
	205D-1022-2B	Roof Window: Blue, R/H	204	205-030-673-102, 205-030-673-109
	205D-1022-3	Roof Window: Green, L/H	204	205-030-673-23, 205-030-673-37
	205D-1022-4	Roof Window: Green, R/H	204	205-030-673-24
	205D-1022-6	Roof Window: Green, R/H	204	205-030-673-24, 205-030-673-38
	205D-1022-6B	Roof Window: Blue, L/H	204	205-30-673-104
	205D-1028-1	Jump Door Window: L/H	204	205-030-285-1
	205D-1028-2	Jump Door Window: R/H	204	205-030-285-2
	205D-1029-1	Military Cargo Window	204	205-031-669-7
	205D-1031-1	Cargo Window	204	205-032-713-5
	212-1034-1	Nose Bubble: L/H	204	212-030-076-1, 212-030-076-3
	212-1034-2	Nose Bubble: R/H	204	212-030-076-2, 212-030-076-4
	214B-1030-1	Push Out Cargo Window	204	205-032-669-233



Bell 205

The Bell 205 is a multipurpose utility helicopter used in a wide variety of applications, from aerial firefighting to cargo lifting. The Bell 205 was developed as a civilian version of the Bell UH-1 Iroquois single-engine military helicopter.

Role: Multipurpose utility helicopter
Manufacturer: Bell Helicopter
Status: Production completed
Produced: 1956-1980s

Max Speed: 135 mph
Range: 300 nautical miles
Engine Type: Lycoming T53

BELL 205

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**4580**	Lamp: Landing, Screw Terminals	205A	-
Wamco Lighting	**WL-A-4174-24**	Lamp: Nav 24V 40W	205A, B	-
	WL-A-7512-24	Lamp: Reflectorized, CC-6, 26W	205A, B	-
Batteries				
Concorde Battery Corp	**RG380E44**	Battery: Lead Acid	205A1, B	-
Gill Battery	**G6381E**	Battery: Lead Acid	205A, A1	Requires STC kit SH2186SO
	G6381ES	Battery: Lead Acid	205A, A1	Requires STC kit SH2186SO
	SH21186SO	Conversion Kit for G6381 series	205A, A1	Converting NiCad to Lead acid
Saft	**412786**	Battery: NiCad 4076-15	205 A1	024555-000
	459265	Battery: NiCad 4071-3	205 A1	023044-000
Filtration				
PTI Technologies	**31-10102**	Indicator: Hydraulic	205A, A1	-
	48088820-105	Module: Hydraulic	205A, A1	-
	7553125	Element: Fuel	205A, A1	-
Purolator Advanced Filtration	**047546-02**	Element Assembly: Fuel	205, ALL	-
	047546-17	Element Assembly: Fuel	205, ALL	-
Fuel Systems				
Parker Airborne	**1C64-1**	Fuel Pump Assembly	205A, A1	-
	1C64-10H	Fuel Pump Assembly: Overhaul Exchange	205A, A1	-
	2C12-1	Fuel Pump Assembly	205A, A1	-
	2C27-3	Fuel Pump	205A, A1	-
	2C27-30H	Fuel Pump Assembly: Overhaul Exchange	205A, A1	Replacement Cartridge 1C64-1
Ground Support				
Brackett Aircraft	**BDW-245B-1801**	Ground Handling Wheels	205	-
	HT-7M	Towbars	205	-
	HT-88	Towbars	205	-
Tronair	**02-0511-0132**	Main Jack (5 ton/4.5 metric ton)	205	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	205	2 ea req. Jack Pad Adapters R-1187-02
	04-6028-0121	Universal Lift	205	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	205	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	205	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	205	Hydraulic Service MIL-PRF-83282

BELL 205 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	205	Hydraulic Service MIL-PRF-83282
	06-5022-6500	Fluid Service Unit: Hydraulic 2 Gal	205	Hydraulic Service MIL-PRF-83282
	06-5042-0500	Hydraulic Fluid Service Cart	205	Hydraulic Service MIL-PRF-83282
	06-5042-0800	Engine Oil Service Cart (8 gal/30 l)	205	Engine Oil MIL-PRF-23699
	07-3000-1921	Fuel Transfer Card	205	-
	07-3001-4900	Fuel Sampler Cup - 36 oz	205	-
	08-4048-0013	Engine Compressor Washer Portable	205	-
	09-4003-4010	Deicer Hand-Held, Unheated	205	Holds 2-1/2 Gallons of deicer fluid
	112820C	GPU: 28.5 Volt Diesel	205	Ask sales rep for correct rectifier
Tronair	**11-6610-6000**	Battery Charger/Analyzer	205	NiCad
	5010	Hydraulic Power Unit: 50 series	205	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	205	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	205	-
	K-1152	Adapter Kit	205	PT6A-3B
	K-2012	Gooseneck Book Kit	205	Optional
	K-2013	Pneumatic Pump Kit	205	Optional
	K-2953	Hand Winch Kit	205	Optional
	K-3057	Crane Hook Attachment	205	Kit Required
	KHC-4020	HPU Self Cleaning Circulation Kit	205	(MB) Optional
Rotables				
	204-001-045-107	Force Gradient	205	-
	204-001-376-003	Actuator	205	-
	204-040-620-009	Shaft Assembly: Tail Rotor	205	-
	204-062-540-001	Turbine Fan Assembly: Engine Oil Cooling	205	-
	204-075-705-073	Indicator: Master Caution	205	-
	205-061-635-005	Flow Switch	205	-
	212-010-775-001	Crosshead Tail Rotor	205	-
	212-040-003-023	Gearbox Assembly	205	-
	212-040-004-009	Gearbox Assembly	205	-
Aviall Rotables	**212-040-232-001**	Valve	205	-
	212-040-600-005	Hangar Assembly	205	-
	212-070-444-001	Sensor	205	-
	212-075-418-107	Actuator	205	-
	212-076-004-101	Hydraulic Servo Actuator Tail	205	-
	212-076-005-111	Cylinder Assembly	205	-
	212-076-007-003	Accumulator	205	-
	212-076-011-101	Pump Assembly	205	-
	30-326ET-1	Control Amplifier	205	-
	412-040-123-103	Rotor Brake: Quill	205	-
	G8385-1	Landing Light	205	-

BELL 205 (continued)

Manufacturer	Part Number	Description	Model	Comments
Wheels & Brakes				
Meggitt Aircraft Braking Systems	**9460089**	Rotor Brake	205A	-
Windows				
	M204-300-1	Sliding Crew Door (Kydex)	205	204-030-799-001
	M204-459-1	Forward Window: Crew Door, L/H (Kydex)	205	204-030-459-1
	M204-459-2	Forward Window: Crew Door, R/H (Kydex)	205	204-030-459-2
	M204SW666-1	Windshield: L/H (Kydex)	205	204-030-666-32
	M204SW666-2	Windshield: R/H (Kydex)	205	204-030-666-37
	M204SW666-3	Windshield: L/H (Kydex)	205	204-030-666-43
	M204SW666-4	Windshield: R/H (Kydex)	205	204-030-666-44
	M204SW666-5	Windshield: L/H (Kydex)	205	204-030-666-87
	M204SW666-6	Windshield: R/H (Kydex)	205	204-030-666-89
	M205-032-669-233	Cargo Window: Clear	205	205-032-669-233
	M205-032-669-233A	Cargo Window: Blue	205	205-032-669-233
	M205-032-669-233B	Cargo Window: Gray	205	205-032-669-233
	M205-212-285-1	Litter Window Panel: L/H, (Kydex)	205	205-030-285-1
	M205-212-285-2	Litter Window Panel: R/H, (Kydex)	205	205-030-285-2
	M205-212-770-1	Upper Window: Crew Door, L/H (Kydex)	205	204-030-770-1
	M205-212-770-2	Upper Window: Crew Door, R/H (Kydex)	205	204-030-770-2
	M205SW673-1	Roof Window: L/H, (Kydex)	205	205-030-673-23
	M205SW673-11	Roof Window: L/H, (Kydex)	205	205-030-673-31
Nordam	**M205SW673-12**	Roof Window: R/H, (Kydex)	205	205-030-673-32
	M205SW673-13	Roof Window: L/H, (Kydex)	205	205-030-673-37
	M205SW673-14	Roof Window: R/H, (Kydex)	205	205-030-673-38
	M205SW673-15	Roof Window: Blue, L/H (Kydex)	205	205-030-673-103
	M205SW673-16	Roof Window: Blue, R/H (Kydex)	205	205-030-673-104
	M205SW673-17	Roof Window: L/H, (Kydex)	205	205-030-673-37
	M205SW673-18	Roof Window: R/H, (Kydex)	205	205-030-673-38
	M205SW673-19	Roof Window: L/H, (Kydex)	205	205-030-673-31
	M205SW673-2	Roof Window: R/H, (Kydex)	205	205-030-673-24
	M205SW673-20	Roof Window: R/H, (Kydex)	205	205-030-673-32
	M212-713-1	Window Assembly: Passenger Door	205	205-030-713-5
	P204-657-19	Chin Bubble: L/H	205	204-030-657-19
	P204-657-20	Chin Bubble: R/H	205	204-030-657-20
	P204-657-35	Chin Bubble: L/H	205	204-030-657-35
	P204-657-36	Chin Bubble: R/H	205	204-030-657-36
	P204-668-1	Cargo Door Window	205	204-032-668-07
	P204-668-1	Roof Window: L/H	205	204-030-673-29
	P204-669-1	Window Panel: L/H	205	204-030-669-5
	P204-669-2	Window Panel: R/H	205	204-030-669-6

BELL 205 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Nordam	**P204-673-1**	Roof Window: L/H	205	204-030-673-29
	P204-673-2	Roof Window: R/H	205	204-030-673-23
	P204-799-1	Sliding Crew Window	205	204-030-799-01
	P204-899-1	Logging Bubble: L/H	205	Not FAA approved
	P204-899-2	Logging Bubble: R/H	205	Not FAA approved
	P205-501-1	Clearview Bubble: L/H	205	Not FAA approved
	P205-501-2	Clearview Bubble: R/H	205	Not FAA approved
	P205-669-1	Window Panel	205	205-031-669-7
	P205-673-1	Roof Window: L/H	205	205-030-673-23
	P205-673-17	Roof Window: L/H	205	205-030-673-37
	P205-673-18	Roof Window: R/H	205	205-030-673-38
	P205-673-2	Roof Window: R/H	205	205-030-673-24
	P205-673-31	Roof Window: L/H	205	205-030-673-31
Tech Tool Plastics	**204B-1021-1**	Roof Window: Green, L/H	205	204-030-673-29, 204-030-673-57
	204B-1021-2	Roof Window: Green, R/H	205	204-030-673-23, 204-030-673-45
	204B-1023-1	Windshield: L/H	205	204-030-666-43
	204B-1023-1SR	Windshield: L/H (Scratch Resist)	205	212-030-464-001
	204B-1023-2	Windshield: R/H	205	204-030-666-44
	204B-1023-2SR	Windshield: R/H (Scratch Resist)	205	212-030-464-003
	204B-1024-1	Nose Bubble: L/H	205	204-030-657-35
	204B-1024-2	Nose Bubble: R/H	205	204-030-657-36
	204B-1024-3	Nose Bubble: L/H	205	204-030-657-19
	204B-1024-4	Nose Bubble: R/H	205	204-030-657-20
	204B-1025-1	Forward Crew Window: L/H	205	204-030-459-1
	204B-1025-2	Forward Crew Window: R/H	205	204-030-459-2
	204B-1026-1	Upper Crew Window: L/H	205	204-030-770-1
	204B-1026-2	Upper Crew Window: R/H	205	204-030-770-2
	204B-1027-1	Crew Slide Window: L/H or R/H	205	204-030-799-1
	205D-1022-1	Roof Window: L/H: Green	205	205-030-673-31
	205D-1022-1B	Roof Window: L/H: Blue	205	205-030-673-101
	205D-1022-2	Roof Window: R/H: Green	205	205-030-673-61, 205-030-673-71
	205D-1022-2B	Roof Window: R/H: Blue	205	205-030-673-102, 205-030-673-109
	205D-1022-3	Roof Window: L/H: Green	205	205-030-673-23, 205-030-673-37
	205D-1022-3B	Roof Window: L/H: Blue	205	205-030-673-103
	205D-1022-4	Roof Window: R/H: Green	205	205-030-673-24
	205D-1022-6	Roof Window: R/H: Green	205	205-030-673-24, 205-030-673-38
	205D-1022-6B	Roof Window: L/H: Blue	205	205-30-673-104
	205D-1028-1	Jump Door Window: L/H	205	205-030-285-1
	205D-1028-2	Jump Door Window: R/H	205	205-030-285-2

BELL 205 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Tech Tool Plastics	**205D-1029-1**	Military Cargo Window	205	205-031-669-7
	205D-1031-1	Cargo Window	205	205-032-713-5
	212-1034-1	Nose Bubble: L/H	205	212-030-076-1, 212-030-076-3
	212-1034-2	Nose Bubble: R/H	205	212-030-076-2, 212-030-076-4
	214B-1030-1	Push Out Cargo Window	205	205-032-669-233



Bell 206

The Bell 206 is a family of two-bladed, single- or twin-engined helicopters manufactured by Bell Helicopter. The Bell 206B is known as the JetRanger and the Bell 206L LongRanger is also used by the military and is called the OH-58 Kiowa.

Role: Multipurpose utility helicopter
Manufacturer: Bell Helicopter, Textron
Max Speed: 138 mph
Range: 374 nautical miles
Engine Type: Rolls-Royce Model 250

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

BELL 206

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**20600001-1**	Tel-Tail Floodlights	206A, B	STC-SH198WE
	20600001-3	Tel-Tail Floodlights	206L, L1, L3, L4	STC-SH198WE
	20600002-1	Fuselage Floodlights	206A, B, L, L1, L3, L4	STC-SH8657SW
GE Lighting	**1683**	Lamp: Aircraft, Bayonet, Single	206A, B, L, L1	-
	327	Lamp: Indicator: Midget, Flanged	206L1	-
	4596	Lamp: Landing, Screw Terminals	206A, B, L, L1	-
Honeywell Lighting & Electronics	**01-0770019-18**	A470A Head Assembly Red	206	-
	01-0770044-00	Flash Tube: A469A	206	-
	01-0770062-03	Power Supply: A490A, Ts-Cf 14/28	206	-
	10-0055-1	Light: Emergency Exit	206B, L, L1, L3	-
	10-0852-1	Sign: Illuminated NS/FSB	206B, L, L1, L3	-
	10-0888-1	Gasper: Adjustable	206B, L, L1, L3	-
	10-0952-1	Reading Light: Adjustable	206B, L, L1, L3	-
	15-0007-101	Cockpit Spotlight	206B, L, L1, L3, 12	-
	15-0149-5	Cockpit Spotlight	206B, L, L1, L3, 12	-
	15-0477-5	Cockpit Spotlight	206B, L, L1, L3	-
	50-0030-1	Landing Light	206B, L, L1, L3	-
	51-0078-1	Instrument Light	206B	-
	68-2130024-50	Lens: A402 Red Optic	206	*Class III*Export 8130 Exempt*
	75-0285-15	Annunciator Panel	206B, L, L1, L3	-
	75-0285-17	Indicator Light	206L	-
	75-0285-21	Indicator Light	206B, L, L1, L3	-

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting (continued)				
Honeywell Lighting & Electronics	**75-0286-1**	Annunciator Panel	206B, L, L1, L3	-
	75-0286-17	Indicator Light	206B, L1, L3	-
	75-0338-1	Caution and Warn Panel	206B, L, L1, L3	-
	A1285G7512-24	Light: Wing Position	206B, L, L1, L3	-
	A2064-1683	Light: Tail Position	206B, L, L1, L3	-
	A6745B-24	Light: Instrument	206B, L, L1, L3	-
	A6750-1-24	Light: Instrument	206B, L, L1, L3	-
	A6815B-Y-24	Light: Instrument	206B, L, L1, L3	-
	A7512-24	Light: Instrument	206B, L, L1, L3	-
	B3307-10	Light: Wing Position	206B, L, L1, L3	-
	B3307-8	Light: Wing Position	206B, L, L1, L3	-
	B3550-307	Light: Dome	206B, L, L1, L3	-
Wamco Lighting	**WL-1683**	Lamp: 28 Volt, 1020mA	206A, B, L, L1	-
	WL-685	Lamp: 5 Volt, 50mA	206L1	-
	WL-685AS15	Lamp: 5 Volt, 50mA	206L1	-
	WL-718	Lamp: T1, Lamp: 5 Volt, 115mA	206L1	-
	WL-718AS15	Lamp: 5 Volt, 115mA	206L1	-
	WL-A-4174-24	Lamp: Nav 24V 40W	206, L1, L3	-
	WL-A-7512-24	Lamp: Reflectorized, CC-6, 26W	206, L1, L3	-
Avionics				
Aerosonic	**PH500**	Pitot Probe	206 Jet Ranger	-
Batteries				
Concorde Battery Corp	**RG-206**	Battery: Lead Acid, 24v	206A, B	STC - SR00318SE
	RG-206	Battery: Lead Acid, 24v	206A, B	STC and STA - SR09054RC
	RG-222	Battery: Lead Acid, 24v	206L1, L3, L4	STC and STA - SR09069RC
	RG-222	Battery: Lead Acid, 24v	206L1, L3, L4	STC - SR00462SE
Gill Battery	**G641**	Battery: Lead Acid	206, A, B, B1, L, L1, L3	Requires STC kit SH297NM
	G641S	Battery: Lead Acid	206A, B, L, L1, L3	With STC SR01406LA
	SH297NM	Conversion Kit for G641 series	206A, B, B1, B3, L, L1, L3	Converting NiCad to Lead acid
Marathon Norco	**CA-103**	Battery: NiCad	206A, B, L	Marathon Cell-10H120
	CA-1700	Battery: NiCad	206A, B, L	Marathon Cell-17H100
	CA-170A	Battery: NiCad	206L1, L3	Marathon Cell-17H100
	SP-1700	Battery: NiCad	206A, B, L	Marathon Cell-17SP100
	SP-170A	Battery: NiCad	206L1, L3	Marathon Cell-17SP100
	SP-170AL	Battery: NiCad	206L1, L3	Marathon Cell-17SP100
Saft	**106408**	Battery: NiCad VP160KH	206A, B, L	Use 015700-000, Mount 016710-000
	106408*	Battery: NiCad VP160KH	206A, B, L	016710-000 015523-000

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Batteries (continued)				
Saft	**114769**	Battery: NiCad 1656-1	206A, B, L	017390-000
	164747	Battery: NiCad 1656-2	206A, B, L	-
	166130	Battery: NiCad, VHP270KH, 2778	206L3, T	-
	410385	Battery: NiCad 1658	206, A, B, B3, L	018720-000 016710-000
	414254	Battery: NiCad 181CH	206, I, AF	024587-500
	459560	Battery: NiCad 1756	206B, L3	023470-000
Engine Accessories				
APC - Aircraft Parts Corp	**150SG111Q**	APC Generators	206A, B, L	Replaces Lucas 23032-022
	150SG116Q	APC Generators	206L	-
	150SG117Q	APC Generators	206A, B, L	Replaces Lucas 23032-027
	150SG118Q	APC Generators	206A, B, L	-
	150SG123Q	APC Generators	206A, B, L	-
	200SG111Q	APC Generators	206L1, L3	Replaces Lucas 23081-018
	200SGL124Q	APC Generators	206L3	-
	GCSG502	D.C. Generator Control Units	206L3	-
	GCSG502-4	D.C. Generator Control Units	206NTH	-
Filtration				
PTI Technologies	**7511946**	Element: Fuel	206A, B, B3, L, L3, LT	-
	7553125	Element: Lube	206A, B	-
	7592066-101	Element: Fuel	206A	-
	7592980-101	Element: Lube	206A, B, B3, L, L3, LT	-
	7593016-101	Filter Assembly: Inline Air	206A, B, B3, L, L3, LT	-
	7593045-001	Element: Air	206A, B, B3, L, L3, LT	-
	7595660-101	Element Kit: Fuel RR6895029	206A, B, B3, L, L3, LT	-
	7596653-101	Element: Lube	206A, B, B3, L, L3, LT	-
Purolator Advanced Filtration	**038072-05**	Filter Element Assembly: Fuel	206, A, B, B3, L, L1	-
	038072-06	Filter Element Assembly: Fuel	206, A, B, B3, L, L1	-
	038088-08	Filter Element: Scavenge Lube	206, ALL	-
	168459-03	Element Assembly: Lube (Spin-On)	206A, B	-
	1741010-01	Scavenge Oil Filter	206A, B	See 1741040-01 for 206III
	1741020-01	Scavenge Oil Filter	206L	-
	1741030-01	Scavenge Oil Filter	206L1	-
	1741040-01	Scavenge Oil Filter	206B3	-
	1741140	Scavenge Oil Filter	206L3, L4	-
	1743640-01	Filter Assembly: Fuel	206, ALL	-
	638465-03	Element Assembly: Lube	206, ALL	-

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Fuel Systems				
Parker Airborne	1C27-20	Fuel Pump: Cartridge	AS332, L, L1	Replaces Bronzavia C11BC0031, C11BA-0102,
	1C27-10	Fuel Pump Cartridge	206B	-
	1C27-100H	Fuel Pump Cartridge: Overhaul Exchange	206B	Replacement Cartridge for 1C35-1 and 1C38-1
	1C36-1	Fuel Pump Assembly	206L, L1	-
	1C38-1	Fuel Pump Assembly	206B, L, L1	-
	1C38-10H	Fuel Pump Assembly: Overhaul Exchange	206B, L, L1	-
	2C27-1	Fuel Pump Cartridge	206B, L, L1	-
	2C27-100H	Fuel Pump Cartridge: Overhaul Exchange	206B, L, L1	Replacement Cartridge for 1C36-1
Ground Support				
Aeronautical Accessories	BDW-206LF	Ground Handling Wheels	206L	
	BDW-206LR	Ground Handling Wheels	206L	
	BDW-206LRH	Ground Handling Wheels	206L	
	BDW-206PF	Ground Handling Wheels	206B	
	BDW-206SW	Ground Handling Wheels	206B	
Brackett Aircraft	BDW-206JR	Ground Handling Wheels	206A, B	
	BDW-BELL-2A	Ground Handling Wheels	206L	
	HRT-200	Heads	206A, B	
	HT-10M	Towbars	206B, L	
	HT-500	Towbars	206A, B	
	HT-7M	Towbars	206A, B, L	
Tronair	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	206B3, L4, LT	2 ea req. Jack Pad Adapters R-1187-02
	02-0517-0140	Jack: Tripod Hydraulic - 5 Ton	206B3, L4, LT	Short Skid – 2 Req.
	02-0517C0140	Aft Jack (CE)	206B3, L4, LT	Short Skid – 2 Req.
	02-0522-0140	Jack: Forward	206B3, L4, LT	2 Req. Long Skid
	02-7856-0100	Jack: Tripod Hydraulic - 5 Ton	206B3, L4, LT	Short Skid-2 Req.
	02-7856C0100	Jack: Tripod Hydraulic CE - 5 Ton	206B3, L4, LT	Short Skid-2 Req.
	02A0517-0140	Nose Jack with Air Pump	206B3, L4, LT	Short Skid-2 Req.
	02A0522-0140	Jack: Forward with Air Pump	206B3, L4, LT	Short Skid-2 Req.
	02A7856C0100	Jack: Tripod Hydraulic with Air Pump - 5 Ton	206B3, L4, LT	Long Skid-2 Req.
	04-6028-0121	Universal Lift	206B3, L4, LT	Optional
	04-6150-0120	Utility Crane: Hydraulic	206B3, L4, LT	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	206B3, L4, LT	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	206B3, L4, LT	Hydraulic Service MIL-PRF-83282
	06-5009-6800	Fluid Service Unit: Lube 2-1/2 Gal	206B3, L3, LT	Engine Oil MIL-PRF-23699
	06-5010-6800	Fluid Service Unit: Lube 6 Gal	206B3, L3, LT	Engine Oil MIL-PRF-23699
	06-5022-6500	Fluid Service Unit: Hydraulic 2 Gal	206B3, L4, LT	Hydraulic Service MIL-PRF-83282
	06-5022-6800	Fluid Service Unit: Lube 2 Gal	206B3, L3, LT	Engine Oil MIL-PRF-23699

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
	06-5042-0500	Hydraulic Fluid Service Cart	206B3, L4, LT	Hydraulic Service MIL-PRF-83282
	07-3000-19212	Fuel Transfer Card	206B3, L4, LT	
	07-3006-6900	Fuel Sampler Cup: 32 oz	206B3, L4, LT	
	08-0104-4000	Engine Sling	206B3, L4, LT	250-C20 & 30
	08-2023-0010	Turbine Engine Work Stand	206B3, L4, LT	Rotating
	08-4048-0013	Engine Compressor Washer Portable	206B3, L4, LT	
	08T4049-0013	Engine Compressor & PT6 Nozzle Washer	206B3, L4, LT	
	09-4003-4010	Deicer Hand-Held, Unheated	206B3, L4, LT	Holds 2-1/2 Gallons of deicer fluid
	112820C	GPU: 28.5 Volt Diesel	206B3, L4, LT	Ask sales rep for correct rectifier
Tronair	**11-6610-6000**	Battery Charger/Analyzer	206B3, L4, LT	NiCad
	5010	Hydraulic Power Unit: 50 series	206B3, L4, LT	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	206B3, L4, LT	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	206B3, L4, LT	
	K-2012	Gooseneck Book Kit	206B3, L4, LT	Optional
	K-2013	Pneumatic Pump Kit	206B3, L4, LT	Optional
	K-2108	Adapter Kit	206B3, L4, LT	250-C20 & 30
	K-2953	Hand Winch Kit	206B3, L4, LT	Optional
	K-3057	Crane Hook Attachment	206B3, L4, LT	Kit Required
	KHC-4020	HPU Self Cleaning Circulation Kit	206B3, L4, LT	(MB) Optional
	Z-4082	Lift Tray Assembly	206B3, L4, LT	Required
Ignition Systems				
	CH34187A	Igniter	206 3, IV	-
Champion	**CH34304**	Igniter (Long Life)	206 3, IV	-
	YB63-1	Igniter	206B3, L1	-
Rotables				
	10-614950-1	Unison Exciter	206, A, B, L4	Power plant: M250- C18
	150SG116Q	Starter Generator	206L1	Power plant: M250- C28
	150SG118Q	Starter Generator	206A, B, L	Power plant: M250- C18
	200SGL124Q	Starter Generator	206L3, L4	Power plant: M250- C30P
	200SGL132Q	Starter Generator	206L1, L3, L4	Power plant: M250- C28
	206-062-200-113	Starter Generator	206L1, L3, L4	Power plant: M250- C28
	206-070-266-009	Indicator: Gas Producer	206	-
Aviall Rotables	**206-075-680-107**	Indicator: Turbine Outlet Temperature	206	-
	206-075-681-003	Indicator: Dual	206	-
	206-076-022-005	Pump and Reservoir	206	-
	206-076-022-101	Pump and Reservoir	206	-
	23032-010	Starter Generator	206L	Power plant: M250- C20B
	23032-011	Starter Generator	206L	Power plant: M250- C20B
	23032-018	Starter Generator	206, A, B	Power plant: M250- C18
	23081-017	Starter Generator	206L1, L3, L4	Power plant: M250- C28

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Aviall Rotables	**23081-018**	Starter Generator	206L1, L3, L4	Power plant: M250- C28
	206-076-034-103	Pressure Regulator: Hydraulic	206	-
Lord Corp	**J-14258-3-V**	Flap Restraint Arm	206	206-011-139-001
	J-15413-17-V	Lateral Spring	206	206-033-506-101
	J-15413-20-V	Pylon Restraint Bonded	206	206-033-506-107
	J-15413-21-V	Pylon Restraint Bonded	206	206-033-506-109
	J-15424-2-V	Nodal Beam Stop Assembly (Up)	206	206-033-518-005
	J-15425-2-V	Nodal Beam Stop Assembly (Down)	206	206-033-518-007
	LB1-1010-22-1-V	Support	206	206-033-501-101
	LB1-1010-22-2-V	Support	206	206-033-501-102
	LB1-1010-4-1V	Support	206	206-033-501-001
	LB2-1010-20-1	Elastomeric Tr Trunnion Kit	206	206-011-812-005
	LB2-1010-20-2	Elastomeric Tr Trunnion - Without Kit	206	-
	LB6-1010-16-1-V	Pylon Link	206	206-033-554-101
	LB9-1010-1-2-V	Nodal Flexure	206	206-033-516-101
	LB9-1301-1-1-V	Pylon Mounting Assembly	206	206-030-539-101
Wheels & Brakes				
Meggitt Aircraft Braking Systems	**4000397-2**	Brake: Aircraft Single Disk	206	-
	4000398	Housing (5/5)	206	-
	4000399	Housing (5/5)	206	-
	4000419	Tube: Connecting	206	-
Windows				
LP Aero Plastics	**206-031-115-011**	Windshield: Blue, R/H	206A, S/N 1 and up	.0100 Thickness
	206-031-115-033	Windshield: Blue, L/H	206A, S/N 1 and up	.0100 Thickness
	206-031-116-101	Chin Bubble: Lower, All Acrylic, Not Flat, L/H	206A, B S/N 1 and up, 206L S/N 45001 and Up	.080 Thickness
	206-031-116-103	Chin Bubble: Lower, All Acrylic, Not Flat, R/H	206A, B S/N 1 and up, 206L S/N 45001 and Up	.080 Thickness
Nordam	**206B101-3**	Crew Window: Rubber Mount, L/H	206, A, B, L	206-031-500-147
	206B101-4	Crew Window: Rubber Mount, R/H	206, A, B, L	206-031-500-148
	206B102-13	Passenger Window: L/H	206, A, B	206-031-501-129
	206B102-14	Passenger Window: R/H	206, A, B	206-031-501-130
	206B104-23	L/H E.N.G. Window Horizontal Slide	206, A, B	206-031-501-129
	206B104-24	R/H E.N.G. Window Horizontal Slide	206, A, B	206-031-501-130
	206B105-1	Logging Bubble: L/H	206, A, B	Not FAA approved
	206B105-2	Logging Bubble: R/H	206, A, B	Not FAA approved
	206B106-1	Clearview Bubble: L/H	206, A, B, L	206-031-501-129
	206B106-2	Clearview Bubble: R/H	206, A, B	206-031-501-130
	206B107-1	Crew Window: Vertical Slide, L/H	206, A, B, L	206-031-500-147
	206B107-2	Crew Window: Vertical Slide, R/H	206, A, B, L	206-031-500-148

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	206B108-13	L/H E.N.G. Window Vertical Slide	206, A, B	206-031-501-129
	206B108-14	R/H E.N.G. Window Vertical Slide	206, A, B	206-031-501-130
	206B109-1	Crew Wedge Window: L/H	206, A, B	206-031-500-147
	206B109-2	Crew Wedge Window: R/H	206, A, B, L	206-031-500-148
	206B109-21	Wedge Window: Rubber Mount, L/H	206, A, B	206-031-500-147
	206B109-22	Wedge Window: Rubber Mount, R/H	206, A, B	206-031-500-148
	206B109-31	Crew Wedge Window: L/H	206B, L	Standard assembly
	206B109-32	Crew Wedge Window: R/H	206B, L	Standard assembly
	206B110-1	Aft Wedge Window: L/H	206, A, B	206-031-625-101
	206B110-2	Aft Wedge Window: R/H	206, A, B	206-031-625-102
	206B110-21	Wedge Window: Rubber Mount, L/H	206, A, B	206-031-625-101
	206B110-22	Wedge Window: Rubber Mount, R/H	206, A, B	206-031-625-102
	206B110-27	Wedge Window with Rubber Mount Installation: L/H	206, A, B	206-033-625-101
	206B110-28	Wedge Window with Rubber Mount Installation: R/H	206, A, B, L	206-033-625-102
	206B110-31	Wedge Window: Rubber Mount, L/H	206L	206-B-110-27
	206B110-32	Wedge Window: Rubber Mount, R/H	206L	206-B-110-28
	206B110-61	Passenger Wedge Window: L/H	206L	Standard assembly New Generation Door Windows
	206B110-62	Passenger Wedge Window: R/H	206L	Standard assembly New Generation Door Windows
Nordam	**206B200-1**	Chin Bubble: L/H (draped)	206L	206-031-116-39
	206B200-2	Chin Bubble: R/H (draped)	206L	206-031-116-41
	206B200-3	Chin Bubble: L/H (blown)	206L	206-031-116-101
	206B200-4	Chin Bubble: R/H (blown)	206L	206-031-116-103
	206L102-13	Passenger Window: L/H	206L	206-031-601-09
	206L102-14	Passenger Window: R/H	206L	206-033-601-10
	206L104-21	L/H E.N.G. Window Horizontal Slide	206L	Standard assembly
	206L104-22	R/H E.N.G. Window Horizontal Slide	206L	Standard assembly
	206L104-23	L/H E.N.G. Window Horizontal Slide	206L	Standard assembly
	206L104-24	R/H E.N.G. Window Horizontal Slide	206L	Standard assembly
	206L105-1	Logging Bubble: L/H	206L	Not FAA approved
	206L105-2	Logging Bubble: R/H	206L	Not FAA approved
	206L106-2	Clearview Bubble: R/H	206L	Standard assembly
	206L106-7	Clearview Bubble: L/H	206L	Standard assembly
	206L106-8	Clearview Bubble: R/H	206L	Standard assembly
	206L108-11	L/H E.N.G. Window Vertical Slide	206L	Standard assembly
	206L108-12	R/H E.N.G. Window Vertical Slide	206L	Standard assembly
	206L108-13	L/H E.N.G. Window Vertical Slide	206L	Standard assembly
	206L108-14	R/H E.N.G. Window Vertical Slide	206L	Standard assembly
	206L109-1	Crew Wedge Window: L/H	206L	206-033-600-05
	206L109-21	Wedge Window: Rubber Mount, L/H	206L	206-033-600-05

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Nordam	**206L109-22**	Wedge Window: Rubber Mount, R/H	206L	206-033-600-05
	206L109-33	Crew Wedge Window: L/H	206B, L	Standard assembly New Generation Door Windows
	206L109-34	Crew Wedge Window: R/H	206B, L	Standard assembly New Generation Door Windows
	206L110-1	Aft Wedge Window: L/H	206L	206-033-663-101
	206L110-2	Aft Wedge Window: R/H	206L	206-033-663-102
	206L110-21	Wedge Window: Rubber Mount, L/H	206L	206-033-663-101
	206L110-22	Wedge Window: Rubber Mount, R/H	206L	206-033-663-102
	206L110-27	Wedge Window: Rubber Mount, L/H	206L	206-033-663-101
	206L110-31	Wedge Window: Rubber Mount, L/H	206L	206-L-110-27
	206L110-32	Wedge Window: Rubber Mount, R/H	206L	206-L-110-28
	206L110-63	Passenger Wedge Window: L/H	206B, L	Standard assembly New Generation Door Windows
	206L110-64	Passenger Wedge Window: R/H	206B, L	Standard assembly New Generation Door Windows
	206L500-1	Litter Window: L/H	206L	Standard assembly New Generation Door Windows
	206L500-2	Litter Window: R/H	206L	206-033-115-11
	206L500-7	Litter Window: Rubber Mount, L/H	206L	206-033-602-11
	206L500-8	Litter Window: Rubber Mount, R/H	206L	206-033-115-139
	M206-340-1	Windshield: L/H	206, A, B, L	206-031-115-029/-031/-033
	M206-340-2	Windshield: R/H	206, A, B, L	206-031-115-007/-003/011/-105
	M206-601-1	Skylight: L/H	206, A, B, L	206-031-108-015/-027/-033
	M206-601-2	Skylight: R/H	206, A, B, L	206-031-108-016/-028/-034
	M206BLW-M663-1	Aft Wedge Window: L/H	206, A, B	206-031-625-101
	M206BLW-M663-2	Aft Wedge Window: R/H	206, A, B	206-031-625-102
	M206BLW-M663-3	Aft Wedge Window: L/H	206L	206-033-663-101
	M206BLW-M663-4	Aft Wedge Window: R/H	206L	206-033-663-102
	M206LR312-1	Litter Window: L/H, (Kydex)	206L	206-033-602-011/-251
	M206LR312-2	Litter Window: R/H, (Kydex)	206L	206-033-115-011/-139
	M206R309-1	Crew Window: L/H	206, A, B	206-031-500-101/-107/-147/-149
	M206R309-2	Crew Window: R/H	206, A, B	206-031-500-102/-108/-148/-150
	M206R311-5	Chin Bubble: L/H Tuff	206, A, B, L	206-031-116-39/-101
	M206R311-6	Chin Bubble: R/H Tuff	206, A, B, L	206-031-116-41/-103
	PBH206B201-1	Chin Bubble Assembly: Rubber Mount, L/H	206, A, B, L	206-031-116-39/-101
	PBH206B201-2	Chin Bubble Assembly: Rubber Mount, R/H	206, A, B, L	206-031-116-41/-103
	PBH206B201-3	Replacement Bubble: Rubber Mount, Chin, L/H	206, A, B, L	P/BH206-B-201-1
	PBH206B201-4	Replacement Bubble: Rubber Mount, Chin, R/H	206, A, B, L	P/BH206-B-201-2
Tech Tool Plastics	**206-1029-1**	Baggage Floor Protector	206A,B, L, L1, L3, L4	Tech-Tool Design
	206-1030-1	Forward Cabin Floor Protector: L/H	206A,B, L, L1, L3, L4	Tech-Tool Design
	206-1030-2	Forward Cabin Floor Protector: R/H	206A,B, L, L1, L3, L4	Tech-Tool Design

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	206B-1001-1	Windshield: L/H	206A,B, L, L1, L3, L4	206-031-115-31, -33
	206B-1001-2	Windshield: R/H	206A,B, L, L1, L3, L4	206-031-115-7, -11, -105
	206B-1002-1	Drape Chin Bubble: L/H	206A,B, L, L1, L3, L4	206-031-116-39
	206B-1002-2	Drape Chin Bubble: R/H	206A,B, L, L1, L3, L4	206-031-116-41
	206B-1002-5	Blown Chin Bubble: L/H	206A,B, L, L1, L3, L4	206-031-116-101, -109
	206B-1002-6	Blown Chin Bubble: R/H	206A,B, L, L1, L3, L4	206-031-116-103, -111
	206B-1003-1	Skylight: L/H	206A,B, L, L1, L3, L4	206-031-108-27, -33
	206B-1003-2	Skylight: R/H	206A,B, L, L1, L3, L4	206-031-108-28, -34
	206B-1004-1	Forward Door Window with Slide: L/H	206A,B	206-031-500-101,-147, -149
	206B-1004-103	Forward Door Window with Slide and Handle: L/H	206A,B, L, L1, L3, L4	206-031-500-103
	206B-1004-104	Forward Door Window with Slide and Handle: R/H	206A,B, L, L1, L3, L4	206-031-500-104
	206B-1004-105	Forward Door Window with Slide: L/H	206A,B, L, L1, L3, L4	206-031-500-105
	206B-1004-106	Forward Door Window with Slide: R/H	206A,B, L, L1, L3, L4	206-031-500-106
	206B-1004-2	Forward Door Window with Slide: R/H	206A,B	206-031-500-102,-148, -150
	206B-1005-1	Aft Window with Slide Assembly: L/H	206A,B	206-031-501-85, -129
	206B-1005-2	Aft Window with Slide Assembly: R/H	206A,B	206-031-501-86, -130
	206B-1005-87	Aft Window with Slide and Handle: L/H	206A,B, L, L1, L3, L4	206-031-501-87
	206B-1005-88	Aft Window with Slide and Handle: R/H	206A,B, L, L1, L3, L4	206-031-501-88
Tech Tool Plastics	**206B-1005-89**	Aft Window with Slide: L/H	206A,B, L, L1, L3, L4	206-031-501-89
	206B-1005-90	Aft Window with Slide: R/H	206A,B, L, L1, L3, L4	206-031-501-90
	206B-1008-1	Aft Window with Vertical Slide: L/H	206A,B	Tech-Tool Design
	206B-1008-2	Aft Window with Vertical Slide: R/H	206A,B	Tech-Tool Design
	206B-1009-1	Aft Window with Horizontal Slide: L/H	206A,B	Tech-Tool Design
	206B-1009-2	Aft Window with Horizontal Slide: R/H	206A,B	Tech-Tool Design
	206B-1010-1	Forward Bubble Window: L/H	206A,B	Tech-Tool Design
	206B-1010-2	Forward Bubble Window: R/H	206A,B	Tech-Tool Design
	206B-1011-1	Aft Bubble Window with Vent: L/H	206A,B	Tech-Tool Design
	206B-1011-2	Aft Bubble Window with Vent: R/H	206A,B	Tech-Tool Design
	206B-1012-1	Forward Door Window with Vertical Slide: L/H	206A,B	Tech-Tool Design
	206B-1012-2	Forward Door Window with Vertical Slide: R/H	206A,B	Tech-Tool Design
	206B-1031-1	Aft Cabin Floor Protector	206A,B, L, L1, L3, L4	Tech-Tool Design
	206B-1032-1	Cabin Floor Protector Kit	206A,B, L, L1, L3, L4	Tech-Tool Design
	206BW-1004-1	Forward Wedge Window with Slide: R/H	206A,B	Tech-Tool Design
	206BW-1004-2	Forward Wedge Window with Slide: L/H	206A,B	Tech-Tool Design
	206BW-1004-5	Forward Wedge Window with Slide: L/H (Quick-Change)	206A,B	Tech-Tool Design
	206BW-1004-6	Forward Wedge Window with Slide: R/H (Quick-Change)	206A,B	Tech-Tool Design

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	206BW-QC-1006-1	Aft Wedge Window with Slide & Frame Assembly: L/H	206A,B	Tech-Tool Design
	206BW-QC-1006-2	Aft Wedge Window with Slide & Frame Assembly: R/H	206A,B	Tech-Tool Design
	206BW-QC-1006-3	Aft Wedge Window with Vent & Frame Assembly: L/H	206A,B	Tech-Tool Design
	206BW-QC-1006-4	Aft Wedge Window with Vent & Frame Assembly: R/H	206A,B	Tech-Tool Design
	206BW-QC-1006-6	Aft Wedge Window Replacment with Vent: R/H	206A,B	Tech-Tool Design
	206BW-QC-1006-7	Aft Wedge Window Replacment with Slide L/H	206A,B	Tech-Tool Design
	206BW-QC-1006-8	Aft Wedge Window Replacment with Slide: R/H	206A,B	Tech-Tool Design
	206L-1004-1	Forward Door Window with Slide: L/H	206L,L1,L3,L4	206-033-600-5, -117
	206L-1004-119	Forward Door Window with Slide and Handle: L/H	206A,B, L, L1, L3, L4	206-033-600-119
	206L-1004-120	Forward Door Window with Slide and Handle: R/H	206A,B, L, L1, L3, L4	206-033-600-120
	206L-1004-17	Forward Window with Slide: L/H	206A,B, L, L1, L3, L4	206-033-600-17
	206L-1004-18	Forward Window with Slide: R/H	206A,B, L, L1, L3, L4	206-033-600-18
	206L-1004-2	Forward Door Window with Slide: R/H	206L,L1,L3,L4	206-033-600-6, -118
	206L-1005-1	Aft Window with Slide Assembly: L/H	206L,L1,L3,L4	206-033-601-9
Tech Tool Plastics	**206L-1005-2**	Aft Window with Slide Assembly: R/H	206L,L1,L3,L4	206-033-601-10
	206L-1007-1	Litter Window: L/H	206L,L1,L3,L4	206-033-602-1
	206L-1007-2	Litter Window: R/H	206L,L1,L3,L4	206-033-115-011
	206L-1008-1	Aft Window with Vertical Slide: L/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1008-2	Aft Window with Vertical Slide: R/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1009-1	Aft Window with Horizontal Slide: L/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1009-2	Aft Window with Horizontal Slide: R/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1010-1	Forward Bubble Window: L/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1010-2	Forward Bubble Window: R/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1011-1	Aft Bubble Window with Vents: L/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1011-2	Aft Bubble Window with Vents: R/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1012-1	Forward Door Window with Vertical Slide: L/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1012-2	Forward Door Window with Vertical Slide: R/H	206L,L1,L3,L4	Tech-Tool Design
	206L-1031-1	Aft Cabin Floor Protector (206L, L1, L3, L4)	206A,B, L, L1, L3, L4	Tech-Tool Design
	206L-1032-1	Cabin Floor Protector Kit (206L, L1, L3, L4)	206A,B, L, L1, L3, L4	Tech-Tool Design
	206L-QC-1007-1	Aft Litter Window: L/H, (Quick Change)	206L,L1,L3,L4	206-033-602-267
	206L-QC-1007-2	Aft Litter Window: R/H, (Quick Change)	206L,L1,L3,L4	206-033-115-165, -173
	206LW-1004-1	Forward Wedge Window with Slide: L/H	206L,L1,L3,L4	Tech-Tool Design

BELL 206 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Tech Tool Plastics	**206LW-1004-2**	Forward Wedge Window with Slide: R/H	206L,L1,L3,L4	Tech-Tool Design
	206LW-1004-5	Forward Wedge Window with Slide: L/H (Quick-Change)	206L,L1,L3,L4	206-033-676-101
	206LW-1004-6	Forward Wedge Window with Slide: R/H (Quick-Change)	206L,L1,L3,L4	206-033-676-102
	206LW-1007-1	Litter Wedge Window: L/H	206L,L1,L3,L4	Tech-Tool Design
	206LW-1007-2	Litter Wedge Window: R/H	206L,L1,L3,L4	Tech-Tool Design
	206LW-QC-1006-1	Aft Wedge Window with Slide & Frame Assembly: L/H (Quick-Change)	206L,L1,L3,L4	206-333-001-101
	206LW-QC-1006-2	Aft Wedge Window with Slide & Frame Assembly: R/H (Quick-Change)	206L,L1,L3,L4	206-333-001-102
	206LW-QC-1006-3	Aft Wedge Window with Vent & Frame Assembly: L/H (Quick-Change)	206L,L1,L3,L4	Tech-Tool Design
	206LW-QC-1006-4	Aft Wedge Window with Vent & Frame Assembly: R/H (Quick-Change)	206L,L1,L3,L4	Tech-Tool Design
	206LW-QC-1006-5	Aft Wedge Window Replacement with Vent: L/H (Quick-Change)	206L,L1,L3,L4	Tech-Tool Design
	206LW-QC-1006-6	Aft Wedge Window Replacement with Vent: R/H (Quick-Change)	206L,L1,L3,L4	Tech-Tool Design
	206LW-QC-1006-7	Aft Wedge Window Replacement w/Slide: L/H (Quick-Change)	206L,L1,L3,L4	206-333-001-101
	206LW-QC-1006-8	Aft Wedge Window Replacement w/Slide: R/H (Quick-Change)	206L,L1,L3,L4	206-333-001-102
	206LW-QC-1007-1	Litter Wedge Window: L/H (Quick-Change)	206L,L1,L3,L4	Tech-Tool Design
	206LW-QC-1007-2	Litter Wedge Window: R/H (Quick-Change)	206L,L1,L3,L4	Tech-Tool Design
	206-QC-1002-1	Chin Bubble with Frame Assembly: L/H	206A,B, L, L1, L3, L4	Tech-Tool Design
	206-QC-1002-2	Chin Bubble with Frame Assembly: R/H	206A,B, L, L1, L3, L4	Tech-Tool Design
	206-QC-1002-5	Chin Bubble Window Replacement: L/H	206A,B, L, L1, L3, L4	Tech-Tool Design
	206-QC-1002-6	Chin Bubble Window Replacement: R/H	206A,B, L, L1, L3, L4	Tech-Tool Design
	206W-1006-1	Aft Wedge Window with Slide Assembly: L/H	206A,B	206-031-625-101
	206W-1006-117	Aft Wedge Window with Slide and Handle: L/H	206A,B, L, L1, L3, L4	206-033-663-117
	206W-1006-118	Aft Wedge Window with Slide and Handle: R/H	206A,B, L, L1, L3, L4	206-033-663-118
	206W-1006-119	Aft Wedge Window with Slide: L/H	206A,B, L, L1, L3, L4	206-033-663-119
	206W-1006-120	Aft Wedge Window with Slide: R/H	206A,B, L, L1, L3, L4	206-033-663-120
	206W-1006-2	Aft Wedge Window with Slide Assembly: R/H	206A,B	206-031-625-102
	206W-1006-3	Aft Wedge Window with Slide: L/H	206L,L1,L3,L4	206-033-663-101
	206W-1006-4	Aft Wedge Window with Slide: R/H	206L,L1,L3,L4	206-033-663-102
	TTPL-1	Forward Window Latch	206A,B, L, L1, L3, L4	Tech-Tool Design
	TTPL-2	Aft Window Latch	206A,B, L, L1, L3, L4	Tech-Tool Design
	TTPV-1, -3, -5, -7	Vent Assembly (-1 Blue, -3 Clear, -5 Gray, -7 Green)	206A,B, L, L1, L3, L4	Tech-Tool Design



Bell 212

The Bell 212 “Twin-Huey” has served in both civil and military roles (UH-1N Iroquois) such as troop transport, search and rescue and police work. This two-blade, twin-engine, medium helicopter was originally manufactured by Bell Helicopter in Fort Worth, Texas, US until production was moved to Mirabel, Quebec, Canada in 1988.

Role: Helicopter
Manufacturer: Bell Helicopter
Status: Production completed
Produced: 1968-1998

Max Speed: 139 mph
Range: Range: 237 nautical miles
Engine Type: Pratt & Whitney Canada PT6T

BELL 212

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**21200001-1**	Tel-Tail Floodlights	212	STC - SH205WE
	21200004-1	Recognition Light	212	2-Light, under fuselage mount, STC - SH7763SW
	21200004-3	Main Rotor Illumination Light System	212	STC - SH7763SW
	21200004-5	Under Fuselage & Main Rotor Recognition Systems	212	STC - SH7763SW
GE Lighting	**1683**	Lamp: Aircraft, Bayonet, Single	212	-
	305	Lamp: Aircraft, Bayonet, Single	212	-
	313	Lamp: Aircraft, Bayonet, Miniature	212	-
	327	Lamp: Aircraft, Midget, Flanged	212	-
	4580	Lamp: Landing, Screw Terminals	212	-
	4596	Lamp: Landing, Screw Terminals	212	-
	Q4559	Lamp: Landing, Screw Terminals	212	-
Honeywell Lighting & Electronics	**22150-303**	Wheel Light	212	-
	60-3269-3	Power Supply	212	-
	A1285R7512-24	Light: Wing Position	212	-
	A2064-1683	Light: Tail Position	212	-
	A6745B-24	Light: Instrument	212	-
	B3550-307	Light: Dome	212	-
	G5400-6	Light: Landing	212	-
	G6250-4	Light: Search and Landing	212	-
Wamco Lighting	**WL-1683**	Lamp: 28 Volt, 1020mA	212	-
	WL-307	Lamp: 28 Volt, 670mA	212	-
	WL-313	Lamp: 28 Volt, 170mA	212	-
	WL-685	Lamp: 5 Volt, 50mA	212	-
	WL-685AS15	Lamp: 5 Volt, 50mA	212	-
	WL-718	Lamp: T1, 5 Volt, 115mA	212	-
	WL-A-4174-24	Lamp: Nav 24V 40W	212	-
	WL-A-7512-24	Lamp: Reflectorized, CC-6, 26W	212	-
Whelen Engineering	**01-0770044-01**	Flash Tube: A469A	212	-
	01-0770285-21	Strobe Light: Red 70285-21 Self Contained	212	Strobe Light (RFI Shielded) RE
	68-2130024-50	Lens: A402 Red Optic	212	Class III*Export 8130 Exempt

BELL 212 (continued)

Manufacturer	Part Number	Description	Model	Comments
Avionics				
Aerosonic	**PH500**	Pitot Probe	212 Civil	-
Batteries				
Concorde Battery Corp	**RG-380E/40B**	Battery: Lead Acid	212 - 24v	FAA Design Approval
	RG-380E/44	Battery: Lead Acid	212 - 24v	STC - SR00173SE
	RG-380E/44	Battery: Lead Acid	212 - 24v	STC & STA - SR09053RC
Gill Battery	**G6381E**	Battery: Lead Acid	212	Requires STC kit SH2186SO
	G6381ES	Battery: Lead Acid	212	Requires STC kit SH2186SO
	SH1186SO	Conversion Kit for G6381 series	212	Converting NiCad to Lead acid
Marathon Norco	**24535-010**	Battery: NiCad	212	19-36H120
	30703-001	Battery: NiCad	212	20-36H120
Saft	**412786**	Battery: NiCad 4076-15	212	024555-000
	459265	Battery: NiCad 4071-3	212	023044-000
Engine Accessories				
APC - Aircraft Parts Corp	**200SG119Q-1**	APC Generators	212	Replaces Lucas 23046-020
	200SG129Q	APC Generators	212	Replaces Lucas 23046-020
Filtration				
PTI Technologies	**41001158**	Shim: Hydraulic	212	-
	48088820-113	Module: Hydraulic	212	-
	7553125	Element: Lube	212	-
Purolator Advanced Filtration	**047546-02**	Element Assembly: Fuel	212, ALL	-
	047546-17	Element Assembly: Fuel	212, ALL	-
	233209-03	Filter Element Assembly: Fuel	212, ALL	-
Ground Support				
Brackett Aircraft	**BDW-245B-1801**	Ground Handling Wheels	212	-
	BDW-45C-1800/500	Ground Handling Wheels	212	-
	HT-7M	Towbars	212	-
	HT-88	Towbars: Forward & Aft Jack	212	-
Tronair	**02-0511-0132**	Main Jack (5 ton/4.5 metric ton)	212	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	212	2 ea req. Jack Pad Adapters R-1187-02
	04-6028-0121	Universal Lift	212	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	212	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	212	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	212	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	212	Hydraulic Service MIL-PRF-83282
	06-5022-6500	Fluid Service Unit: Hydraulic 2 Gal	212	Hydraulic Service MIL-PRF-83282
	06-5042-0500	Hydraulic Fluid Service Cart	212	Hydraulic Service MIL-PRF-83282
	06-5042-0800	Engine Oil Service Cart (8 gal/30 L)	212	Engine Oil MIL-PRF-23699
	07-3000-1921	Fuel Transfer Card	212	-
	07-3001-4900	Fuel Sampler Cup - 36 oz	212	-
	08-4048-0013	Engine Compressor Washer Portable	212	-

BELL 212 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
Tronair	**09-4003-4010**	Deicer Hand-Held, Unheated	211	Holds 2-1/2 Gallons of deicer fluid
	112820C	GPU: 28.5 Volt Diesel	212	-
	11-6610-6000	Battery Charger/Analyzer	212	NiCad
	5010	Hydraulic Power Unit: 50 series	212	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	212	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	212	-
	K-1152	Adapter Kit	212	PT6A-3B
	K-2012	Gooseneck Book Kit	212	Optional
	K-2013	Pneumatic Pump Kit	212	Optional
	K-2953	Hand Winch Kit	212	Optional
	K-3057	Crane Hook Attachment	212	Kit Required
	KHC-4020	HPU Self Cleaning Circulation Kit	212	(MB) Optional
Ignition Systems				
Champion	**CH34055**	Igniter	212	212
Champion	**CH53399-01**	Lead	212	-
Rotables				
Aviall Rotables	**10-381550-4**	Unison Exciter	212	Power plant: PT6T-3 or 3B
	124.043	Indicator: Dual Temperature and Pressure, Hydraulic	212	-
	124.044	Indicator: Fuel Pressure	212	-
	200SG119Q	Starter Generator	212	Power plant: PT6T-3 or 3B
	200SG129Q	Starter Generator	212	Power plant: PT6T-3 or 3B
	204-060-654-007	Switch	212	-
	205-061-635-003	Flow Switch	212	-
	205-061-635-003	Flow Switch	212	-
	205-076-135-007	Reservoir	212	-
	209-062-501-001	Oil Cooler: Engine	212	-
	209-062-501-002	Oil Cooler: Engine	212	-
	209-062-501-005	Oil Cooler: Engine	212	-
	212-010-775-001	Crosshead Tail Rotor	212	-
	212-040-001-191	Transmission	212	-
	212-040-001-191	Transmission	212	-
	212-040-003-023	Gearbox	212	-
	212-040-004-009	90 Degree Gearbox	212	-
	212-040-005-103	Driveshaft Assembly	212	-
	212-040-232-001	Valve	212	-
	212-040-239-101	Tube Assembly	212	-
	212-070-116-007	Indicator	212	-
	212-070-160-017	Indicator: Torque	212	-
	212-075-067-109	Indicator: ITT	212	-

BELL 212 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Aviall Rotables	**212-510-001-103FM**	Main Rotor Head	212	-
	214-075-244-001	Rate Gyro	212	-
	23046-019	Starter Generator	212	Power plant: PT6T-3 or 3B
	23046-020	Starter Generator	212	Power plant: PT6T-3 or 3B
	2524381-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	2524992-6	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	2524998-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	2524999-X	Power Turbine Governor	212	Power plant: PT6T-3 or 3B
	3244706-X	Torque Control	212	Power plant: PT6T-3 or 3B
	3244708-1	Minimum Pressure Valve	212	Power plant: PT6T-3 or 3B
	3244709-X	Torque Control	212	Power plant: PT6T-3 or 3B
	3244712-X	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244717-X	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244721-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244735-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244736-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244737-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244865-1	Torque Control	212	Power plant: PT6T-3 or 3B
	3244865-2	Torque Control	212	Power plant: PT6T-3 or 3B
	3244866-1	Torque Control	212	Power plant: PT6T-3 or 3B
	3244866-2	Torque Control	212	Power plant: PT6T-3 or 3B
	3244881-1	Torque Control	212	Power plant: PT6T-3 or 3B
	3244883-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244884-XX	Fuel Control - Specify Dash No.	212	Power plant: PT6T-3 or 3B
	3244885-1	Governor	212	Power plant: PT6T-3 or 3B
Lord Corp	**J-15452-3-V**	Bonded Mounting	212	212-030-436-007
	J-15452-4-V	Bonded Mounting	212	212-030-437-007
Windows				
Nordam	**M204-300-1**	Sliding Crew Door Window: (Kydex)	212	204-030-799-001
	M204-459-1	Forward Crew Door Window: L/H, (Kydex)	212	204-030-459-1
	M204-459-2	Forward Crew Door Window: R/H, (Kydex)	212	204-030-459-2
	M204SW666-1	Windshield: L/H (Kydex)	212	204-030-666-32
	M204SW666-2	Windshield: R/H (Kydex)	212	204-030-666-37
	M204SW666-3	Windshield: L/H (Kydex)	212	204-030-666-43
	M204SW666-4	Windshield: R/H (Kydex)	212	204-030-666-44
	M204SW666-5	Windshield: L/H (Kydex)	212	204-030-666-87
	M204SW666-6	Windshield: R/H (Kydex)	212	204-030-666-89
	M205-032-669-233	Cargo Window: Clear	212	205-032-669-233
	M205-032-669-233A	Cargo Window: Blue	212	205-032-669-233

BELL 212 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	M205-032-669-233B	Cargo Window: Gray	212	205-032-669-233
	M205-212-285-1	Litter Window Panel: L/H, (Kydex)	212	205-030-285-1
	M205-212-285-2	Litter Window Panel: R/H, (Kydex)	212	205-030-285-2
	M205-212-770-1	Upper Crew Door Window: L/H, (Kydex)	212	204-030-770-1
	M205-212-770-2	Upper Crew Door Window: R/H, (Kydex)	212	204-030-770-2
	M205SW673-1	Roof Window: L/H, (Kydex)	212	205-030-673-23
	M205SW673-11	Roof Window: L/H, (Kydex)	212	205-030-673-31
	M205SW673-12	Roof Window: R/H, (Kydex)	212	205-030-673-32
	M205SW673-13	Roof Window: L/H, (Kydex)	212	205-030-673-37
	M205SW673-14	Roof Window: R/H, (Kydex)	212	205-030-673-38
	M205SW673-15	Roof Window: Blue, L/H, (Kydex)	212	205-030-673-103
	M205SW673-16	Roof Window: Blue, R/H (Kydex)	212	205-030-673-104
	M205SW673-17	Roof Window: L/H, (Kydex)	212	205-030-673-37
	M205SW673-18	Roof Window: R/H, (Kydex)	212	205-030-673-38
	M205SW673-19	Roof Window: L/H, (Kydex)	212	205-030-673-31
	M205SW673-2	Roof Window: R/H, (Kydex)	212	205-030-673-24
	M205SW673-20	Roof Window: R/H, (Kydex)	212	205-030-673-32
	M212-713-1	Window Assembly: Passenger Door	212	205-030-713-5
Nordam	**P204-657-19**	Chin Bubble: L/H	212	204-030-657-19
	P204-657-20	Chin Bubble: R/H	212	204-030-657-20
	P204-657-35	Chin Bubble: L/H	212	204-030-657-35
	P204-657-36	Chin Bubble: R/H	212	204-030-657-36
	P204-668-1	Cargo Door Window	212	204-032-668-07
	P204669-1	Window Panel: L/H	212	204-030-669-5
	P204669-2	Window Panel: R/H	212	204-030-669-6
	P204-673-1	Roof Window: L/H	212	204-030-673-29
	P204-673-2	Roof Window: R/H	212	204-030-673-23
	P204799-1	Sliding Crew Window	212	204-030-799-01
	P204-899-1	Logging Bubble: L/H	212	Not FAA approved
	P204-899-2	Logging Bubble: R/H	212	Not FAA approved
	P205501-1	Clearview Bubble: L/H	212	Not FAA approved
	P205501-2	Clearview Bubble: R/H	212	Not FAA approved
	P205-669-1	Window Panel	212	205-031-669-7
	P205673-1	Roof Window: L/H	212	205-030-673-23
	P205-673-17	Roof Window: L/H	212	205-030-673-37
	P205-673-18	Roof Window: R/H	212	205-030-673-38
	P205673-2	Roof Window: R/H	212	205-030-673-24
	P205673-31	Roof Window: L/H	212	205-030-673-31
Tech Tool Plastics	**204B-1021-1**	Roof Window: Green, L/H	212	204-030-673-29, 204-030-673-57
	204B-1021-2	Roof Window: Green, R/H	212	204-030-673-23, 204-030-673-45

BELL 212 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	204B-1023-1	Windshield: L/H	212	204-030-666-43
	204B-1023-1SR	Windshield: L/H (Scratch Resistant)	212	212-030-464-001
	204B-1023-2	Windshield: R/H	212	204-030-666-44
	204B-1023-2SR	Windshield: R/H (Scratch Resistant)	212	212-030-464-003
	204B-1024-1	Nose Bubble: L/H	212	204-030-657-35
	204B-1024-2	Nose Bubble: R/H	212	204-030-657-36
	204B-1024-3	Nose Bubble: L/H	212	204-030-657-19
	204B-1024-4	Nose Bubble: R/H	212	204-030-657-20
	204B-1025-1	Forward Crew Window: L/H	212	204-030-459-1
	204B-1025-2	Forward Crew Window: R/H	212	204-030-459-2
	204B-1026-1	Upper Crew Window: L/H	212	204-030-770-1
	204B-1026-2	Upper Crew Window: R/H	212	204-030-770-2
	204B-1027-1	Crew Slide Window L/H or R/H	212	204-030-799-1
	205D-1022-1	Roof Window: Green, L/H	212	205-030-673-31
Tech Tool Plastics	**205D-1022-1B**	Roof Window: Blue, L/H	212	205-030-673-101
	205D-1022-2	Roof Window: Green, R/H	212	205-030-673-61, 205-030-673-71
	205D-1022-2B	Roof Window: Blue, R/H	212	205-030-673-102, 205-030-673-109
	205D-1022-3	Roof Window: Green, L/H	212	205-030-673-23, 205-030-673-37
	205D-1022-3B	Roof Window: Blue, L/H	212	205-030-673-103
	205D-1022-4	Roof Window: Green, R/H	212	205-030-673-24
	205D-1022-6	Roof Window: Green, R/H	212	205-030-673-24, 205-030-673-38
	205D-1022-6B	Roof Window: Blue, L/H	212	205-30-673-104
	205D-1028-1	Window: Jump Door L/H	212	205-030-285-1
	205D-1028-2	Window: Jump Door R/H	212	205-030-285-2
	205D-1029-1	Military Cargo Window	212	205-031-669-7
	205D-1031-1	Cargo Window	212	205-032-713-5
	212-1034-1	Nose Bubble: L/H	212	212-030-076-1, 212-030-076-3
	212-1034-2	Nose Bubble: R/H	212	212-030-076-2, 212-030-076-4
	214B-1030-1	Push Out Cargo Window	212	-



Attention Bell 212/412 Customers

Available from Aviall!

OVERHAULED BY BELL CSF

Part Number	Part
212-040-003-023	Gearbox
212-040-004-009	90° Gearbox
212-040-005-103	Driveshaft
212-510-001-103FM	Main Rotor Head



42° Tail Rotor Gearbox
Part Number: 212-040-003-023



90° Gearbox
Part Number: 212-040-004-009



Bell 214

The Bell 214 medium-lift helicopter is an offshoot of the Bell 212 UH-1 Twin-Huey series. Originally, the Model 214 was announced under the name "Huey Plus." Similar in appearance and size to the Bell 205 and 212, the 214 uses a single, more powerful Lycoming LTC4B-8 engine.

Role: Medium-lift helicopter
Manufacturer: Bell Helicopter
Status: In service
Produced: 1970-1981

Max Speed: 161.5 mph
Range: 221 nautical miles
Engine Type: Lycoming LTC4B-8D

BELL 214

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Honeywell Lighting & Electronics	**A2064-1683**	Light: Tail Position	214	-
	A6745B-24	Light: Instrument	214	-
Wamco Lighting	**WL-307**	Lamp: 28 Volt, 670mA	214B	-
	WL-685	Lamp: 5 Volt, 50mA	214B	-
	WL-685AS15	Lamp: 5 Volt, 50mA	214B	-
	WL-718	Lamp: T1, 5 Volt, 115mA	214B	-
	WL-718AS15	Lamp: 5 Volt, 115mA	214B	-
	WLA4174-24	Lamp: Nav 24V 40W	214ST	-
	WL-A-7512-24	Lamp: Reflectorized, CC-6, 26W	214ST	-
Whelen Engineering	**01-0770044-01**	Flash Tube: A469A	214ST	-
	01-0770285-21	Strobe Light: Red 70285-21 Self Contained	214ST	Strobe Light (RFI Shielded) RE
	68-2130024-50	Lens: A402 Red Optic	214ST	Class III Export 8130 Exempt
Avionics				
Aerosonic	**PH500**	Pitot Probe	214	-
Batteries				
Concorde Battery Corp	**RG-214**	Battery: Lead Acid	214ST - 24v	STC - SR09225RC
Marathon Norco	**39563-001**	Battery: NiCad	214	18-S-104
Saft	**102390**	Battery: NiCad 4071	214, B	016592-000
	102446	Battery: NiCad 4076	214	015580-000
Engine Accessories				
APC - Aircraft Parts Corp	**200SG112Q-1**	APC Generators	214A	Replaces Lucas 23046-021
Filtration				
PTI Technologies	**214-076-013-003**	Module: Hydraulic	214B	-
	214-076-316-101	Filter Module: Hydraulic	214ST	-
	41001158	Shim: Hydraulic	214B, ST	-
	7587263	Element: Lube	214ST	-
	7587356-101	Element: Fuel	214ST	-
	S12508-211	Seal: Hydraulic	214ST	-
Purolator Advanced Filtration	**638464-03**	Element Assembly: Lube	214, ALL	-
	638465-03	Element Assembly: Lube	214, ALL	-

BELL 214 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support				
Brackett Aircraft	BDW-214ST	Ground Handling Wheels	214ST	-
	HT-8	Towbars	214	-
Tronair	01-0535-0000	With Head Towbar	214, ST	With Landing Gear
	01-1150-0000	Towbar: Portable	214, ST	-
	01-1202-0000	Towbar: Multi-head with Eye Bolt	214, ST	Req.-attachment head 01-0535-0000
	01-1216-0000	Towbar: Portable	214, ST	Use with 01-0535-0000
	01-1950-5000	Coupler: Telescoping Tug	214, ST	-
	01-1954-6002	Multi-head Storage Rack	214, ST	-
	02-0511-0132	Main Jack (5 ton/4.5 metric ton)	214, ST	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	214, ST	2 ea req. Jack Pad Adapters R-1187-02
	02-0517-0140	Nose Jack	214, ST	Short Skid-2 Req.
	02-0517C0140	Nose Jack (CE)	214, ST	Short Skid-2 Req.
	02-0520-0110	Main Jack	214, ST	2 Req. with Landing Gear
	02A0517-0140	Nose Jack with Air Pump	214, ST	Short Skid-2 Req.
	02A0517C0140	Nose Jack with Air Pump (CE)	214, ST	Short Skid-2 Req.
	02A0520-0110	Main Jack with Air Pump	214, ST	2 Req. with Landing Gear
	04-6028-0121	Universal Lift	214, ST	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	214, ST	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	214, ST	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	214, ST	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	214, ST	Hydraulic Service MIL-PRF-83282
	06-5009-6800	Fluid Service Unit: Lube 2-1/2 Gal	214, ST	Engine Oil MIL-PRF-23699
	06-5010-6800	Fluid Service Unit: Lube 6 Gal	214, ST	Engine Oil MIL-PRF-23699
	06-5022-6500	Fluid Service Unit: Hyd 2 Gal	214, ST	Hydraulic Service MIL-PRF-83282
	06-5022-6800	Fluid Service Unit: Lube 2 Gal	214, ST	Engine Oil MIL-PRF-23699
	06-5042-0500	Hydraulic Fluid Service Cart	214, ST	Hydraulic Service MIL-PRF-83282
	07-3000-19212	Fuel Transfer Card	214, ST	-
	07-3006-6900	Fuel Sampler Cup - 32 oz	214, ST	-
	08-4048-0013	Engine Compressor Washer Portable	214, ST	-
	08T4049-0013	Engine Compressor & PT6 Nozzle Washer	214, ST	-
	09-4003-4010	Deicer Hand-Held, Unheated	214, ST	Holds 2-1/2 Gallons of deicer fluid
	112820C	GPU: 28.5 Volt Diesel	214, ST	Ask sales rep for correct rectifier
	11-6610-6000	Battery Charger/Analyzer	214, ST	NiCad
	14-4039-0010	Manual Tire Bead Breaker	214, ST	-
	14-6801-0120	Bead Breaker: Hydraulic	214, ST	-
	14-6804-6000	Regulator Gauge: Tire & Strut	214, ST	0-2,500 psi/172 bar
	14-6805-6010	Strut Service Gauge	214, ST	0-3,000 psi/207 bar
	14-6806-6011	Tire Pressure Gauge	214, ST	0-300 psi/21 bar (CE)
	14-6807-6011	Tire Service Gauge	214, ST	0-300 psi/21 bar (CE)
	14-6808-6000	Regulator Gauge: Tire & Strut	214, ST	0-500 psi/34.5 bar

BELL 214 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
Tronair	**14-6883-0110**	Wheel & Brake Dolly (CE)	214, ST	-
	16-6802-6000	Tire/Strut Deflator	214, ST	-
	18-4201-1010	Nitrogen Pressure Booster (Max 4,000psi)	214, ST	-
	18-4208-0010	Cart: Nitrogen Bottles (4)	214, ST	Nitrogen
	18-4303-0000	Cart: Nitrogen Bottles (4)	214, ST	Nitrogen
	5210	Hydraulic Power Unit: 52 Series	214, ST	Voltage required when ordering
	5211	Hydraulic Power Unit: 52 Series (CE)	214, ST	Voltage required when ordering
	92-0552-9000	Battery Charger (60Hz)	214, ST	-
	99-9028-6000	Wheel Chocks	214, ST	-
	K-1225	Regulator Kit	214, ST	Nitrogen
	K-2012	Gooseneck Book Kit	214, ST	Optional
	K-2013	Pneumatic Pump Kit	214, ST	Optional
	K-2953	Hand Winch Kit	214, ST	-
	K-3706	Nitrogen Adapter	214, ST	-
	KHC-4020	HPU Self Cleaning Circulation Kit	214, ST	(MB) Optional
	Z-1063-09	Tire Adapter Ring, Nose	214, ST	5.00-5
	Z-1063-11	Tire Adapter Ring, Main	214, ST	19.5 x 6.75-8
	Z-4082	Lift Tray Assembly	214, ST	Required
Ignition Systems				
Champion	**CH34158**	Igniter	214ST	-
Rotables				
Aviall Rotables	**200SG112Q**	Starter Generator	214A	-
	200SG119Q	Starter Generator	214	-
	23046-019	Starter Generator	214	-
	23046-020	Starter Generator	214	-
	23046-022	Starter Generator	214A	-
Lord Corp	**J-16644-17-V**	Conical Torsion Mount	214	214-031-614-127
	J-16644-18-V	Conical Torsion Mount	214	214-031-614-128
	J-16644-5-V	Conical Torsion Mount	214	214-031-614-107
	J-16644-6-V	Conical Torsion Mount	214	214-031-614-108
	J-17746-5-V	Restraint Spring	214	214-031-612-115
	LB1-1003-1-1-V	Bonded Bearing: Reman	214	214-010-158-1
	LB9-1004-15-3-V	Torsion Beam	214	214-030-614-003
	LB9-1004-15-4-V	Torsion Beam	214	214-030-614-004
	LB9-1004-20-10-V	214 Clevis Beam	214	214-031-615-106
	LB9-1004-20-9-V	214 Clevis Beam	214	214-031-615-105
	LB9-1004-29-14-V	214 Beam	214	214-031-614-125
	LB9-1004-29-7-V	214 Beam	214	214-031-614-105
	LB9-1004-3-3-V	Clevis Arm	214	214-030-615-003

BELL 214 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Lord Corp	**LB9-1004-3-4-V**	Clevis Arm	214	214-030-615-004
	LB9-1004-45-1-V	Helper Spring Assembly	214	214-031-617-113
Tires				
Goodyear Tire & Rubber	**196K08-9**	Tire: 19.5 x 6.75-8 10 Ply, Rib TL 190 MPH	214	19.5 X 6.75-8
	505C01-2	Tire: 500 X 5 10 Ply FS TT	214	5.00-5
Wheels & Brakes				
Cleveland Wheel & Brake	**30-154A**	Brake Assembly	214, ST	-
	40-115B	Auxiliary Wheel	214, ST	-
	40-181B	Wheel Assembly	214, ST	-
Windows				
Tech Tool Plastics	**204B-1021-1**	Roof Window: Green, L/H	214	204-030-673-29, 204-030-673-57
	204B-1021-2	Roof Window: Green, R/H	214	204-030-673-23, 204-030-673-45
	204B-1023-1	Windshield: L/H	214	204-030-666-43
	204B-1023-1SR	Windshield: L/H (Scratch Resistant)	214	212-030-464-001
	204B-1023-2	Windshield: R/H	214	204-030-666-44
	204B-1023-2SR	Windshield: R/H (Scratch Resistant)	214	212-030-464-003
	204B-1024-1	Nose Bubble: L/H	214	204-030-657-35
	204B-1024-2	Nose Bubble: R/H	214	204-030-657-36
	204B-1024-3	Nose Bubble: L/H	214	204-030-657-19
	204B-1024-4	Nose Bubble: R/H	214	204-030-657-20
	204B-1025-1	Forward Crew Window: L/H	214	204-030-459-1
	204B-1025-2	Forward Crew Window: R/H	214	204-030-459-2
	204B-1026-1	Upper Crew Window: L/H	214	204-030-770-1
	204B-1026-2	Upper Crew Window: R/H	214	204-030-770-2
	204B-1027-1	Crew Slide Window: L/H or R/H	214	204-030-799-1
	205D-1022-1	Roof Window: Green, L/H	214	205-030-673-31
	205D-1022-1B	Roof Window: Blue, L/H	214	205-030-673-101
	205D-1022-2	Roof Window: Green, R/H	214	205-030-673-61, 205-030-673-71
	205D-1022-2B	Roof Window: Blue, R/H	214	205-030-673-102, 205-030-673-109
	205D-1022-3	Roof Window: Green, L/H	214	205-030-673-23, 205-030-673-37
	205D-1022-3B	Roof Window: Blue, L/H	214	205-030-673-103
	205D-1022-4	Roof Window: Green, R/H	214	205-030-673-24
	205D-1022-6	Roof Window: Green, R/H	214	205-030-673-24, 205-030-673-38
	205D-1022-6B	Roof Window: Blue, L/H	214	205-30-673-104
	205D-1028-1	Jump Door Window: L/H	214	205-030-285-1
	205D-1028-2	Jump Door Window: L/H	214	205-030-285-2
	205D-1029-1	Military Cargo Window	214	205-031-669-7
	205D-1031-1	Cargo Window	214	205-032-713-5
	212-1034-1	Nose Bubble: L/H	214	212-030-076-1, 212-030-076-3
	212-1034-2	Nose Bubble: R/H	214	212-030-076-2, 212-030-076-4
	214B-1030-1	Push Out Cargo Window	214	205-032-669-233



Bell 222

The Bell 222 twin-engined light helicopter was introduced in 1975. It pioneered a number of innovations, such as dual electrical and hydraulic systems, retractable landing gear and vibration reduction systems.

Role: Executive/utility helicopter
Manufacturer: Bell Helicopter
Status: Production completed
Produced: 1980–1991

Max Speed: 149 mph
Range: 324 nautical miles
Engine Type: Lycoming LTS-101-650C-3

BELL 222

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**22200001-1**	Tel-Tail Floodlights	222	STC - SH4593SW
	22200002-1	Recognition Light - Forward Facing	222, B, U	STC - SH5903SW
	22200002-3	Main Rotor Illumination Light System	222, B, U	STC - SH5903SW
	22200002-5	Under Fuselage & Main Rotor Recognition Systems	222, B, U	STC - SH5903SW
	22200002-7	Under Fuselage & Main Rotor Recognition Systems	222, B, U	STC - SH5903SW
	22200004-1	Fuselage Floodlights	222, B, U	STC - SH8704SW
	22200004-3	Fuselage Floodlights	222, B, U	STC - SH8704SW
GE Lighting	**1683**	Lamp: Aircraft, Bayonet, Single	222	-
	387	Lamp: Indicator, Midget, Flanged	222	P/C 25090AMP
	4580	Lamp: Landing, Screw Terminals	222	-
Wamco Lighting	**WL-1683**	Lamp: 28 Volt, 1020mA	222B	-
	WL-A-4174-24	Lamp: Nav 24V 40W	222B	-
	WL-A-7512-24	Lamp: Reflectorized, CC-6, 26W	222	-
Whelen Engineering	**01-0770044-01**	Flash Tube: A469A	222	-
	01-0770285-22	Strobe Light Assembly	222	-
	68-2130361-06	Lens: A402 Red/White Optic Lens	222	-
Avionics				
Aerosonic	**PH500**	Pitot Probe	222	-
Batteries				
Concorde Battery Corp	**RG380E44**	Battery: Lead Acid	222U	STC - SR09142RC
Gill Battery	**G6381E**	Battery: Lead Acid	222	Requires STC kit SH2186SO
	G6381ES	Battery: Lead Acid	222	Requires STC kit SH2186SO
Marathon Norco	**30703-001**	Battery: NiCad	222, B, U	20-36H120
	31871-001	Battery: NiCad	222, B	20-17SP100
	39563-001	Battery: NiCad	222	-
Saft	**102390**	Battery: NiCad 4071	222, UT	016592-000
	102446	Battery: NiCad 4076	222, UT	015580-000
	412786	Battery: NiCad 4076-15	222, B, U	024555-000
	459265	Battery: NiCad 4071-3	222, B, U	023044-000

BELL 222 (continued)

Manufacturer	Part Number	Description	Model	Comments
Filtration				
PTI Technologies	**31-10146**	Indicator: Hydraulic	222, B, U, UT	-
	7553125	Element: Lube	222	-
	7576665	Element: Hydraulic	222, B, U, UT	-
	7582301	Element: Fuel	222	-
	7582652	Seal: Fuel	222	-
	7583597	Element: Fuel	222	-
Purolator Advanced Filtration	**1741190**	Scavenge Oil Filter	222, All	-
	638464-03	Element Assembly: Lube	222, ALL	-
Ground Support				
Brackett Aircraft	**BDW-245B-1801**	Ground Handling Wheels	222	-
	BDW-BELL-2	Ground Handling Wheels	222	-
	HT-7M	Towbars	222	-
Tronair	**01-1134-0006**	Towbar: Portable (CE)	222	-
	01-1202-0000	Towbar: Multi-head with Eye Bolt	222	Req.-attachment head 01-0535-0000
	01-1216-0000	Towbar: Portable	222	Use with 01-0535-0000
	01-1950-5000	Coupler: Telescoping Tug	222	-
	02-0511-0132	Main Jack (5 ton/4.5 metric ton)	222	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	222	2 ea req. Jack Pad Adapters R-1187-02
	02-0517-0140	Main Jack	222	Short Skid-2 Req.
	02-0520-0110	Main Jack	222	2 Req. with Landing Gear
	02A0517-0140	Main Jack with Air Pump	222	Short Skid-2 Req.
	02A0517C0140	Main Jack with Air Pump (CE)	222	Short Skid-2 Req.
	02A0520-0110	Main Jack with Air Pump	222	2 Req. with Landing Gear
	02A0520-0110*	Main Jack with Air Pump	222	2 Req. with Landing Gear
	04-6028-0121	Universal Lift	222	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	222	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	222	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	222	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	222	Hydraulic Service MIL-PRF-83282
	06-5009-6800	Fluid Service Unit: Lube 2-1/2 Gal	222	Engine Oil MIL-PRF-23699
	06-5010-6800	Fluid Service Unit: Lube 6 Gal	222	Engine Oil MIL-PRF-23699
	06-5022-6500	Fluid Service Unit: Hyd 2 Gal	222	Hydraulic Service MIL-PRF-83282
	06-5022-6800	Fluid Service Unit: Lube 2 Gal	222	Engine Oil MIL-PRF-23699
	06-5042-0500	Hydraulic Fluid Service Cart	222	Hydraulic Service MIL-PRF-83282
	07-3000-19212	Fuel Transfer Card	222	-
	07-3006-6900	Fuel Sampler Cup - 32 oz	222	-
	08-4048-0013	Engine Compressor Washer Portable	222	-
	08T4049-0013	Engine Compressor & PT6 Nozzle Washer	222	-
	09-4003-4010	Deicer Hand-Held, Unheated	222	Holds 2-1/2 Gallons of deicer fluid
	112820C	GPU: 28.5 Volt Diesel	222	-

BELL 222 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
	11-6610-6000	Battery Charger/Analyzer	222	NiCad
	14-4039-0010	Manual Tire Bead Breaker	222	-
	14-6801-0120	Bead Breaker: Hydraulic	222	-
	14-6804-6000	Regulator Gauge: Tire & Strut	222	0-2,500 psi/172 bar
	14-6805-6010	Strut Service Gauge	222	0-3,000 psi/207 bar
	14-6806-6011	Tire Pressure Gauge	222	0-300 psi/21 bar (CE)
	14-6807-6011	Tire Service Gauge	222	0-300 psi/21 bar (CE)
	14-6808-6000	Regulator Gauge: Tire & Strut	222	0-500 psi/34.5 bar
	14-6883-0110	Wheel & Brake Dolly (CE)	222	-
	16-6802-6000	Tire/Strut Deflator	222	-
	18-4201-1010	Nitrogen Pressure Booster (Max 4,000psi)	222	-
	18-4208-0010	Cart: Nitrogen Bottles (4)	222	Nitrogen
	18-4303-0000	Cart: Nitrogen Bottles (4)	222	Nitrogen
Tronair	**5010**	Hydraulic Power Unit: 50 series	222	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	222	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	222	-
	99-9028-6000	Wheel Chocks	222	-
	K-1225	Regulator Kit	222	Nitrogen
	K-2012	Gooseneck Book Kit	222	Optional
	K-2013	Pneumatic Pump Kit	222	Optional
	K-2111	Adapter Kit	222	LTS101
	K-2953	Hand Winch Kit	222	-
	K-3706	Nitrogen Adapter	222	-
	KHC-4020	HPU Self Cleaning Circulation Kit	222	(MB) Optional
	Z-1063-09	Tire Adapter Ring, Nose	222	5.00-5
	Z-1063-11	Tire Adapter Ring, Main	222	19.5 x 6.75-8
	Z-4082	Lift Tray Assembly	222	Required
Ignition Systems				
Champion	**CH34016-1**	Igniter	222	-
Rotables				
Lord Corp	**LB1-1302-3-1-V**	Longitudinal Pylon Assembly	222	-
	LB1-1302-4-2-V	Lateral Pylon Assembly	222	-
	LB5-1078-19-1-V	Bearing	222	-
	LB9-1302-5-1-V	Flexure Assembly	222	-
Tires				
Goodyear Tire & Rubber	**505C01-2**	Tire: 500 X 5 10 Ply FS TT	222	5.00-5
	606C86-3/606C81B1	Tire: 600 x 6 8 Ply FS TT	222	6.00-6

BELL 222 (continued)

Manufacturer	Part Number	Description	Model	Comments
Wheels & Brakes				
Cleveland Wheel & Brake	**40-115A**	Auxiliary Wheel	222	-
Meggitt Aircraft Braking System	**4000424-4**	Brake: Aircraft Single Disk	222	-
	4000425	Brake Housing	222	-
	4000428	Brake Housing	222	-
	4000434	Brake Disc	222	-
	4000522	Sleeve	222	-
	5009209	Brake Lining	222	-
	5009212	Brake Lining	222	-
	5009267	Spring	222	-
	5009455-1	Brake Lining	222	-
	5011064	Seal	222	-
	511820-7	Washer	222	-
	511846-4	Washer	222	-
	511951	Adapter	222	-
	9430994	Piston	222	-
	9430997	Washer	222	-
	9430998	Pin, Brake Return	222	-
	9440904	Brake Disc	222	-
	9524218	Seal Brg	222	-
	C0ML39489373	Tube	222	-
	F6446	Plug	222	-
	GYN185	Nut: Double Hex Head, Self Locking	222	-
	GYS185C26H	Bolt (100/100)	222	-
	MS21206C6	Washer	222	-
	VC5	Valve Cap	222	-
Windows				
Nordam	**222-200-1**	Chin Window: L/H	222	222-031-024-101/-103
	222-200-2	Chin Window: R/H	222	222-031-024-101/-104
	222-300-1	Skylight: L/H	222	222-031-316-101
	222-300-2	Skylight: R/H	222	222-031-316-102
	222-400-1	Crew Window with Vent: L/H	222	Standard assembly
	222-400-2	Crew Window with Vent: R/H	222	Standard assembly
	222-400-5	Crew Window Plain, no Vent: L/H	222	Standard assembly
	222-400-6	Crew Window Plain, no Vent: R/H	222	Standard assembly
	222-500-1	Passenger Door Window: L/H	222	222-031-125-111
	222-500-2	Passenger Door Window: R/H	222	222-031-125-112
	222-600-1	Aft Cabin (Opera) Window: L/H	222	222-031-407-105/-109
	222-600-2	Aft Cabin (Opera) Window: R/H	222	222-031-407-106/-110



Bell 230

The Bell 230 is an improved version of the Bell 222 helicopter, offering different engines and other improvements. It is typically used for executive transport and air ambulance operations.

Role: Executive/utility helicopter
Manufacturer: Bell Helicopter
Status: Production completed
Produced: 1992–1995
Engine Type: Rolls-Royce 250

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

BELL 230

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	22200001-1	Tel-Tail Floodlights	230	STC - SH4593SW
	22200002-1	Recognition Light - Forward Facing	230	STC - SH5903SW
	22200002-3	Main Rotor Illumination Light System	230	STC - SH5903SW
	22200002-5	Under Fuselage & Main Rotor Recognition Systems	230	STC - SH5903SW
	22200002-7	Under Fuselage & Main Rotor Recognition Systems	230	STC - SH5903SW
	22200004-1	Fuselage Floodlights	230	STC - SH8704SW
	22200004-3	Fuselage Floodlights	230	STC - SH8704SW
Honeywell Lighting & Electronics	10-0055-3	Light: Emergency Exit	230	-
	10-0815-1	Light: Dome	230	-
	10-1045-3	Sign: Illuminated	230	-
	15-0477-5	Cockpit Spotlight	230	-
	60-2369-1	Insulator	230	-
	A2064-1683	Light: Tail Position	230	-
	A6745B-24	Light: Instrument	230	-
Avionics				
Aerosonic	PH500	Pitot Probe	230	-
Batteries				
Saft	166130	Battery: NiCad, VHP270KH, 2778	230	-
Filtration				
PTI Technologies	7553125	Element: Lube	230	-
	7582301	Element: Fuel	230	-
	7582652	Seal: Fuel	230	-
	7583597	Element: Fuel	230	-
Purolator Advanced Filtration	1742500-08	Filter Assembly: Lube Oil	230	-
	1742510-04	Element Assembly: Lube	230	-
	638464-03	Element Assembly: Lube	230	-
Ground Support				
Brackett Aircraft	BDW-BELL-2	Ground Handling Wheels	230	-
	HT-7M	Towbars	230	-
Tronair	01-1134-0006	Towbar: Portable (CE)	230	-
	01-1202-0000	Towbar: Multi-head with Eye Bolt	230	Req.-attachment head 01-0535-0000
	01-1216-0000	Towbar: Portable	230	Use with 01-0535-0000

BELL 230 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
	01-1950-5000	Coupler: Telescoping Tug	230	-
	02-0511-0132	Main Jack (5 ton/4.5 metric ton)	230	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	230	2 ea req. Jack Pad Adapters R-1187-02
	02-0517-0140	Main Jack	230	Short Skid-2 Req.
	02-0517C0140	Main Jack (CE)	230	Short Skid-2 Req.
	02-0520-0110	Main Jack	230	2 Req. with Landing Gear
	02A0517-0140	Main Jack with Air Pump	230	Short Skid-2 Req.
	02A0517C0140	Main Jack with Air Pump (CE)	230	Short Skid-2 Req.
	02A0520-0110	Main Jack with Air Pump	230	2 Req. with Landing Gear
	04-6028-0121	Universal Lift	230	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	230	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	230	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	230	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	230	Hydraulic Service MIL-PRF-83282
	06-5009-6800	Fluid Service Unit: Lube 2-1/2 Gal	230	Engine Oil MIL-PRF-23699
	06-5010-6800	Fluid Service Unit: Lube 6 Gal	230	Engine Oil MIL-PRF-23699
	06-5022-6500	Fluid Service Unit: Hydraulic 2 Gal	230	Hydraulic Service MIL-PRF-83282
	06-5022-6800	Fluid Service Unit: Lube 2 Gal	230	Engine Oil MIL-PRF-23699
	06-5042-0500	Hydraulic Fluid Service Cart	230	Hydraulic Service MIL-PRF-83282
Tronair	07-3000-19212	Fuel Transfer Card	230	-
	07-3006-6900	Fuel Sampler Cup: 32 oz	230	-
	08-0104-4000	Engine Sling	230	250-C20 &30
	08-2023-0010	Turbine Engine Work Stand	230	Rotating
	08-4048-0013	Engine Compressor Washer Portable	230	-
	08T4049-0013	Engine Compressor & PT6 Nozzle Washer	230	-
	09-4003-4010	Deicer Hand-Held, Unheated	230	Holds 2-1/2 Gallons of deicer fluid
	112820C	GPU: 28.5 Volt Diesel	230	-
	11-6610-6000	Battery Charger/Analyzer	230	NiCad
	14-4039-0010	Manual Tire Bead Breaker	230	-
	14-6801-0120	Bead Breaker - Hydraulic	230	-
	14-6804-6000	Regulator Gauge: Tire & Strut	230	0-2,500 psi/172 bar
	14-6805-6010	Strut Service Gauge	230	0-3,000 psi/207 bar
	14-6806-6011	Tire Pressure Gauge	230	0-300 psi/21 bar (CE)
	14-6807-6011	Tire Service Gauge	230	0-300 psi/21 bar (CE)
	14-6808-6000	Regulator Gauge: Tire & Strut	230	0-500 psi/34.5 bar
	14-6883-0110	Wheel & Brake Dolly (CE)	230	-
	16-6802-6000	Tire/Strut Deflator	230	-
	18-4201-1010	Nitrogen Pressure Booster (Max 4,000psi)	230	Nitrogen
	18-4208-0010	Cart: Nitrogen Bottles (4)	230	Nitrogen
	18-4303-0000	Cart: Nitrogen Bottles (4)	230	Nitrogen

BELL 230 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
Tronair	**5010**	Hydraulic Power Unit: 50 series	230	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	230	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	230	-
	99-9028-6000	Wheel Chocks	230	-
	K-1225	Regulator Kit	230	Nitrogen
	K-2012	Gooseneck Book Kit	230	Optional
	K-2013	Pneumatic Pump Kit	230	Optional
	K-2108	Adapter Kit	230	250-C20 &30
	K-2111	Adapter Kit	230	LTS101
	K-2953	Hand Winch Kit	230	Optional
	K-3706	Nitrogen Adapter	230	Nitrogen
	KHC-4020	HPU Self Cleaning Circulation Kit	230	(MB) Optional
	Z-1063-09	Tire Adapter Ring, Nose	230	5.00-5
	Z-1063-11	Tire Adapter Ring, Main	230	19.5x6.75-8
	Z-4082	Lift Tray Assembly	230	Required
Ignition Systems				
Champion	**CH34187A**	Igniter	230	-
Rotables				
Aviall Rotables	**10-614950-1**	Unison Exciter	230	Power plant: M250-C47
Wheels & Brakes				
Cleveland Wheel & Brake	**30-208**	Brake Assembly	230	-
	40-115B	Auxiliary Wheel	230	-
	40-276	Wheel Assembly	230	-
Windows				
Nordam	**222-200-1**	Chin Window: L/H	230	222-031-024-101/-103
	222-200-2	Chin Window: R/H	230	222-031-024-101/-104
	222-300-1	Skylight: L/H	230	222-031-316-101
	222-300-2	Skylight: R/H	230	222-031-316-102
	222-400-1	Crew Window with Vent: L/H	230	Standard assembly
	222-400-2	Crew Window with Vent: R/H	230	Standard assembly
	222-400-5	Crew Window Plain, no Vent: L/H	230	Standard assembly
	222-400-6	Crew Window Plain, no Vent: R/H	230	Standard assembly
	222-500-1	Passenger Door Window: L/H	230	222-031-125-111
	222-500-2	Passenger Door Window: R/H	230	222-031-125-112
	222-600-1	Aft Cabin (Opera) Window: L/H	230	222-031-407-105/-109
	222-600-2	Aft Cabin (Opera) Window: R/H	230	222-031-407-106/-110



Bell 407

The Bell 407 is a four-blade, single engine helicopter that is based on the Bell 206L4 LongRanger. It was originally developed for the United States Army. Today, it is used in corporate settings, air ambulance and law enforcement.

Role: Multipurpose utility helicopter
Manufacturer: Bell Helicopter, Textron
Produced: 1995–present
Engine Type: Rolls-Royce Model 250

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

BELL 407

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**40700001-1**	Tel-Tail Floodlights	407	-
	40700002-1	Fuselage Floodlights	407	-
Honeywell Lighting & Electronics	**44410-2-24**	Anti-Collision Light	407	-
	45-0128-3	Landing Light: Controllable	407	-
	51-0078-1	Instrument Light	407	-
	A1285R7512-24	Light: Wing Position	407	-
	A2064-1683	Light: Tail Position	407	-
	A6745B-24	Light: Instrument	407	-
	B3307-10	Light: Wing Position	407	-
	B3307-8	Light: Wing Position	407	-
	B3550-307	Light: Dome	407	-
Aircraft Lighting				
Aerosonic	**PH500**	Pitot Probe	407	-
Batteries				
Concorde Battery Corp	**RG407**	Battery: Lead Acid	407 - 24v	STC - SR01456LA
Marathon Norco	**31908-001**	Battery: NiCad	407	-
Engine Accessories				
Lord Corp	**407-310-100-105**	Damper: Hub, Main Rotor	407	-
	407-310-100-107	Damper: Hub, Main Rotor	407	-
	407-310-101-101	Bearing: Shear	407	-
	407-310-101-105	Bearing: Shear	407	-
	407-310-102-101	Bearing: Lead Lag	407	-
	407-310-102-103	Bearing: Lead Lag	407	-
	J17750-24V	Damper: Hub, Main Rotor	407	407-310-100-105
	J17750-25V	Damper: Hub, Main Rotor	407	-
	LB4-1232-3-1V	Bearing: Lead Lag	407	-
	LB4-1232-7-1V	Bearing: Lead Lag	407	-
	LB9-1232-4-1V	Bearing: Shear	407	-
	LB9-1232-6-1V	Bearing: Shear	407	-

BELL 407 (continued)

Manufacturer	Part Number	Description	Model	Comments
Filtration				
PTI Technologies	**11-10899**	Filter Assembly: Hydraulic	407	-
	7592221-101	Filter Assembly: Fuel	407	-
	7592228-101	Rod: Fuel	407	-
	7592229-001	Nameplate: Fuel	407	-
	7592240-001	Element: Fuel	407	-
	7592346-101	Case Assembly: Fuel	407	-
	7592383-101	Head Assembly Fuel	407	-
	7592471-101	Indicator: Fuel Quantity	407	-
	7592556-101	Nipple Assembly: Fuel	407	-
	7592560-001	Spring: Bypass Valve, Fuel	407	-
	7592561-001	Poppet: Bypass Valve, Fuel	407	-
	7592980-101	Element: Lube	407	-
Purolator Advanced Filtration	**047546-17**	Element Assembly: Fuel	407	-
	1743645-02	Filter Element Kit: Fuel	407	-
	1743645-02	Filter Element Kit: Fuel	407	-
Fuel Systems				
Parker Airborne	**1C27-10**	Fuel Pump: Cartridge	407, T	-
	1C27-100H	Fuel Pump Cartridge: Overhaul Exchange	407, T	Replacement Cartridge for 1C36-4
	1C36-4	Fuel Pump Assembly	407, T	-
Ground Support				
Aeronautical Accessories	**BDW-206LRH**	Ground Handling Wheels	407	-
Brackett Aircraft	**BDW-BELL-2**	Ground Handling Wheels	407	-
	HT-7M	Towbars	407	-
Ignition Systems				
Champion	**CH34187A**	Igniter	407	-
Rotables				
APC - Aircraft Parts Corp	**GCSG504-11**	D.C. Generator Control Units	407 IFR	-
Aviall Rotables	**J17750-24V**	Elastomeric Damper	407	-
Lord Corp	**J17750-24V**	Main Rotor Hub Damper (Non-Blue Coated)	407	407-310-100-105
	J17750-25V	Main Rotor Hub Damper (Blue Coated)	407	407-310-100-107
	LB1-1232-5-1-V	Corner Pylon Mount	407	407-310-203-101
	LB2-1232-1-1-V	Tail Rotor Bearing	407	407-312-100-101
	LB4-1232-3-1V	Shear Bearing (Non-Blue Coated)	407	407-310-102-101
	LB4-1232-3-1-V	Lead Lag Bearing	407	407-310-102-101
	LB4-1232-7-1V	Shear Bearing (Blue Coated)	407	407-310-102-103
	LB9-1232-4-1V	Lead Lag Bearing (Non-Blue Coated)	407	407-310-101-101
	LB9-1232-4-1-V	Shear Bearing	407	407-310-101-101
	LB9-1232-6-1V	Lead Lag Bearing (Blue Coated)	407	407-310-101-105



Bell 407 Blue-Coated Parts
Available from Aviall!

LORD expands Bell 407 MRO services to include Blue-Coated part numbers and improves service life with SPE IIA elastomer

Through a Bell Helicopter and LORD Corporation partnership, Bell 407 operators can now purchase OEM-approved Blue-Coated and Non-Blue-Coated elastomeric bearings. By using our latest proprietary LORD SPE IIA elastomer technology, the parts have extended service life. All bearings are expected to exceed a 2,500-hour service life with more consistent performance and backed by an improved warranty.



LORD offers exchange of both Blue-Coated and Non-Blue-Coated product numbers and will accept either core in exchange for your preferred configuration.

- Save up to 46% vs. buying new parts
- Reduce overall maintenance time and costs



Damper, Hub, Main Rotor	
Aviall P/N	**OEM P/N**
J17750-24V (Non-Blue-Coated)	407-310-100-105 (Non-Blue-Coated)
J17750-25V (Blue-Coated)	407-310-100-107 (Blue-Coated)



Bearing, Shear	
Aviall P/N	**OEM P/N**
LB9-1232-4-1V (Non-Blue-Coated)	407-310-101-101 (Non-Blue-Coated)
LB9-1232-6-1V (Blue-Coated)	407-310-101-105 (Blue-Coated)



Bearing, Lead Lag	
Aviall P/N	**OEM P/N**
LB4-1232-3-1V (Non-Blue-Coated)	407-310-102-101 (Non-Blue-Coated)
LB4-1232-7-1V (Blue-Coated)	407-310-102-103 (Blue-Coated)



Bell 412

The Bell 412 is a twin-engine, four-blade helicopter based on earlier Bell 212 models. The military uses the 407 in combat and med-evac roles as well as basic transport.

Role:	Multipurpose utility helicopter	**Max Speed:**	161 mph
Manufacturer:	Bell Helicopter, Textron	**Range:**	529 nautical miles
Status:	In service	**Engine Type:**	Pratt and Whitney Canada PT6T
Produced:	1979-present		

BELL 412

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**21200003-1**	Tel-Tail Floodlights	412	STC - SH7763SW
	21200004-1	Recognition Light	412	STC - SH7763SW
	21200004-3	Main Rotor Illumination Light System	412	STC - SH205WE
	21200004-5	Under Fuselage & Main Rotor Recognition Systems	412	STC - SH7763SW
GE Lighting	**1683**	Lamp: Aircraft, Bayonet, Single	412	-
	305	Lamp: Aircraft, Bayonet, Single	412	-
	327	Lamp: Aircraft, Midget, Flanged	412	-
	Q4559	Lamp: Landing, Screw Terminals	412	-
Honeywell Lighting & Electronics	**10-0055-3**	Light: Emergency Exit	412	-
	10-0688	Light: Flood	412	-
	10-0852-3	Sign: Illuminated NS/FSB	412	-
	15-0477-5	Cockpit Spotlight	412	-
	15-0477-9	Kneeboard Spotlight	412	-
	22150-303	Wheel Light	412	-
	30-0214	Formation Light	412	-
	30-0533-5	Rotor Tip Light	412	-
	30-1290-7	Recognition Light	412	-
	44410-2-24	Anti-Collision Light	412	-
	58-0003-1	Transformer	412	-
	58-0062-1	Transformer	412	-
	60-1254-1	Emergency Power Supply	412	-
	65-0136-9	Indicator Light	412	-
	65-0647-1	Indicator Light	412	-
	65-0700-1	Indicator Light	412	-
	65-0700-3	Indicator Light	412	-
	65-0789	Indicator	412	-
	70-0112-1/-3/-4	Dimmer	412	-
	75-0197-1/-3/-5	Annunciator Panel	412	-
	80-0203-XXX	Master Caution Panel (Specify Dash No.)	412	-
	A1285G7512-24	Light: Wing Position	412	-
	A5395-1	Light: Cockpit	412	-
	A5395-19	Light: Cockpit	412	-

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting (continued)				
Honeywell Lighting & Electronics	B2281C24	Light: Dome	412	-
	B3550-307	Light: Dome	412	-
	G5400-6	Light: Landing	412	-
	G6250-4	Light: Search and Landing	412	-
Wamco Lighting	WL-307	Lamp: 28 Volt, 670mA	412	-
	WL-685	Lamp: 5 Volt, 50mA	412	-
	WL-685AS15	Lamp: 5 Volt, 50mA	412	-
	WL-718	Lamp: T1, 5 Volt, 115mA	412	-
	WL-718AS15	Lamp: 5 Volt, 115mA	412	-
	WL-A-4174-24	Lamp: Nav 24V 40W	412	-
	WL-A-7512-24	Lamp: Reflectorized, CC-6, 26W	412	-
Batteries				
Concorde Battery Corp	RG-380E/44	Battery: Lead Acid	412 - 24v	STC - SR00173SE
	RG-380E/44	Battery: Lead Acid	412, EP - 24v	STC & STA - SR09053RC
Gill Battery	G6381E	Battery: Lead Acid	412	Requires STC Kit SH2186SO
	G6381ES	Battery: Lead Acid	412	Requires STC Kit SH2186SO
	SH1186SO	Conversion Kit for G6381 series	412	Converting NiCad to Lead acid
Marathon Norco	18S104 39563-001	Battery Cell - NiCad	412	Cell Type S104 (18)
	30703-001	Battery: NiCad	412	20-36H120
	30703-002	Battery: NiCad	412	20-36H120
	39563-001	Battery: NiCad	412	18-S-104
Saft	016592-000	Battery: NiCad 4071	412	102390
	023044-000	Battery: NiCad 4071-3	412	-
	024555-000	Battery: NiCad 4076-15	412	412786
	024797-000	Battery: NiCad 5347CH1	412 CF	-
	410090	Battery: NiCad 4078-1	412	410090
Engine Accessories				
Parker Airborne	1C64-1	Fuel Pump Assembly	412	-
	1C64-1OH	Fuel Pump Assembly: Overhaul Exchange	412	-
	2C12-1	Fuel Pump Assembly	412	-
	2C27-3	Fuel Pump	412	-
	2C27-3OH	Fuel Pump Assembly: Overhaul Exchange	412	Replacement Cartridge 1C64-1
Filtration				
PTI Technologies	21-11328	Element: Hydraulic	412	-
Purolator Advanced Filtration	047546-02	Element Assembly: Fuel	412	-
	047546-17	Element Assembly: Fuel	412	-
	233209-03	Filter Element Assembly – Fuel	412	-
Ground Support				
Brackett Aircraft	BDW-245B-1801	Ground Handling Wheels	412	-
	HT-7M	Towbars	412	-

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
Brackett Aircraft	**HT-88**	Towbars	412	-
	01-1232-0000	Towbar: Portable (CE)	412	-
	02-0511-0132	Main Jack (5 ton/4.5 metric ton)	412	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	412	2 ea req. Jack Pad Adapters R-1187-02
	04-6028-0121	Universal Lift	412	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	412	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	412	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	412	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	412	Hydraulic Service MIL-PRF-83282
	06-5009-6800	Fluid Service Unit: Lube 2-1/2 Gal	412	Engine Oil MIL-PRF-23699
	06-5010-6800	Fluid Service Unit: Lube 6 Gal	412	Engine Oil MIL-PRF-23699
	06-5022-6500	Fluid Service Unit: Hydraulic 2 Gal	412	Hydraulic Service MIL-PRF-83282
	06-5022-6800	Fluid Service Unit: Lube 2 Gal	412	Engine Oil MIL-PRF-23699
	06-5042-0500	Hydraulic Fluid Service Cart	412	Hydraulic Service MIL-PRF-83282
	07-3000-1921	Fuel Transfer Card	412	-
	07-3001-4900	Fuel Sampler Cup - 36 oz	412	-
	09-4003-4010	Deicer Hand-Held, Unheated	412	Holds 2-1/2 Gallons of deicer fluid
Tronair	**OPTION05**	Fuel Nozzle Cleaner - OPT 05	412	Optional
	112820C	GPU: 28.5 Volt Diesel	412	Ask sales rep for correct rectifier
	11-6610-6000	Battery Charger/Analyzer	412	NiCad
	18-4201-1010	Nitrogen Pressure Booster (Max 4,000psi)	412	Nitrogen
	18-4208-0010	Cart: Nitrogen Bottles (4)	412	Nitrogen
	18-4303-0000	Cart: Nitrogen Bottles (4)	412	Nitrogen
	5010	Hydraulic Power Unit: 50 series	412	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	412	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	412	-
	K1152	Adapter Kit	412	Required (PT6A)
	K-1225	Regulator Kit	412	Nitrogen
	K-2012	Gooseneck Book Kit	412	Optional
	K-2013	Pneumatic Pump Kit	412	Optional
	K-2953	Hand Winch Kit	412	Optional
	K-3057	Crane Hook Attachment	412	Kit Required
	K-3706	Nitrogen Adapter	412	Nitrogen
	KHC-4020	HPU Self Cleaning Circulation Kit	412	(MB) Optional
Ignition Systems				
	CH34055	Igniter	412	-
	CH34055	Igniter	412, EP, HP, SP	-
Champion	**CH34723**	Igniter	412	-
	CH53399-01	Lead	412	-
	CH53399-01	Lead	412, EP, HP, SP	-

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables				
Aviall Rotables	10-381550-4	Unison Exciter	412	-
	10544E	Heater: Fuel/Oil	412	-
	111302-5	Indicator: HIS	412	-
	111302-5	Indicator: HIS	412	-
	111303-4	Indicator: Attitude	412	-
	111303-4	Indicator: Attitude	412	-
	124.043	Indicator: Dual Temperature and Pressure, Hydraulic	412	-
	130-020-5	Transmitter: Oil Pressure	412	-
	141852-3122	Attitude Heading Reference Assembly Overhaul Exchange	412	-
	20036-0000-0101	Transmitter Probe	412	-
	20036-0000-0102	Transmitter Probe	412	-
	20036-0000-0103	Transmitter Probe	412	-
	200SG119Q	Starter Generator	412	-
	204-060-654-007	Switch	412	-
	204-060-762-103	Actuator: Electromechanical	412	-
	205-061-635-003	Flow Switch	412	-
	205-061-635-003	Flow Switch	412	-
	205-072-277-009	Mixing Valve	412	-
	205-076-135-007	Reservoir	412	-
	209-062-214-001	Actuator: Electromechanical	412	-
	209-062-214-101	Actuator	412	-
	209-062-501-001	Oil Cooler: Engine	412	-
	209-062-501-002	Oil Cooler: Engine	412	-
	209-062-501-005	Oil Cooler: Engine	412	-
	209-062-502-101	Turbine Fan Assembly: Engine Oil Cooling	412	-
	209-062-780-101	Actuator	412	-
	209-062-908-105	Container: Fire Bottle	412	-
	209-070-262-109	Indicator: Engine Oil	412	-
	209-070-262-111	Indicator: Engine Oil	412	-
	209-070-263-003	Indicator: Voltage	412	-
	209-070-264-003	Indicator: Dual Amperage	412	-
	209-070-264-003	Indicator: Amperage	412	-
	209-072-433-007	Valve Assembly	412	-
	209-072-433-101	Valve Assembly	412	-
	209-072-433-105	Valve Assembly	412	-
	209-072-433-105	Valve Assembly	412	-
	209-075-325-109	Panel Assembly	412	-
	212-001-034-133	Force Gradient	412	-
	212-001-035-113	Force Gradient	412	-

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Aviall Rotables	**212-010-775-001**	Crosshead Tail Rotor	412	-
	212-040-004-103	Gearbox Assembly: 90 Degree	412	-
	212-040-005-103	Driveshaft Assembly	412	-
	212-040-232-001	Valve	412	-
	212-061-107-003	Tri-Pod Assembly	412	-
	212-061-108-003	Bi-Pod Assembly	412	-
	212-070-108-007	Indicator: Tach - Triple	412	-
	212-070-116-009	Indicator	412	-
	212-070-238-007	Indicator: Altimeter	412	-
	212-070-239-001	Instrument: VSI	412	-
	212-073-927-001	Motor: Positioning	412	-
	212-075-036-107	Indicator: Gearbox	412	-
	212-075-037-101	Indicator: Gas Producer	412	-
	212-075-037-109	Indicator: Gas Producer	412	-
	212-075-067-109	Indicator: ITT	412	-
	212-075-067-113	Indicator: Temperature	412	-
	212-075-067-119	Indicator: ITT	412	-
	212-075-139-001	Landing Light	412	-
	212-075-199-001	Contactor	412	-
	212-075-962-001	Power Supply	412	-
	212-076-006-007	Integrated Valve & Filter	412	-
	212-076-010-101	Pump Assembly	412	-
	214-075-244-101	Gyro - Turn Rate	412	-
	214-175-122-111	Master Caution Panel	412	-
	214-175-122-127	Master Caution Panel	412	-
	214-175-257-109	Indicator: Fuel Quantity	412	-
	23046-019	Starter Generator	412	Power plant: PT6T-3BE
	23046-020	Starter Generator	412	Power plant: PT6T-3BE
	2524381-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	2524992-6	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	2524998-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	2524999-X	Power Turbine Governor	412	Power plant: PT6T-3BE
	3244706-X	Torque Control	412	Power plant: PT6T-3BE
	3244708-1	Minimum Pressure Valve	412	Power plant: PT6T-3BE
	3244709-X	Torque Control	412	Power plant: PT6T-3BE
	3244717-X	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	3244721-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	3244735-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	3244712-X	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	3244736-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Aviall Rotables	3244737-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	3244865-1	Torque Control	412	Power plant: PT6T-3BE
	3244865-2	Torque Control	412	Power plant: PT6T-3BE
	3244866-1	Torque Control	412	Power plant: PT6T-3BE
	3244866-2	Torque Control	412	Power plant: PT6T-3BE
	3244881-1	Torque Control	412	Power plant: PT6T-3BE
	3244881-2	Torque Control	412	Power plant: PT6T-3BE
	3244883-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	3244884-XX	Fuel Control - Specify Dash No.	412	Power plant: PT6T-3BE
	3244885-1	Governor	412	Power plant: PT6T-3BE
	3244885-4	Governor NF	412	-
	412-001-303-101	Actuator	412	-
	412-010-100-133	Main Rotor Head Assembly (EASA/TC DUAL RELEASE)	412	-
	412-010-100-217	Main Rotor Head Assembly (EASA/TC DUAL RELEASE)	412	-
	412-010-401-113	Hub & Sleeve	412	-
	412-010-401-115	Hub & Sleeve	412	-
	412-010-402-113	Swashplate Assembly	412	-
	412-015-300-109	Blade Assembly	412	-
	412-015-300-119	Blade Assembly	412	-
	412-040-004-143	Transmission	412	-
	412-040-005-103	Input Driveshaft	412	-
	412-040-006-101	Gearbox Assembly: 42 Degree	412	-
	412-040-123-101	Rotor Brake - Quill	412	-
	412-040-366-113	Mast Assembly	412	-
	412-040-600-103	Hangar	412	-
	412-040-601-107	Coupling	412	-
	412-040-620-103	Driveshaft Assembly	412	-
	412-040-621-105	Driveshaft Assembly	412	-
	412-040-621-107	Driveshaft Assembly	412	-
	412-074-101-103	Transducer	412	-
	412-075-009-105	Indicator: Airspeed	412	-
	412-075-010-111	Indicator: Tach	412	-
	412-075-101-101	Inverter	412	-
	412-075-101-103	Inverter	412	-
	412-301-300-101	Actuator	412	-
	412-301-700-101	Actuator	412	-
	412-361-635-101	Fuel Cell: L/H	412	-
	412-361-636-101	Fuel Cell: R/H	412	-
	412-361-637-101	Fuel Cell: L/H	412	-

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Aviall Rotables	**412-361-637-102**	Fuel Cell: R/H	412	-
	412-361-638-101	Fuel Cell: L/H	412	-
	412-361-638-102	Fuel Cell: R/H	412	-
	412-361-639-101	Fuel Cell: L/H	412	-
	412-361-639-102	Fuel Cell: R/H	412	-
	412-361-640-101	Fuel Cell: Mid	412	-
	412-361-641-101	Fuel Cell: Aft	412	-
	412-375-001-105	Indicator: Fuel Quantity	412	-
	412-375-003-107	Torque Signal Conditioner	412	-
	412-375-004-109	Monopole Sensor	412	-
	412-375-007-107	Indicator: Torque	412	-
	412-375-007-113	Triple Tachometer	412	-
	412-375-079-101	Inverter	412	-
	473203-003	Signal Conditioner	412	-
	51509-002R	Control Unit	412	-
	51509-002R	DC Control Unit	412	-
	51539-002N	DC Control Unit	412	-
	7015480-902	Computer	412	-
	APTE-138-150G	Pressure Transmitter	412	-
	APTE-139-1500SG	Transmitter	412	-
	MS24142-D2	Relay	412	-
	MS24182-D1	Relay	412	-
Lord Corp	**J-16663-4-V**	Damper Yoke Set	412	412-010-145-105
	J-16663-7-V	Damper Yoke Set	412	412-310-146-103
	J-16883-2V	Strap: Bell 412	412	412-030-437-103
	J-16883-9-V	Landing Gear Cap Assembly	412	412-330-437-101
	J-23381-5-V	Replacement Pad	412	412-330-437-103
	LB9-1062-18-1N-V	Spindle Assembly, Overhaul (Pricing based on Flight Hours)	412	412-010-190-105
	LB9-1062-8-2N-V	Spindle Assembly, Overhaul (Pricing based on Flight Hours)	412	412-010-190-103
Windows				
Nordam	**M204-300-1**	Sliding Crew Door (Kydex)	412	204-030-799-001
	M204-459-1	Forward Window: L/H, Crew Door (Kydex)	412	204-030-459-1
	M204-459-2	Forward Window: R/H, Crew Door (Kydex)	412	204-030-459-2
	M204SW666-1	Windshield: L/H (Kydex)	412	204-030-666-32
	M204SW666-2	Windshield: R/H (Kydex)	412	204-030-666-37
	M204SW666-3	Windshield: L/H (Kydex)	412	204-030-666-43
	M204SW666-4	Windshield: R/H (Kydex)	412	204-030-666-44
	M204SW666-5	Windshield: L/H (Kydex)	412	204-030-666-87
	M204SW666-6	Windshield: R/H (Kydex)	412	204-030-666-89

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	M205-032-669-233	Cargo Window: Clear	412	205-032-669-233
	M205-032-669-233A	Cargo Window: Blue	412	205-032-669-233
	M205-032-669-233B	Cargo Window: Gray	412	205-032-669-233
	M205-212-285-1	Litter Window Panel: L/H, (Kydex)	412	205-030-285-1
	M205-212-285-2	Litter Window Panel: R/H, (Kydex)	412	205-030-285-2
	M205-212-770-1	Upper Window: L/H, Crew Door, (Kydex)	412	204-030-770-1
	M205-212-770-2	Upper Window: R/H, Crew Door, (Kydex)	412	204-030-770-2
	M205SW673-1	Roof Window: L/H, (Kydex)	412	205-030-673-23
	M205SW673-11	Roof Window: L/H, (Kydex)	412	205-030-673-31
	M205SW673-12	Roof Window: R/H, (Kydex)	412	205-030-673-32
	M205SW673-13	Roof Window: R/H, (Kydex)	412	205-030-673-37
	M205SW673-14	Roof Window: R/H, (Kydex)	412	205-030-673-38
	M205SW673-15	Roof Window: Blue, L/H, (Kydex)	412	205-030-673-103
	M205SW673-16	Roof Window: Blue, R/H, (Kydex)	412	205-030-673-104
	M205SW673-17	Roof Window: L/H, (Kydex)	412	205-030-673-37
	M205SW673-18	Roof Window: R/H, (Kydex)	412	205-030-673-38
	M205SW673-19	Roof Window: L/H, (Kydex)	412	205-030-673-31
	M205SW673-2	Roof Window: R/H, (Kydex)	412	205-030-673-24
	M205SW673-20	Roof Window: R/H, (Kydex)	412	205-030-673-32
Nordam	M212-713-1	Window Assembly: Passenger Door	412	205-030-713-5
	P204-657-19	Chin Bubble: L/H	412	204-030-657-19
	P204-657-20	Chin Bubble: R/H	412	204-030-657-20
	P204-657-35	Chin Bubble: L/H	412	204-030-657-35
	P204-657-36	Chin Bubble: R/H	412	204-030-657-36
	P204-668-1	Cargo Door Window	412	204-032-668-07
	P204669-1	Window Panel: L/H	412	204-030-669-5
	P204669-2	Window Panel: R/H	412	204-030-669-6
	P204-673-1	Roof Window: L/H	412	204-030-673-29
	P204-673-2	Roof Window: R/H	412	204-030-673-23
	P204799-1	Sliding Crew Window	412	204-030-799-01
	P204-899-1	Logging Bubble: L/H	412	Not FAA approved
	P204-899-2	Logging Bubble: R/H	412	Not FAA approved
	P205501-1	Clearview Bubble: L/H	412	Not FAA approved
	P205501-2	Clearview Bubble: R/H	412	Not FAA approved
	P205-669-1	Window Panel	412	205-031-669-7
	P205-673-1	Roof Window Window: L/H	412	205-030-673-23
	P205-673-17	Roof Window: L/H	412	205-030-673-37
	P205-673-18	Roof Window: R/H	412	205-030-673-38
	P205673-2	Roof Window: R/H	412	205-030-673-24
	P205673-31	Roof Window: L/H	412	205-030-673-31

BELL 412 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	204B-1021-1	Roof Window: Green, L/H	412	204-030-673-29, 204-030-673-57
	204B-1021-2	Roof Window: Green, R/H	412	204-030-673-23, 204-030-673-45
	204B-1023-1	Windshield: L/H	412	204-030-666-43
	204B-1023-1SR	Windshield: L/H (Scratch Resistant)	412	212-030-464-001
	204B-1023-2	Windshield: R/H	412	204-030-666-44
	204B-1023-2SR	Windshield: R/H (Scratch Resistant)	412	212-030-464-003
	204B-1024-1	Nose Bubble: L/H	412	204-030-657-35
	204B-1024-2	Nose Bubble: R/H	412	204-030-657-36
	204B-1024-3	Nose Bubble: L/H	412	204-030-657-19
	204B-1024-4	Nose Bubble: R/H	412	204-030-657-20
	204B-1025-1	Forward Crew Window: L/H	412	204-030-459-1
	204B-1025-2	Forward Crew Window: R/H	412	204-030-459-2
	204B-1026-1	Upper Crew Window: L/H	412	204-030-770-1
	204B-1026-2	Upper Crew Window: R/H	412	204-030-770-2
	204B-1027-1	Crew Slide Window: L/H or R/H	412	204-030-799-1
Tech Tool Plastics	**205D-1022-1**	Roof Window: Green, L/H	412	205-030-673-31
	205D-1022-1B	Roof Window: Blue, L/H	412	205-030-673-101
	205D-1022-2	Roof Window: Green, R/H	412	205-030-673-61, 205-030-673-71
	205D-1022-2B	Roof Window: Blue, R/H	412	205-030-673-102, 205-030-673-109
	205D-1022-3	Roof Window: Green, L/H	412	205-030-673-23, 205-030-673-37
	205D-1022-3B	Roof Window: Blue, L/H	412	205-030-673-103
	205D-1022-4	Roof Window: Green, R/H	412	205-030-673-24
	205D-1022-6	Roof Window: Green, R/H	412	205-030-673-24, 205-030-673-38
	205D-1022-6B	Roof Window: Blue, L/H	412	205-30-673-104
	205D-1028-1	Jump Door Window: L/H	412	205-030-285-1
	205D-1028-2	Jump Door Window: R/H	412	205-030-285-2
	205D-1029-1	Military Cargo Window	412	205-031-669-7
	205D-1031-1	Cargo Window	412	205-032-713-5
	212-1034-1	Nose Bubble: L/H	412	212-030-076-1, 212-030-076-3
	212-1034-2	Nose Bubble: R/H	412	212-030-076-2, 212-030-076-4
	214B-1030-1	Push Out Cargo Window	412	205-032-669-233



BELL 412 ROTABLES

Part Number	Description
412-010-100-133	Main Rotor Head Assembly (EASA/TC Dual Release) 2500 Hour Inspection
412-010-100-193	Main Rotor Head Assembly (EASA/TC Dual Release) 2500 Hour Inspection
412-010-402-113	Swashplate Assembly (EASA/TC Dual Release) OH
412-010-401-113	Scissors And Sleeve (EASA/TC Dual Release) OH
412-040-366-105	Mast Assembly (EASA/TC Dual Release) OH
412-040-004-127	Transmission (EASA/TC Dual Release) OH
412-040-006-101	42° Gearbox (EASA/TC Dual Release) OH
412-040-005-103	Main Driveshaft (EASA/TC Dual Release) OH

Overhaul capabilities include B212 & B412 Main Rotor and Tail Rotor.

POWER HYDRAULICS CAPABILITIES

Part Numbers	Description
212-076-004-003 212-076-004-005 212-076-004-101 212-076-005-007 212-076-005-011 212-076-005-101 212-076-005-103 212-076-005-111	Servos
212-076-006-005 212-076-006-007 212-076-006-101 212-076-006-103	Valve & Filter Assemblies





Bell 430

The Bell 430 is a twin-engine, four blade light-medium helicopter. It is a stretched, more powerful version of the Bell 230, being powered by two Rolls-Royce 250 turboshaft engines.

Role: Executive/utility helicopter

Manufacturer: Bell Helicopter, Textron

Produced: 1996–2008

Engine Type: Rolls-Royce Model 250

DID YOU KNOW?

Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

BELL 430

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**22200001-3**	Tel-Tail Floodlights	430	STC-SH4593SW
Honeywell Lighting & Electronics	**10-0055-3**	Light: Emergency Exit	430	-
	10-0815-1	Light: Dome	430	-
	10-0852-3	Sign: Illuminated NS/FSB	430	-
	10-0853-1	Air Valve: Adjustable	430	-
	10-0888-1	Gasper: Adjustable	430	-
	10-0952-1	Reading Light: Adjustable	430	-
	10-1045-3	Sign: Illuminated	430	-
	15-0477-5	Cockpit Spotlight	430	-
	45-0128-3	Landing Light: Controllable	430	-
	60-3269-1	Power Supply	430	-
	60-3269-3	Power Supply	430	-
	65-0878-3	Indicator Light	430	-
	65-0879-5	Indicator	430	-
	A1285R7512-24	Light: Wing Position	430	-
	A2064-1683	Lignt: Tail Position	430	-
	B3550-7-307	Light: Dome	430	-
Avionics				
Aerosonic	**PH500**	Pitot Probe	430	-
Batteries				
Concorde Battery Corp	**RG-407**	Battery: Lead Acid, 24v	430	STC - SR01456LA
Marathon Norco	**18S104 39563-001**	Battery Cell: NiCad	430	Cell Type S104 (18)
	31908-001	Battery: NiCad	430	TSP-283
	39563-001	Battery: NiCad	430	18-S-104
Filtration				
PTI Technologies	**7553125**	Element: Lube	430	-
	7592240-001	Element: Fuel	430	-
	7592471-101	Indicator: Fuel Quantity	430	-
	7592560-001	Spring: Bypass Valve	430	-
	7592834-101	Manifold Assembly: Fuel & Lube	430	-
	7592835-001	Transfer Tube	430	-
	7592836-001	Poppet: Bypass Valve	430	-
	7592839-001	Plug: Bypass Valve	430	-

BELL 430 (continued)

Manufacturer	Part Number	Description	Model	Comments
Filtration (continued)				
PTI Technologies	**7592840-001**	Poppet: Bypass Valve	430	-
	7592841-001	Spring: Bypass Valve	430	-
	7592842-101	Indicator: Engine Oil	430	-
	7592843-001	Bowl: Lube	430	-
	7592844-001	Bowl: Fuel	430	-
	7592964-001	Element: Lube	430	-
	7593077-001	Resistance Temperature Detector	430	-
	7593181-104	Filter Assembly: "CEFA", Fuel/Lube	430	-
	7593201-001	Resistance Temperature Detector, Dummy	430	-
	7593326-101	Filter Assembly: "CEFA"(L.L.), Fuel & Lube	430	Alternate to RR 23066681 Filter
	7593330-001	Spring: Bypass Valve	430	-
	7593331-101	Indicator: Engine Oil	430	-
	7593347-101	Adapter Kit	430	-
	7593359-001	Element: Lube	430	-
Purolator Advanced Filtration	**638464-03**	Element Assembly: Lube	430	-
Rolls-Royce	**7593507-101**	Upgrade Kit: CEFA		Rolls-Royce 250
Ground Support				
Brackett Aircraft	**BDW-BELL-2**	Ground Handling Wheels	430	-
	HT-7M	Towbars	430 With Skids	-
	HT-88	Towbars	430 With Skids	-
Tronair	**01-1134-0006**	Towbar: Portable (CE)	430	-
	01-1202-0000	Towbar: Multi-head with Eye Bolt	430	Req.-attachment head 01-0535-0000
	01-1216-0000	Towbar: Portable	430	Use with 01-0535-0000
	01-1950-5000	Coupler: Telescoping Tug	430	-
	02-0511-0132	Main Jack (5 ton/4.5 metric ton)	412	2 ea req. Jack Pad Adapters R-1187-01
	02-0511-0132	Nose Jack (5 ton/4.5 metric ton)	412	2 ea req. Jack Pad Adapters R-1187-02
	02-0517-0140	Main Jack	430	Short Skid-2 Req.
	02-0517C0140	Main Jack (CE)	430	Short Skid-2 Req.
	02-0520-0110	Main Jack	430	2 Req. with Landing Gear
	02A0517-0140	Main Jack with Air Pump	430	Short Skid-2 Req.
	02A0517C0140	Main Jack with Air Pump (CE)	430	Short Skid-2 Req.
	02A0520-0110	Main Jack with Air Pump	430	2 Req. with Landing Gear
	04-6028-0121	Universal Lift	430	Optional
	04-6029-5111	Maintenance Platform: Hydraulic Lift	430	(B4 Type) Max Hgt 8ft (CE)
	04-6150-0120	Utility Crane: Hydraulic	430	4,000 lb Capacity (CE)
	06-4005-5011	Hydraulic Power Unit: Hand Pump 2 Qt	430	Hydraulic Service MIL-PRF-83282
	06-4035-0500	Hydraulic Power Unit: Hand Pump 8 Gal	430	Hydraulic Service MIL-PRF-83282
	06-5009-6800	Fluid Service Unit: Lube 2-1/2 Gal	430	Engine Oil MIL-PRF-23699
	06-5010-6800	Fluid Service Unit: Lube 6 Gal	430	Engine Oil MIL-PRF-23699
	06-5022-6500	Fluid Service Unit: Hydraulic 2 Gal	430	Hydraulic Service MIL-PRF-83282

BELL 430 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ground Support (continued)				
Tronair	**112820C**	GPU: 28.5 Volt Diesel	430	-
	11-6610-6000	Battery Charger/Analyzer	430	NiCad
	14-4039-0010	Manual Tire Bead Breaker	430	-
	14-6801-0120	Bead Breaker - Hydraulic	430	-
	14-6804-6000	Regulator Gauge: Tire & Strut	430	0-2,500 psi/172 bar
	14-6805-6010	Strut Service Gauge	430	0-3,000 psi/207 bar
	14-6806-6011	Tire Pressure Gauge	430	0-300 psi/21 bar (CE)
	14-6807-6011	Tire Service Gauge	430	0-300 psi/21 bar (CE)
	14-6808-6000	Regulator Gauge: Tire & Strut	430	0-500 psi/34.5 bar
	14-6883-0110	Wheel & Brake Dolly (CE)	430	-
	16-6802-6000	Tire/Strut Deflator	430	-
	18-4201-1010	Nitrogen Pressure Booster (Max 4,000psi)	430	-
	18-4303-0000	Cart: Nitrogen Bottles (4)	430	Nitrogen
	5010	Hydraulic Power Unit: 50 series	430	Voltage required when ordering
	5010-AB	Hydraulic Coupling Kit	430	Req. (New HPU)
	92-0552-9000	Battery Charger (60Hz)	430	-
	99-9028-6000	Wheel Chocks	430	-
	K-1225	Regulator Kit	430	Nitrogen
	K-2012	Gooseneck Book Kit	430	Optional
	K-2013	Pneumatic Pump Kit	430	Optional
	K-2108	Adapter Kit	430	250-C20 &30
	K-2111	Adapter Kit	430	LTS101
	K-2953	Hand Winch Kit	430	Optional
	K-3706	Nitrogen Adapter	430	Nitrogen
	KHC-4020	HPU Self Cleaning Circulation Kit	430	Optional
	Z-1063-09	Tire Adapter Ring: Nose	430	5.00-5
	Z-1063-11	Tire Adapter Ring: Main	430	19.5 x 6.75-8
	Z-4082	Lift Tray Assembly	430	Required
Ignition Systems				
Champion	**CH34187A**	Igniter	430	-
	CH34304	Igniter (Long Life)	430	-
Rotables				
Aviall Rotables	**10-614950-1**	Unison Exciter	430	Power plant: M250-40B
	200SGL124Q	Starter Generator	430	Power plant: M250-40B
	FL1027-7V	Fluidlastic Pylon Isolator	430	430-310-200-107
	LB9-1220-2-5-V	Shear Restraint Main Rotor	430	430-310-101-107
Wheels & Brakes				
Cleveland Wheel & Brake	**30-208A**	Brake Assembly	430	-
	40-115B	Auxiliary Wheel	430	-
	40-276	Wheel Assembly	430	-



Brantly 305

The Brantly 305 is a five-seat, piston engine powered helicopter. The Lycoming IVO-540 six-cylinder engine drives a three blade rotor. Fewer than 50 are believed to have been built.

Role: Light helicopter
Manufacturer: Brantly Helicopter Corp.
Status: Mid '60s–1985
Produced: 1995–present
Max Speed: 120 mph
Range: 191 nautical miles
Engine Type: Lycoming IVO-540

BRANTLY 305

Manufacturer	Part Number	Description	Model	Comments
Batteries				
Gill Battery	**G25**	Battery: (2EA) or G640	305	May require battery box
Ignition Systems				
Champion	**RHB36S**	Spark Plug: Fine 3/4-20	305	LYCO IVO-540-A1A (305 HP)
	RHB37E	Spark Plug: Massive 3/4-20	305	LYCO IVO-540-A1A (305 HP)



Brantly B2

The Brantly B-2 is a piston engine, three blade helicopter introduced in 1953. Designed to be flown by pilot-owners, the helicopter had a 180 hp Lycoming IVO-360-A1AQ, fuel injected engine and three blade rotor.

Role: Light Helicopter
Manufacturer: Brantly Helicopter Corp.
Introduction: 1958
Produced: 1976-1979
Max Speed: 100 mph
Range: 217 nautical miles
Engine Type: Avco Lycoming IVO-360-A1A

BRANTLY B2

Manufacturer	Part Number	Description	Model	Comments
Batteries				
Gill Battery	**G35M**	Battery: Lead Acid	B2, A,B,E	-
Filtration				
Brackett Aero Filters	**BA104**	Air Filter Assembly	B2, B	Uses BA3 replacement element
Ignition Systems				
Champion	**REM38E**	Spark Plug: Massive 5/8-24	B2	IVO-360 (180hp)
	REM38S	Spark Plug: Fine 5/8-38S	B2	IVO-360 (180hp)
	REM40E	Spark Plug: Massive 5/8-24	B2	Lyco VO-360 (180HP)
	RHB36S	Spark Plug: Fine 3/4-20	B2BS	IVO-360A (180hp)
	RHB37E	Spark Plug: Massive 3/4-20	B2BS	IVO-360A (180hp)
	RHM38E	Spark Plug: Massive 3/4-20	B2	IVO-360 (180hp)
	RHM38S	Spark Plug: Fine 3/4-20	B2	IVO-360 (180hp)
	RHM40E	Spark Plug: Massive 3/4-20	B2	Lyco VO-360 (180HP)



Enstrom F280

The Enstrom F-280 is a more aerodynamic variant of the F-28. Both are powered by the Lycoming HIO-360-F1AD piston engine. It carries a crew of one plus two passengers.

Role: Light Helicopter
Manufacturer: Enstrom Helicopter Corp.
Status: In service
Produced: 1965–present
Max Speed: 112 mph
Range: 241 nautical miles
Engine Type: Lycoming HIO-360

ENSTROM F280

Manufacturer	Part Number	Description	Model	Comments
Batteries				
Concorde Battery Corp	**RG24-11M**	Battery: Lead Acid	280FX	For 24 Volt Shark
	RG35A	Battery: Lead Acid	280FX	For 12 Volt Shark
Gill Battery	**G241**	Battery: Lead Acid	280FX	24 Volt
	G35M	Battery: Lead Acid	280FX	12 Volt
Ignition Systems				
Champion	**REM38S**	Spark Plug	280	LYCO IVO-540-A1A (305 HP)
	RHB32S	Spark Plug	280C	-



Enstrom F28

The Enstrom F-28 is a light duty, three place (one pilot and two passenger) helicopter. It is powered by a Lycoming HIO-360 engine driving a three blade rotor.

Role: Light Helicopter
Manufacturer: Enstrom Helicopter Corp.
Status: In service
Produced: 1965–present
Max Speed: 112 mph
Range: 241 nautical miles
Engine Type: Lycoming HIO-360

ENSTROM F28

Manufacturer	Part Number	Description	Model	Comments
Batteries				
Concorde Battery Corp	**RG24-11M**	Battery: Lead Acid	F28F	For 24 Volt Falcon
	RG-35A	Battery: Lead Acid	F28F	For 12 Volt Falcon
Gill Battery	**G241**	Battery: Lead Acid	F28C, F	24 Volt
	G35M	Battery: Lead Acid	F28A, C, F	12 Volt
Engine Accessories				
Hartzell Engine Technologies	**ALX8421**	Alternator: 12V 70AH Overhaul Exchange	F28C	Year 1975-79
	ALY8403	Alternator: 12V 60AH Overhaul Exchange	F28A	Year 1968-74
	MZ4206	Starter	F28, A	Year 1965-67,68-75
	MZ4222	Starter	F28A	Year 1978-79
Ground Support				
Brackett Aircraft	**BDWF28**	Mechanical Wheel	F28	-
	BEW12	Emergency Ground Handling Wheel	F28	-
	HM6M	Towbar	F28	-
	HPT350	Whirly Tug	F28	-

ENSTROM F28 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ignition Systems				
Champion	**REM38S**	Spark Plug	F28, A	-
	RHB32S	Spark Plug	F28C, E, F	-
	RHB37E	Spark Plug	F28B	-



Hiller UH-12

The Hiller OH-23 Raven is a three-place, light observation helicopter based on the Hiller Model 360. The Model 360 was designated by the company as the original United Helicopters UH-12 which was first flown in 1948. It is powered by a Lycoming VO-435-23B, 6-cylinder engine.

Role: Multipurpose light helicopter
Manufacturer: Hiller Aircraft
Introduction: 1948
Status: Retired
Length: 27' 10"
Rotor Diameter: 35' 5"
Max Speed: 95 mph
Range: 171 nautical miles
Engine Type: Lycoming VO-435-23B

HILLER UH-12

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**307**	Lamp: Aircraft, Bayonet, Single	UH-12E	Tail Light
Filtration				
Brackett Aero Filters	**BA102**	Air Filter Assembly	UH-12, A, B, C, D, E	Uses BA2 replacement element
Fuel Systems				
Parker Airborne	**2B6-52**	Fuel Pump Assembly: New Outright	UH-12D	-
	2B6-69	Fuel Pump Assembly	UH-12E	Overhaul Exchange
Ignition Systems				
Champion	**REL37B**	Spark Plugs	UH-12B, C	-
	REM38E	Spark Plugs	UH-12D, E	-
	REM38S	Spark Plugs	UH-12D, E	-
	RHB36S	Spark Plugs	UH-12E, L	-
	RHB37E	Spark Plugs	UH-12E, L	-
	RHM38E	Spark Plugs	UH-12D, E	-
	RHM38S	Spark Plugs	UH-12D, E	-
Windows				
Nordam	**M-H12E64093-1**	Upper Window with Slide: Clear, L/H	UH-12	Nordam design
	M-H12E64093-2	Full Window with Slide: Clear, R/H	UH-12	Nordam design
	M-H12E64093-3	Full Window: Clear, L/H	UH-12	Nordam design
	M-H12E64093-36	Window with Slide: Clear, R/H	UH-12	64093-1
	M-H12E64093-37	Window with Slide: Clear, L/H	UH-12	64153-31
	M-H12E64093-38	Window with Slide: Green R/H	UH-12	64093-5
	M-H12E64093-39	Window with Slide: Green L/H	UH-12	64093-3
	M-H12E64093-4	Full Window with Slide: Green, R/H	UH-12	Nordam design
	M-H12E64093-45	Upper Window: Clear, L/H	UH-12	64086
	M-H12E64093-47	Upper Window: Green, L/H	UH-12	64084
	M-H12E64093-48	Upper Window with Slide: Gray, R/H	UH-12	Standard Assembly

HILLER UH-12 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Nordam	**M-H12E64093-49**	Upper Window with Slide: Gray, L/H	UH-12	Standard Assembly
	M-H12E64093-5	Upper Window with Slide: Green, L/H	UH-12	Nordam design
	M-H12E64093-7	Full Window: Green, L/H	UH-12	Nordam design
	M-H12E64093-8	Full Window: Clear, L/H or R/H	UH-12	64093
	PUH-12E1	Upper Bubble: Clear	UH-12	64004-129
	PUH-12E10	Chin Bubble: Green, R/H	UH-12	64004-122
	PUH-12E11	Chin Bubble: Gray, L/H	UH-12	Standard assembly
	PUH-12E12	Chin Bubble: Gray, R/H	UH-12	Standard assembly
	PUH-12E2	Upper Bubble: Green	UH-12	64004-120
	PUH-12E25	Lower Door Panel for Duals: Clear, L/H	UH-12	64090-5/64153-23
	PUH-12E27	Lower Door Panel for Duals: Green, L/H	UH-12	64090-7/64153-17
	PUH-12E29	Lower Door Panel for Duals: Gray, L/H	UH-12	Standard assembly
	PUH-12E3	Upper Bubble: Gray	UH-12	Standard assembly
	PUH-12E33	Logging Bubble: L/H	UH-12	Not FAA approved
	PUH-12E4	Lower Bubble: Clear	UH-12	64004-111
	PUH-12E5	Lower Bubble: Green	UH-12	64004-121
	PUH-12E6	Lower Bubble: Gray	UH-12	Standard assembly
	PUH-12E7	Chin Bubble: Clear, L/H	UH-12	64004-113
	PUH-12E8	Chin Bubble: Clear, R/H	UH-12	64004-112
	PUH-12E9	Chin Bubble: Green, L/H	UH-12	64004-123



Hughes 269

The Hughes Model 269 Helicopter began life as the Hughes TH-55 Osage, a piston powered light training helicopter produced for the United States Army. It was also produced as the Model 300. The Model 300C was produced and further developed by Schweizer after 1983. The Hughes 269 is powered by one of several Lycoming engines: the low-compression O-369-C2D, the high compression HO-360-B1B, or the fuel-injected HIO-360-B1A.

Role: Light utility and trainer helicopter
Manufacturer: Hughes Helicopters
Produced: 1961-1983
Max Speed: 90 mph
Range: 203 nautical miles
Engine: Lycoming HIO-360-B1A

HUGHES 269

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**1683**	Lamp: Aircraft, Bayonet, Single	269C	-
	4522	Lamp: Sealed Beam 14V, 250W	269B	-
	4580	Lamp: Landing, Screw Terminals	269C	-
Engine Accessories				
Consolidated Fuel Systems	**2524216-12**	Fuel Servo	269A	-
	2524262-10	Fuel Servo	269A1	-
Hartzell Engine Technologies	**ALU8403LS**	Alternator: 24V 70AH No Pulley	269A, C	Year 1972-74
	ALU8403LS	Alternator: 24V 70AH No Pulley	269D	-

HUGHES 269 (continued)

Manufacturer	Part Number	Description	Model	Comments
Engine Accessories (continued)				
Hartzell Engine Technologies	**ALU8521LS**	Alternator: 24V 70A	269C	-
	ALV6403LS	Alternator: 24V 70AH No Pulley	269C	Year 1970-78
	ALX8403LS	Alternator: 24V 70AH No Pulley	269A, C	Year 1968-71
	MA4205	Starter	269D	Year 1972-73
	MHB4003	Starter	269D	Year 1972-73
	MHB4003	Starter	269A, C	REPLACED BY MHB4020
	MHB4012	Starter	269D	REPLACED BY MHB4020
	MHB4019	Starter	269D	REPLACED BY MHB4020
	MHB4020	Starter	269A, C	-
	MZ4205	Starter	269A, C	Year 1965-72
	MZ4222	Starter	269A, C	Year 1978-79
	MZ4224	Starter	269A, C	Year 1979
Filtration				
Brackett Aero Filters	**BA102**	Air Filter Assembly	269A, A1, B, C	Uses BA2 replacement element



Hughes 300

The Sikorsky S-300 (Hughes 300) is a descendant of the Hughes 269, a light training helicopter. The 300C was powered by a 190 hp (141 kW) Lycoming HIO-360-D1A and had a larger diameter main rotor (26 ft 10 in compared to 25 ft 4 in). The larger rotor and engine give it a 45% performance increase over previous 269-models. Hughes and Schweizer both marketed the 269C as the Model 300C.

Role: Light utility and training helicopter
Manufacturer: Sikorsky Aircraft, Schweizer Aircraft, Hughes Helicopters
Produced: 1964-1983
Max Speed: 109 mph
Range: 195 nautical miles
Engine Type: Lycoming HIO-360-D1A

HUGHES 300

Manufacturer	Part Number	Description	Model	Comments
Engine Accessories				
Consolidated Fuel Systems	**2524254-11**	Fuel Servo	300	-
Hartzell Engine Technologies	**ALU8403LS**	Alternator: 24V 70AH No Pulley	300	Year 1972-74
	ALU8521LS	Alternator: 24V 70A	300	-
	ALV6403LS	Alternator: 24V 70AH No Pulley	300	Year 1970-78
	ALV8402L	Alternator	300	Year 1974-78
	ALX8403LS	Alternator: 24V 70AH No Pulley	300	Year 1968-71
	MHB4003	Starter	300	REPLACED BY MHB4020
	MHB4012	Starter	300	REPLACED BY MHB4020
	MHB4019	Starter	300	REPLACED BY MHB4020
	MHB4020	Starter	300	-
	MZ4205	Starter	300	Year 1965-72
	MZ4222	Starter	300	Year 1978-79
	MZ4224	Starter	300	Year 1979



Hughes 369

The Hughes 369 is an light observation helicopter powered by Rolls-Royce 250-C20B engines. It is an early ancestor of the Hughes MD-500 helicopter. It has a capacity of one pilot and a crew of three. It is used in both civil and military roles. The military designation is the YOH-6A Cayuse/Loach.

Role: Light Observation Helicopter

Manufacturer: Hughes Tool Co. – Aircraft Division

Produced: 1965–present

Engine Type: Rolls-Royce Model 250

DID YOU KNOW?

Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

HUGHES 369

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**1495**	Lamp: Aircraft, Bayonet, Miniature	369H	-
	4580	Lamp: Landing, Screw Terminals	369D, H	-
	4581	Lamp: Landing, Screw Terminals	369D, H	-
Fuel Systems				
Parker Airborne	**1C27-10**	Fuel Pump: Cartridge	369A, D, HE, HM, HS	-
	1C27-100H	Fuel Pump: Cartridge	369A, D, HE, HM, HS	-
	1C3-40H	Fuel Pump Assembly: Overhaul Exchange	369A, D, HE, HM, HS	-
	1C38-4	Fuel Pump Assembly	369A, D, HE, HM, HS	-
Windows				
Nordam	**369-100-1**	Forward Canopy: L/H	369	369H2410-901
	369-100-2	Forward Canopy: R/H	369	369H2410-902
	369-100-3	Aft Canopy: L/H	369	369H3019-1
	369-100-4	Aft Canopy: R/H	369	369H3019-2
	369-200-5	Windshield: L/H Lower	369	369H2419-1 / 369A2403-505
	369-200-6	Windshield: L/H Lower	369	369H2419-2 / 369A2403-506
	369-300-6	Windshield: L/H Center	369	369A2418-2 / 369A2404-506/-508
	369-400-1	Windshield: R/H Center	369	369H2024-51/-71
	369-400-2	Windshield: R/H Center	369	369H2024-52/-72



MD-500

The MD-500 is an light observation helicopter. It is a descendant of the Hughes 369 helicopter. The 500C (369H) is an improved, five-seat commercial version powered by Rolls-Royce model 250-C18B engines. The MD-500 design is the civilian version of the U.S. Army's YOH-6A Cayuse/Loach.

Role: Light utility helicopter

Manufacturer: Hughes Helicopters / MD Helicopters, Inc.

Engine Type: Rolls-Royce Model 250

DID YOU KNOW?

Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

MD-500

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
GE Lighting	**4580**	Lamp: Landing, Screw Terminals	500C	-
	4581	Lamp: Landing, Screw Terminals	500C	-
Honeywell Lighting & Electronics	**20595-23-1683**	Tail Light	500	-
Fuel Systems				
Parker Airborne	**1C27-10**	Fuel Pump: Cartridge	MD500N	-
	1C27-100H	Fuel Pump: Cartridge	MD500N	-
	1C3-40H	Fuel Pump Assembly: Overhaul Exchange	MD500N	-
	1C38-4	Fuel Pump Assembly	MD500N	-
Rotables				
Aviall Rotables	**23032-010**	Starter Generator	500	-
	23032-011	Starter Generator	500	-
	23032-020	Starter Generator	500	-
	23032-022	Starter Generator	500	-
	23032-027	Starter Generator	500	-
	23032-028	Starter Generator	500	-
Windows				
Nordam	**369-100-1**	L/H Canopy Forward	500	369H2410-901
	369-100-2	R/H Canopy Forward	500	369H2410-902
	369-100-3	L/H Canopy Aft	500	369H3019-1
	369-100-4	R/H Canopy Aft	500	369H3019-2
	369-200-5	Windshield: L/H Lower	500	369H2419-1 / 369A2403-505
	369-200-6	Windshield: R/H Lower	500	369H2419-2 / 369A2403-506
	369-300-5	Windshield: L/H Center	500	369H2418-11 / 369A2404-505/-507/-705/-707
	369-300-6	Windshield: R/H Center	500	369A2418-2 / 369A2404-506/-508
	369-400-1	Crew Door Window: L/H	500	369H2024-51/-71
	369-400-2	Crew Door Window: R/H	500	369H2024-52/-72
Tech Tool Plastics	**369-3501-1**	Lower Windshield: L/H	500C,D	-
	369-3501-2	Lower Windshield R/H	500C,D	-
	369-3502-1	Center Windshield: L/H	500C,D	-
	369-3502-2	Center Windshield R/H	500C,D	-
	369-3503-1	Forward Canopy: L/H	500C,D	-
	369-3503-2	Forward Canopy: R/H	500C,D	-

MD-500 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
	369-3504-1	Aft Canopy: L/H	500C,D	-
	369-3504-2	Aft Canopy: R/H	500C,D	-
	369-3505-1	Forward Door Window with Vent: L/H	500C,D,E,F,FF	-
	369-3505-2	Forward Door Window with Vent: R/H	500C,D,E,F,FF	-
	369-3505-3	Forward Door Window with Slide: L/H	500C,D,E,F,FF	-
	369-3505-4	Forward Door Window with Slide: R/H	500C,D,E,F,FF	-
	369-3505-41	Forward Door Window with Vent: L/H	500C,D,E,F,FF,N	-
	369-3505-42	Forward Door Window with Vent: R/H	500C,D,E,F,FF,N	-
	369-3505-43	Forward Door Window with Slide: L/H	500C,D,E,F,FF,N	-
	369-3505-44	Forward Door Window with Slide: R/H	500C,D,E,F,FF,N	-
	369-3506-1	Aft Door Window with Vents: L/H	500C,D,E,F,FF	-
	369-3506-2	Aft Door Window with Vents: R/H	500C,D,E,F,FF	-
	369-3506-3	Aft Door Window with Slide: L/H	500C,D,E,F,FF	-
	369-3506-4	Aft Door Window with Slide: R/H	500C,D,E,F,FF	-
	369-3506-41	Aft Door Window with Vents: L/H	500C,D,E,F,FF,N	-
	369-3506-42	Aft Door Window with Vents: R/H	500C,D,E,F,FF,N	-
	369-3506-43	Aft Door Window with Slide: L/H	500C,D,E,F,FF,N	-
	369-3506-44	Aft Door Window with Slide: R/H	500C,D,E,F,FF,N	-
	369-3507-1	Forward Logging Bubble: L/H	500C,D,E,F,FF	-
	369-3507-2	Forward Logging Bubble: R/H	500C,D,E,F,FF	-
Tech Tool Plastics	369-3508-1	Aft Logging Bubble: L/H	500C,D,E,F,FF	-
	369-3508-2	Aft Logging Bubble: R/H	500C,D,E,F,FF	-
	369-4501-1	Lower Windshield: L/H	500E,F,FF,N	-
	369-4501-2	Lower Windshield R/H	500E,F,FF,N	-
	369-4502-1	Center Windshield: L/H	500E,F,FF,N	-
	369-4502-2	Center Windshield R/H	500E,F,FF,N	-
	369-4505-1	Forward Cabin Comfort Window with Vent: L/H	500C,D,E,F,FF	-
	369-4505-2	Forward Cabin Comfort Window with Vent: R/H	500C,D,E,F,FF	-
	369-4505-3	Forward Cabin Comfort Window with Slide: L/H	500C,D,E,F,FF	-
	369-4505-4	Forward Cabin Comfort Window with Slide: R/H	500C,D,E,F,FF	-
	369-4505-41	Forward Cabin Comfort Window with Vent: L/H	500C,D,E,F,FF,N	-
	369-4505-42	Forward Cabin Comfort Window with Vent: R/H	500C,D,E,F,FF,N	-
	369-4505-43	Forward Cabin Comfort Window with Slide: L/H	500C,D,E,F,FF,N	-
	369-4505-44	Forward Cabin Comfort Window with Slide: R/H	500C,D,E,F,FF,N	-
	369-4505-45	Forward Cabin Comfort Window with Vertical Slide: L/H	500C,D,E,F,FF,N	-
	369-4505-46	Forward Cabin Comfort Window with Vertical Slide: R/H	500C,D,E,F,FF,N	-
	369-4505-7	Forward Cabin Comfort Window with Vertical Slide: L/H	500C,D,E,F,FF	-
	369-4505-8	Forward Cabin Comfort Window with Vertical Slide: R/H	500C,D,E,F,FF	-
	369-4506-1	Aft Cabin Comfort Window with Vents L/H	500C,D,E,F,FF	-
	369-4506-2	Aft Cabin Comfort Window with Vents R/H	500C,D,E,F,FF	-

MD-500 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Tech Tool Plastics	**369-4506-3**	Aft Cabin Comfort Window with Slide: L/H	500C,D,E,F,FF	-
	369-4506-4	Aft Cabin Comfort Window with Slide: R/H	500C,D,E,F,FF	-
	369-4506-41	Aft Cabin Comfort Window with Vents: L/H	500C,D,E,F,FF,N	-
	369-4506-42	Aft Cabin Comfort Window with Vents: R/H	500C,D,E,F,FF,N	-
	369-4506-43	Aft Cabin Comfort Window with Slide: L/H	500C,D,E,F,FF,N	-
	369-4506-44	Aft Cabin Comfort Window with Slide: R/H	500C,D,E,F,FF,N	-
	369-4506-45	Aft Cabin Comfort Vertical Slide Window: L/H	500C,D,E,F,FF,N	-
	369-4506-46	Aft Cabin Comfort Vertical Slide Window: R/H	500C,D,E,F,FF,N	-
	369-4506-7	Aft Cabin Comfort Window with Vertical Slide: L/H	500C,D,E,F,FF	-
	369-4506-8	Aft Cabin Comfort Window with Vertical Slide: R/H	500C,D,E,F,FF	-
	369-5501-1	Lower Windshield: L/H	500E,F,FF,N	-
	369-5501-2	Lower Windshield R/H	500E,F,FF,N	-
	369-5502-1	Center Windshield: L/H	500E,F,FF,N	-
	369-5502-2	Center Windshield R/H	500E,F,FF,N	-
	369-5503-1	Lower Center Windshield: L/H	500E,F,FF,N	-
	369-5503-2	Lower Center Windshield R/H	500E,F,FF,N	-



MD-520

In 1982, the McDonnell Douglas MD-520 introduced a revolutionary control enhancement, dispensing with a conventional anti-torque tail rotor in favor of a NOTAR System, which directs exhaust from a ducted fan through slots in the tail boom, using the Coandă effect to counteract the torque of the main rotor, and a controllable thruster at the end of the tail boom is used for yaw control.

Engine Type: Rolls-Royce Model 250

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

MD-520

Manufacturer	Part Number	Description	Model	Comments
Filtration				
PTI Technologies	**7511946**	Element: Fuel	520N	-
	7592980-101	Element: Lube	520N	-
Ground Support				
Brackett Aircraft	**BDW-500H**	Hydraulic Wheels	520	-
	BDW-500M	Mechanical Wheels	520	-
	BEW12	Emergency Ground Handling Wheel	520	-
	HM-6M	Towbar	520	-
	HPT-350	Whirly Tug	520	-
Ignition Systems				
Champion	**53247**	Ignition Lead	520N	-



MD-530

The MD-530 is a variant of the MD-500E. Powered by a Rolls-Royce 250-C30B, it offers more power than the earlier MD-520, permitting operations at greater altitudes and higher temperatures. All of the MD 500 series helicopters are modeled after the Hughes 269 introduced in 1956.

Role: Light utility helicopter

Manufacturer: Hughes Helicopters / MD Helicopters, Inc.

Engine Type: Rolls-Royce Model 250

DID YOU KNOW?

Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

MD-530

Manufacturer	Part Number	Description	Model	Comments
Filtration				
Purolator Advanced Filtration	**038088-08**	Filter Element: Scavenge Lube	530FF	-
	1740839-04	Bowl & Indicator Assembly	530FF	-
	1741110-13	Hose: Outlet	530FF	-
	1741110-14	Hose: Inlet	530FF	-
	1741111-01	Spacer	530FF	-
	1741125	Seal Kit	530FF	-
	1741145	Indicator: Test Tool	530FF	-
	1741375	Check Valve	530FF	-
	1743640-08	Element: Fuel	530N	-
	1743645-01	Element: Fuel	530N	-
	1743645-02	Element Assembly: Fuel	530N	-
Ground Support				
Brackett Aircraft	**BDW-500H**	Hydraulic Wheels	530	-
	BDW-500M	Mechanical Wheels	530	-
	BEW12	Emergency Ground Handling Wheel	530	-
	HM-6M	Towbar	530	-
	HPT-350	Whirly Tug	530	-
Ignition Systems				
Champion	**53158**	Ignition Lead	530F	-
Champion	**53159**	Ignition Lead	530F	-
Champion	**CH34187-A**	Igniter	530F, G, N	-
Champion	**CH34304**	Igniter (Long Life)	530F, G, N	-



MD-600

The McDonnell Douglas MD-600N is a larger offshoot of the MD-530, offering eight seats and a more powerful Rolls-Royce Model 250-C47 turboshaft engine. The MD-600 utilizes a six blade main rotor and NOTAR tail boom for directional control.

Role: Light utility helicopter

Manufacturer: McDonnell Douglas Helicopter Systems, MD Helicopters, Inc.

Engine Type: Rolls-Royce Model 250

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

MD-600

Manufacturer	Part Number	Description	Model	Comments
Fuel Systems				
Parker Airborne	1C27-10	Fuel Pump: Cartridge	MD600N	-
	1C27-100H	Fuel Pump: Cartridge	MD600N	-
	1C3-40H	Fuel Pump Assembly: Overhaul Exchange	MD600N	-
	1C38-4	Fuel Pump Assembly	MD600N	-
Windows				
Tech Tool Plastics	369-3503-1	Canopy: LH Forward	600N	-
	369-3503-2	Canopy: RH Forward	600N	-
	369-3505-41	Forward Door Window with Vent: L/H	600N	-
	369-3505-42	Forward Door Window with Vent: R/H	600N	-
	369-3505-43	Forward Door Window with Slide: L/H	600N	-
	369-3505-44	Forward Door Window with Slide: R/H	600N	-
	369-3506-41	Aft Door Window with Vents: L/H	600N	-
	369-3506-42	Aft Door Window with Vents: R/H	600N	-
	369-3506-43	Aft Door Window with Slide: L/H	600N	-
	369-3506-44	Aft Door Window with Slide: R/H	600N	-
	369-4501-1	Lower Windshield: L/H	600N	-
	369-4501-2	Lower Windshield R/H	600N	-
	369-4502-1	Center Windshield: L/H	600N	-
	369-4502-2	Center Windshield R/H	600N	-
	369-4505-41	Forward Cabin Comfort Window with Vent: L/H	600N	-
	369-4505-42	Forward Cabin Comfort Window with Vent: R/H	600N	-
	369-4505-43	Forward Cabin Comfort Window with Slide: L/H	600N	-
	369-4505-44	Forward Cabin Comfort Window with Slide: R/H	600N	-
	369-4505-45	Forward Cabin Comfort Window with Vertical Slide: L/H	600N	-
	369-4505-46	Forward Cabin Comfort Window with Vertical Slide: R/H	600N	-
	369-4506-41	Aft Cabin Comfort Window with Vents: L/H	600N	-
	369-4506-42	Aft Cabin Comfort Window with Vents: R/H	600N	-
	369-4506-43	Aft Cabin Comfort Window with Slide: L/H	600N	-
	369-4506-44	Aft Cabin Comfort Window with Slide: R/H	600N	-
	369-4506-45	Aft Cabin Comfort Vertical Slide Window: L/H	600N	-
	369-4506-46	Aft Cabin Comfort Vertical Slide Window: R/H	600N	-
	600-3507-41	Mid Cabin Window with Vents: L/H	600N	-
	600-3507-42	Mid Cabin Window with Vents: R/H	600N	-

MD-600 (continued)

Manufacturer	Part Number	Description	Model	Comments
Windows (continued)				
Tech Tool Plastics	**600-4507-41**	Mid Cabin Comfort Window with Vents: L/H	600N	-
	600-4507-42	Mid Cabin Comfort Window with Vents: R/H	600N	-
	600-4507-45	Mid Cabin Comfort Window with Vertical Slide: L/H	600N	-
	600-4507-46	Mid Cabin Comfort Window with Vertical Slide: R/H	600N	-



MD-900

The MD 900 Explorer is a light, twin-engine utility helicopter. Launched by McDonnell Douglas Helicopter Systems in 1989, it has been used as a civil transport and by the U.S. Coast Guard. There have been two models, the original MD 900 and MD 902. Another unique feature of the MD-900 series is the NOTAR system that uses ducted air rather than a tail rotor to maintain directional control. Both are powered by Pratt and Whitney Canada PW-206E or PW-207E turboshaft engines. The military versions include the MH-90 Enforcer and Combat Explorer.

MD-900

Manufacturer	Part Number	Description	Model	Comments
Batteries				
Saft	**2386-1**	Battery: NiCad	900	Aviall # 023773-000 or 024470-000
	27578-2	Battery: NiCad	900	-
Ground Support				
Brackett Aircraft	**BDW-MDH**	Hydraulic Wheels	900	-
	HM-7M	Towbar	900	-
Ignition Systems				
Champion	**CH34723(SERIES21)**	Igniter	900	-
	CH53442-4	Ignition Lead	900	-
	CH53530	Ignition Lead	900	Requires Champion PN# CH3035333



Kaman K1200

The Kaman K-MAX (company designation K-1200) is a U.S. manufactured, single pilot helicopter that has been optimized for external cargo sling load operations. The K-MAX has a useful load of 6,855 pounds, which far exceeds it's empty weight. It is powered by one Honeywell T53-17 turboshaft engine.

Role: Medium lift helicopter
Manufacturer: Kaman Aircraft
Produced: 1991-2003, 2015-present
Max Speed: 115 mph
Range: 267 nautical miles
Engine Type: Honeywell T53-17 turboshaft

KAMAN K1200

Manufacturer	Part Number	Description	Model	Comments
Filtration				
Parker Airborne	**2C27-3**	Fuel Pump	K1200	-
	2C27-30H	Fuel Pump Assembly: Overhaul Exchange	K1200	Replace 1C64-9



Robinson R22

The Robinson R22 is a piston engine powered (Lycoming O-320-A2B) two bladed, light, two-place utility helicopter manufactured by the Robinson Helicopter Company.

Role:	Light utility and trainer helicopter	**Max Speed:**	112 mph
Manufacturer:	Robinson Helicopter Company	**Range:**	208 nautical miles
Status:	In production	**Engine Type:**	Lycoming O-320-A2B
Produced:	1979 - present		

ROBINSON R22

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Whelen Engineering	**01-0770034-02**	Model No A555AH14	R22	-
	01-0770344-01	Model No 7034401	R22	Robinson Part Number B195-10
	01-0770344-03	Model No 7034403	R22	Robinson Part Number B195-15
	01-0770692-00	Model No 7069200	R22	Robinson Part Number B195-6
	01-0770820-02	Model No 7082002	R22	Robinson Part Number D606-1
	01-0770877-17	Model No 7087717	R22	Robinson Part Number B195-17
	01-0771105-01	Model No 7110501	R22	-
	01-0771105-02	Model No 7110501	R22	-
	02-0350183-00	Model No A343	R22	Robinson Part Number B195-9
Avionics				
Aerosonic	**PH500**	Pitot Probe	R22	-
Filtration				
Brackett Aero Filters	**BA110**	Air Filter Assembly	R22	Uses BA23 replacement element
Ignition Systems				
Champion	**REM38E**	Spark Plugs	R22	Massive 5/8-24
	REM38S	Spark Plugs	R22	Fine 5/8-24
	REM40E	Spark Plugs	R22	Massive 5/8-24
	RHM38E	Spark Plugs	R22	Massive 3/4-20
Ignition Systems (continued)				
Champion	**RHM38S**	Spark Plugs	R22	Fine 3/4-20
	RHM40E	Spark Plugs	R22	Massive 3/4-20
Windows				
Nordam	**MN-A274-1**	Windshield: Clear, L/H	R22	A274-1/-3
	MN-A274-2	Windshield: Clear, R/H	R22	A274-2/-4
	MN-A274-3	Windshield: Tinted L/H	R22	A274-1/-3
	MN-A274-4	Windshield: Tinted R/H	R22	A274-2/-4
Tech Tool Plastics	**R22-101-51**	Full View Cabin Comfort Door Assembly with Vents: L/H	R22	Tech-Tool Design
	R22-101-52	Full View Cabin Comfort Door Assembly with Vents: R/H	R22	Tech-Tool Design
	R22-101-53	Full View Cabin Comfort Door Assembly with Vertical Slide: L/H	R22	Tech-Tool Design
	R22-101-54	Full View Cabin Comfort Door Assembly with Vertical Slide: R/H	R22	Tech-Tool Design
	R22-101-55	Replacement Door Window with Vents: L/H	R22	Tech-Tool Design
	R22-101-56	Replacement Door Window with Vents: R/H	R22	Tech-Tool Design
	R22-101-57	Replacement Door Window with Vertical Slide: L/H	R22	Tech-Tool Design
	R22-101-58	Replacement Door Window with Vertical Slide: R/H	R22	Tech-Tool Design



Robinson R44

The Robinson R44 (Raven series) is a four-seat light helicopter produced by the Robinson Helicopter Company since 1992. Based on the company's two-seat Robinson R22, the R44 is a four seat version featuring hydraulically assisted flight controls. It accommodates one pilot and three passengers. The R44 Raven I is powered by a Lycoming O-540 engine and the more powerful Raven II by a single Lycoming IO-540-AE1A5, 6-cylinder, fuel injected engine.

Role:	Light utility and trainer helicopter	**Max Speed:**	150 mph
Manufacturer:	Robinson Helicopter Company	**Range:**	300 nautical miles
Status:	In production	**Engine Type:**	Lycoming IO-540-AE1A5
Produced:	1993 - present		

ROBINSON R44

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	**44000001-1**	Tel-Tail Floodlights	R-44 28V (LED)	STC-SR09557RC EASA 10028007
	44000001-3	Recognition Light	R-44 28V (LED)	STC-SR09557RC EASA 10028007
	44000001-5	Fuselage Floodlights	R-44 28V (LED)	STC-SR09557RC EASA 10028007
	44000001-7	Tel-Tail Floodlights	R-44 28V (LED)	STC-SR09557RC EASA 10028007
Whelen Engineering	**01-0350183-00**	Model No A343	R44	-
	01-0770061-03	Reading Light 28V	R44	-
	01-0770062-03	Strobe Power Supply 28VDC - A490ATS-CF HTS	R44	Robinson Part Number A708-1
	01-0770344-01	Post Light Assembly 14V	R44	Robinson Part Number B195-10
	01-0770344-02	Post Light Assembly 14V	R44	Robinson Part Number B195-14
	01-0770344-03	Post Light Assembly 28V	R44	Robinson Part Number B195-15
	01-0770344-04	Post Light Assembly 28V	R44	Robinson Part Number B195-11
	01-0770692-00	Post Light Assembly 14V	R44	Robinson Part Number B195-6
	01-0770692-03	Post Light Assembly 28V	R44	Robinson Part Number B195-16
	01-0770820-02	Spotlight LED 14V	R44	Robinson Part Number D606-1
	01-0770877-17	Switch Light 14V	R44	Robinson Part Number B195-17
	01-0770877-18	Switch Light 28V	R44	Robinson Part Number B195-17
	01-0771080-00	Strobe Light 28V Red LED	R44	Robinson Part Number A708-13
	01-0771105-01	Position Light Green LED 14V	R44	-
	01-0771105-02	Position Light Red LED 14V	R44	-
	01-0771105-03	Position Light Green LED 28V	R44	-
	01-0771105-04	Position Light Red LED 28V	R44	-
	01-0881013-00	Speaker Siren 100W	R44	-
	01-0882604-00	Amplifier 28V	R44	-
	01-0882783-00	Connector Nut	R44	Robinson Part Number B195-9
	07-730068-00	Mounting Strobe Adapter, H-102	R44	Robinson Part Number A708-5
	68-2170504-30	White Lens - A402A-W	R44	-
	68-4230020-4A	Green Lens, Upper RH	R44	Robinson Part Number D369-4
	68-4230020-4B	Green Lens, Lower RH	R44	Robinson Part Number D369-2
	68-4230020-5A	Red Lens, Upper LH	R44	Robinson Part Number D369-3
	68-4230020-5B	Red Lens, Lower LH	R44	Robinson Part Number D369-1

ROBINSON R44 (continued)

Manufacturer	Part Number	Description	Model	Comments
Ignition Systems				
Champion	**REM38E**	Spark Plugs	R44	Massive 5/8-24
	REM38S	Spark Plugs	R44	Fine 5/8-24
	RHM38E	Spark Plugs	R44	Massive 3/4-20
	RHM38S	Spark Plugs	R44	Fine 3/4-20
Windows				
Nordam	**MN-A274-1**	Windshield: Clear, L/H	R44	A274-1/-3
	MN-A274-2	Windshield: Clear, R/H	R44	A274-2/-4
	MN-A274-3	Windshield: Tinted L/H	R44	A274-1/-3
	MN-A274-4	Windshield: Tinted R/H	R44	A274-2/-4



Sikorsky S61

The Sikorsky S-61L and S-61N are a civilian offshoot of the U.S. Navy SH-3 Sea King helicopter, introduced in 1957. The S-61 is has been used extensively in airline service and oil rig support. The civil S-61 models are powered by twin General Electric CT58-140 turboshaft engines.

Role: Medium-lift transport
Manufacturer: Sikorsky Aircraft
Introduced: 1961
Status: Active
Max Speed: 166 mph
Range: 450 nautical miles
Engine Type: General Electric CT58-140

SIKORSKY S61

Manufacturer	Part Number	Description	Model	Comments
Rotables				
Aviall Rotables	**10-348450-1**	Unison Exciter	S61	-
Windows				
Nordam	**PS61-220-1**	Logging Bubble: L/H	S61	Not FAA approved
	PS61-220-2	Logging Bubble: R/H	S61	Not FAA approved
	PS61-227-1	Front Corner Window: L/H	S61	S6120-61227-1
	PS61-227-2	Front Corner Window: R/H	S61	S6120-61227-2
	PS61-229-1	Front Center Windshield	S61	S6120-61229-1
	PS61-245-1	Upper Observation Window: L/H	S61	S6120-61245-1
	PS61-245-2	Upper Observation Window: R/H	S61	S6120-61245-2
	PS61-246-1	Lower Observation Window: L/H	S61	S6120-61246-01
	PS61-246-2	Lower Observation Window: R/H	S61	S6120-61246-02



Sikorsky S76

The Sikorsky S-76 is a multi-role, American, medium-size commercial utility helicopter, manufactured by the Sikorsky Aircraft Corporation. It is used for executive transport, offshore oil rig transport, emergency medical, search and rescue and airline operations. The S-76 can be powered by either twin Turbomeca Arriel 2S2 turboshaft engines or Rolls-Royce Model 250 engines, which drive a four-bladed main and tail rotors. The S-76 has retractable landing gear and seats 12 to 13.

DID YOU KNOW?
Aviall is the exclusive distributor for Rolls-Royce 250 engine parts

SIKORSKY S76

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting				
Devore Lighting	07600001-1	Tel-Tail Floodlights	S76	STC -SH4614SW
	07600001-3	Multi-Lights Kits: Fuselage Flood Forward Facing Main Rotor	S76 TT, MR	STC - SH4694SW & EASA R.S. 01069
	07600002-1	Recognition Light	S76A	STC - SH4694SW
	07600002-3	Main Rotor Illumination Light Systems	S76A,B,C (LED)	STC - SH4694SW & EASA R.S. 01069
	07600002-5	Under Fuselage & Main Rotor Recognition Systems	S76A,B,C	STC - SH4694SW & EASA R.S. 01069
	07600002-7	Recognition Light	S76A,B,C	STC - SH4694SW
GE Lighting	1683	Lamp: Aircraft, Bayonet, Single	S76	-
	4626	Lamp: Taxing, Screw Terminals	S76	-
	Q4681	Lamp: Landing, Screw Terminals, 36271	S76	-
Honeywell Lighting & Electronics	10-0917-1	Gasper	S76	-
	15-0007-1	Cockpit Light	S76	-
	15-0007-127	Cockpit Light	S76	-
	15-0049-1	Cargo Floodlight	S76	-
	20-0321-3	Instrument Light	S76	-
	20-0335-1	Instrument Light	S76	-
	20595-23-1-1683	Tail Light	S76	-
	22020	Reading Light	S76	-
	25610-3	Dome Light	S76	-
	30-1254-3	Anti-collision Light	S76	-
	30-1522-5	Inspection Light	S76	-
	30-1544-1	Rotor Tip Light	S76	-
	45-0182-7	Search Light	S76	-
	50-0024-5	Landing and Taxi Light	S76	-
	55-1316-1	Shaft Assembly	S76	-
	60-1321-1	Power Supply	S76	-
	60-3274-5	Power Supply	S76	-
	65-0151-5	Indicator Light	S76	-
	90-0094-5	Motor Assembly	S76	-
	90-0142-1	Gearcase Assembly	S76	-
	90-0143-1	Guide Arm Assembly	S76	-
	90-0163-1	Drive Arm Assembly	S76	-

SIKORSKY S76 (continued)

Manufacturer	Part Number	Description	Model	Comments
Aircraft Lighting (continued)				
Honeywell Lighting & Electronics	**90-0164-3**	Blade Assembly	S76	-
	A1285G7512-24LL	Wing Posiiton Light	S76	-
	A5395-23	Cockpit Light	S76	-
	A9490W1	Instrument Light	S76	-
Whelen Engineering	**01-0770054-07**	Strobe Head: A650PR-D-28	S76	Replacement tube--A610 & Lens A626-D
	01-0770899-00	Power Supply	S76	-
	01-0771011-02	Position: Tail	S76	-
	01-0771080-06	Anti-Collision: Upper	S76	-
	01-0771080-13	Anti-Collision: Lower	S76	-
	01-0771110-03	Position: R/H	S76	-
	01-0771110-04	Position: L/H	S76	-
	01-0771144L16	Gooseneck Cockpit	S76	-
	01-0771156-04	Flasher: LED 4 Output, 28V	S76	-
	01-0790352-00	Landing Optional 2 Light System	S76	-
	01-0790356-00	Recognition Light	S76	-
	01-0870089-00	Speaker Assembly	S76	-
Fuel Systems				
Arkwin Industries	**0212029-004**	Valve: Overspeed & Drain	S76	-
	0711311-103	Spool & Sleeve Assembly	S76	-
	0711311-111	Piston Assembly	S76	-
	0711311-132-1	Switch	S76	-
	0711311-202	Cylinder	S76	-
	0711311-205	Bootstrap Cylinder	S76	-
	0711311-207	Lock Washer	S76	-
	0711311-208	Ring Retainer	S76	-
	0711311-210	Cover	S76	-
	0711311-212	Fitting Tube	S76	-
	0711311-213	Retainer	S76	-
	0711311-214	Seat	S76	-
	0711311-215	Poppet	S76	-
	0711311-219	Mounting Bracket	S76	-
	0711311-223	Retainer	S76	-
	0711311-229	Ring	S76	-
	0711311-231	Gasket	S76	-
	0711311-237	Packing	S76	-
	0711311-240	Scraper	S76	-
	0711311-242	Ring	S76	-
	0711311-246	Packing	S76	-
	0711311-250	Packing	S76	-
	0711311-252	Screw	S76	-
	0711311-253	Retainer	S76	-

SIKORSKY S76 (continued)

Manufacturer	Part Number	Description	Model	Comments
Fuel Systems (continued)				
Arkwin Industries	**0711311-261**	Seal Set	S76	-
	0711311-262	Seal Set	S76	-
	0711311-263	Seal Set	S76	-
	0711311-610	Lower Seat	S76	-
	0711311-612	Solenoid	S76	-
	0711311-613	Shim	S76	-
	0711311-614	Shim	S76	-
	0711311-615	Upper Seat	S76	-
	0711311-806	Spring	S76	-
	0711311-811	Nipple	S76	-
	0711311-813	Ring Retainer	S76	-
	0711311-814	Stop	S76	-
	0711311-816	Ring Retainer	S76	-
	0711311-825	Bowl Assembly	S76	-
	0711311-850	Plug	S76	-
	0711311-861	Filter Element	S76	-
	0711311-900X	Seat & Poppet Assembly	S76	-
Ignition Systems				
Champion	**3123061-01**	Lead	S76C+	ARRIEL 2S1
	53317-3	Lead	S76A+, S76C	ARRIEL 1S1
	CH34055	Igniter	S76B PT6B-36	-
	CH34187A	Igniter	S76 MARK II	250-C30S
	CH34745	Igniter	S76A+, S76C	ARRIEL 1S1
	CH34745	Igniter	S76C+	ARRIEL 2S1
Rotables				
Aviall Rotables	**1-1223-03**	Indicator: Fuel Quantity	S76	-
	200SGL115Q	Starter Generator	S76	-
	200SGL135Q	Starter Generator	S76	-
	23081-002	Starter Generator	S76	-
	23091-001	Starter Generator	S76	-
	350A67-4160-00	Start Card	S76	-
	350A67-5110-01	Start Card	S76	-
	371GC01Y021	Master Electrical Box	S76	-
	38399-330-02	Indicator: Airspeed	S76	-
	5633-707-80-12	Indicator: NG	S76	-
	61476-403-1	Indicator: NG	S76	-
	64751-003-3	Transmitter: Fuel Gauge	S76	-
	704A46-814-049	Graduator Light	S76	-
	704A47-632-051	Indicator: T6	S76	-
	704A47-723-006	Panel Failure Warning	S76	-
	76106-08000-050	Damper	S76	-

SIKORSKY S76 (continued)

Manufacturer	Part Number	Description	Model	Comments
Rotables (continued)				
Aviall Rotables	**76650-09805-111**	Servo	S76	-
	76650-09807-101	Servo	S76	-
	AC67032	AStar Servo Dunlop	S76	-
	AC67244	AStar Servo Dunlop	S76	-
	AC67246	AStar Servo Dunlop	S76	-
	B19030FC05	VEMD EC120	S76	-
	B19030MD04	VEMD	S76	-
	B19030MD05	VEMD AStar B3	S76	-
	GA103	Graduator Light	S76	-
	HE402(9580115210)	Eyquem Ignition	S76	-
	HE900 (950164470)	Eyquem Ignition	S76	-
	HE901 (9550176020)	Eyquem Ignition	S76	-
	HE932 (9550177760)	Eyquem Ignition	S76	-
	SC5072	AStar Servo SAMM	S76	-
	SC5083	AStar Servo SAMM	S76	-
	SC5083-1	AStar Servo SAMM	S76	-
	SC5084	AStar Servo SAMM	S76	-
Windows				
Tech Tool Plastics	**S76-101-3**	Windshield: L/H	S76	76206-01002-109,-113,-115
	S76-101-4	Windshield: R/H	S76	76206-01002-110,-114,-116



S76 Hydraulic Support: Repair, Overhaul, and Exchange

Overhaul capabilities include M/R servos, T/R servos, M/R dampers, main landing gear shock struts, main landing gear actuators, nose landing gear shock struts, and tail landing gear actuators.

POWER HYDRAULICS CAPABILITIES

Part Numbers	Description
76650-09805-110 76650-09805-111	M/R Servos
76650-05801-112 76650-05801-113	T/R Servos
76106-08000-049 76106-08000-050	M/R Dampers
1945/2071 Series	MLG Shock Struts, MLG Actuators
1944/2070 Series	NLG Shock Struts, NLG Actuators



S76 Main Servos
Part Number: 76650-09805-111



Aviall Rotables

Aviall's Rotable Management Services ("Rotables Group") manages pools of spare rotable assets, both overhauled and serviceable. Assets are managed in a spares sharing Exchange Program or as Customer Owned Property (C.O.P). Aviall sales personnel around the world work with various operators to identify high demand items as candidates for Aviall's Rotable Exchange Program. Once identified, the Rotables Group procures the rotable assets needed to support the demand / sales and repair / overhaul lead-time cycle. Aviall's objective is to provide customers with quality units from factory-authorized repair stations at competitive prices

DALLAS SERVICE CENTER

Phone: 1-800-463-2447 (toll-free)
Phone: 770-473-1346

2750 Regent Blvd.
Shipping Ramp 2
DFW Airport , TX 75261

For regular mail:

P.O. Box 619048
Dallas, TX 75261-9048

Manager: Chris Terrell
E-mail: RMS@aviall.com

ATLANTA

Phone: 1-800-463-2447 (toll-free)
Phone: 770-473-1346

574 Airport South Parkway, Ste. 200
Atlanta, GA 30349-8604


Manager: Dee Nolan
E-mail: rotables@aviall.com

Manufacturer	Part Number	Description	Model	Comments
Additional Rotables				
Aviall Rotables	**124.043**	Indicator: Dual Temperature & Hydraulic Pressure		-
	124.044	Indicator: Fuel Pressure		-
	150SG117Q	Starter Generators		-
	150SG122Q	Starter Generator		-
	1945/2071 SERIES	Shock Strut: MLG		-
	200SGL132Q	Starter Generators		-
	23032-018	Starter Generators		-
	23032-027	Starter Generators		-
	23064-001	Starter Generators		-
	23081-018	Starter Generators		-
	30E20-61A	Starter Generators		-
	369D24518-3	Indicator: Tach		-
	528-023-01	Cargo Hook		-
	RR30000242	Fuel Nozzle Assembly	RR300	-
	RR30000412	Starter Generator: RR-300	RR300	-
	RR30000454	Fuel Control: Gas Producer	RR300	-
	RR30000528	Fuel Nozzle Assembly	RR300	-
	1944/2070 SERIES	NLG Shock Struts, NLG Actuators		-



Tired of bill-backs?

Our flat-rate overhaul is available exclusively to Aviall customers.



OVERHAUL SERVICES

Starter Generators	
Part Numbers	
23032-018	30E20-61A
23032-027	150SG117Q
23081-018	150SG122Q
23064-001	200SGL132Q
23046-020	*And more!*



Battery Repair Services

Your aircraft battery is your electrical system's last line of defense. Aviall's global network of NiCad and Lead Acid Battery Service Centers utilize the most current technology and OEM parts to provide deep cycles, top charges, regular checks, repairs and overhauls. We strive to make your battery maintenance program successful and worry free. We also offer annual on-site battery charger calibration and repair throughout the country. If extensive repairs or overhauls are required, those repairs can be completed in our Marathon-Christie and JFM Authorized Factory Repair and Warranty Service center in Dallas. New chargers are also available for sale.

Our battery shops are available 24 hours a day, seven days a week, 365 days a year. And, we are ready to meet your AOG requirements with an AOG stock of Batteries for any emergency need.

ATLANTA

Phone: 770-473-1343
Fax: 770-473-1348

574 Airport South Parkway Ste. 200
Atlanta, GA 30349-8604

Manager: William Durmire
William.Durmire@aviall.com

CRS# LV52029N
EASA.145.4196

CHICAGO

Phone: 630-232-5035

3950 Swenson Avenue
St. Charles, IL 60174

Manager: Jeff Wyns
jwyns@aviall.com

CRS# LV5R029N
EASA.145.4197

Operations Specifications

HOUSTON

Phone: 713-948-1771
Fax: 713-242-0097

8887 West Monroe
Houston, TX 77061-4731

Manager: Bonifacio Sanchez
bsanchez@aviall.com

CRS# RD46488M

DALLAS

Phone: 972-586-1850
Toll Free: 1-800-776-1112
Fax: 972-586-1851

For Shipping:

Attention: Battery Services
2755 Regent Blvd.
DFW Airport, TX 75261

For regular mail:

P.O. Box 619048
Dallas, TX 75261-9048

Supervisor: John Holder
jholder@aviall.com

CRS# RD4R488M
EASA.145.5389

LOS ANGELES

Phone: 818-787-3983
Fax: 818-787-4179

8045 Woodley Ave.
Van Nuys, CA 91406-1322

Manager: Jay Sumner
jsumner@aviall.com

CRS# RD42488M
EASA.145.4192

Operations Specifications

FORT LAUDERDALE

Phone: 954-625-3914
Fax: 954-625-3920

3200 W. Prospect Rd., Ste. 100
Ft. Lauderdale, FL 33309

Manager: Jonathan Jacques
jjacques@aviall.com

CRS# RD44488M
EASA.145.4193

Operations Specifications

NEW YORK

Phone: 973-257-8705
Fax: 973-257-8709

2 Cranberry Rd.
Parsippany, NJ 07054

Manager: John Vogt
jvogt@aviall.com

CRS# RD4D488M
EASA.145.4195

Operations Specifications



Chemical Management Solutions

Aerospace chemicals present a series of problems to operators that are outside the normal business of aircraft maintenance. Ordering the correct product, storing and maintaining the correct inventory levels, monitoring shelf-life and reporting emissions are all issues that take time and money away from your bottom line. Aviall can help make these processes easier and less expensive, allowing you to concentrate on keeping your aircraft flying safely. We can help you with technical assistance and training direct from manufacturers when needed.

We offer our automated eStock replenishment program to help keep your chemical inventory at acceptable levels without overstocking. Our huge market basket of products allows you to reduce the number of chemical suppliers you use and still obtain competitive pricing. In many cases we can offer alternate products or the “right size” container for the task. Shelf-life and lot number labeling are available to help keep your chemicals usable and up-to-date. All these features contribute to reduced paperwork, less overhead and reduced chemical waste stream which saves you money.

Our website also has MSDS available 24/7 and copies are printable. We can provide EPA reporting on a regular basis for the chemical products you consume and help you document the VOC & HAP emissions for each of your maintenance locations. Aviall can help you find products with lower emissions and health risks so your facility and your employees can remain in compliance with regulatory requirements. We also carry a full line of Health & Safety equipment including Personal Protective Equipment (PPE).

ATLANTA

Phone: 770-473-1038

574 Airport South Parkway Ste. 200
Atlanta, GA 30349-8604

Manager: Larry Heiman
lheiman@aviall.com



Kitting

Aviall's Kit Shop in Dallas is available to handle many of your kitting needs. We specialize in building many different kinds of kits, including hardware for overhaul kits, filter kits and, during the last three years, Flight Training Material kits for many of the flight training schools across the United States.

Aviall's Kit Shop database now holds more than 500 different kit numbers for a large variety of customers. We custom-build kits to meet your needs. You tell us which parts you want to include in your kit and what you want to name it. We will assign your kit a unique part number, and from that point forward you will no longer need to deal with the individual part numbers that make up the kit. Existing kits are normally built within 24 to 48 hours.

DALLAS

Toll Free: 800-284-2551
Toll Free: 800-776-1112
Fax: 972-586-1394

For regular mail:

P.O. Box 619048
Dallas, TX 75261-9048

Supervisor: Chris Fauber
cfauber@aviall.com



Hose Repair Services

Hoses are your plane's veins. To ensure quality, trust Aviall for the fabrication of your standard or custom-made hose assemblies. Aviall's vast inventory of components manufactured by Parker Stratoflex ensures our ability to produce the hoses that you need when you need them and helps to keep your costs down.

DALLAS

Toll Free: 1-800-945-0686
Fax: 972-586-1381

For Shipping:

2755 Regent Blvd.
DFW Airport, TX 75261

For regular mail:

P.O. Box 619048
Dallas, TX 75261-9048

Manager: Don Taylor
dontaylor@aviall.com

TSO/PMA Certification

DENVER

Phone: 303-460-7708
Fax: 303-460-1190

7285 South Revere Parkway, Ste 703
Centennial, CO 80112-3947

Manager: Cody Johnson
cjohnson@aviall.com

TSO/PMA Certification

FORT LAUDERDALE

Phone: 954-625-3915
Fax: 954-625-3906

3200 W. Prospect Rd., Ste. 100
Ft. Lauderdale, FL 33309

Manager: William Hilson
whilson@aviall.com

TSO/PMA Certification

LOS ANGELES

Phone: 818-994-3423

8045 Woodley Ave.
Van Nuys, CA 91406-1322

Manager: Jay Sumner
jsumner@aviall.com

CRS# WH2R2660
TSO/PMA Certification
Operations Specifications

MELBOURNE

Phone: 61-3-9339-3020
Fax: 61-3-9330-3194

Aviall Australia Pty. Ltd.
20-22 Lindaway Place
Tullamarine
Victoria 3042, Australia

Manager: Kerry Barclay
kbarclay@aviall.com



Wheel & Brake Repair Services

Aviall Wheel and Brake repair stations provide options to help you manage your wheel and brake program. Aviall provides a pool of over 2,000 of the highest quality exchange brakes available on the market. Genuine OEM parts and a full overhaul in accordance with the CMM every time give you confidence and reliability. Send your wheel or brake cores to Aviall for service and quality is guaranteed. Experienced technicians utilize cutting edge technology such as the Andec Wheeltester for Eddy current testing to cut your lead times and ensure quality.

ATLANTA

Phone: 770-473-1343
Fax: 770-473-1348

574 Airport South Parkway Ste 200
Atlanta, GA 30349-8604

Manager: Will Durmire
wdurmire@aviall.com

CRS# LV52029N
EASA.145.4196
Operations Specifications

CHICAGO

Phone: 630-232-5030

3950 Swenson Avenue
St. Charles, IL 60174

Manager: Mike Kiefer
mkiefer@aviall.com

CRS# LV5R029N
EASA.145.4197
Operations Specifications

FORT LAUDERDALE

Phone: 954-625-3910
Fax: 954-625-3906

3200 W. Prospect Rd., Ste. 100
Ft. Lauderdale, FL 33309

Manager: Doug Dalton
mdalton@aviall.com

CRS# XVLR346L
EASA.145.4190
Operations Specifications

DALLAS

Phone: 972-586-1370
Fax: 972-586-1371

For Shipping:
2755 Regent Blvd.
DFW Airport, TX 75261

For regular mail:
P.O. Box 619048
Dallas, TX 75261-9048

Manager: David Burch
dburch@aviall.com

CRS# UAV4972K
EASA.145.4189
Operations Specifications

LOS ANGELES

Phone: 818-781-7163

8045 Woodley Ave.
Van Nuys, CA 91406-1322

Manager: Victor Sotelo
vsotelo@aviall.com

CRS# YRYR585L
EASA.145.5253
Operations Specifications

NEW YORK

Phone: 973-257-9240
Fax: 973-257-9244

2 Cranberry Rd.
Parsippany, NJ 07054

Manager: Joe Serrano
jserrano@aviall.com

CRS# VFTR164L
EASA.145.5434
Operations Specifications

SISU SERVICES

Phone: 219-661-2235
Toll Free: 800-242-7478

674 N. Madison St.
Crown Point, IN 46307

Manager: Troy Shinkle
Troy.Shinkle@aviall.com

CRS# LQ5R024N
EASA.145.5547
Operations Specifications

Aircraft Lighting

Aviall is proud to feature aircraft lighting from the following suppliers:

GE

Goodrich Lighting

Honeywell

Whelen



Aircraft Fluids

Aviall is proud to feature lubricants and hydraulic fluids from the following suppliers:

AeroShell

Air BP

Anderol

AvBlend



ExxonMobil

Prist

Solutia

Marvel Mystery Oil

Hardware

Aviall is proud to feature hardware and supplies from the following manufacturers:

Anixter

Cherry Aerospace

Gexpro

BE Aerospace

Kapco Valtec

Loos & Co.

Malin Co.

Parker Stratoflex

Thermoid HRD Industries

Avionics and Instruments

Aviall features avionics and instrumentation from the following suppliers:

Air Data Systems
3M
Sensor Systems
Dayton Granger
Dorne & Margolin
Rami



SENSOR SYSTEMS

Manufacturer	Part Number	Description	Model	Comments
	S65-1227WH	Antenna: UHF	-	-
	S65-247-12WH	Antenna: VOR/LOC/GS	-	-
	S65-5366-3LWH	L-Band (DME, XPDR)	-	-
	S65-5366-720WH	Wireless: (cell phone)	-	-
	S65-8280-41WH	Antenna: VHF Comm	-	-
	S65-8282-512BK	Antenna: VHF / UHF Passive	-	-
	S65-8282-512GY	Antenna: VHF / UHF Passive	-	-
	S65-8282-831BK	Antenna: VHF / UHF Turnable	-	-
	S65-8282-831GY	Antenna: VHF / UHF Turnable	-	-
	S67-1575-135GY	GPS Antenna: Gray	-	-
	S67-1575-135WH	GPS Antenna: White	-	-
	S67-1575-137GY	GPS Antenna: Gray	-	-
	S67-1575-137WH	GPS Antenna: White	-	-
	S67-1575-14BK	GPS Antenna: Passive - Black	-	-
Sensor Systems	S67-1575-14GY	GPS Antenna: Passive - Gray	-	-
	S67-1575-14TAN	GPS Antenna: Passive - Tan	-	-
	S67-1575-14WH	GPS Antenna: Passive - White	-	-
	S67-1575-160WH	Iridium / GPS	-	-
	S67-1575-161WH	XM / GPS	-	-
	S67-1575-365WH	Iridium / Iridium	-	-
	S67-1575-409WH	Iridium	-	-
	S67-1575-650WH	XM Weather	-	-
	S67-1575-86GN	GPS Antenna: Active - Green	-	-
	S67-1575-86GY	GPS Antenna: Active - Gray	-	-
	S67-1575-86WH	GPS Antenna: Active - White	-	-
	S67-2002BK	Altimeter	-	-
	S67-2002WH	Altimeter	-	-
	S72-1735-24WH	Garmin TCAS	-	-
	S72-1735-26WH	Garmin TCAS	-	-

Emergency and Safety

KANNAD INTEGRA AP-H



Helicopter-specific version of the three-frequency commercial aircraft portable (the 406AP). This helicopter-specific version of the three-frequency commercial aircraft portable (the 406AP), the 406AP-H. It is designed for fixed installation, but can be used as a portable by deploying the supplied antenna.

Features:

- Automatic Portable ELT: Type ELT (AP)
- Specially designed for helicopters
- Three frequency transmitter (121.5 / 243 / 40MHz)
- 6 year battery lifetime
- Short circuit protection
- Weight: 1290g (max)
- Transmitter Dimension: 172x82x82mm
- Overall dimensions: 290x115x95mm
- Specifically designed for helicopters, has an internal 406MHz antenna and a complete international GPS.

Part Number	Description
APH	Portable GPS

KANNAD INTEGRA ARINC429 NAV



Providing a continual and ongoing source of GPS data to the revolutionary INTEGRA ELT. NMEA Integra e-Nav is a navigation interface providing a continual and ongoing source of GPS data to the revolutionary INTEGRA ELT (Emergency Locator Transmitter). This interface ensures the availability of location data when, for whatever reason the INTEGRA ELT'S internal GPS cannot receive a signal. In this instance the interface provides backup GPS position data taken from the aircraft's own panel mounted GPS.

The NMEA INTEGRA e-Nav ensures that when activated, the ELT always has GPS location data that can be transmitted to the COSPAS SARSAT satellite network in an emergency.

Part Number	Description
ARINC429	Navigation System

KANNAD 406 INTEGRA



Specifically designed for Helicopters, has an internal 406MHz antenna and a complete international GPS. The built-in GPS, and the internal antennas, mean the 406AF-H can be used away from the aircraft without adding auxiliary antenna.

Features:

- Integrated internal 406MHz back-up antenna
- Unique built-in GPS
- Two wire installation kit available with the retrofit pack
- Minor change approval available for most common aircraft
- Operates at temperatures as low as -20° C.
- -40° C version also available
- Optional programming dongle, perfect for fleet operators
- Quick and easy retrofit with universal mounting bracket
- Built-in alarm / buzzer
- Completely self-powered by the ELT battery (replacement every 6 years)

Part Number	Description	Comments
S1822502-02	GPS System - 406AFH	COSPAS/SARSAT 406AFH System

EASTERN AERO MARINE BRAVO LIFE VEST



This continuous wear, yoke style life vest is ideal for helicopter pilots or anyone flying long distances over open water. The Bravo's compact, lightweight design includes a extra wide (2 inch) waist strap for comfort and security. Equipped with water-activated light, retro-reflective tape and a whistle. Optional storage pouches attach to the waist strap to hold signal kit or PLB, ELT or EPIRB. Easy fold lines for repackaging.

Approvals: USA: FFA TSO-C13F

Part Number	Description
P01190-101R	Life Vest Red
P01190-101Y	Life Vest Yellow

EASTERN AERO MARINE TITAN XF LIFE VEST



The Titan-XF Life Preserver is a manually inflatable life preserver designed for wear by passengers and crew aboard an aircraft during flight over water. While in flight, the Titan-XF is worn deflated and folded to a compact size to provide maximum comfort and mobility for the wearer. When fully inflated, the Titan-XF provides 35 lbs. of buoyancy to help the wearer stay afloat while in the water.

The Titan-XF Life Preserver is designed with an open area collar to be placed over the head and onto neck and shoulder area, so that the vest rests on the chest of the wearer. The vest is secured about the waist of the wearer using a harness strap. Inflation is accomplished by either CO2 or oral inflation. Each Titan XF is equipped with retro-reflective tape on the buoyancy cell, whistle and light and battery assembly.

Approvals: USA: FAA TSO-C13F

Part Number	Description
P01253-XXX	Life Preserver-Choose Color

EASTERN AERO MARINE HELI VEST



This twin cell vest comes in a standard or heavy-duty pouch engineered especially for use in helicopter tour operations. Pouch pack design buckles around the waist for constant wear. The life preserver can easily be pulled out and donned over the head with one quick motion, using a single hand.

Approvals: FAA TSO-C13E

Part Number	Description
P0723E109P	Life Vest
P0723E129P	Life Vest

EASTERN AERO MARINE T10AS



Approvals: USA: FAA TSO-C70A Europe: EASA-ETSO-2C70A

- For Part 91, 121, 135 Operators (GA, Corporate, Helicopter, Air Taxi)
- Twin Tube Transport Series.
- Compact, lightweight. Constructed of neoprene coated nylon.
- High tech inflation system.
- Competitively priced.
- Rated Capacity: 10
- Overload Capacity: 15

Part Number	Description
T10AS	Life Raft

EASTERN AERO MARINE T11AS

- Approvals USA: FAA TSO-C70A, Type I
- For Part 91, 121, 135 Operators (GA, Corporate, Helicopter, Air Taxi)
- Twin Tube Transport Series.
- Compact, lightweight. Constructed of neoprene coated nylon.
- High tech inflation system.
- Competitively priced.
- Rated Capacity: 11
- Overload Capacity: 15



Part Number	Description
T11AS	Life Raft

EASTERN AERO MARINE T12AS

- Approvals USA: FAA TSO-C70A, Type I
- For Part 91, 121, 135 Operators (GA, Corporate, Helicopter, Air Taxi)
- Twin Tube Transport Series.
- Compact, lightweight. Constructed of neoprene coated nylon.
- High tech inflation system
- Competitively priced.
- Rated Capacity: 12
- Overload Capacity: 18



Part Number	Description
T12AS	Life Raft

EASTERN AERO MARINE T14AS

- Approvals: USA: FAA TSO-C70A, Type I
- For Part 91, 121, 135 Operators (GA, Corporate, Helicopter, Air Taxi)
- Twin Tube Transport Series.
- Compact, lightweight. Constructed of neoprene coated nylon.
- High tech inflation system.
- Competitively priced.
- Rated Capacity: 11
- Overload Capacity: 21



Part Number	Description
T14AS	Life Raft

EASTERN AERO MARINE T4AS

- Approvals USA: FAA TSO-C70a, Type I
- For Part 91, 121, 135 Operators (GA, Corporate, Helicopter, Air Taxi)
- Twin Tube Transport Series.
- Compact, lightweight. Constructed of neoprene coated nylon.
- High tech inflation system.
- Competitively priced.
- Rated Capacity: 4
- Overload Capacity: 6



Part Number	Description
T4AS	Life Raft

EASTERN AERO MARINE T7AS



- Approvals USA: FAA TSO-C70A, Type I
- For Part 91, 121, 135 Operators (GA, Corporate, Helicopter, Air Taxi)
- Twin Tube Transport Series.
- Compact, lightweight. Constructed of neoprene coated nylon.
- High tech inflation system.
- Competitively priced.
- Rated Capacity: 7
- Overload Capacity: 10

Part Number	Description
T7AS	Life Raft

EMERGENCY FIRST AID OXYGEN SYSTEMS



- No Adjusting Needed
- Maintaining oxygen levels is critically important during a medical emergency.
- Have you ever wondered what you would do if, while on the road, a sudden medical emergency happened? Difficulty breathing, chest pains or even a heart attack would put you in a situation where time and getting help would be priority #1.
- The EMERGENTAIR system is specifically designed for situations where emergency oxygen is a must. There is no adjusting needed. Just put the mask on and plug it in to the regulator. It is that easy.
- The EMERGENTAIR system by Aerox can also supply supplemental oxygen to take away that tired feeling and give you the ability to stay focused while driving. We believe you will add to your driving comfort, safety and pleasure by using oxygen at altitudes as low as 5000 feet.
- We hope that you will never have to use it. But if you do, it could be the most important piece of safety equipment you will ever purchase.

Part Number	Description
EAV54G	Emergency Oxygen System: 6 Cu. Ft.
ECV54G	Emergency Oxygen System: 9 Cu. Ft.
EDV54G	Oxygen Bottle - 13 Cu. Ft.

AEROX PR02 EMERGENCY OXYGEN SYSTEMS



Pull cable activated. By pulling the MSK-A Mask to the three foot hose length, a key is pulled from the regulator initiating a 2.5 liter per minute flow to the mask The key may be quickly reinserted to stop the oxygen flow.

Part Number	Description
PR02-2	Emergency Oxygen System, 2 Cu. Ft. - Single User
PR02-4-2	Emergency Oxygen System, 4 Cu. Ft. - Dual User

Headsets

DAVID CLARK H10-13H HEADSET



Designed to meet the expressed needs of pilots, the H10-13H is our best-selling standard Headset. Combines the best in comfort and performance features for fatigue-free flights. Comes with 5' coil cord and U-17410 Plug. Certified NRR of 23 dB. Lightweight comfort at just 13.4 ounces. Supersoft, foam-filled pillow headpad and Flo-Fit gel ear seals. Reduced headband force. Universal flex boom and exclusive M-7A electret microphone for excellent communication clarity.

FAA-TSO APPROVED. EXCEEDS RTCA/DO-170 STANDARDS.

Part Number	Description
H10-13H	Headset

DAVID CLARK H10-20 HEADSET



The "Standard" among noise-attenuating Headsets. The H10-20 has all of the proven comfort and performance features you expect from David Clark. Comes with 5' straight cord / dual plugs. Certified NRR of 24 dB. Universal flex boom. Exclusive M-7A amplified electret microphone. Soft foam / air-flow headpad and Flo-Fit gel ear seals.

FAA-TSO APPROVED. EXCEEDS RTCA/DO-170 STANDARDS.

Part Number	Description
H10-20	Headset

DAVID CLARK H10-30 HEADSET



Flight-proven for over 25 years, there are more H10-30s still in use than any other noise-attenuating Headset. This value-priced classic provides outstanding performance. Comes with 5' straight cord / dual plugs. Certified NRR of 24 dB. Soft foam / air-flow headpad and Flo-Fit gel ear seals. Hinged wire boom allows perfect placement of advanced M-1 / DC amplified dynamic microphone.

FAA-TSO APPROVED. EXCEEDS RTCA/DO-170 STANDARDS.

Part Number	Description
H10-30	Headset

DAVID CLARK H10-56 HEADSET



Offers the best noise attenuation for high noise helicopters. Features soft foam / air-flow headpad and gel ear seals. Hinged wire boom with M-101 amplified dynamic microphone. Comes with 5' coil cord and U-174 / U plug. Certified NRR of 27 dB.

FAA-TSO APPROVED. EXCEEDS RTCA/DO-170 STANDARDS. CONFORMS to MIL-M-27291A .

Part Number	Description
H10-56	Headset

The XL and XP Series dramatically reduces low frequency sound associated with helicopters. Complete with portable battery-powered module that provides up to 60 hours. The H10-56HXL with permanent pane-mount module that runs off your aircraft's power source.

Part Number	Description
H10-56HXL	Headset
H10-56HXP	Headset

DAVID CLARK H10-60 HEADSET



Versatile dome jack accepts three different cord assemblies to accommodate a variety of aircraft requiring different Headset plugs. Comes with 5‘cord and dual plugs. Certified Noise Reduction Rating (NRR): 23 dB. All David Clark Headsets come with Flo-Fit gel ear seals except as noted.

FAA-TSO APPROVED. EXCEEDS RTCA/DO-214 STANDARDS.

Part Number	Description
H10-60	Headset

DAVID CLARK H10-66 HEADSET



Designed for use with both high and low impedance systems. Select switch on dome matches headset to system impedance. Ideal for fleet operations. Certified Noise Reduction rating (NNR) 27 dB.

Part Number	Description
H10-66	Headset

DAVID CLARK H20-10 HEADSET



Made from lightweight composite materials and includes the most advanced comfort features. The H20-10 provides a truly enjoyable flying experience. Comes with 5’ straight cord/dual plugs. Certified NRR of 22 dB. Patented headpad suspension system. Adjustable headband design and contoured gel ear seals. Designed with no exposed overhead cord. Universal flex boom and exclusive M-7A electret microphone for excellent communication clarity.

FAA-TSO APPROVED. EXCEEDS RTCA/DO-170 STANDARDS.

Part Number	Description
H20-10	Headset

RUGGED RACE RA620 HEADSET



Helicopter pilots: enjoy all-day comfort and clear audio performance with the RA620 from Rugged Air! With ‘Stay-Put’ full flex boom, Clear Hear performance speakers and a 24dB NRR noise reduction rating, Air Traffic Control will come through loud and clear. With Military grade U174 plug, tough durable coil cord, and Total Shield cabling, the Rugged Air Rubber Coated RA620 headset is the perfect choice for all of your flying adventures.

Always be heard with the all new designed EM56 noise reflective cup microphone with wind blocking foam mic muff. Other features include volume control, 3.5mm music input port for iPods and MP3, Foam Fit ear seals, and an adjustable stainless steel headband.

- 24dB NRR Hearing Protection
- Stay Put Full Flex Boom
- Tough Durable Coil Cord
- Stainless Steel Construction
- Universal 3.5mm Music Port
- Clear Hear Audio Speakers
- Wind Block Foam Mic Muff
- EM56 Noise Reflective Cup Mic
- Easy Adjustable Headband
- Foam Fit Comfort Ear Seals
- Full Factory 7 Year Warranty
- Headset weight: 15.5 oz

Part Number	Description
RA620	Headset

Helicopter Products

RUGGED RACE HELICOPTER TO GENERAL AVIATION HEADSET ADAPTER



Adapt your helicopter headset to general aviation intercom use with this simple adapter from Rugged. Nexus style U174 to 3/16” mic and 1/4” speaker plugs.

This adapter eliminates the need for purchasing a completely new headset, saving you money and expanding the versatility of your existing aviation headset.

Part Number	Description
GA2HELIADPT	Headset Converter: GA to Helicopter

TELEX STRATUS HELI-XT HEADSET



Telex introduces the Stratus Heli-XT: our first active noise reduction headset for helicopter pilots. Equipped with a host of unique features (see below), the Stratus Heli-XT is the result of a rigorous R&D program, including extensive field-testing with major helicopter fleet operators in U.S. and international markets. Feedback from the field was overwhelmingly positive: pilots found the Stratus Heli-XT superior in every respect to their current headsets, in terms of noise protection, comfort, and audio performance.

Superior Noise Protection

Telex pioneered Active Noise Reduction (ANR) technology in aviation headsets and now we’ve taken hearing protection a step further with noise reduction technology for the helicopter pilot. The Stratus Heli-XT cancels harmful, low-frequency noises common in helicopters that other headsets can’t block.

Comfort

In a helicopter, everyone wears a headset. Telex’s patented ComfortCam™ system allows you to adjust your Headset for a custom fit. It alleviates clamping, no matter how long you wear the Headset.

FlexPower™

An advanced power management system which gives pilots the option to power the Headset via the helicopter panel, standard alkaline Batteries, or rechargeable Batteries (includes built-in recharging system). Provides 50 hours of battery life. Also features cell phone connector and stereo music interface jack.

- Individual volume controls for each ear cup accommodate individual preferences.
- Coiled cord and TP-120, U-174/U equivalent plug.
- Ear cups include foam seals and two-directional pivoting to conform to the shape of the head – even around eyewear – and evenly distribute weight,
- minimizing “hot spots” and pressure on the ears.
- 5 Year Warranty

Part Number	Description
PRD000220000	Headset: Stratus Heli-XT

Tools and Test Equipment

Aviall is proud to feature tools and testing equipment from the following manufacturers:

Barfield

EADS

Cherry Aerospace

Kell-Strom

Milbar

Tronair

Thomas & Betts

Aviall's LIFT Program

Aviall's LIFT program offers helicopter operators a variety of services that are custom-tailored for their operation. Each is designed to add value and reduce bottom line operating expenses.

LIFT benefits include:

- Over 230 product lines whose focus is primarily rotorcraft
- Inventory stocked locally with backup stock in Dallas
- Inventory management and forecasting
- Electronic ordering via aviall.com or Electronic Data Interface (EDI)
- Local support from the Aviall sales team

As the LIFT program has grown, so have the product lines. As part of this growth, Aviall has also contracted with OEM approved service providers so that we can complement the new products we provide with high quality overhauled and remanufactured accessories, too.

Because Aviall is the world's largest diversified provider of new aviation parts – with roots dating back to 1932, we have economies of scale that add efficiency and lower your costs. We also offer good, old-fashioned customer service. Many of our sales representatives have years of field experience, working on helicopters or managing parts departments prior to joining Aviall.

While our LIFT program focuses primarily on helicopter parts, Aviall offers nearly 2 million airframe, power plant, hardware and chemical products, which makes one-stop shopping a reality for many of our customers.

Aviall Product Repair Services provides overhaul and repair capabilities for Saft and Marathon Batteries, Parker Stratoflex hose assemblies, Meggitt Aircraft Braking Systems, Goodrich, Cleveland and other wheel and brakes, and Aviall's Paint Shop in Atlanta offers custom paint mixing on Sherwin Williams aerospace paints. Aviall also offers chemical management services.



Aviall is a wholly owned subsidiary of the Boeing Commercial Aviation Services, a unit of Boeing Commercial Airplanes.

Aviall Services, Inc.

Disclamer:

Product data and information contained in this catalog has been derived from information obtained from Aviall's suppliers. Some of this information has been summarized and rearranged to facilitate searching the catalog. While Aviall attempts to verify the accuracy of catalog information, Aviall does not assume responsibility for errors or omissions. Catalog information is subject to change without notice, and Aviall does not undertake any obligation to provide updates.

The information contained in the catalog is intended for use by persons possessing appropriate technical skill and knowledge. Conditions of use of the items listed in the catalog are beyond Aviall's knowledge or control. Consequently, Aviall assumes no liability whatsoever for results obtained or loss or damage incurred as a result of the application of the information presented. All users of the catalog do so at their own risk.

The catalog is neither a parts nor maintenance manual approved by the Federal Aviation Administration ("FAA"), and it is not intended to replace the manuals provided by Aviall's suppliers. Users should independently verify the suitability and legality of each product for its intended purpose before the product is installed on an aircraft by means of an appropriate parts or maintenance manual, or other approved FAA documentation.

Aviall assumes no liability and makes no warranty with respect to claims of patent, trademark or copyright infringement or other similar claims which may arise out of or in connection with the use of any information or product listed in the catalog.

AVIALL EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE. IN NO EVENT SHALL AVIALL BE LIABLE FOR ANY INJURY, EXPENSES, PROFITS, LOSS OR DAMAGE, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL, PUNITIVE OR OTHERWISE, ARISING OUT OF THE USE OR INABILITY TO USE ANY INFORMATION OR PRODUCT DESCRIBED IN THE CATALOG.

Because some jurisdictions do not allow the exclusion or limitation of liability for consequential or incidental damages, the limitation in the paragraph immediately above may not apply to you.

LOCATION	FAX	CONTACT E-MAIL
North America		
Anchorage	907-243-4150	alaska@aviall.com
Atlanta	770-473-1617	atlanta@aviall.com
Chicago	630-513-6651	chicago@aviall.com
Cincinnati	513-871-0573	cincinnati@aviall.com
Dallas	972-586-1982	dallas@aviall.com
Denver	303-792-3751	denver@aviall.com
Ft. Lauderdale	954-625-3931	florida@aviall.com
Houston	713-645-9507	houston@aviall.com
Kansas City	913-371-5292	kansascity@aviall.com
Lafayette	337-839-8805	lafayette@aviall.com
Los Angeles	818-997-0473	losangeles@aviall.com
Memphis	901-362-0024	memphis@aviall.com
Minneapolis	651-452-1584	minneapolis@aviall.com
New York	973-263-0662	newyork@aviall.com
Philadelphia	215-741-1599	philadelphia@aviall.com
Phoenix	480-668-5654	phoenix@aviall.com
Pittsburgh	412-788-8044	pittsburgh@aviall.com
Pontiac	248-666-2833	pontiac@aviall.com
Portland	503-253-7021	portland@aviall.com
Raleigh	919-462-9212	raleigh@aviall.com
San Jose	408-434-1615	sanjose@aviall.com
Calgary	403-291-5234	calgary@aviall.com
Halifax	902-873-3932	halifax@aviall.com
Montreal	450-437-3997	montreal@aviall.com
Toronto	905-676-9046	toronto@aviall.com
Vancouver	604-270-3115	vancouver@aviall.com
Winnipeg	204-786-1556	winnipeg@aviall.com

AVIALL
A BOEING COMPANY