# CONTENTS

| 01. Plaza Details API:                    | 2  |
|---|----|
| 02. Client Details API:                   | 2  |
| 03. Lane Details API:                     | 3  |
| 04. Hardware Connection Type Details API: | 4  |
| 05. Hardware Type Details API:            | 4  |
| 06. Hardware Provider Details API:        | 5  |
| 07. Hardware Details API:                 | 5  |
| 08. Vehicle Class Details API:            | 6  |
| 09. Toll Fare Details API:                | 7  |
| 10. Transaction Type Details API:         | 7  |
| 11. Exempt Type Details API:              | 8  |
| 12. Payment Type Details API:             | 8  |
| 13. Shift Timming Details API:            | 9  |
| 14. Denomination Details API:             | 9  |
| 15. User Details API:                     | 10 |
| 16. Role Details API:                     | 11 |
| 17. Menu Details API:                     | 11 |
| 18. Entry Lane Transcation API:           | 12 |
| 19. Exit Lane Transcation API:            | 13 |
| 20. Review Lane Transcation API:          | 14 |

## 01. PLAZA DETAILS API:

### Http URL :

| Field     | Value   | Remark |
|-----------|---|--------|
| Method    | HTTP GET  |        |
| Port      | 8081  |        |
| Format    | JSON  |        |
| Base Path | http:// <ip_address>:port/</ip_address>             |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetPlazaDetails |        |

#### Output JSON Format:

| Field           | Value                | Remark  |
|-----------------|----------------------|---|
| ResponceMessage | String               | success/failed                                      |
| ResponceData    | List <plaza></plaza> | On success list will shared, on failed it will null |

#### List<User> Format

| Field                | Value        | Remark   |
|----------------------|--------------|--|
| PlazaServerlpAddress | String       |  |
| PlazaName            | String       | 1-Entry, 2-Exit                                |
| ClientName           | String       |  |
| Entryld              | Int64(long)  | Primary Key (Plaza Id)                         |
| ClientId             | Int16(short) |  |
| DataStatus           | Int16(short) | 1-Active, 2- Inactive                          |
| DataSendAPI          | String       | Http path to share other plaza entry Lane Data |

Note: Please ignore rest field that coming in response

## 02. CLIENT DETAILS API:

## Http URL :

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP GET   |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>              |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetClientDetails |        |

### Output JSON Format:

| Field           | Value                  | Remark  |
|-----------------|------------------------|---|
| ResponceMessage | String                 | success/failed                                      |
| ResponceData    | List <client></client> | On success list will shared, on failed it will null |

### Client Format

| Field Value | Remark |
|-------------|--------|
|-------------|--------|

| ClientName    | String       |                         |
|---------------|--------------|-------------------------|
| ClientAddress | String       |                         |
| MobileNumber  | String       |                         |
| EmailId       | String       |                         |
| Entryld       | Int64(long)  | Primary Key (Client Id) |
| DataStatus    | Int16(short) | 1-Active, 2- Inactive   |

## 03. LANE DETAILS API:

#### Http URL:

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | <b>НТТР GET</b>                                    |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>            |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetLaneDetails |        |

Output JSON Format:

| Field           | Value              | Remark  |
|-----------------|--------------------|---|
| ResponceMessage | String             | success/failed                                      |
| ResponceData    | List <lane></lane> | On success list will shared, on failed it will null |

#### List<Lane> Format

| Field         | Value        | Remark                       |
|---------------|--------------|------------------------------|
| LaneNumber    | Int16(short) |                              |
| LaneTypeId    | Int16(short) | 1-Entry, 2-Exit              |
| LaneForld     | Int16(short) | 1-Hybrid, 2-Dedicated/FASTag |
| LaneDirection | Int16(short) | 1-Up, 2-Down                 |
| LaneName      | String       |                              |
| LaneIP        | String       |                              |
| ClientName    | String       |                              |
| Entryld       | Int64(long)  | Primary Key (Laneld)         |
| ClientId      | Int16(short) |                              |
| Plazald       | Int16(short) |                              |
| DataStatus    | Int16(short) | 1-Active, 2- Inactive        |

Note: Please ignore rest field that coming in response

## 04. HARDWARE CONNECTION TYPE DETAILS API:

### Http URL :

| Field     | Value   | Remark |
|-----------|---|--------|
| Method    | HTTP GET  |        |
| Port      | 8081  |        |
| Format    | JSON  |        |
| Base Path | http:// <ip_address>:port/</ip_address>               |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetConnectionType |        |

#### Output JSON Format:

| Field           | Value        | Remark  |
|-----------------|--------------|---|
| ResponceMessage | String       | success/failed                                      |
| ResponceData    | Lane Details | On success list will shared, on failed it will null |

#### Lane Details Format

| Field          | Value        | Remark                         |
|----------------|--------------|--------------------------------|
| ConnectionType | String       |                                |
| Entryld        | Int16(short) | Primary Key (ConncetionTypeId) |
| DataStatus     | Int16(short) | 1-Active, 2- Inactive          |

Note: Please ignore rest field that coming in response

# 05. HARDWARE TYPE DETAILS API:

## Http URL :

| Field     | Value   | Remark |
|-----------|---|--------|
| Method    | HTTP GET  |        |
| Port      | 8081  |        |
| Format    | JSON  |        |
| Base Path | http:// <ip_address>:port/</ip_address>             |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetHardwareType |        |

### Output JSON Format:

| Field           | Value                              | Remark  |
|-----------------|------------------------------------|---|
| ResponceMessage | String                             | success/failed                                      |
| ResponceData    | List <hardwaretype></hardwaretype> | On success list will shared, on failed it will null |

#### List<HardwareType> Format

| Field            | Value        | Remark                       |
|------------------|--------------|------------------------------|
| HardwareType     | String       |                              |
| Icon             | String       | Icon Name (Not Required)     |
| ConnectionTypeId | Int16(short) | Refer API 4(Connection Type) |
| Entryld          | Int16(short) | Primary Key (HardwareTypeId) |
| DataStatus       | Int16(short) | 1-Active, 2- Inactive        |

## 06. HARDWARE PROVIDER DETAILS API:

### Http URL :

| Field     | Value   | Remark |
|-----------|---|--------|
| Method    | HTTP GET  |        |
| Port      | 8081  |        |
| Format    | JSON  |        |
| Base Path | http:// <ip_address>:port/</ip_address>                 |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetHardwareProvider |        |

#### Output JSON Format:

| Field           | Value                                      | Remark  |
|-----------------|--|---|
| ResponceMessage | String                                     | success/failed                                      |
| ResponceData    | List <hardwareprovider></hardwareprovider> | On success list will shared, on failed it will null |

#### List<HardwareProvider> Format

| Field        | Value        | Remark                           |
|--------------|--------------|----------------------------------|
| ProviderName | String       |                                  |
| Entryld      | Int16(short) | Primary Key (HardwareProviderId) |
| DataStatus   | Int16(short) | 1-Active, 2- Inactive            |

Note: Please ignore rest field that coming in response

## 07. HARDWARE DETAILS API:

#### Http URL:

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP POST  |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>                |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetHardwareDetails |        |

#### Input JSON Format:

| Field    | Value        | Remark |
|----------|--------------|--------|
| ClientId | Int16(short) |        |
| Plazald  | Int16(short) |        |

#### Output JSON Format:

| Field           | Value                      | Remark  |
|-----------------|----------------------------|---|
| ResponceMessage | String                     | success/failed                                      |
| ResponceData    | List <hardware></hardware> | On success list will shared, on failed it will null |

#### List<Hardware> Format

| List vital awar cz. Format |       |        |  |  |
|----------------------------|-------|--------|--|--|
| Field                      | Value | Remark |  |  |

| HardwareName      | String       |                           |
|-------------------|--------------|---------------------------|
| HardwareTypeId    | Int16(short) |                           |
| HardwareType      | String       | Check Hardware Type API   |
| IconName          | String       |                           |
| ConnectionTypeId  | Int16(short) | Check Connection Type API |
| ConnectionType    | String       |                           |
| ConnectionAddress | String       | IP/Com/Blank              |
| Port              | Int16(short) | 0 or Value                |
| UserName          | String       |                           |
| Password          | String       |                           |
| Laneld            | Int16(short) |                           |
| Entryld           | Int64(long)  | Primary Key               |
| ClientId          | Int16(short) |                           |
| Plazald           | Int16(short) |                           |
| DataStatus        | Int16(short) | 1-Active, 2- Inactive     |

## 08. VEHICLE CLASS DETAILS API:

## Http URL :

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP GET   |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>                    |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetVehicleClassDetails |        |

#### Output JSON Format:

| Field           | Value                              | Remark  |
|-----------------|------------------------------------|---|
| ResponceMessage | String                             | success/failed                                      |
| ResponceData    | List <vehicleclass></vehicleclass> | On success list will shared, on failed it will null |

#### List<VehicleClass> Format

| Field            | Value        | Remark                |
|------------------|--------------|-----------------------|
| ClassId          | Int16(short) | Primary Key           |
| ClassName        | String       |                       |
| ClassDescription | String       |                       |
| VehicleWeight    | Decimal      | UP TO 3 Place         |
| DataStatus       | Int16(short) | 1-Active, 2- Inactive |

Note: Please ignore rest field that coming in response

## 09. TOLL FARE DETAILS API:

## Http URL :

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP GET   |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>          |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetTollFares |        |

#### Output JSON Format:

| Field           | Value              | Remark  |
|-----------------|--------------------|---|
| ResponceMessage | String             | success/failed                                      |
| ResponceData    | List <fare></fare> | On success list will shared, on failed it will null |

#### List<Fare>Format

| Field                            | Value                            | Remark |
|----------------------------------|----------------------------------|--------|
| EffectiveDate                    | Date                             |        |
| List <faredetails></faredetails> | List <faredetails></faredetails> |        |

#### List<FareDetails> Format

| Field          | Value        | Remark               |   |
|----------------|--------------|----------------------|---|
| ClassId        | Int16(short) |                      |   |
| ClassName      | String       |                      |   |
| TollFare       | Decimal      | UP TO 2 Place        |   |
| ReturnFare     | Decimal      | UP TO 2 Place        |   |
| PenaltyFare    | Decimal      | UP TO 2 Place        |   |
| OverWeightFare | Decimal      | UP TO 2 Place        |   |
| EntryPlazaId   | Int16(short) | Source Plaza Id      | · |
| ExitPlazaId    | Int16(short) | Destination Plaza Id |   |

Note: Please ignore rest field that coming in response

## 10. TRANSACTION TYPE DETAILS API:

## Http URL :

| Field     | Value   | Remark |
|-----------|---|--------|
| Method    | HTTP GET  |        |
| Port      | 8081  |        |
| Format    | JSON  |        |
| Base Path | http:// <ip_address>:port/</ip_address>                       |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetTransactionTypeDetails |        |

Output JSON Format:

**7 |** Page

| Field           | Value                                    | Remark  |
|-----------------|--|---|
| ResponceMessage | String                                   | success/failed                                      |
| ResponceData    | List <transactiontype></transactiontype> | On success list will shared, on failed it will null |

#### List<TransactionType> Format

| Field               | Value        | Remark                          |
|---------------------|--------------|---------------------------------|
| Entryld             | Int16(short) | Primary Key (TransactionTypeId) |
| TransactionTypeName | String       |                                 |
| DataStatus          | Int16(short) | 1-Active, 2- Inactive           |

Note: Please ignore rest field that coming in response

## 11. EXEMPT TYPE DETAILS API:

### Http URL :

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP GET   |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>                  |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetExemptTypeDetails |        |

Output JSON Format:

| Field           | Value                          | Remark  |
|-----------------|--------------------------------|---|
| ResponceMessage | String                         | success/failed                                      |
| ResponceData    | List <exempttype></exempttype> | On success list will shared, on failed it will null |

### List<ExemptType> Format

| Field          | Value        | Remark                     |
|----------------|--------------|----------------------------|
| Entryld        | Int16(short) | Primary Key (ExemptTypeId) |
| ExemptTypeName | String       |                            |
| DataStatus     | Int16(short) | 1-Active, 2- Inactive      |

Note: Please ignore rest field that coming in response

## 12. PAYMENT TYPE DETAILS API:

### Http URL:

| Field     | Value   | Remark |
|-----------|---|--------|
| Method    | HTTP GET  |        |
| Port      | 8081  |        |
| Format    | JSON  |        |
| Base Path | http:// <ip_address>:port/</ip_address>                   |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetPaymentTypeDetails |        |

| Field           | Value                            | Remark  |
|-----------------|----------------------------------|---|
| ResponceMessage | String                           | success/failed                                      |
| ResponceData    | List <paymenttype></paymenttype> | On success list will shared, on failed it will null |

#### List<PaymentType > Format

| Field           | Value        | Remark                      |
|-----------------|--------------|-----------------------------|
| Entryld         | Int16(short) | Primary Key (PaymentTypeId) |
| PaymentTypeName | String       |                             |
| DataStatus      | Int16(short) | 1-Active, 2- Inactive       |

Note: Please ignore rest field that coming in response

## 13. SHIFT TIMMING DETAILS API:

### Http URL:

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP GET   |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>                    |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetShiftTiminigDetails |        |

### Output JSON Format:

| Field           | Value                | Remark  |
|-----------------|----------------------|---|
| ResponceMessage | String               | success/failed                                      |
| ResponceData    | List <shift></shift> | On success list will shared, on failed it will null |

#### List<Shift> Format

| Field       | Value        | Remark                |
|-------------|--------------|-----------------------|
| Entryld     | Int16(short) | Primary Key (ShiftId) |
| StartTimmng | String       | 08:00:00              |
| EndTimming  | String       | 15:59:59              |
| DataStatus  | Int16(short) | 1-Active, 2- Inactive |

Note: Please ignore rest field that coming in response

## 14. DENOMINATION DETAILS API:

### Http URL:

| Field     | Value                                   | Remark |
|-----------|---|--------|
| Method    | HTTP GET                                |        |
| Port      | 8081                                    |        |
| Format    | JSON                                    |        |
| Base Path | http:// <ip_address>:port/</ip_address> |        |

9 | Page

| API Path Softomation/Toll360-CloseToll/Plaza/GetDenominationDetails |  |
|---|--|
|---|--|

| Field           | Value                                      | Remark  |
|-----------------|--|---|
| ResponceMessage | String                                     | success/failed                                      |
| ResponceData    | List <denominationlist></denominationlist> | On success list will shared, on failed it will null |

### List<DenominationList> Format

| Field      | Value        | Remark                          |
|------------|--------------|---------------------------------|
| Entryld    | Int16(short) | Primary Key                     |
| BaseValue  | Int16(short) | Currency Type/Denomination Type |
| MoneyCount | Int16(short) | Default is 0                    |
| OrderBy    | Int16(short) |                                 |
| DataStatus | Int16(short) | 1-Active, 2- Inactive           |

## 15. USER DETAILS API:

## Http URL :

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP POST  |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>                  |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetPlazaUsersDetails |        |

### Input JSON Format:

| Field    | Value        | Remark |
|----------|--------------|--------|
| ClientId | Int16(short) |        |
| Plazald  | Int16(short) |        |

## Output JSON Format:

| Field           | Value                | Remark  |
|-----------------|----------------------|---|
| ResponceMessage | String               | success/failed                                      |
| ResponceData    | List <users></users> | On success list will shared, on failed it will null |

#### List<Users> Format

| Field         | Value       | Remark |  |
|---------------|-------------|--------|--|
| LoginId       | String      |        |  |
| LoginPassword | String      |        |  |
| FirstName     | String      |        |  |
| LastName      | String      |        |  |
| EmailId       | String      |        |  |
| MobileNumber  | String      |        |  |
| Password      | String      |        |  |
| RoleId        | Int64(long) |        |  |

| UserType           | Int16(short) | 2-Plaza Users         |
|--------------------|--------------|-----------------------|
| UserTypeName       | String       | Not Required          |
| AccountExpiredDate | Date         | (2039-12-31)          |
| Entryld            | Int64(long)  | Primary Key           |
| ClientId           | Int16(short) |                       |
| Plazald            | Int16(short) |                       |
| DataStatus         | Int16(short) | 1-Active, 2- Inactive |

## 16. ROLE DETAILS API:

### Http URL :

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP POST  |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>                  |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetPlazaUsersDetails |        |

Input JSON Format:

| Field    | Value        | Remark |
|----------|--------------|--------|
| ClientId | Int16(short) |        |
| Plazald  | Int16(short) |        |

### Output JSON Format:

| Field           | Value              | Remark  |
|-----------------|--------------------|---|
| ResponceMessage | String             | success/failed                                      |
| ResponceData    | List <role></role> | On success list will shared, on failed it will null |

#### List<Role> Format

| Field      | Value        | Remark                |  |
|------------|--------------|-----------------------|--|
| RoleName   | String       |                       |  |
| Entryld    | Int64(long)  | Primary Key           |  |
| ClientId   | Int16(short) |                       |  |
| Plazald    | Int16(short) |                       |  |
| DataStatus | Int16(short) | 1-Active, 2- Inactive |  |

Note: Please ignore rest field that coming in response

## 17. MENU DETAILS API:

## Http URL :

| Field  | Value    | Remark |
|--------|----------|--------|
| Method | HTTP GET |        |

| Port      | 8081  |  |
|-----------|---|--|
| Format    | JSON  |  |
| Base Path | http:// <ip_address>:port/</ip_address>                 |  |
| API Path  | Softomation/Toll360-CloseToll/Plaza/GetPlazaMenuDetails |  |

| Field           | Value                      | Remark  |
|-----------------|----------------------------|---|
| ResponceMessage | String                     | success/failed                                      |
| ResponceData    | List <menulist></menulist> | On success list will shared, on failed it will null |

# 18. ENTRY LANE TRANSCATION API:

## Http URL :

| Field     | Value   | Remark |
|-----------|---|--------|
| Method    | HTTP POST   |        |
| Port      | 8081  |        |
| Format    | JSON  |        |
| Base Path | http:// <ip_address>:port/</ip_address>           |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/EntryLaneSync |        |

### Input JSON Format:

| Field                  | Value        | Remark                               |
|------------------------|--------------|--------------------------------------|
| Entryld                | Int64(long)  | Primary Key (Plaza Trans Id)         |
| ClientId               | Int16(short) |                                      |
| Plazald                | Int16(short) |                                      |
| LaneNumber             | Int16(short) |                                      |
| LaneType               | Int16(short) | 1-Entry                              |
| LaneUsed               | Int16(short) | 1-Hybrid, 2-Dedicated/FASTag         |
| ShiftId                | Int16(short) | Current Shift Id                     |
| TCUserId               | Int64(long)  | TC Logged User Id                    |
| PlateNumber            | String       | Blank or Vehicle Number Plate        |
| MappingClassId         | Int16(short) | TC Selected Class Id (0 or Class Id) |
| AvcClassId             | Int16(short) | AVC Class Id (0 or Class Id)         |
| TransactionTypeId      | Int16(short) | 0 or Refer Transaction Type API      |
| ReferenceNumber        | String       | Cash Receipt Number/Fast Tag value   |
| TransactionTimeStamp   | String       | dd-MMM-yyyy HH:mm:ss (or dateTime)   |
| TransactionImage       | String       | Base64                               |
| TransactionVideo       | String       | Base64                               |
| ReveiwedRequired       | Int16(short) | 0 for N/R and 1 for Required         |
| ReferenceTransactionId | Int64(long)  | Mapped Trans Id (Exit Lane)          |
| Chargeable             | Int16(short) | 0 for dummy and 1 for real           |
| ReveiwedStatus         | Int16(short) | 0-Un reviewed 1-Reveiwed.            |

| TransactionStatus | Int16(short) | 1-Succes 0-Cancel & 2- Scrap |
|-------------------|--------------|------------------------------|
| TowVehicle        | Int16(short) | 0 for Normal 1 for Tow       |

| Field           | Value       | Remark             |
|-----------------|-------------|--------------------|
| ResponceMessage | String      | success/failed     |
| CrTransId       | Int64(long) | CR Server Trans Id |

Note: Please ignore rest field that coming in response

## 19. EXIT LANE TRANSCATION API:

### Http URL :

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP POST  |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>          |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/ExitLaneSync |        |

#### Input JSON Format:

| Field                | Value        | Remark   |
|----------------------|--------------|--|
| Entryld              | Int64(long)  | Primary Key (Plaza Trans Id)   |
| ClientId             | Int16(short) |  |
| Plazald              | Int16(short) |  |
| LaneNumber           | Int16(short) |  |
| LaneType             | Int16(short) | 2-Exit   |
| LaneUsed             | Int16(short) | 1-Hybrid, 2-Dedicated/FASTag   |
| ShiftId              | Int16(short) | Current Shift Id   |
| TCUserId             | Int64(long)  | TC Logged User Id  |
| PlateNumber          | String       | Vehicle plate number   |
| MappingClassId       | Int16(short) | Operator Selected Class Id   |
| AvcClassId           | Int16(short) | AVC Class Id   |
| TransactionTypeId    | Int16(short) | Check Trans Type API   |
| PaymentTypeId        | Int16(short) | TransactionTypeId is 2 then Check Payment Type API else it will be 0 |
| ExemptTypeId         | Int16(short) | TransactionTypeId is 5 then Check exempt Type API else it will be 0  |
| ReferenceNumber      | String       | Cash Receipt Number/Fast Tag value                                   |
| TransactionAmount    | Decimal      | Check Validate Fare API  |
| TransactionTimeStamp | String       | dd-MMM-yyyy HH:mm:ss (or dateTime)                                   |
| TransactionImage     | String       | Base64   |
| TransactionVideo     | String       | Base64   |
| ReveiwedRequired     | Int16(short) | 0 for N/R and 1 for Required   |

| ReferenceTransactionId | Int64(long)  | Mapped Trans Id (Entry Lane)       |
|------------------------|--------------|------------------------------------|
| JourneyType            | Int16(short) | 1 -Single ,2 -Return               |
| Chargeable             | Int16(short) | 0 for dummy and 1 for real         |
| Overweight             | Int16(short) | 0 for Normal 1 for overweight      |
| Penalty                | Int16(short) | 0 for Normal 1 for penalty charged |
| TowVehicle             | Int16(short) | 0 for Normal 1 for Tow             |
| ReveiwedStatus         | Int16(short) | 0-Un reviewed 1-Reveiwed.          |
| TransactionStatus      | Int16(short) | 1-Succes 0-Cancel & 2- Scrap       |

| Field           | Value       | Remark                |
|-----------------|-------------|-----------------------|
| ResponceMessage | String      | success/failed        |
| CrTransId       | Int64(long) | Plaza server Trans Id |

Note: Please ignore rest field that coming in response

## 20. REVIEW LANE TRANSCATION API:

Http URL:

| Field     | Value  | Remark |
|-----------|--|--------|
| Method    | HTTP POST  |        |
| Port      | 8081   |        |
| Format    | JSON   |        |
| Base Path | http:// <ip_address>:port/</ip_address>            |        |
| API Path  | Softomation/Toll360-CloseToll/Plaza/ReviewLaneSync |        |

Input JSON Format:

| Field                       | Value        | Remark                                      |
|-----------------------------|--------------|---|
| TransactionId               | Int64(long)  | Exit Lane Trans Id(Plaza Trans Id)          |
| Plazald                     | Int16(short) |   |
| ReveiwedPlateNumber         | String       |   |
| ReveiwedClassCorrection     | Int16(short) | 0-Both,1-TC,2-AVC,3-None (Correct)          |
| ReveiwedClassId             | Int16(short) | Allowed only 3 in (ReveiwedClassCorrection) |
| ReveiwedTransactionType     | Int16(short) | 0- non-Chargeable, 1- Chargeable            |
| ReveiwedTransactionAmount   | Decimal      | UP to 2 Place                               |
| TransactionAmountDifference | Decimal      | UP to 2 Place                               |
| ReveiwedBy                  | Int64(long)  |   |
| ReveiwedRemark              | String       | Blank or Value                              |
| ReveiwedDateTime            | String       | dd-MMM-yyyy HH:mm:ss (or dateTime)          |

Output JSON Format:

| Field           | Value       | Remark                |
|-----------------|-------------|-----------------------|
| ResponceMessage | String      | success/failed        |
| CrTransId       | Int64(long) | Plaza server Trans Id |

Note: Please ignore rest field that coming in response