Multi-Asset Quanto Pricing via C++ and Python Interface *

Samson LAM Alex WONG

April 2026

1 Introduction

A quanto option is written on an asset quoted in one currency and pays in another at a fixed conversion rate. The holder receives the asset's performance in the payoff currency without bearing exchange-rate risk. This report documents qflib, a C++ library with a Python interface. It includes pricing European quanto options by three methods (a closed-form formula, Monte Carlo simulation and a finite-difference PDE) and pricing quanto basket calls and quanto worst-of digitals by Monte Carlo. The asset-FX correlation enters only through the drift, so it raises call prices and lowers put prices. For baskets, the asset-asset correlation acts through dispersion instead. A basket call is cheaper than the weighted average of its component calls because imperfect correlation lowers the basket volatility, and the gap narrows as the correlation approaches one.

Section 2 derives the quanto drift, the closed-form price, put-call parity and the correlation sensitivity. Section 3 states the Monte Carlo and PDE schemes. Section 4 describes the C++ design and the Python interface. Section 5 validates the single-asset pricers and studies the asset-FX correlation. Section 6 treats quanto baskets and worst-of digitals. Section 7 concludes.

2 Model

The asset S_t is quoted in currency CCY1, pays a continuous dividend yield q, and the option pays in currency CCY2. The continuously compounded interest rates of CCY1 and CCY2 are denoted as r_f and r_d. The exchange rate X_t is the number of units of CCY1 per unit of CCY2, and $Y_t = 1/X_t$ is the CCY2 price of one unit of CCY1. Under the CCY2 risk-neutral measure $\mathbb{Q}^d$,

$$\frac{dS_t}{S_t} = \mu\,dt + \sigma_S\,dW_t^S, \qquad \frac{dX_t}{X_t} = \mu_X\,dt + \sigma_X\,dW_t^X, \qquad d\langle W^S, W^X\rangle_t = \rho\,dt, \tag{1}$$

with constant volatilities σ_S and σ_X. A quanto call ($\phi = 1$) or put ($\phi = -1$) with strike K and expiry T pays $(\phi(S_T - K))^+$ units of CCY2.

2.1 Quanto drift

One unit of CCY1 deposited at r_f is a CCY2 asset worth $e^{r_f t}Y_t$, so $e^{(r_f - r_d)t}Y_t$ is a $\mathbb{Q}^d$ martingale (Garman and Kohlhagen, 1983).

$$\frac{dY_t}{Y_t} = (r_d - r_f)\,dt - \sigma_X\,dW_t^X. \tag{2}$$

Holding one unit of the asset with dividends reinvested is worth $e^{qt}S_tY_t$ in CCY2, so the discounted process $G_t = e^{(q-r_d)t}S_tY_t$ is also a $\mathbb{Q}^d$ martingale,

$$\frac{dG_t}{G_t} = (q - r_d + \mu + r_d - r_f - \rho\,\sigma_S\sigma_X)\,dt + \sigma_S\,dW_t^S - \sigma_X\,dW_t^X. \tag{3}$$

*Code is available at *GitHub*.

Setting the drift to zero, and writing the drift as $r_d - q'$ gives the equivalent dividend yield,

$$\mu = r_f - q + \rho\,\sigma_S\sigma_X, \qquad q' = r_d - r_f + q - \rho\,\sigma_S\sigma_X. \tag{4}$$

The quanto forward is therefore

$$F^Q = \mathbb{E}^{\mathbb{Q}^d}[S_T] = S_0\, e^{(r_f - q + \rho\,\sigma_S\sigma_X)T}. \tag{5}$$

A positive ρ means the asset tends to rise when CCY1 weakens against CCY2. The CCY2 value S_tY_t must still grow at $r_d - q$, so the negative covariance between S_t and Y_t is offset by a higher drift of S_t itself. The quanto contract removes Y_t from the payoff and keeps that higher drift.

2.2 Closed-form price

Under $\mathbb{Q}^d$, $S_T = F^Q \exp(-\frac{1}{2}\sigma_S^2 T + \sigma_S\sqrt{T}\,Z)$ with Z standard normal. With Φ the standard normal distribution function, Φ' its density,

$$V_\phi = \phi\, e^{-r_d T}\left[F^Q\Phi(\phi d_1) - K\Phi(\phi d_2)\right], \qquad d_{1,2} = \frac{\ln(F^Q/K) \pm \frac{1}{2}\sigma_S^2 T}{\sigma_S\sqrt{T}} \tag{6}$$

which is the formula of Black and Scholes (1973) with interest rate r_d and dividend yield q'.

2.3 Put-call parity

Put–call parity also holds here,

$$V_+ - V_- = e^{-r_d T}\left(F^Q - K\right). \tag{7}$$

As $K \to 0$, the put price vanishes, so the call price tends to the discounted quanto forward.

2.4 Correlation sensitivity

The correlation enters quanto price (6) only through F^Q, with $\partial F^Q/\partial\rho = \sigma_S\sigma_X T\, F^Q$. Hence,

$$\begin{aligned} \frac{\partial V_\phi}{\partial\rho} &= \phi\,\sigma_S\sigma_X T\, e^{-r_d T} F^Q \Phi(\phi d_1) \\ \frac{\partial^2 V_\phi}{\partial\rho^2} &= (\sigma_S\sigma_X T)^2 e^{-r_d T} F^Q \left[\Phi(\phi d_1) + \frac{\Phi'(d_1)}{\sigma_S\sqrt{T}}\right]. \end{aligned} \tag{8}$$

The call price increases and the put price decreases in ρ, and both are convex in ρ.

3 Numerical Methods

3.1 Monte Carlo

On fixing times $0 = t_0 < t_1 < \cdots < t_m$ the pricer advances the logarithm of the asset exactly,

$$S_{t_i} = S_{t_{i-1}} \exp\Big[\big(r_f(t_{i-1}, t_i) - q + \rho\,\sigma_S\sigma_X - \tfrac{1}{2}\sigma_S^2\big)\,\Delta t_i + \sigma_S\sqrt{\Delta t_i}\,\varepsilon_i\Big], \quad \varepsilon \overset{i.i.d.}{\sim} \mathcal{N}(0,1) \tag{9}$$

where $r_f(t_{i-1}, t_i)$ is the CCY1 forward rate, $\Delta t_i = t_i - t_{i-1}$.

3.2 PDE

By the Feynman-Kac theorem (Shreve, 2004, Chapter 6), the price $V(t,x)$ as a function of $x = \ln S$ solves

$$\frac{\partial V}{\partial t} + \left(\mu - \tfrac{1}{2}\sigma_S^2\right)\frac{\partial V}{\partial x} + \tfrac{1}{2}\sigma_S^2\frac{\partial^2 V}{\partial x^2} - r_d V = 0, \qquad V(T,x) = \left(\phi(e^x - K)\right)^+, \tag{10}$$

The solver uses a uniform grid in x that spans five standard deviations around the forward and passes through $\ln S_0$. With $\mathcal{L}$ the central difference approximation of the drift and diffusion terms and $\theta \in [0,1]$, each backward step solves

$$(I - \theta\,\Delta t\,\mathcal{L})\,u^n = (I + (1-\theta)\,\Delta t\,\mathcal{L})\,V^{n+1}, \qquad V^n = e^{-r_d \Delta t} u^n, \tag{11}$$

where the drift in $\mathcal{L}$ is taken from the one-step forward factor $e^{\mu \Delta t}$. We use $\theta = \frac{1}{2}$, the scheme of Crank and Nicolson (1947), with N time steps and N spot nodes.

3.3 Multi-asset extension

Asset $j = 1, \ldots, M$ is quoted in its own currency with interest rate r_j, dividend yield q_j and volatility σ_j, and its exchange rate X_j has volatility σ_{X_j} and correlation ρ_j with the asset.

$$\frac{dS_{j,t}}{S_{j,t}} = \mu_j\,dt + \sigma_j\,dW_t^j, \qquad \mu_j = r_j - q_j + \rho_j\,\sigma_j\sigma_{X_j}, \qquad d\langle W^j, W^k\rangle_t = \rho_{jk}\,dt. \tag{12}$$

The drift of asset j involves only its own exchange rate, and a change of measure does not alter instantaneous correlations (Shreve, 2004, Chapter 5). The joint law of the asset prices under $\mathbb{Q}^d$ therefore depends on μ_j, σ_j and the correlation matrix $R = (\rho_{jk})$ alone, and correlations between exchange rates or between an asset and another asset's exchange rate do not enter.

Two products are priced with it.

1. With weights $w_j > 0$, the basket quanto option pays $(\phi(B_T - K))^+$ units of CCY2, where $B_T = \sum_j w_j S_{j,T}$ and K is in CCY2.
2. The worst-of digital call with fixing time T_1, expiry T_2 and strike ratio κ pays one unit of CCY2 when $\min_j S_{j,T_2}/S_{j,T_1} \geq \kappa$, and the put pays one unit otherwise.

4 Implementation via C++ and Python Interface

qflib is a C++20 library whose vectors and matrices are the Armadillo types. It is compiled into a static library and exposed to Python through an extension module written against the Python and NumPy C APIs. Figure 1 shows the layers and marks the classes, and Table 1 lists the new Python functions.

Python function	Method	Pricer	Payoff
`qFwdPrice`	Closed form	`quantoFwdPrice`	
`qEuroBS`	Closed form	`quantoEuropeanOptionBS`	
`qEuroBSMC`	Monte Carlo	`BsMcQuantoPricer`	`EuropeanCallPut`
`qEuroBSPDE`	PDE	`Pde1DSolver`	
`qBasketEuroBSMC`	Monte Carlo	`MultiAssetBsMcQuantoPricer`	`BasketEuropeanCallPut`
`qWorstofDigiBSMC`			`WorstOfDigitalCallPut`

Table 1: Quanto functions.




Figure 1: Architecture of qflib.

CMake builds `qflib` as a static library and `pyqflib` as a shared library, a `.pyd` file on Windows, linked against `qflib`, the LAPACK and BLAS libraries shipped with Armadillo and the Python library. The package is installed with `pip`, and the script `quanto.py` produces every table and figure in this report by calling the C++ pricers from Python.

5 Single-Asset Results

Table 2 lists the inputs. Both yield curves are flat, with USD as the payoff currency and EUR as the asset currency.

Single asset		Basket and worst-of	
S_0, K	100	$S_{j,0}$, w_j	100, 1/3
T	one year	σ_j	20%, 25%, 30%
r_d, r_f	5%, 4%	q_j, σ_{X_j}, ρ_j	2%, 10%, 0.3
q	2%	ρ_{jk}	0.5
σ_S, σ_X	20%, 10%	K	100
ρ	0.3	κ, T_1, T_2	1, three months, one year
Monte Carlo	200,000 paths		
PDE	$N = 200$, $\theta = 0.5$, five standard deviations		

Table 2: Inputs table.

Table 3 validates the put-call parity (7) with PDE prices over three expiries and three strikes.

T	K	Call	Put	Residual
six months	80	21.03	0.24	1.3×10^{-12}
	100	6.19	4.92	1.6×10^{-12}
	120	0.86	19.09	1.9×10^{-12}
one year	80	22.41	0.88	1.9×10^{-12}
	100	8.99	6.49	1.9×10^{-12}
	120	2.61	19.13	2.0×10^{-12}
two years	80	24.97	2.05	1.4×10^{-11}
	100	13.03	8.20	1.4×10^{-11}
	120	6.02	19.28	1.4×10^{-11}

Table 3: Put-call parity with PDE prices. The residual is taken in absolute form.

Figure 2 compares both numerical methods with the closed-form at-the-money call price. The PDE error falls from 0.14 at $N = 25$ to 1.5×10^{-4} at $N = 800$ with a fitted slope of -1.99 on log scales. This is second order, as expected for the Crank-Nicolson scheme with both Δt and Δx proportional to $1/N$. Every Monte Carlo estimate lies within 1.3 standard errors of the closed form, and at one million paths the error is 0.002 against a standard error of 0.014.






Figure 2: At-the-money call price against the PDE grid size and the number of Monte Carlo paths.

By (7) the call price tends to the discounted quanto forward $e^{-r_d T} F^Q \approx 97.63$ as $K \to 0$. Figure 3(a) shows all three methods reaching it. At $K = 10^{-6}$, the closed form and the PDE agree with the limit to four decimals, and the Monte Carlo estimate of 97.62 lies 0.27 standard errors below it.

Figure 3(b) prices the at-the-money call and put for ρ from -0.9 to 0.9. The call rises from 7.68 to 9.70, and the put falls from 7.49 to 6.02, as (8) predicts. Both curves look straight because the second derivative in (8) carries the factor 4×10^{-4}. The PDE prices stay within 2.4×10^{-3} of the closed form and the Monte Carlo prices within 0.5 standard errors.



(a) Call price as $K \to 0$.



(b) Call and put prices against ρ.

Figure 3: Single-asset quanto prices by the three methods.

6 Multi-Asset Results

6.1 Diversification

Figure 4(a) prices the three component calls at 8.98, 10.96 and 12.94, their weighted average at 10.96, and the basket call at 9.23 for $\rho_{jk} = 0.5$. That the basket is cheaper follows from the convexity of the payoff. For $w_j \geq 0$ with $\sum_j w_j = 1$ and every realization, a call on a portfolio is worth no more than the portfolio of calls (Merton, 1973).

$$\Big(\sum_j w_j S_{j,T} - K\Big)^+ \leq \sum_j w_j \left(S_{j,T} - K\right)^+, \tag{13}$$


In fact, the size of the gap comes from the dispersion of the basket. Matching the first two moments of B_T to a lognormal (Levy, 1992) gives a basket volatility σ_B with

$$\begin{aligned} \sigma_B^2 = \frac{1}{T} \ln \sum_{j,k} \omega_j \omega_k \, e^{\rho_{jk}\sigma_j\sigma_k T} \approx \sum_{j,k} \omega_j \omega_k \, \rho_{jk}\sigma_j\sigma_k \leq \Big(\sum_j \omega_j \sigma_j\Big)^2, \\ \omega_j = \frac{w_j F_j^Q}{\sum_k w_k F_k^Q}, \qquad F_j^Q = S_{j,0}\, e^{\mu_j T}, \end{aligned} \tag{14}$$


For an at-the-money option, (6) gives $V_+ \approx e^{-r_d T} F^Q \sigma_S \sqrt{T/2\pi}$, which increases and is nearly linear in volatility. At $\rho_{jk} = 0.5$ the basket volatility is 20.5% against an average component volatility of 25%, so the basket call at 9.23 lies much closer to the single 20% call at 8.98 than to the average of 10.96. This is the diversification effect, and it shrinks as ρ_{jk} approaches one.

6.2 Joint correlation

Figure 4(b) varies the common asset-FX correlation ρ_j from -0.5 to 0.5 and ρ_{jk} from -0.4 to 0.9. The basket call rises in both, from 3.23 to 10.88. The two correlations act through different moments. By (12), ρ_j shifts each drift μ_j and hence each quanto forward, while by (14) ρ_{jk} changes σ_B alone.



(a) Component calls and the basket call.




(b) Basket call against both correlations.


Figure 4: Quanto basket call prices. In panel (a) the error bars are 95% Monte Carlo intervals.

6.3 Asset-asset correlation

Figure 5 varies a common ρ_{jk} from -0.5, the smallest value for which R is positive semidefinite. The basket call rises from 2.93 to 10.75 and approaches the weighted average of 10.96. The curve is concave because σ_B^2 in (14) is approximately linear in ρ_{jk}, so σ_B is concave in it, and the price is close to linear in σ_B.



(a) Basket call.



(b) Worst-of digital call.

Figure 5: Prices against a common asset-asset correlation.

The worst-of digital call rises from zero to 0.40. Since each $\ln(S_{j,T_2}/S_{j,T_1})$ is normal, the price is a joint normal probability,

$$V^{\mathrm{WO}} = e^{-r_d T_2}\,\mathbb{P}\left(\xi_j \geq c_j \text{ for all } j\right), \qquad \xi \sim \mathcal{N}(0, R), \qquad c_j = \frac{\ln \kappa - (\mu_j - \frac{1}{2}\sigma_j^2)\delta}{\sigma_j \sqrt{\delta}}. \tag{15}$$

where $\delta = T_2 - T_1$. This probability is nondecreasing in every ρ_{jk}, because the assets clear the strike together more often when they move together (Slepian, 1962). Write $A_j = \{\xi_j \geq 0\}$ and with

the bivariate result of Sheppard (1899),

$$\mathbb{P}(A_j^c \cap A_k^c) = \frac{1}{4} + \frac{1}{2\pi} \arcsin \rho_{jk} \quad \Longrightarrow \quad \mathbb{P}\Big(\bigcap_j A_j\Big) = \frac{1}{8} + \frac{1}{4\pi} \sum_{j<k} \arcsin \rho_{jk}. \tag{16}$$

Hence, it vanishes at $\rho_{jk} = -\frac{1}{2}$ and is convex for $\rho_{jk} > 0$, the shape of Figure 5(b).

7 Conclusion

This report documents pricing European quanto options using closed-form, Monte Carlo and PDE methods, implemented in C++ with a Python interface. The three methods agree within their numerical error, satisfy put-call parity and recover the discounted quanto forward at zero strike. The asset-FX correlation enters through the drift, raising calls and lowering puts. The multi-asset pricer is exact for baskets in several currencies, because each asset's drift depends only on its own exchange rate. A quanto basket call is cheaper than the weighted average of its component calls because imperfect correlation lowers the basket volatility, and both basket calls and worst-of digital calls become more expensive as the assets become more correlated.

References

Black, F. and Scholes, M. (1973). The pricing of options and corporate liabilities. *Journal of Political Economy*, 81(3), 637–654.

Crank, J. and Nicolson, P. (1947). A practical method for numerical evaluation of solutions of partial differential equations of the heat-conduction type. *Mathematical Proceedings of the Cambridge Philosophical Society*, 43(1), 50–67.

Garman, M. B. and Kohlhagen, S. W. (1983). Foreign currency option values. *Journal of International Money and Finance*, 2(3), 231–237.

Levy, E. (1992). Pricing European average rate currency options. *Journal of International Money and Finance*, 11, 474–491.

Merton, R. C. (1973). Theory of rational option pricing. *Bell Journal of Economics and Management Science*, 4(1), 141–183.

Sheppard, W. F. (1899). On the application of the theory of error to cases of normal distribution and normal correlation. *Philosophical Transactions of the Royal Society of London, Series A*, 192, 101–167.

Shreve, S. E. (2004). *Stochastic Calculus for Finance II, Continuous-Time Models*. Springer, New York.

Slepian, D. (1962). The one-sided barrier problem for Gaussian noise. *Bell System Technical Journal*, 41(2), 463–501.

A Supplementary Materials

```
: MultiAssetBsMcPricer(prod, discountYieldCurve, divYields, volatilities, spots, correlMatrix, mcparams)
{
  size_t nassets = prod->nAssets();
  QF_ASSERT(growthYieldCurves.size() == nassets, need as many growth yield curves as product assets!);
  QF_ASSERT(fxVols.size() == nassets, need as many FX volatilities as product assets!);
  QF_ASSERT(assetFXCorrels.size() == nassets, need as many asset-FX correlations as product assets!);

  // the base ctor sets the discount factors and stdevs;
  // the drifts are replaced by the quanto drifts on each asset currency curve
  Vector const& fixtimes = prod->fixTimes();
  for (size_t j = 0; j < nassets; ++j) {
    double t1 = 0.0;
    double quantoCoef = assetFXCorrels[j] * fxVols[j];
    for (size_t i = 0; i < fixtimes.size(); ++i) {
      double t2 = fixtimes[i];
      double var = vols_[j] * vols_[j] * (t2 - t1);
      double fwdrate = growthYieldCurves[j]->fwdRate(t1, t2);
      double quantoAdj = quantoCoef * vols_[j];
      drifts_(i, j) = (fwdrate - divylds_[j] + quantoAdj) * (t2 - t1) - 0.5 * var;
      t1 = t2;
    }
  }
}
```

Listing 1: Constructor body of `MultiAssetBsMcQuantoPricer`.

```
  QuantoAssetInputs in = asQuantoAssetInputs(pyDiscountCrv, pyGrowthCrvs, pyDivYields,
                                             pyVolatilities, pyFxVols, pyCorrels, pyCorrelMatrix);
  qf::McParams mcparams = asMcParams(pyMcParams);
  unsigned long npaths  = asInt(pyNPaths);

  // create the product
  qf::SPtrProduct spprod(new qf::BasketEuropeanCallPut(payoffType, strike, timeToExp, weights));
  // create the pricer
  qf::MultiAssetBsMcQuantoPricer bsmcpricer(spprod, in.discountCurve, in.growthCurves, in.divYields,
                                            in.vols, in.fxVols, in.correls, spots, in.correlMat, mcparams);
  // create the statistics calculator
  qf::MeanVarCalculator<double *> sc(bsmcpricer.nVariables());
  // run the simulation
  bsmcpricer.simulate(sc, npaths);
  // collect results
  qf::Matrix const & results = sc.results();
  // read out results
  double mean = results(0, 0);
  double stderror = results(1, 0);
  stderror = std::sqrt(stderror / sc.nSamples());

  // write mean and standard error into a Python dictionary
  PyObject* ret = PyDict_New();
  int ok = PyDict_SetItem(ret, asPyScalar(Mean), asPyScalar(mean));
  PyDict_SetItem(ret, asPyScalar(StdErr), asPyScalar(stderror));
  return ret;

PY_END;
```

Listing 2: Part of `pyQfBasketQEuroBSMC`, registered as `qBasketEuroBSMC`.

```
def basket_call(asset_corr, fx_correls=FX_CORRELS):
    return qf.qBasketEuroBSMC(CALL, K, T, spots=SPOTS.tolist(), weights=WEIGHTS.tolist(),
                              divyields=DIVS, volatilities=VOLS, fxvols=FX_VOLS, correls=fx_correls,
                              correlmatrix=uniform_corr(len(SPOTS), asset_corr), **basket_market(len(SPOTS))
    )
```

Listing 3: Basket call in `quanto.py`.