



Action needed: If you use SonarScanner for Maven, ensure you set the version in your configuration by May 1 to prevent failures. [Community post.](#) ↗



Sonar | docs

Start Free



Ask



Home



SonarQube Cloud



SonarQube Server



SonarQube for IDE ▾

GETTING STARTED WITH SONARQUBE CLOUD



Ask



Getting started with GitHub

Everything you need to know to get started analyzing your GitHub projects on SonarQube Cloud.

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).




Accept

Reject

1

Sign up

1. Go to [SonarQube Cloud product page](#) ↗. If you want to use the [US region](#), go to [sonarqube.us](#) ↗ instead.



2. Select **GitHub** from the list of DevOps platforms. You will be taken to the GitHub login page.
3. Sign in using your GitHub credentials.
For prerequisites on your DevOps account's email address, see [Signing in via your DevOps platform service](#).

Your SonarQube Cloud account is created and bound to your GitHub account. For more information, see [Authentication](#) ↗ in the Trust Center.

Once you have
your GitHub account
SonarQube Cloud

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

2

Create your organization

We use an [organization-based structure](#) that mirrors the structure on your chosen DevOps platforms: each SonarQube Cloud organization corresponds one-to-one with a GitHub organization or personal account. A subscription plan is associated one-to-one with a SonarQube Cloud organization. See [Subscription plans](#) for a comparison between the different plans.

To create your SonarQube Cloud organization, you'll import your GitHub organization or personal account to SonarQube Cloud.

Proceed as follows. For detailed prerequisites and instructions, see [Importing GitHub organization](#).

1. After selecting **Import an organization from GitHub**, you will be presented with a step-by-step tutorial to install the SonarQube Cloud application on GitHub. This allows SonarQube Cloud to access your GitHub organization or personal account.
2. Check the organization details.
3. You have an option to auto-import new GitHub repositories (in beta) as soon as they are created in your GitHub organization, skipping the manual new project analysis flow. For more information, see [Auto-importing new repositories](#).
4. Select the subscription plan
5. Create your organization. A new page opens.
6. Select **Analyze a new project** and go to the next step below.



- The organization creator becomes the organization admin. To set up the organization permissions, see [Managing organization permissions](#).

- Con feat SCII This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

3

Import your repositories

You can now import the existing projects (that is, individual Git repositories) that you want to analyze from your GitHub organization into your newly created SonarQube Cloud organization. A corresponding, one-to-one SonarQube Cloud project will be created for each imported repository.

Proceed as follows (you need the Create Projects permission in your organization):

1. You have two options for importing repositories:
 - To import all repositories from your GitHub organization (Beta feature), select the **Import all repositories** button (Option b in the figure below). For more details, see [Bulk importing all repositories](#).
 - To select specific repositories to import, choose the ones you want (Option a in the figure below). The **Import all repositories** button will then change to the **Set up** button. Select the **Set up** button to continue.

The screenshot shows the 'Analyze projects' page in SonarQube Cloud. The page title is 'Analyze projects' and the subtitle is 'Select repositories from one of your GitHub organization.' The 'Organization' dropdown is set to 'Identity Prod Enterprise Org'. Below this is a search bar and a table of repositories. A red box labeled 'Option a' highlights the table, which lists repositories like 'testimport', 'gradle-hello-world', 'sonar-text', 'public_repo', and 'sonar-java', all marked as 'Already imported'. A red arrow labeled 'Option b' points to the 'Bulk import all repositories (beta)' button on the right. A cookie notice is visible at the bottom of the page.

Analyze projects
Select repositories from one of your GitHub organization.

Organization
Identity Prod Enterprise Org
[Import another organization](#)

Search for repositories

☐ Select all on this page 11 results

☒	testimport Private	✓ Already imported
☒	gradle-hello-world	✓ Already imported
☒	sonar-text	✓ Already imported
☒	public_repo	✓ Already imported
☒	sonar-java	✓ Already imported

Option b


Bulk import all repositories (beta)
Only repositories the SonarQube Cloud app can access will be imported. Already imported repositories are skipped.
If importing a large amount of repositories, ensure your plan has enough private lines of code.
[Import all repositories](#) [Learn more](#)

Just testing? You can [create a project manually](#).
Setup a monorepo.

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

2. Select the new code definition for your new project(s). For more information about this definition, see [Quality standards and new code](#).

Note that the new code definition you apply at this stage will apply to all of the projects you have selected for import. You can change your new code definition later on a per-project basis (see [New code definition](#)).



3. Create your project(s).

 The project creator becomes the project admin. To set up the project permissions, see [Setting your project's permissions](#).

If a project qualifies for Automatic analysis, SonarQube Cloud will start the analysis of the project's main branch automatically, and of the most recent active pull requests. See [Automatic analysis](#) for more information.

If the Automatic analysis is disabled, you'll need to create a CI-based analysis.

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

 With the Enterprise plan, you can disable the Automatic analysis for the entire organization. See [Disabling automatic analysis](#).

4

Connect with SonarQube for IDE

SonarQube for IDE is a free IDE extension that integrates with SonarQube Cloud. Like a spell checker, SonarQube for IDE highlights issues as you type.


Install SonarQube for IDE to leverage the power of SonarQube in your IDE. To do so, see [SonarQube for IDE](#).

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

5

View your analysis results

Once your analysis is completed a project Overview page opens, displaying the **Project health dashboard**, a built-in Sonar dashboard available in all plans. Custom dashboards and other built-in dashboard views are available in the [Enterprise](#) plan.



Review your project's quality gate

The purpose of Quality gates is to tell you whether your code is good enough to be pushed to the next step:

- For the main branch and other long-lived branches, the quality gate answers the question: "Can I release my code today?"
- For pull requests, the quality gate answers the question: "Can I merge this pull request?"

By keeping a close eye on the status of code and decide what to do next.

For more information, see [Quality gates](#).

Review your issues

An analysis detects an issue as a problem in your code. When a coding rule is broken, an issue is raised. Each issue affects one or more software qualities with a varying impact level, called severity, as inherited from the rule. For more information about rules, see [Viewing and managing rules](#).

To review your issues, see [Managing code issues](#).

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

6

Adjust your project setup

The analysis performed by the SonarScanner is configured through analysis parameters. The following applies:

- A few analysis parameters are mandatory.
- Many analysis parameters, such as those defining the analysis scope, have a default value and can be adjusted.
- Analysis parameters allow you to include the code and test coverage in your analysis, or to import issues generated by a third-party analyzer, etc.

SonarQube Server manages the analysis parameters through sonar properties (The sonar property key has the following syntax: `sonar.<property>.`).

You can configure the analysis parameters in different places. For more information, see [Configuration overview](#).

You can:

- Adjust your analysis scope, see [Analysis scope](#).
- Implement test coverage, see [Test coverage](#).
- Import external analyzer reports, see [External analyzer reports](#).
- Define a Long-lived branch pattern, see [Long-lived branch pattern](#).
- Change the new code definition applied to your project, see [New code definition](#).
- Change the quality gate assigned to your project, see [Quality gate](#).
- Change the quality profiles assigned to your project, see [Quality profile](#)

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

7

Check out security reports and portfolios

Managers and tech leads can check out the security reports and portfolios features to begin monitoring the security and releasability of projects. For more information, see [Viewing the enterprise reports](#).

Setting up a CI-based analysis

If the Automatic analysis is not supported for your project or you don't want to use it, you'll need to set up the analysis. The actual analysis is performed in your build environment (for example, on a cloud CI or your local machine). This means you have to configure your build process to perform the analysis on each build and communicate the results up to SonarQube Cloud. We refer to this analysis method as CI-based analysis in contrast with the automatic analysis.

To understand the SonarQube analysis principles, see [SonarQube analysis overview](#).

To integrate SonarQube Cloud analysis into your GitHub Actions workflow, see [Github Actions](#).

About the SonarQube Cloud analysis

The SonarScanner performs the automated source code analysis as part of your code review process and sends the analysis results to SonarQube Cloud, which calculates the quality

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

To perform the analysis, the SonarScanner uses the [Sonar analyzers](#) that it downloads from SonarQube Cloud at installation.

The Sonar Solution offers SonarScanners that integrate with the following build systems: Gradle, Maven, .NET, NPM, and Python. For other project types, the SonarScanner CLI which requires more manual configuration is used.

For more information about integrated CI tools and SonarScanners, see [CI-based analysis](#)

Setting up the pull request analysis

By setting up pull request analysis, you ensure pull requests are analyzed when they are opened and every time a change is pushed to the pull request branch. To do so, you must add the SonarQube Cloud analysis to your CI pipeline.

- To learn more about pull request analysis, see [Pull request analysis](#).
- To integrate SonarQube Cloud analysis into your GitHub Actions workflow, see [Github Actions](#).

Related pages

- [GitHub](#) (integration solution overview)
- [Organization setup overview](#)
- [Importing GitHub organization](#)
- [Project administration overview](#)
- [Creating your project](#)
- [Configuring Git](#)
- [Github Actions](#)
- [Getting started](#)

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).

Related online learning

-  [Initial SonarQube Cloud set up with GitHub](#) ↗

Previous

Signing up and onboarding

Next

Getting started with Bitbucket Cloud

Last updated 21 days ago

Was this helpful?



Resources

Sonar

Sonar Community

© SonarSource Sàrl. All rights reserved.

This site uses cookies to deliver its service and to analyze traffic. By browsing this site, you accept the [privacy policy](#).