

Mu Namespace

dyad mu version 0.0.11

Type keywords

T	type superclass
:t :nil	bool
:char	char
:cons	cons
:fixnum	61 bit signed integer, <i>fix</i>
:float	32 bit IEEE <i>float</i>
:func	function, <i>fn</i>
:ns	symbol bindings
:stream	stream: file, string
:struct	struct <i>vector</i>
:symbol	LISP-1 binding, <i>symbol</i>
:vector	vector, :t :byte :char :fixnum :float

Heap

hp-info	vector, of type allocations :type :total :alloc :in-use
----------------	---

Frame

fr-get fn	struct, copy frame binding
fr-pop fn	fn, pop frame binding
fr-push struct	struct, push frame binding
:fr-ref fix fix'	T, ref frame variable

Reader/Printer

read stream bool T	T, read stream object
write T bool stream	T, write escaped object

Structs

struct type list	struct, from list
st-type vector	keyword, struct type
st-vec vector fix	vector, of members

Symbols

boundp symbol	bool, is symbol bound?
keyp symbol	bool, keyword predicate
keyword string	symbol, keyword from string
symbol string	symbol, uninterned symbol
sy-ns symbol	symbol ns binding
sy-name symbol	symbol name binding
sy-val symbol	symbol value binding

Special Forms

:lambda list . body	function, anonymous
:quote T	list, quote form
:if T T' T''	T, conditional

Core

coerce T :type	keyword, coerce to type
eval T	T, evaluate form
eq T T'	bool, are T and T' identical?
type-of T	keyword
apply fn list	T, apply function to arg list
compile T	T, library form compiler
with-ex fn fn'	T, catch exception
raise :condition T	struct, raise exception
tag-of T	fixnum, of object tag
view T	struct, vector of object
fix fn T	T, fixpoint of function
:if T fn fn'	T, :if implementation
*:context	cons, active frame list
*:gc	bool, garbage collection

Fixnums

fx-mul fix fix'	fix, product of fix and fix'
fx-add fix fix'	fix, sum of fix and fix'
fx-sub fix fix'	fix, difference of fix and fix'
fx-lt fix fix'	fix, is fix less than fix'?
fx-div fix fix	fix, fix divided by fix'
logand fix fix'	fix, bitwise and of fix and fix'
logor fix fix'	fix, bitwise or fix and fix'

Floats

fl-mul float float'	product of float and float'
fl-add float float'	sum of float and float'
fl-sub float float'	difference of float and float'
fl-lt float float'	is float less than float'?
fl-div float float'	float divided by float'

Lists

car list	head of list
cdr list	tail of list
cons T T'	cons from T and T'
length list	length of list
nth fix list	nth car of list
nthcdr fix list	nth cdr of list

Vectors

vector type list	typed vector from list
sv-len vector	length of vector
sv-ref vector fix	nth element
sv-type vector	type of vector

Namespaces

make-ns string ns	make namespace
map-ns string	map string to namespace
intern ns scope string value	intern bound symbol
	scope :intern :extern
ns-map ns string	map string to symbol
ns-imp ns	namespace's import
ns-name ns	namespace's name
ns-int ns	namespace's interns
ns-ext ns	namespace's externs

Streams

std-in standard input *stream symbol*
std-out standard output *stream symbol*
err-out standard error *stream symbol*

open *type dir string*
open *stream* from
type :file | :string
dir :input | :output

close stream close *stream*
openp stream is *stream* open?
eof stream is *stream* at end of file?

get-str stream
get *vector* from *stream*

rd-byte stream bool T
read *byte* from *stream*

un-byte byte stream push *byte* onto *stream*
wr-byte byte stream write *byte* to *stream*

rd-char stream bool T
read *char* from *stream*

un-char char stream push *char* onto *stream*
wr-char char stream write *char* to *stream*

Condition Keywords

:arity :eof :open :read
:write :error :syntax :type
:unbound :div0 :range :stream

Rust API

```
use crate::mu::core::mu::{
    Exception,
    Extern,
    Mu,
    MuCondition,
    Tag
},

<Mu as Extern>::new(config: String) -> Mu
    config: comma-separated list of
            name:value pairs

    heap:npages
    gc:on|off

&'static str <Mu as Extern>::VERSION

pub trait Export for Mu {
    fn nil() -> Tag

    fn eq(tag: Tag, tag1: Tag) -> bool

    fn apply(&self, func: Tag, args) ->
        Exception::Result<Tag>

    fn compile(&self, expr: Tag) ->
        Exception::Result<Tag>

    fn eof(&self, stream: Tag) ->
        Exception::Result<Tag>

    fn eval(&self, expr: Tag) ->
        Exception::Result<Tag>

    fn read_stream(&self, stream: Tag,
        eof: Tag,
        eof_value: Tag) ->
        Exception::Result<Tag>

    fn read_string(&self, expr: String) ->
        Exception::Result<Tag>

    fn write(&self, expr: Tag,
        escape: bool,
        stream: Tag) ->
        Exception::Result<()>

    fn write_string(&self, string: String,
        stream: Tag) ->
        Exception::Result<()>
}
```

Reader Syntax

;
| . . . | # comment to end of line
block comment

(...)
() constant list
empty list, prints as :nil

`
"..." quoted form
string/char vector

#x hexadecimal *fixnum*
#\ character

#(:vector-type ...) vector
#s(:struct-type ...) struct
#:symbol uninterned *symbol*

\ single escape in strings
```, ; terminating macro char  
# non-terminating macro char

!\$%&\*+- . symbol constituent:  
<>=?@[ ] |  
: ^ \_ { } ~ /  
A..Za..z  
0..9  
backspace  
rubout

0x09 tab whitespace:  
0x0a linefeed  
0x0c page  
0x0d return  
0x20 space

## Runtime

```
runtime: 0.0.10: [-h?psvcdlq] [file...]
?: usage message
h: usage message
c: [name:value,...]
d: enable debugging
e: eval [form] and print result
l: load [path]
p: pipe mode
q: eval [form] quietly
s: script mode
v: print version and exit
```