

Project: chromium

20/4/2569 13:07:41 Total time: 5.8m

auth/login.spec.js		
	Login - Functional Tests > AUTH-LOG-001: Login with valid credentials	chromium6.5s
auth/login.spec.js:42		
	Login - Functional Tests > AUTH-LOG-002: Remember me functionality	6.6s
chromium		
auth/login.spec.js:53		
	Login - Functional Tests > AUTH-LOG-003: Show/Hide password toggle	6.9s
chromium		
auth/login.spec.js:68		
	Login - Functional Tests > AUTH-LOG-004: Redirect to deals after successful login	7.2s
chromium		
auth/login.spec.js:89		
	Login - Negative Tests > AUTH-LOG-101: Login with unregistered email	6.6s
chromium		
auth/login.spec.js:107		
	Login - Negative Tests > AUTH-LOG-102: Login with valid email, wrong password	7.1s
chromium		
auth/login.spec.js:118		
	Login - Negative Tests > AUTH-LOG-106: Login with invalid email format	6.9s
chromium		
auth/login.spec.js:161		
	Login - Edge Cases > AUTH-LOG-201: Login with email in different case	6.4s
chromium		
auth/login.spec.js:193		
	Login - Edge Cases > AUTH-LOG-202: Login with email leading/trailing spaces	6.5s
chromium		
auth/login.spec.js:205		
	Login - Edge Cases > AUTH-LOG-204: Login with slow network response	11.5s
chromium		
auth/login.spec.js:236		

✗	Login - Edge Cases › AUTH-LOG-205: Login tab away and back	chromium	30.3s
	auth/login.spec.js:258		
✗	Login - Rate Limiting Tests › AUTH-LOG-301: Account locked after 5 failed attempts	chromium	10.0s
	auth/login.spec.js:282		
✗	Login - Rate Limiting Tests › AUTH-LOG-302: Rate limit resets after timeout	chromium	8.0s
	auth/login.spec.js:305		
✗	Login - Rate Limiting Tests › AUTH-LOG-303: Successful login resets counter	chromium	8.0s
	auth/login.spec.js:328		
✗	Login - Security Tests › AUTH-SEC-001: SQL Injection in email field	chromium	6.7s
	auth/login.spec.js:352		
✗	Login - Security Tests › AUTH-SEC-002: XSS in email field	chromium	6.6s
	auth/login.spec.js:365		
✗	Login - Security Tests › AUTH-SEC-004: Token stored in httpOnly cookie	chromium	30.3s
	auth/login.spec.js:390		
✗	Login - UI/UX Tests › AUTH-UI-LOG-004: Error messages are user-friendly	chromium	6.4s
	auth/login.spec.js:490		
✗	Login - UI/UX Tests › AUTH-UI-LOG-006: Keyboard navigation works	chromium	6.4s
	auth/login.spec.js:524		
✓	Login - Negative Tests › AUTH-LOG-103: Login with empty email field	chromium	1.8s
	auth/login.spec.js:131		
✓	Login - Negative Tests › AUTH-LOG-104: Login with empty password field	chromium	1.5s
	auth/login.spec.js:141		
✓	Login - Negative Tests › AUTH-LOG-105: Login with both fields empty	chromium	2.9s
	auth/login.spec.js:151		
✓	Login - Edge Cases › AUTH-LOG-203: Login during network offline	chromium	1.6s
	auth/login.spec.js:217		
✓	Login - Security Tests › AUTH-SEC-003: NoSQL Injection in password field	chromium	1.7s

auth/login.spec.js:378

- ✓ **Login - Security Tests › AUTH-SEC-005: Timing attack prevention** chromium 1.8s
auth/login.spec.js:418
- ✓ **Login - UI/UX Tests › AUTH-UI-LOG-001: Forgot password link visible and accessible** chromium 1.3s
auth/login.spec.js:446
- ✓ **Login - UI/UX Tests › AUTH-UI-LOG-002: Sign up link for new users** chromium 1.5s
auth/login.spec.js:460
- ✓ **Login - UI/UX Tests › AUTH-UI-LOG-003: Submit button loading state** chromium 1.8s
auth/login.spec.js:474
- ✓ **Login - UI/UX Tests › AUTH-UI-LOG-005: Mobile responsive design** chromium 1.3s
auth/login.spec.js:508
- ✓ **Login - UI/UX Tests › AUTH-UI-LOG-007: Back to Home link** chromium 1.8s
auth/login.spec.js:545

✓ auth/forgot.spec.js

- ✗ **Forgot Password - Functional Tests › AUTH-FP-001: Request OTP with registered email** chromium 5.2s
auth/forgot.spec.js:24
- ✗ **Forgot Password - Functional Tests › AUTH-FP-002: Verify correct OTP** chromium 5.2s
auth/forgot.spec.js:36
- ✗ **Forgot Password - Functional Tests › AUTH-FP-004: Complete forgot password flow** chromium 7.0s
auth/forgot.spec.js:90
- ✗ **Forgot Password - Negative Tests › AUTH-FP-103: Request OTP with invalid email format** chromium 6.4s
auth/forgot.spec.js:148
- ✗ **Forgot Password - Edge Cases › AUTH-FP-201: Request OTP multiple times** chromium 30.3s
auth/forgot.spec.js:256
- ✗ **Forgot Password - Edge Cases › AUTH-FP-202: OTP auto-focus next field** chromium 2.6s
auth/forgot.spec.js:271

✗	Forgot Password - Edge Cases › AUTH-FP-203: OTP paste from clipboard	2.9s
	chromium auth/forgot.spec.js:294	
✗	Forgot Password - Edge Cases › AUTH-FP-204: Change email during flow	2.0s
	chromium auth/forgot.spec.js:318	
✗	Forgot Password - Edge Cases › AUTH-FP-205: Network error during OTP request	6.3s
	chromium auth/forgot.spec.js:337	
✗	Forgot Password - Security Tests › AUTH-FP-SEC-002: Email enumeration prevention	2.2s
	chromium auth/forgot.spec.js:411	
✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-003: Resend OTP option available	2.4s
	chromium auth/forgot.spec.js:495	
✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-004: Change email option available	2.1s
	chromium auth/forgot.spec.js:510	
✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-007: Loading states on submit	6.6s
	chromium auth/forgot.spec.js:553	
✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-008: Clear instructions at each step	1.4s
	chromium auth/forgot.spec.js:565	
✓	Forgot Password - Negative Tests › AUTH-FP-101: Request OTP with unregistered email	1.7s
	chromium auth/forgot.spec.js:124	
✓	Forgot Password - Negative Tests › AUTH-FP-102: Request OTP with empty email	1.6s
	chromium auth/forgot.spec.js:139	
✓	Forgot Password - Negative Tests › AUTH-FP-104: Verify OTP with empty fields	2.3s
	chromium auth/forgot.spec.js:157	

✓	Forgot Password - Negative Tests › AUTH-FP-105: Verify OTP with incorrect code	1.8s
	chromium auth/forgot.spec.js:175	
✓	Forgot Password - Negative Tests › AUTH-FP-106: Verify expired OTP	2.0s
	chromium auth/forgot.spec.js:197	
✓	Forgot Password - Negative Tests › AUTH-FP-107: Reset password with mismatched passwords	1.2s
	chromium auth/forgot.spec.js:214	
✓	Forgot Password - Negative Tests › AUTH-FP-108: Reset password with short password	1.2s
	chromium auth/forgot.spec.js:230	
✓	Forgot Password - Negative Tests › AUTH-FP-109: Reuse already used OTP	1.0s
	chromium auth/forgot.spec.js:242	
✓	Forgot Password - Edge Cases › AUTH-FP-206: Set new password same as old password	621ms
	chromium auth/forgot.spec.js:354	
✓	Forgot Password - Edge Cases › AUTH-FP-207: Session timeout during reset flow	1.5s
	chromium auth/forgot.spec.js:364	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-001: Brute force OTP protection	1.7s
	chromium auth/forgot.spec.js:384	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-003: OTP link is one-time use only	252ms
	chromium auth/forgot.spec.js:430	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-004: OTP expires after time limit	194ms
	chromium auth/forgot.spec.js:438	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-005: Password strength enforced on reset	1.1s
	chromium auth/forgot.spec.js:446	

✓	Forgot Password - UI/UX Tests > AUTH-UI-FP-001: Multi-step progress indicator	1.3s
	chromium auth/forgot.spec.js:460	
✓	Forgot Password - UI/UX Tests > AUTH-UI-FP-002: OTP input fields are user-friendly	1.9s
	chromium auth/forgot.spec.js:472	
✓	Forgot Password - UI/UX Tests > AUTH-UI-FP-005: Back to Login link	2.0s
	chromium auth/forgot.spec.js:525	
✓	Forgot Password - UI/UX Tests > AUTH-UI-FP-006: Mobile responsive design	980ms
	chromium auth/forgot.spec.js:538	
✓ auth/register.spec.js		
✗	Register - Functional Tests > AUTH-REG-001: Register with valid data	6.5s
	chromium auth/register.spec.js:33	
✗	Register - Functional Tests > AUTH-REG-003: Activate account via email link	1.4s
	chromium auth/register.spec.js:66	
✗	Register - Functional Tests > AUTH-REG-004: Resend verification email	30.3s
	chromium auth/register.spec.js:81	
✗	Register - Negative Tests > AUTH-REG-106: Register with invalid email format - no @	6.3s
	chromium auth/register.spec.js:164	
✗	Register - Negative Tests > AUTH-REG-107: Register with invalid email format - no domain	7.0s
	chromium auth/register.spec.js:177	
✗	Register - Negative Tests > AUTH-REG-108: Register with spaces in email	7.2s
	chromium auth/register.spec.js:190	
✗	Register - Negative Tests > AUTH-REG-109: Register with already registered email	6.7s
	chromium auth/register.spec.js:203	

✗	Register - Edge Cases › AUTH-REG-201: Register with name containing special characters	6.6s
	chromium auth/register.spec.js:234	
✗	Register - Edge Cases › AUTH-REG-204: Register with email in different case	6.7s
	chromium auth/register.spec.js:285	
✗	Register - Edge Cases › AUTH-REG-205: Register with password exactly 6 characters	6.6s
	chromium auth/register.spec.js:301	
✗	Register - Edge Cases › AUTH-REG-206: Rapid submit attempts (idempotency)	7.1s
	chromium auth/register.spec.js:316	
✗	Register - Security Tests › AUTH-REG-SEC-002: XSS attack in name field	6.4s
	chromium auth/register.spec.js:376	
✗	Register - Security Tests › AUTH-REG-SEC-003: NoSQL Injection in email field	6.6s
	chromium auth/register.spec.js:398	
✓	Register - Functional Tests › AUTH-REG-002: Email verification sent after registration	1.7s
	chromium auth/register.spec.js:47	
✓	Register - Negative Tests › AUTH-REG-101: Register with empty name field	1.7s
	chromium auth/register.spec.js:99	
✓	Register - Negative Tests › AUTH-REG-102: Register with empty email field	1.5s
	chromium auth/register.spec.js:112	
✓	Register - Negative Tests › AUTH-REG-103: Register with empty password fields	1.5s
	chromium auth/register.spec.js:125	
✓	Register - Negative Tests › AUTH-REG-104: Register with mismatched passwords	1.4s
	chromium auth/register.spec.js:137	

✓ Register - Negative Tests › AUTH-REG-105: Register with password less than 6 characters	1.4s
chromium auth/register.spec.js:151	
✓ Register - Negative Tests › AUTH-REG-110: Register without accepting terms	1.7s
chromium auth/register.spec.js:216	
✓ Register - Edge Cases › AUTH-REG-202: Register with very long name (100 chars)	1.7s
chromium auth/register.spec.js:249	
✓ Register - Edge Cases › AUTH-REG-203: Register with name containing only spaces	1.7s
chromium auth/register.spec.js:268	
✓ Register - Edge Cases › AUTH-REG-207: Register during network offline	1.8s
chromium auth/register.spec.js:334	
✓ Register - Security Tests › AUTH-REG-SEC-001: SQL Injection in name field	1.5s
chromium auth/register.spec.js:359	
✓ Register - Security Tests › AUTH-REG-SEC-004: Email enumeration prevention	1.6s
chromium auth/register.spec.js:413	
✓ Register - UI/UX Tests › AUTH-UI-REG-001: Form has proper labels and placeholders	1.3s
chromium auth/register.spec.js:437	
✓ Register - UI/UX Tests › AUTH-UI-REG-002: Submit button shows loading state	1.6s
chromium auth/register.spec.js:452	
✓ Register - UI/UX Tests › AUTH-UI-REG-003: Terms link opens correctly	1.7s
chromium auth/register.spec.js:471	
✓ Register - UI/UX Tests › AUTH-UI-REG-004: Inline error validation	1.5s
chromium auth/register.spec.js:482	
✓ Register - UI/UX Tests › AUTH-UI-REG-005: Mobile responsive design	1.1s
chromium auth/register.spec.js:493	

✓ Register - UI/UX Tests › AUTH-UI-REG-006: Keyboard navigation works	1.3s
chromium auth/register.spec.js:509	
✓ Register - UI/UX Tests › AUTH-UI-REG-007: Back to Home link	1.5s
chromium auth/register.spec.js:526	