

✓ auth/forgot.spec.js		
✗	Forgot Password - Functional Tests › AUTH-FP-001: Request OTP with registered email chromium auth/forgot.spec.js:24	9.1s
✗	Forgot Password - Functional Tests › AUTH-FP-002: Verify correct OTP chromium auth/forgot.spec.js:36	8.2s
✗	Forgot Password - Functional Tests › AUTH-FP-004: Complete forgot password flow chromium auth/forgot.spec.js:90	12.6s
✗	Forgot Password - Negative Tests › AUTH-FP-103: Request OTP with invalid email format chromium auth/forgot.spec.js:148	10.4s
✗	Forgot Password - Edge Cases › AUTH-FP-201: Request OTP multiple times chromium auth/forgot.spec.js:256	30.6s
✗	Forgot Password - Edge Cases › AUTH-FP-202: OTP auto-focus next field chromium auth/forgot.spec.js:271	18.9s
✗	Forgot Password - Edge Cases › AUTH-FP-203: OTP paste from clipboard chromium auth/forgot.spec.js:294	5.3s
✗	Forgot Password - Edge Cases › AUTH-FP-204: Change email during flow chromium auth/forgot.spec.js:318	3.9s
✗	Forgot Password - Edge Cases › AUTH-FP-205: Network error during OTP request chromium auth/forgot.spec.js:337	8.0s
✗	Forgot Password - Security Tests › AUTH-FP-SEC-002: Email enumeration prevention chromium	3.6s

auth/forgot.spec.js:411

✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-003: Resend OTP option available	4.0s
	chromium	
	auth/forgot.spec.js:495	
✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-004: Change email option available	5.2s
	chromium	
	auth/forgot.spec.js:510	
✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-007: Loading states on submit	9.3s
	chromium	
	auth/forgot.spec.js:553	
✗	Forgot Password - UI/UX Tests › AUTH-UI-FP-008: Clear instructions at each step	1.9s
	chromium	
	auth/forgot.spec.js:565	
✓	Forgot Password - Negative Tests › AUTH-FP-101: Request OTP with unregistered email	9.4s
	chromium	
	auth/forgot.spec.js:124	
✓	Forgot Password - Negative Tests › AUTH-FP-102: Request OTP with empty email	9.8s
	chromium	
	auth/forgot.spec.js:139	
✓	Forgot Password - Negative Tests › AUTH-FP-104: Verify OTP with empty fields	5.4s
	chromium	
	auth/forgot.spec.js:157	
✓	Forgot Password - Negative Tests › AUTH-FP-105: Verify OTP with incorrect code	4.4s
	chromium	
	auth/forgot.spec.js:175	
✓	Forgot Password - Negative Tests › AUTH-FP-106: Verify expired OTP	4.1s
	chromium	
	auth/forgot.spec.js:197	
✓	Forgot Password - Negative Tests › AUTH-FP-107: Reset password with mismatched passwords	3.7s
	chromium	
	auth/forgot.spec.js:214	
✓	Forgot Password - Negative Tests › AUTH-FP-108: Reset password with short password	10.6s
	chromium	
	auth/forgot.spec.js:230	

✓	Forgot Password - Negative Tests › AUTH-FP-109: Reuse already used OTP	2.6s
	chromium auth/forgot.spec.js:242	
✓	Forgot Password - Edge Cases › AUTH-FP-206: Set new password same as old password	687ms
	chromium auth/forgot.spec.js:354	
✓	Forgot Password - Edge Cases › AUTH-FP-207: Session timeout during reset	3.8s
	flow chromium auth/forgot.spec.js:364	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-001: Brute force OTP protection	3.1s
	chromium auth/forgot.spec.js:384	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-003: OTP link is one-time use only	1.2s
	chromium auth/forgot.spec.js:430	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-004: OTP expires after time limit	1.2s
	chromium auth/forgot.spec.js:438	
✓	Forgot Password - Security Tests › AUTH-FP-SEC-005: Password strength enforced on reset	2.1s
	chromium auth/forgot.spec.js:446	
✓	Forgot Password - UI/UX Tests › AUTH-UI-FP-001: Multi-step progress indicator	2.5s
	chromium auth/forgot.spec.js:460	
✓	Forgot Password - UI/UX Tests › AUTH-UI-FP-002: OTP input fields are user-friendly	3.8s
	chromium auth/forgot.spec.js:472	
✓	Forgot Password - UI/UX Tests › AUTH-UI-FP-005: Back to Login link	6.0s
	chromium auth/forgot.spec.js:525	
✓	Forgot Password - UI/UX Tests › AUTH-UI-FP-006: Mobile responsive design	17.8s
	chromium auth/forgot.spec.js:538	
✓	auth/login.spec.js	

✗ Login - Functional Tests › AUTH-LOG-003: Show/Hide password toggle	7.3s
chromium auth/login.spec.js:68	
✗ Login - Negative Tests › AUTH-LOG-102: Login with valid email, wrong password	6.6s
chromium auth/login.spec.js:118	
✗ Login - Negative Tests › AUTH-LOG-106: Login with invalid email format	15.1s
chromium auth/login.spec.js:161	
✗ Login - Edge Cases › AUTH-LOG-201: Login with email in different case	7.6s
chromium auth/login.spec.js:193	
✗ Login - Edge Cases › AUTH-LOG-205: Login tab away and back	30.4s
chromium auth/login.spec.js:258	
✗ Login - Rate Limiting Tests › AUTH-LOG-301: Account locked after 5 failed attempts	13.9s
chromium auth/login.spec.js:282	
✗ Login - Rate Limiting Tests › AUTH-LOG-302: Rate limit resets after timeout	15.6s
chromium auth/login.spec.js:305	
✗ Login - Security Tests › AUTH-SEC-001: SQL Injection in email field	8.2s
chromium auth/login.spec.js:352	
✗ Login - Security Tests › AUTH-SEC-002: XSS in email field	11.8s
chromium auth/login.spec.js:365	
✗ Login - Security Tests › AUTH-SEC-005: Timing attack prevention	2.8s
chromium auth/login.spec.js:418	
✓ Login - Functional Tests › AUTH-LOG-001: Login with valid credentials	5.4s
chromium auth/login.spec.js:42	
✓ Login - Functional Tests › AUTH-LOG-002: Remember me functionality	6.4s
chromium auth/login.spec.js:53	
✓ Login - Functional Tests › AUTH-LOG-004: Redirect to deals after successful login	8.0s
chromium auth/login.spec.js:89	

✓ Login - Negative Tests › AUTH-LOG-101: Login with unregistered email	3.2s
chromium auth/login.spec.js:107	
✓ Login - Negative Tests › AUTH-LOG-103: Login with empty email field	4.8s
chromium auth/login.spec.js:131	
✓ Login - Negative Tests › AUTH-LOG-104: Login with empty password field	4.9s
chromium auth/login.spec.js:141	
✓ Login - Negative Tests › AUTH-LOG-105: Login with both fields empty	3.8s
chromium auth/login.spec.js:151	
✓ Login - Edge Cases › AUTH-LOG-202: Login with email leading/trailing spaces	4.5s
chromium auth/login.spec.js:205	
✓ Login - Edge Cases › AUTH-LOG-203: Login during network offline	2.4s
chromium auth/login.spec.js:217	
✓ Login - Edge Cases › AUTH-LOG-204: Login with slow network response	8.3s
chromium auth/login.spec.js:236	
✓ Login - Rate Limiting Tests › AUTH-LOG-303: Successful login resets counter	7.6s
chromium auth/login.spec.js:328	
✓ Login - Security Tests › AUTH-SEC-003: NoSQL Injection in password field	2.3s
chromium auth/login.spec.js:378	
✓ Login - Security Tests › AUTH-SEC-004: Token stored in httpOnly cookie	2.4s
chromium auth/login.spec.js:390	
✓ Login - UI/UX Tests › AUTH-UI-LOG-001: Forgot password link visible and accessible	4.4s
chromium auth/login.spec.js:446	
✓ Login - UI/UX Tests › AUTH-UI-LOG-002: Sign up link for new users	3.4s
chromium auth/login.spec.js:460	
✓ Login - UI/UX Tests › AUTH-UI-LOG-003: Submit button loading state	1.9s
chromium auth/login.spec.js:474	

✓ Login - UI/UX Tests › AUTH-UI-LOG-004: Error messages are user-friendly	2.7s
chromium auth/login.spec.js:490	
✓ Login - UI/UX Tests › AUTH-UI-LOG-005: Mobile responsive design	2.7s
chromium auth/login.spec.js:508	
✓ Login - UI/UX Tests › AUTH-UI-LOG-006: Keyboard navigation works	5.0s
chromium auth/login.spec.js:524	
✓ Login - UI/UX Tests › AUTH-UI-LOG-007: Back to Home link	2.7s
chromium auth/login.spec.js:545	
▼ auth/register.spec.js	
✗ Register - Functional Tests › AUTH-REG-001: Register with valid data	6.8s
chromium auth/register.spec.js:33	
✗ Register - Functional Tests › AUTH-REG-003: Activate account via email link	1.9s
chromium auth/register.spec.js:66	
✗ Register - Functional Tests › AUTH-REG-004: Resend verification email	30.4s
chromium auth/register.spec.js:81	
✗ Register - Negative Tests › AUTH-REG-106: Register with invalid email format - no @	7.9s
chromium auth/register.spec.js:164	
✗ Register - Negative Tests › AUTH-REG-107: Register with invalid email format - no domain	8.2s
chromium auth/register.spec.js:177	
✗ Register - Negative Tests › AUTH-REG-108: Register with spaces in email	7.7s
chromium auth/register.spec.js:190	
✗ Register - Edge Cases › AUTH-REG-206: Rapid submit attempts (idempotency)	30.6s
chromium auth/register.spec.js:316	
✗ Register - Security Tests › AUTH-REG-SEC-002: XSS attack in name field	3.3s
chromium auth/register.spec.js:376	

✗	Register - Security Tests › AUTH-REG-SEC-003: NoSQL Injection in email field	10.0s
	chromium auth/register.spec.js:398	
✓	Register - Functional Tests › AUTH-REG-002: Email verification sent after registration chromium auth/register.spec.js:47	3.2s
✓	Register - Negative Tests › AUTH-REG-101: Register with empty name field chromium auth/register.spec.js:99	3.9s
✓	Register - Negative Tests › AUTH-REG-102: Register with empty email field chromium auth/register.spec.js:112	2.2s
✓	Register - Negative Tests › AUTH-REG-103: Register with empty password fields chromium auth/register.spec.js:125	3.0s
✓	Register - Negative Tests › AUTH-REG-104: Register with mismatched passwords chromium auth/register.spec.js:137	2.3s
✓	Register - Negative Tests › AUTH-REG-105: Register with password less than 6 characters chromium auth/register.spec.js:151	2.8s
✓	Register - Negative Tests › AUTH-REG-109: Register with already registered email chromium auth/register.spec.js:203	3.5s
✓	Register - Negative Tests › AUTH-REG-110: Register without accepting terms chromium auth/register.spec.js:216	2.1s
✓	Register - Edge Cases › AUTH-REG-201: Register with name containing special characters chromium auth/register.spec.js:234	3.2s
✓	Register - Edge Cases › AUTH-REG-202: Register with very long name (100 chars) chromium auth/register.spec.js:249	2.1s

✓ Register - Edge Cases › AUTH-REG-203: Register with name containing only spaces chromium auth/register.spec.js:268	2.6s
✓ Register - Edge Cases › AUTH-REG-204: Register with email in different case chromium auth/register.spec.js:285	3.1s
✓ Register - Edge Cases › AUTH-REG-205: Register with password exactly 6 characters chromium auth/register.spec.js:301	5.7s
✓ Register - Edge Cases › AUTH-REG-207: Register during network offline chromium auth/register.spec.js:334	2.4s
✓ Register - Security Tests › AUTH-REG-SEC-001: SQL Injection in name field chromium auth/register.spec.js:359	2.3s
✓ Register - Security Tests › AUTH-REG-SEC-004: Email enumeration prevention chromium auth/register.spec.js:413	2.3s
✓ Register - UI/UX Tests › AUTH-UI-REG-001: Form has proper labels and placeholders chromium auth/register.spec.js:437	2.8s
✓ Register - UI/UX Tests › AUTH-UI-REG-002: Submit button shows loading state chromium auth/register.spec.js:452	2.4s
✓ Register - UI/UX Tests › AUTH-UI-REG-003: Terms link opens correctly chromium auth/register.spec.js:471	2.1s
✓ Register - UI/UX Tests › AUTH-UI-REG-004: Inline error validation chromium auth/register.spec.js:482	2.5s
✓ Register - UI/UX Tests › AUTH-UI-REG-005: Mobile responsive design chromium auth/register.spec.js:493	1.6s
✓ Register - UI/UX Tests › AUTH-UI-REG-006: Keyboard navigation works chromium auth/register.spec.js:509	2.3s
✓ Register - UI/UX Tests › AUTH-UI-REG-007: Back to Home link chromium	2.8s

