Hazard Analysis
FPVR

Team 9, Software Mandems
John Cho
Ibrahim Tariq
Vikram Chandar
Sankalpa Chhetri Dhakal
Arjun Sasidaran

Table 1: Revision History

Date	**Developer(s)**	**Change**
Date1	Name(s)	Description of changes
Date2	Name(s)	Description of changes
...	...	...

Contents

1 Introduction **1**

2 Scope and Purpose of Hazard Analysis **1**

3 System Boundaries and Components **1**

4 Critical Assumptions **1**

5 Failure Mode and Effect Analysis **1**

6 Safety and Security Requirements **1**
6.1 Functional Requirements 2

7 Non-Functional Requirements **5**

8 Roadmap **5**

9 Appendix — Generative AI Use Disclosure **6**
9.1 AI Tools Used 6
9.2 How and Where Used 6
9.3 Verification of AI-Generated Content 6

10 Appendix — Reflection **7**

[You are free to modify this template. —SS]

1 Introduction

[You can include your definition of what a hazard is here. —SS]

2 Scope and Purpose of Hazard Analysis

[You should say what **loss** could be incurred because of the hazards. —SS]

3 System Boundaries and Components

[Dividing the system into components will help you brainstorm the hazards. You shouldn't do a full design of the components, just get a feel for the major ones. For projects that involve hardware, the components will typically include each individual piece of hardware. If your software will have a database, or an important library, these are also potential components. —SS]

4 Critical Assumptions

[These assumptions that are made about the software or system. You should minimize the number of assumptions that remove potential hazards. For instance, you could assume a part will never fail, but it is generally better to include this potential failure mode. —SS]

5 Failure Mode and Effect Analysis

[Include your FMEA table here. This is the most important part of this document. —SS] [The safety requirements in the table do not have to have the prefix SR. The most important thing is to show traceability to your SRS. You might trace to requirements you have already written, or you might need to add new requirements. —SS] [If no safety requirement can be devised, other mitigation strategies can be entered in the table, including strategies involving providing additional documentation, and/or test cases. —SS]

6 Safety and Security Requirements

[Newly discovered requirements. These should also be added to the SRS. (A rationale design process how and why to fake it.) —SS]

`‘latex

6.1 Functional Requirements

SR1: The system shall provide users with a safety notice before their first VR session, reminding them to clear their physical play area of obstacles and remain aware of their surroundings.
Rationale: Users may collide with nearby objects while immersed in the virtual environment, potentially causing injury or damaging equipment.
Risk: Medium

SR2: The system shall allow users to pause or exit gameplay at any time during a VR session.
Rationale: Users may experience motion sickness, dizziness, or discomfort that requires them to stop playing immediately.
Risk: High

SR3: The system shall suspend active gameplay when the VR platform reports a headset disconnection or loss of tracking that prevents reliable interaction.
Rationale: Continuing gameplay when tracking is unreliable may cause unexpected interactions and increase user disorientation.
Risk: High

SR4: The system shall verify that required VR hardware is detected and initialized before allowing users to begin a flight session.
Rationale: Missing or improperly initialized hardware may prevent reliable controller input and compromise gameplay.
Risk: Medium

SR5: The system shall validate controller input values before applying them to the drone simulation and reject values outside supported input ranges.
Rationale: Invalid controller inputs may produce unintended drone movements or unpredictable simulation behaviour.
Risk: Medium

SR6: The system shall verify connectivity to required external services before enabling features that depend on them.
Rationale: Service connectivity failures may prevent multiplayer sessions or cause dependent features to behave incorrectly.
Risk: Medium

SR9: The system shall validate data received from multiplayer clients before accepting it for gameplay state updates or performance record storage.

Rationale: Malformed or manipulated network messages may cause inconsistent multiplayer behaviour or compromise recorded statistics.
Risk: High

SR11: The system shall notify users when a network interruption prevents access to multiplayer functionality.
Rationale: Users may otherwise be unaware that multiplayer functionality is unavailable or their session has been interrupted.
Risk: Low

SR12: The system shall disclose what gameplay data is collected, how it is used, and whether it is transmitted to external services before collecting user-associated data.
Rationale: Users need to understand how their gameplay information is handled to make informed decisions about their privacy.
Risk: Medium

SR13: The system shall require users to authenticate before accessing personal accounts or user-specific gameplay records, if account functionality is implemented.
Rationale: Authentication helps prevent unauthorized users from accessing personal information and saved progress.
Risk: High

SR14: The system shall enforce authorization checks before allowing users to view, modify, or delete stored gameplay records.
Rationale: Authorization prevents users from accessing or modifying records belonging to other users.
Risk: High

SR16: The system shall validate and sanitize user-provided data before processing or storing it.
Rationale: Improperly handled input may enable injection attacks, corrupt stored records, or cause unexpected system behaviour.
Risk: High

SR18: The system shall terminate or invalidate multiplayer session credentials when a user leaves a session or the session expires.
Rationale: Invalidating expired session credentials reduces the risk of unauthorized reuse or continued access to multiplayer sessions.

Risk: Medium
SR7: The system shall use encrypted communication when transmitting user data or multiplayer session information over a network.
Rationale: Unencrypted network traffic may expose user information or session data to unauthorized parties.
Risk: High

SR8: The system shall restrict access to stored user-specific gameplay records to the relevant user and authorized system components.
Rationale: Unauthorized access may expose private information or allow gameplay records to be modified.
Risk: Medium

SR10: The system shall preserve previously saved gameplay records when unexpected software errors or network interruptions occur.
Rationale: Unexpected failures may otherwise result in corrupted records or the loss of user progress.
Risk: Medium

SR15: The system shall securely store authentication credentials and shall not store passwords in plaintext. Passwords shall be protected using an appropriate salted password-hashing algorithm.
Rationale: Plaintext passwords may be exposed if stored data is accessed by an unauthorized party.
Risk: High

SR17: The system shall prevent unauthorized modification of stored gameplay records and verify data integrity when records are retrieved or updated.
Rationale: Tampered performance records may produce inaccurate results and undermine the reliability of user progress tracking.
Risk: Medium

SR19: The system shall limit repeated authentication attempts within a defined period.
Rationale: Limiting repeated attempts helps reduce automated password-guessing and brute-force attacks.
Risk: Medium

SR20: The system shall record security-relevant events, including failed authentication attempts and unauthorized access attempts, without unnecessarily

logging sensitive user information.
Rationale: Security logs support the investigation of suspicious activity while minimizing the exposure of sensitive data.
Risk: Medium

7 Non-Functional Requirements

NFR1: The system shall maintain a frame rate of at least 30 frames per second during standard single-player gameplay on the minimum supported VR hardware.
Rationale: Maintaining a consistent frame rate helps reduce visual discomfort and supports an immersive VR experience.
Risk: High

NFR2: The system shall respond to valid controller inputs within 50 milliseconds under normal operating conditions.
Rationale: Low input latency supports precise drone control and provides a more realistic flight simulation experience.
Risk: High

NFR3: The system shall operate correctly on all VR headsets, controllers, and operating system configurations explicitly listed as supported in the system documentation.
Rationale: Defining supported configurations ensures consistent operation and reduces hardware compatibility issues.
Risk: Medium

NFR4: The system shall restore access to the main menu within 10 seconds of recovering from a recoverable VR tracking or network interruption, provided that the required hardware and services are available.
Rationale: Prompt recovery minimizes disruption and reduces the need to restart the application.
Risk: Medium

8 Roadmap

[Which safety requirements will be implemented as part of the capstone timeline? Which requirements will be implemented in the future? —SS]

9 Appendix — Generative AI Use Disclosure

[ChatGPT (version 5) was used to brainstorm ideas for the template for this disclose section. —SS]

9.1 AI Tools Used

[Give the name of the AI tool(s) used and the version. —SS]

9.2 How and Where Used

[Explain what the tool(s) were used for. Examples include: brainstorming, explaining a technical concept, reviewing the document, generating or modifying text, generating or modifying diagrams, identifying errors or omissions or inconsistencies. —SS]

[For each of the uses, identify which parts of the document were affected. —SS]

[You do not need to report every interaction, but you should disclose the uses that materially contributed to your work —SS]

9.3 Verification of AI-Generated Content

[

- Describe how the team checked AI-generated or AI-assisted material before including it in the document.
- In particular, verify factual claims, technical assertions, requirements, calculations, references, and other information for which an AI system may produce incorrect or fabricated results.
- **The team is responsible for the accuracy, completeness, consistency, and appropriateness of the submitted document, regardless of whether material was generated by a human or an AI system.**

—SS]

10 Appendix — Reflection

[Not required for CAS 741 —SS]

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. Which of your listed risks had your team thought of before this deliverable, and which did you think of while doing this deliverable? For the latter ones (ones you thought of while doing the Hazard Analysis), how did they come about?
4. Other than the risk of physical harm (some projects may not have any appreciable risks of this form), list at least 2 other types of risk in software products. Why are they important to consider?