

Donexus — Integration API

Server-to-server reference for Calcite Hyper

Version 1.1 · 17 September 2026

Donexus 66 endpoints · charity fundraising platform

Auth API key, `x-api-key` header

Samples captured from live responses against a local server; personal data masked

Companion files `Donexus.postman_collection.json`, `README.md`

1 Overview

Donexus exposes the same operator capabilities as its SuperAdmin console to Calcite Hyper: tenants and their admin accounts, plans and features, subscriptions and overrides, billing, support tickets, the leads CRM, the dashboard and the audit log. The console and this API call the same service code, so they cannot disagree. Every request authenticates with a static server-to-server API key sent as `x-api-key`, compared as a SHA-256 digest in constant time. JWTs are not accepted on these routes.

System	Base URL	Key	Scope
Donexus Charity fundraising	<code>https://ngoplatformbe.onrender.com/api</code> local: <code>http://localhost:5000/api</code>	<code>dnx_live_...</code>	Multi-tenant, one database. Tenant routes address a tenant by <code>:id</code> — the tenant id or its slug.

Every path below is relative to the base URL, e.g. `GET {base}/integration/ping`. Confirm the production base URL with the Donexus team before go-live.

CONFIGURATION

Keys are read from `INTEGRATION_API_KEYS` — comma-separated `name:key` pairs; the name is an audit label only and is never secret:

```
INTEGRATION_API_KEYS=hyper:dnx_live_xxxxx,hyper-old:dnx_live_yyyy
```

Changing it needs a redeploy. Two pairs at once make rotation zero-downtime. A pair whose key is shorter than 24 characters is **ignored** (with a warning), so `hyper:test` never works. If no valid pair is configured, every integration route returns `503 INTEGRATION_DISABLED` — a configuration fault, not an auth failure. Generate a key with:

```
node -e "console.log('dnx_live_' + require('crypto').randomBytes(32).toString('base64url'))"
```

AUTHENTICATION RESPONSES

Condition	Status	Body
Valid key	2xx	The endpoint's payload
Header missing	401	<code>API_KEY_MISSING</code>
Key not recognised	401	<code>API_KEY_INVALID</code>
Malformed x-actor-email	400	<code>INVALID_ACTOR_EMAIL</code>
No keys configured	503	<code>INTEGRATION_DISABLED</code>

ACTOR ATTRIBUTION

Send the optional `x-actor-email: person@calcite.live` header with the staff member behind the click. It grants nothing; it names them in the Donexus audit log, where every write through this API is recorded as `integration:hyper (person@calcite.live)` (or `integration:hyper` without the header), with `meta.reason` when a `reason` is sent.

RESPONSE ENVELOPE

Everything is wrapped: `{ "success": true, "data": ..., "meta"? : {...}, "warnings"? : [{ "code", "message" }] }`, and on failure `{ "success": false, "error": { "code", "message", "details"? } }`. Branch on `error.code`, not the message. **Warnings** are non-fatal facts on a successful write (for example `STRIPE_CANCEL_FAILED`, `NOT_BILLED`) — show them to staff.

CONVENTIONS

Field names	snake_case. Keys inside <code>limits</code> and <code>feature_flags</code> are catalogue codes and pass through verbatim (<code>eventsQuota</code> , <code>adminSeats</code>).
Unknown fields	Refused with <code>400 UNKNOWN_FIELD</code> — <code>featureFlags</code> instead of <code>feature_flags</code> fails loudly instead of silently changing nothing.
Dates	ISO 8601 UTC, or <code>null</code> . Date-only <code>to</code> filters include the whole day.
Money	Numbers in whole currency units next to a <code>currency</code> (platform-wide <code>AUD</code>).
Billing cycle	<code>monthly</code> <code>yearly</code> (<code>annual</code> also accepted as input).
Pagination	<code>?page=&limit=</code> → <code>meta: { page, limit, total, pages }</code> on tenants (100/500), tickets, leads, invoices (50/200) and audit (100/500). Plans, coupons, admins and the feature matrix return everything.
Caching	Every response is <code>Cache-Control: no-store</code> ; reads are live.

Privilege model. The integration key carries full platform-operator access to tenant, plan, billing, support and CRM operations — the same actions as a SuperAdmin console owner, applied immediately with no approval step, and every write is audited. Three things stay in the console: **impersonation** (`act-as` is refused), **platform operators and platform settings** (Team, Stripe/email configuration, email templates), and **taking a card** during lead conversion.

2 Donexus 66 endpoints

HEALTH

GET /integration/ping

Confirms the key works. Returns the key's audit name and the forwarded actor.

RESPONSE 200

```
{
  "success": true,
  "data": {
    "service": "donexus",
    "key": "hyper",
    "actor": "s***@calcite.live",
    "time": "2026-09-17T05:31:13.910Z"
  }
}
```

TENANTS

POST /integration/tenants

Provision an organisation and its owner. Compd by default; no Stripe subscription. A generated password is returned **once**.

REQUEST

```
{
  "organization_name": "Hope Street Foundation",
  "email": "o***@hopestreet.example",
  "first_name": "Jordan",
  "last_name": "Lee",
  "plan_code": "growth",
  "billing_cycle": "yearly",
  "trial_days": 30,
  "is_comp": true,
  "comp_reason": "Pilot partner",
  "send_welcome_email": false,
  "reason": "Signed at the Sydney roadshow"
}
```

RESPONSE 201

```
{
  "success": true,
  "data": {
    "id": "6aab7b2a8083244e82a5ead0",
    "name": "Hope Street Foundation",
    "slug": "hope-street-foundation",
    "status": "active",
    "portal_url": "http://hope-street-foundation.localhost:5173",
    "contact_email": "o***@hopestreet.example",
    "is_muslim_charity": false,
    "owner": {
      "id": "6aab7b2a8083244e82a5ead2",
      "name": "Jordan Lee",
      "email": "o***@hopestreet.example"
    },
    "has_override": false,
    "subscription": {
```

```

    "plan_code": "growth",
    "plan_name": "Growth",
    "plan_status": "active",
    "billing_cycle": "yearly",
    "status": "active",
    "billing": "comp",
    "is_comp": true,
    "comp_reason": "Pilot partner",
    "trial_ends_at": "2026-10-17T05:31:22.557Z",
    "current_period": null,
    "last_paid_period": null,
    "price": {
      "currency": "AUD",
      "amount": 1390,
      "source": "plan"
    }
  },
  "created_at": "2026-09-17T05:31:22.568Z",
  "updated_at": "2026-09-17T05:31:22.633Z",
  "deleted_at": null,
  "override": null,
  "entitlements": {
    "feature_flags": {
      "donations": true,
      "recurringGiving": true,
      "programs": false,
      "p2pCampaigns": false,
      "store": false,
      "events": true,
      "volunteers": false,
      "newsletter": true,
      "contacts": true,
      "supportTickets": false,
      "partners": false,
      "cmsPages": true,
      "initiatives": false,
      "sectionBuilder": false,
      "designSystem": false,
      "islamicGiving": false,
      "ownStripe": true,
      "paypal": true,
    }
  }
}
... truncated

```

GET /integration/tenants

Every tenant with its subscription inline. Optional ?

status=active|suspended|pending|deleted|all&plan_code=&search=&page=&limit=.

RESPONSE 200

```

{
  "success": true,
  "data": [
    {
      "id": "6aab7b2a8083244e82a5ead0",
      "name": "Hope Street Foundation",
      "slug": "hope-street-foundation",
      "status": "active",
      "portal_url": "http://hope-street-foundation.localhost:5173",
      "contact_email": "o***@hopestreet.example",
      "is_muslim_charity": false,
      "owner": {
        "id": "6aab7b2a8083244e82a5ead2",
        "name": "Jordan Lee",
        "email": "o***@hopestreet.example"
      }
    },
  ],
}

```

```

    "has_override": false,
    "subscription": {
      "plan_code": "growth",
      "plan_name": "Growth",
      "plan_status": "active",
      "billing_cycle": "yearly",
      "status": "active",
      "billing": "comp",
      "is_comp": true,
      "comp_reason": "Pilot partner",
      "trial_ends_at": "2026-10-17T05:31:22.557Z",
      "current_period": null,
      "last_paid_period": null,
      "price": {
        "currency": "AUD",
        "amount": 1390,
        "source": "plan"
      }
    },
    "created_at": "2026-09-17T05:31:22.568Z",
    "updated_at": "2026-09-17T05:31:22.633Z",
    "deleted_at": null
  }
],
"meta": {
  "page": 1,
  "limit": 100,
  "total": 1,
  "pages": 1
}
}

```

GET /integration/tenants/:id

One tenant: subscription, override, effective entitlements, usage and stats, recent audit events and invoices.

`:id` is the id or slug.

RESPONSE 200

```

{
  "success": true,
  "data": {
    "id": "6aab7b2a8083244e82a5ead0",
    "name": "Hope Street Foundation",
    "slug": "hope-street-foundation",
    "status": "active",
    "portal_url": "http://hope-street-foundation.localhost:5173",
    "contact_email": "o***@hopestreet.example",
    "is_muslim_charity": false,
    "owner": {
      "id": "6aab7b2a8083244e82a5ead2",
      "name": "Jordan Lee",
      "email": "o***@hopestreet.example"
    },
    "has_override": false,
    "subscription": {
      "plan_code": "growth",
      "plan_name": "Growth",
      "plan_status": "active",
      "billing_cycle": "yearly",
      "status": "active",
      "billing": "comp",
      "is_comp": true,
      "comp_reason": "Pilot partner",
      "trial_ends_at": "2026-10-17T05:31:22.557Z",
      "current_period": null,

```

```

    "last_paid_period": null,
    "price": {
      "currency": "AUD",
      "amount": 1390,
      "source": "plan"
    }
  },
  "created_at": "2026-09-17T05:31:22.568Z",
  "updated_at": "2026-09-17T05:31:22.633Z",
  "deleted_at": null,
  "override": null,
  "entitlements": {
    "feature_flags": {
      "donations": true,
      "recurringGiving": true,
      "programs": false,
      "p2pCampaigns": false,
      "store": false,
      "events": true,
      "volunteers": false,
      "newsletter": true,
      "contacts": true,
      "supportTickets": false,
      "partners": false,
      "cmsPages": true,
      "initiatives": false,
      "sectionBuilder": false,
      "designSystem": false,
      "islamicGiving": false,
      "ownStripe": true,
      "paypal": true,
    }
  }
}
... truncated

```

PATCH /integration/tenants/:id

Rename, or change status. Suspend locks the portal and sign-ins, revokes sessions and cancels any Stripe subscription; reactivating doesn't restart billing (`BILLING_NOT_RESTARTED` warning).

REQUEST

```

{
  "name": "Hope Street Foundation Ltd",
  "reason": "Legal name change"
}

```

```

{
  "status": "suspended",
  "reason": "Payment overdue"
}

```

```

{
  "status": "active",
  "reason": "Paid in full"
}

```

DELETE `/integration/tenants/:id`

Soft delete: status → deleted, data kept, Stripe subscription cancelled. PATCH status active restores.

REQUEST

```
{
  "reason": "Customer offboarded"
}
```

GET `/integration/tenants/:id/invoices`

This tenant's platform invoices. Optional `?status=&from=&to=&page=&limit=`.

GET `/integration/tenants/:id/audit`

Every operator action on this tenant — console and API. Optional `?action=&from=&to=&search=`.

RESPONSE 200

```
{
  "success": true,
  "data": [
    {
      "id": "6aab7b2a8083244e82a5eb1a",
      "action": "org.restored",
      "actor": "integration:hyper (s***@calcite.live)",
      "actor_id": null,
      "tenant_id": "6aab7b2a8083244e82a5ead0",
      "tenant": {
        "id": "6aab7b2a8083244e82a5ead0",
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation"
      },
      "target_type": "organisation",
      "target_id": "6aab7b2a8083244e82a5ead0",
      "at": "2026-09-17T05:31:22.853Z",
      "meta": {
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation",
        "reason": "",
        "from": "deleted",
        "to": "active",
        "via": "integration",
        "integrationKey": "hyper",
        "actorEmail": "s***@calcite.live"
      }
    },
    {
      "id": "6aab7b2a8083244e82a5eb12",
      "action": "org.deleted",
      "actor": "integration:hyper (s***@calcite.live)",
      "actor_id": null,
      "tenant_id": "6aab7b2a8083244e82a5ead0",
      "tenant": {
        "id": "6aab7b2a8083244e82a5ead0",
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation"
      },
      "target_type": "organisation",
      "target_id": "6aab7b2a8083244e82a5ead0",
      "at": "2026-09-17T05:31:22.831Z",
      "meta": {
        "name": "Hope Street Foundation Ltd",
```

```

    "slug": "hope-street-foundation",
    "reason": "Customer offboarded",
    "stripe": "none",
    "sessionsRevoked": 1,
    "via": "integration",
    "integrationKey": "hyper",
    "actorEmail": "s***@calcite.live"
  }
},
"meta": {
  "page": 1,
  "limit": 100,
  "total": 6,
  ... truncated

```

TENANT ADMINS

GET /integration/tenants/:id/admins

The charity's own admin accounts and their sign-in state.

RESPONSE 200

```

{
  "success": true,
  "data": [
    {
      "id": "6aab7b2a8083244e82a5ead2",
      "name": "Jordan Lee",
      "email": "o***@hopestreet.example",
      "tenant_id": "6aab7b2a8083244e82a5ead0",
      "tenant": {
        "id": "6aab7b2a8083244e82a5ead0",
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation"
      },
      "status": "active",
      "two_factor_enabled": false,
      "mfa_policy": "default",
      "mfa_required": false,
      "locked_until": null,
      "last_login_at": null,
      "created_at": "2026-09-17T05:31:22.629Z"
    }
  ],
  "meta": {
    "total": 1
  }
}

```

GET /integration/tenants/:id/admins/:userId

One admin. An id from another tenant — or a platform operator — is 404.

PATCH `/integration/tenants/:id/admins/:userId`

Suspend or reactivate one admin, and/or require two-factor (`mfa_policy`: `default` | `required`). Suspending signs them out immediately; the charity's site and donors are unaffected. Both fields are validated before either is written.

REQUEST

```
{
  "status": "suspended",
  "reason": "Staff member left the charity"
}
```

```
{
  "status": "active",
  "mfa_policy": "required"
}
```

RESPONSE 200

```
{
  "success": true,
  "data": {
    "id": "6aab7b2a8083244e82a5ead2",
    "name": "Jordan Lee",
    "email": "o***@hopestreet.example",
    "tenant_id": "6aab7b2a8083244e82a5ead0",
    "tenant": {
      "id": "6aab7b2a8083244e82a5ead0",
      "name": "Hope Street Foundation Ltd",
      "slug": "hope-street-foundation"
    },
    "status": "suspended",
    "two_factor_enabled": false,
    "mfa_policy": "default",
    "mfa_required": false,
    "locked_until": null,
    "last_login_at": null,
    "created_at": "2026-09-17T05:31:22.629Z",
    "message": "Admin suspended and signed out"
  }
}
```

POST `/integration/tenants/:id/admins/:userId/unlock`

Clear the failed-sign-in lockout.

REQUEST

```
{
  "reason": "Identity confirmed by phone"
}
```

POST `/integration/tenants/:id/admins/:userId/force-logout`

End every session without changing the account.

REQUEST

```
{
  "reason": "Laptop reported stolen"
}
```

POST `/integration/tenants/:id/admins/:userId/reset-2fa`

Remove two-factor so they can enrol a new authenticator. 409 `MFA_NOT_ENABLED` when it isn't on.

REQUEST

```
{
  "reason": "New phone"
}
```

RESPONSE 409

```
{
  "success": false,
  "error": {
    "code": "MFA_NOT_ENABLED",
    "message": "Two-factor isn't switched on for this admin"
  }
}
```

POST `/integration/tenants/:id/admins/:userId/password-reset`

Email a one-hour reset link to the admin's own inbox. Never sets or reveals a password.

SUBSCRIPTIONS

POST `/integration/tenants/:id/assign-plan`

Change plan or billing cycle. With a live Stripe subscription the price is swapped with prorations; the tenant's status is never changed.

REQUEST

```
{
  "plan_code": "growth-acme",
  "billing_cycle": "monthly",
  "reason": "Moved onto negotiated plan"
}
```

PUT `/integration/tenants/:id/override`

Per-tenant limit / flag / price override. Replaces the whole override; `reason` required. Override pricing is recorded for reporting and doesn't change the Stripe charge.

REQUEST

```
{
  "limits": {
    "adminSeats": 25,
    "campaigns": null
  },
  "feature_flags": {
    "paypal": true
  },
  "pricing": {
    "currency": "AUD",
    "monthly": 99,
    "yearly": null
  },
  "reason": "Negotiated agreement"
}
```

DELETE `/integration/tenants/:id/override`

Clear the override.

REQUEST

```
{
  "reason": "Agreement ended"
}
```

POST `/integration/tenants/:id/comp`

Mark the tenant comped (no charge), or un-comp it. `reason` required to comp. Records who pays; moves no money.

REQUEST

```
{
  "is_comp": true,
  "reason": "Community partner – free for FY27"
}
```

POST `/integration/tenants/:id/trial`

Extend the trial (`extend_days` , from the current end or today) or set/clear `trial_ends_at` .

REQUEST

```
{
  "extend_days": 14,
  "reason": "Onboarding delay"
}
```

PLANS & FEATURES

GET /integration/feature-flags

The feature-flag and limit catalogue: the codes used in every `feature_flags` and `limits` map.

RESPONSE 200

```
{
  "success": true,
  "data": {
    "categories": [
      {
        "code": "fundraising",
        "name": "Fundraising",
        "description": "Donations, recurring giving and campaigns."
      },
      {
        "code": "engagement",
        "name": "Engagement",
        "description": "How the org reaches and grows its supporters."
      },
      {
        "code": "content",
        "name": "Website & Content",
        "description": "Public site pages, builder and design."
      }
    ],
    "flags": [
      {
        "code": "donations",
        "category": "fundraising",
        "name": "Donations & Checkout",
        "description": "Accept one-off donations and the public checkout.",
        "core": true,
        "vertical": null
      },
      {
        "code": "recurringGiving",
        "category": "fundraising",
        "name": "Recurring & Installments",
        "description": "Recurring subscriptions, installment plans and cancellation requests.",
        "core": false,
        "vertical": null
      },
      {
        "code": "programs",
        "category": "fundraising",
        "name": "Programs / Causes",
        "description": "Program & cause pages with their own donations and payments.",
        "core": false,
        "vertical": null
      }
    ],
    "limits": [
      {
        "code": "campaigns",
        "category": "quotas",
        "name": "Active Campaigns",
        "description": "Maximum number of active programs/campaigns.",
        "unit": "campaigns"
      },
      {
        "code": "volunteers",
        "category": "quotas",

```

```
"name": "Volunteer Applications",
... truncated
```

POST /integration/plans

Create a plan (creates the Stripe product and prices), or fork one with `fork_from`: pricing, limits, flags and bullets are copied, anything in the body wins (merged per key), and forks default to `is_public: false`.

REQUEST

```
{
  "code": "growth",
  "name": "Growth",
  "description": "For charities running several campaigns a year.",
  "pricing": {
    "currency": "AUD",
    "monthly": 149,
    "yearly": 1490,
    "onboarding_fee": 500
  },
  "limits": {
    "campaigns": 10,
    "eventsQuota": 25,
    "adminSeats": 5
  },
  "feature_flags": {
    "recurringGiving": true,
    "events": true,
    "newsletter": true
  },
  "marketing_features": [
    "10 active campaigns",
    "Events & paid registration"
  ],
  "is_public": true,
  "sort_order": 2,
  "reason": "New mid-tier"
}
```

```
{
  "code": "growth-acme",
  "name": "Growth — Acme Foundation",
  "fork_from": "growth",
  "pricing": {
    "monthly": 119
  },
  "limits": {
    "adminSeats": 25
  },
  "reason": "Bespoke plan for a 3-year agreement"
}
```

GET /integration/plans

Catalogue with subscriber counts. Optional `?status=active|archived|all`.

RESPONSE 200

```
{
  "success": true,
  "data": [
    {
      "code": "growth",
```

```

    "name": "Growth",
    "description": "For charities running several campaigns a year.",
    "status": "active",
    "archived_at": null,
    "is_public": true,
    "is_popular": false,
    "sort_order": 2,
    "color": "#10b981",
    "pricing": {
      "currency": "AUD",
      "monthly": 149,
      "yearly": 1490,
      "onboarding_fee": 500
    },
    "limits": {
      "campaigns": 10,
      "eventsQuota": 25,
      "adminSeats": 5
    },
    "feature_flags": {
      "recurringGiving": true,
      "events": true,
      "newsletter": true
    },
    "marketing_features": [
      "10 active campaigns"
    ],
    "stripe_synced": true,
    "created_at": "2026-09-17T05:31:15.625Z",
    "updated_at": "2026-09-17T05:31:15.625Z",
    "subscribers": {
      "total": 0,
      "active": 0
    }
  }
],
"meta": {
  "total": 2
}
}

```

GET /integration/plans/:code

One plan with its price history and last 50 revisions (field-level diffs).

RESPONSE 200

```

{
  "success": true,
  "data": {
    "code": "growth",
    "name": "Growth",
    "description": "For charities running several campaigns a year.",
    "status": "active",
    "archived_at": null,
    "is_public": true,
    "is_popular": false,
    "sort_order": 2,
    "color": "#10b981",
    "pricing": {
      "currency": "AUD",
      "monthly": 149,
      "yearly": 1490,
      "onboarding_fee": 500
    },
    "limits": {
      "campaigns": 10,

```

```

    "eventsQuota": 25,
    "adminSeats": 5
  },
  "feature_flags": {
    "recurringGiving": true,
    "events": true,
    "newsletter": true
  },
  "marketing_features": [
    "10 active campaigns",
    "Events & paid registration"
  ],
  "stripe_synced": true,
  "created_at": "2026-09-17T05:31:15.625Z",
  "updated_at": "2026-09-17T05:31:15.625Z",
  "subscribers": {
    "total": 0,
    "active": 0
  },
  "price_history": [],
  "revisions": [
    {
      "id": "6aab7b238083244e82a5ea81",
      "action": "plan.created",
      "actor": "integration:hyper (s***@calcite.live)",
      "at": "2026-09-17T05:31:15.641Z",
      "diff": null,
      "reason": null
    }
  ]
}

```

PATCH /integration/plans/:code

Edit pricing, limits, flags, bullets, visibility. `limits` and `feature_flags` merge per key; `pricing` per cycle. Price changes grandfather paying tenants.

REQUEST

```

{
  "pricing": {
    "yearly": 1390
  },
  "limits": {
    "campaigns": 12
  },
  "feature_flags": {
    "paypal": true
  },
  "reason": "Q3 packaging update"
}

```

GET /integration/feature-matrix

Every plan's features and limits side by side, with the catalogue. Optional `?status=`.

RESPONSE 200

```

{
  "success": true,
  "data": {
    "categories": [
      {

```

```

    "code": "fundraising",
    "name": "Fundraising",
    "description": "Donations, recurring giving and campaigns."
  },
  {
    "code": "engagement",
    "name": "Engagement",
    "description": "How the org reaches and grows its supporters."
  }
],
"flags": [
  {
    "code": "donations",
    "category": "fundraising",
    "name": "Donations & Checkout",
    "core": true,
    "vertical": null
  },
  {
    "code": "recurringGiving",
    "category": "fundraising",
    "name": "Recurring & Installments",
    "core": false,
    "vertical": null
  }
],
"limits": [
  {
    "code": "campaigns",
    "category": "quotas",
    "name": "Active Campaigns",
    "unit": "campaigns"
  },
  {
    "code": "volunteers",
    "category": "quotas",
    "name": "Volunteer Applications",
    "unit": "applications"
  }
],
"plans": [
  {
    "code": "growth",
    "name": "Growth",
    "status": "active",
    "is_public": true,
    "sort_order": 2,
    "feature_flags": {
      "recurringGiving": true,
      "events": true,
      "newsletter": true,
      "paypal": true
    }
  },
  ... truncated

```

PUT `/integration/feature-matrix`

Switch features and change limits for several plans at once. Merged per key; the whole body is validated before any plan is saved.

REQUEST

```
{
  "plans": {
    "growth": {
      "feature_flags": {
        "newsletter": true
      },
      "limits": {
        "campaigns": 15
      }
    },
    "growth-acme": {
      "limits": {
        "adminSeats": 30
      }
    }
  },
  "reason": "Q3 entitlement review"
}
```

POST `/integration/plans/:code/migrate-subscribers`

Move paying tenants onto the plan's current Stripe price. `proration`: none | create_prorations | always_invoice.

REQUEST

```
{
  "proration": "none",
  "reason": "Move everyone onto the Q3 price"
}
```

RESPONSE 200

```
{
  "success": true,
  "data": {
    "plan_code": "growth",
    "proration": "none",
    "migrated": 0,
    "failed": 0,
    "skipped": 0
  }
}
```

POST `/integration/plans/:code/sync-stripe`

Create or repair the plan's Stripe product and prices.

DELETE `/integration/plans/:code`

Archive. Tenants keep the plan and Stripe keeps billing them; it can't be newly assigned. `?confirm=true` when tenants are active on it.

POST `/integration/plans/:code/restore`

Put an archived plan back on sale (same as PATCH `status: "active"`).

REQUEST

```
{
  "reason": "Agreement resumed"
}
```

POST `/integration/plans/:code/archive`

Same as DELETE — the admin portal's spelling. Body `{ confirm?, reason? }` .

REQUEST

```
{
  "confirm": true,
  "reason": "Agreement paused"
}
```

BILLING**GET** `/integration/billing/summary`

MRR, ARR, subscribers per plan and cycle, lifetime collected — the console's Billing screen.

RESPONSE 200

```
{
  "success": true,
  "data": {
    "currency": "AUD",
    "mrr": 0,
    "arr": 0,
    "collected_lifetime": 1490,
    "tenants_total": 1,
    "subscriptions_active": 1,
    "subscriptions_compensated": 1,
    "subscriptions_past_due": 0,
    "paying_by_cycle": {
      "monthly": 0,
      "yearly": 0
    },
  },
  "plans": [
    {
      "code": "growth",
      "name": "Growth",
      "subscribers": 0,
      "paying_subscribers": 0,
      "mrr": 0,
      "list_price": {
        "monthly": 149,
        "yearly": 1390
      }
    },
    {
      "code": "growth-acme",
      "name": "Growth — Acme Foundation",
      "subscribers": 1,
      "paying_subscribers": 0,
      "mrr": 0,
      "list_price": {
```

```

        "monthly": 119,
        "yearly": 1490
    }
}
],
"recent_signups": [
    {
        "id": "6aab7b2a8083244e82a5ead0",
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation",
        "plan_code": "growth-acme",
        "subscription_status": "active",
        "owner": {
            "id": "6aab7b2a8083244e82a5ead2",
            "name": "Jordan Lee",
            "email": "o***@hopestreet.example"
        },
        "created_at": "2026-09-17T05:31:22.568Z"
    }
]
}
}
}

```

GET /integration/invoices

Invoices across tenants, with totals for the whole filtered set. Optional ?

status=&tenant_id=&search=&from=&to=&page=&limit=.

RESPONSE 200

```

{
  "success": true,
  "data": [
    {
      "id": "6aab7b2d4a279134634019ee",
      "number": "RGKZXU3Y-0002",
      "status": "paid",
      "tenant_id": "6aab7b2a8083244e82a5ead0",
      "tenant": {
        "id": "6aab7b2a8083244e82a5ead0",
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation"
      },
      "currency": "AUD",
      "amount_due": 1490,
      "amount_paid": 1490,
      "period_start": "2026-09-01T00:00:00.000Z",
      "period_end": "2027-09-01T00:00:00.000Z",
      "paid_at": "2026-09-01T04:12:00.000Z",
      "hosted_invoice_url": "https://invoice.stripe.com/i/acct_1TZ7Xt2FosXySDKn/test_YWNjdF8x",
      "invoice_pdf_url": "https://pay.stripe.com/invoice/acct_1TZ7Xt2FosXySDKn/test_YWNjdF8x/pdf",
      "stripe_invoice_id": "in_1TeFyx2FosXySDKnmu53dda9",
      "stripe_subscription_id": "sub_1U1hYBC4KYYSqrW7fPAN7hJo",
      "created_at": "2026-09-01T04:11:40.000Z"
    }
  ],
  "meta": {
    "page": 1,
    "limit": 50,
    "total": 1,
    "pages": 1,
    "totals": {
      "currency": "AUD",
      "paid_amount": 1490,
      "paid_count": 1,
      "outstanding_amount": 0,
    }
  }
}

```

```

      "outstanding_count": 0
    }
  }
}

```

GET /integration/invoices/:invoiceId

One invoice, by id or Stripe invoice id (`in_...`).

GET /integration/coupons

All coupons, redemption counts refreshed from Stripe. Optional `?status=active|archived|all`.

POST /integration/coupons

Create a coupon (Stripe coupon + promotion code).

REQUEST

```

{
  "code": "FOUNDINGMU53DD",
  "description": "Founding partner – 20% off for 6 months",
  "type": "percent",
  "value": 20,
  "duration": "repeating",
  "duration_in_months": 6,
  "plan_codes": [
    "growth"
  ],
  "max_redemptions": 25,
  "redeem_by": "2027-06-30",
  "reason": "Partner programme launch"
}

```

RESPONSE 201

```

{
  "success": true,
  "data": {
    "code": "FOUNDINGMU53DD",
    "description": "Founding partner – 20% off for 6 months",
    "type": "percent",
    "value": 20,
    "currency": "AUD",
    "duration": "repeating",
    "duration_in_months": 6,
    "plan_codes": [
      "growth"
    ],
    "max_redemptions": 25,
    "times_redeemed": 0,
    "redeem_by": "2027-06-30T00:00:00.000Z",
    "status": "active",
    "archived_at": null,
    "stripe_synced": true,
    "created_at": "2026-09-17T05:31:26.410Z",
    "updated_at": "2026-09-17T05:31:26.410Z"
  }
}

```

GET `/integration/coupons/:code`

One coupon.

PATCH `/integration/coupons/:code`

Edit `description` and `plan_codes` only — Stripe coupons are immutable.

REQUEST

```
{
  "description": "Founding partner – 20% off (all plans)",
  "plan_codes": []
}
```

POST `/integration/coupons/:code/replace`

New discount terms: retires the Stripe coupon and issues a new one. Existing redemptions keep their discount.

REQUEST

```
{
  "code": "FOUNDINGMU53DD",
  "type": "percent",
  "value": 25,
  "duration": "once"
}
```

POST `/integration/coupons/:code/archive`

Stop the code working at checkout. The record is kept.

POST `/integration/coupons/:code/restore`

Bring an archived coupon back (recreated in Stripe). 400 `COUPON_NOT_RESTORABLE` if expired or used up.

DELETE `/integration/coupons/:code`

Delete a coupon nobody has redeemed. Otherwise 409 `COUPON_REDEEMED` — archive it.

SUPPORT TICKETS

POST /integration/tenants/:id/tickets

Raise a ticket on the tenant's behalf. Defaults the reporter to the owner. No email is sent.

REQUEST

```
{
  "summary": "Donation receipts not being emailed",
  "description": "Since Monday donors are not receiving receipts after checkout.",
  "priority": "high",
  "category": "technical_error",
  "reporter_name": "Jordan Lee",
  "reporter_email": "o***@hopestreet.example"
}
```

POST /integration/tenants/:id/tickets/:ticketId/comments

Add a comment. `is_internal: true` (default) is Calcite-only; `false` is emailed to the reporter.

REQUEST

```
{
  "message": "Root cause: the tenant's SMTP password expired.",
  "is_internal": true,
  "author_name": "Calcite Support"
}
```

GET /integration/tickets

Tickets across every tenant. Optional ?

`status=&priority=&category=&assignee=&tenant_id=&search=&page=&limit=`.

RESPONSE 200

```
{
  "success": true,
  "data": [
    {
      "id": "6aab7b328083244e82a5eba9",
      "number": 1,
      "tenant_id": "6aab7b2a8083244e82a5ead0",
      "tenant": {
        "id": "6aab7b2a8083244e82a5ead0",
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation"
      },
      "summary": "Donation receipts not being emailed",
      "description": "Since Monday donors are not receiving receipts after checkout.",
      "status": "new",
      "priority": "high",
      "category": "technical_error",
      "reporter": {
        "user_id": "6aab7b2a8083244e82a5ead2",
        "name": "Jordan Lee",
        "email": "o***@hopestreet.example",
        "kind": "admin"
      },
      "assignee": null,
      "resolution": null,
      "first_response_at": null,
      "satisfaction": null,
    }
  ]
}
```

```

      "triage": {
        "category": "unclassified",
        "board_status": "todo",
        "notes": ""
      },
      "attachments": [],
      "comment_count": 1,
      "created_at": "2026-09-17T05:31:30.727Z",
      "updated_at": "2026-09-17T05:31:30.748Z"
    }
  ],
  "meta": {
    "page": 1,
    "limit": 50,
    "total": 1,
    "pages": 1,
    "failed_tenants": []
  }
}

```

GET /integration/tenants/:id/tickets

One tenant's tickets (same filters).

GET /integration/tenants/:id/tickets/stats

Counts by status and priority.

RESPONSE 200

```

{
  "success": true,
  "data": {
    "tenant_id": "6aab7b2a8083244e82a5ead0",
    "total": 1,
    "open": 1,
    "unassigned_open": 1,
    "by_status": {
      "new": 1,
      "in_progress": 0,
      "on_hold": 0,
      "solved": 0,
      "declined": 0
    },
    "by_priority": {
      "low": 0,
      "medium": 0,
      "high": 1,
      "critical": 0
    }
  }
}

```

GET /integration/tenants/:id/tickets/:ticketId

One ticket with comments.

RESPONSE 200

```

{
  "success": true,
  "data": {

```

```

    "id": "6aab7b328083244e82a5eba9",
    "number": 1,
    "tenant_id": "6aab7b2a8083244e82a5ead0",
    "tenant": {
      "id": "6aab7b2a8083244e82a5ead0",
      "name": "Hope Street Foundation Ltd",
      "slug": "hope-street-foundation"
    },
    "summary": "Donation receipts not being emailed",
    "description": "Since Monday donors are not receiving receipts after checkout.",
    "status": "new",
    "priority": "high",
    "category": "technical_error",
    "reporter": {
      "user_id": "6aab7b2a8083244e82a5ead2",
      "name": "Jordan Lee",
      "email": "o***@hopestreet.example",
      "kind": "admin"
    },
    "assignee": null,
    "resolution": null,
    "first_response_at": null,
    "satisfaction": null,
    "triage": {
      "category": "unclassified",
      "board_status": "todo",
      "notes": ""
    },
    "attachments": [],
    "comment_count": 1,
    "created_at": "2026-09-17T05:31:30.727Z",
    "updated_at": "2026-09-17T05:31:30.748Z",
    "comments": [
      {
        "id": "6aab7b328083244e82a5ebaf",
        "message": "Root cause: the tenant's SMTP password expired.",
        "author_name": "Calcite Support",
        "author_id": null,
        "visibility": "platform",
        "is_internal": true,
        "email_status": null,
        "created_at": "2026-09-17T05:31:30.748Z"
      }
    ]
  }
}

```

PUT /integration/tenants/:id/tickets/:ticketId

Update summary, description, priority, category.

REQUEST

```

{
  "priority": "critical",
  "category": "bug_report"
}

```

POST `/integration/tenants/:id/tickets/:ticketId/assign`

Assign to an admin of that tenant (`null` unassigns).

REQUEST

```
{
  "assignee_id": "6aab7b2a8083244e82a5ead2"
}
```

PATCH `/integration/tenants/:id/tickets/:ticketId/status`

Change status; `resolution_notes` on solved/declined. The first resolve sends a one-time satisfaction survey unless `send_satisfaction_survey: false`.

REQUEST

```
{
  "status": "solved",
  "resolution_notes": "Expired SMTP credential rotated.",
  "send_satisfaction_survey": false
}
```

DELETE `/integration/tenants/:id/tickets/:ticketId`

Delete the ticket (permanent).

LEADS (CRM)

GET `/integration/leads/staff`

Platform operators a lead can be assigned to.

POST **/integration/leads**

Add a lead. Only `org_name`, `contact_name`, `contact_email` are required.

REQUEST

```
{
  "org_name": "Riverbend Food Bank",
  "org_website": "https://riverbend.example.org",
  "country": "Australia",
  "contact_name": "Priya Shah",
  "contact_email": "p***@riverbend.example.org",
  "contact_role": "CEO",
  "contacts": [
    {
      "name": "Tom Lee",
      "role": "Treasurer"
    }
  ],
  "staff_size": "6-20",
  "annual_budget_range": "250k_1m",
  "interested_plan": "growth",
  "interested_billing_cycle": "yearly",
  "timeline": "this_quarter",
  "priority": "high",
  "tags": [
    "conference-2026"
  ],
  "deal_value": 1788,
  "expected_close_at": "2026-12-15",
  "stage": "qualified",
  "assignee_id": "6aab7b214a279134634019ed"
}
```

PATCH **/integration/leads/:leadId**

Edit intake and deal fields. Only fields you send change.

REQUEST

```
{
  "deal_value": 2400,
  "expected_close_at": "2027-01-31",
  "timeline": "this_month"
}
```

POST **/integration/leads/:leadId/messages**

Add an internal note, or a reply that is emailed to the contact (`author_name` required for a reply).

REQUEST

```
{
  "kind": "note",
  "body": "Board approves budget on the 20th – follow up the next day.",
  "author_name": "Calcite Sales"
}
```

PATCH `/integration/leads/:leadId/stage`

Move along the pipeline, or close as lost with `lost_reason`. `won` is set only by convert.

REQUEST

```
{
  "stage": "proposal_sent",
  "note": "Sent 3-year proposal"
}
```

POST `/integration/leads/:leadId/assign`

Assign to an operator (`null` unassigns).

REQUEST

```
{
  "assignee_id": "6aab7b214a279134634019ed"
}
```

GET `/integration/leads`

The pipeline. Optional `?stage=&assignee_id=&priority=&tag=&search=&sort=&dir=&page=&limit=`.

RESPONSE 200

```
{
  "success": true,
  "data": [
    {
      "id": "6aab7b328083244e82a5ebd8",
      "org_name": "Riverbend Food Bank",
      "org_website": "https://riverbend.example.org",
      "vertical": "general",
      "country": "Australia",
      "contact": {
        "name": "Priya Shah",
        "email": "p***@riverbend.example.org",
        "phone": null,
        "role": "CEO"
      },
      "stage": "proposal_sent",
      "priority": "high",
      "tags": [
        "conference-2026"
      ],
      "deal": {
        "value": 2400,
        "currency": "AUD",
        "expected_close_at": "2027-01-31T00:00:00.000Z"
      },
      "interested_plan": "growth",
      "interested_billing_cycle": "yearly",
      "source": "superadmin_manual",
      "assignee": {
        "id": "6aab7b214a279134634019ed",
        "name": "Alex Morgan",
        "email": "a***@calcite.live",
        "assigned_at": "2026-09-17T05:31:30.968Z"
      },
      "lost": null,
      "converted_tenant_id": null,
      "flagged_spam": false,
    }
  ]
}
```

```

      "consent_to_contact": false,
      "last_activity_at": "2026-09-17T05:31:30.927Z",
      "created_at": "2026-09-17T05:31:30.884Z",
      "updated_at": "2026-09-17T05:31:30.971Z",
      "tasks": {
        "open": 0,
        "overdue": 0,
        "next_due_at": null
      }
    },
    ],
    "meta": {
      "page": 1,
      "limit": 50,
      "total": 1,
      "pages": 1,
      "sort": {
        "key": "activity",
        "dir": "desc"
      },
      "new_count": 0
    },
    ... truncated

```

GET /integration/leads/board

Every lead grouped by stage (kanban).

GET /integration/leads/:leadId

One lead with thread, stage history, contacts and conversion.

RESPONSE 200

```

{
  "success": true,
  "data": {
    "id": "6aab7b328083244e82a5ebd8",
    "org_name": "Riverbend Food Bank",
    "org_website": "https://riverbend.example.org",
    "vertical": "general",
    "country": "Australia",
    "contact": {
      "name": "Priya Shah",
      "email": "p***@riverbend.example.org",
      "phone": null,
      "role": "CEO"
    },
    "stage": "proposal_sent",
    "priority": "high",
    "tags": [
      "conference-2026"
    ],
    "deal": {
      "value": 2400,
      "currency": "AUD",
      "expected_close_at": "2027-01-31T00:00:00.000Z"
    },
    "interested_plan": "growth",
    "interested_billing_cycle": "yearly",
    "source": "superadmin_manual",
    "assignee": {
      "id": "6aab7b214a279134634019ed",
      "name": "Alex Morgan",
      "email": "a***@calcite.live",
      "assigned_at": "2026-09-17T05:31:30.968Z"
    }
  }
}

```

```

    },
    "lost": null,
    "converted_tenant_id": null,
    "flagged_spam": false,
    "consent_to_contact": false,
    "last_activity_at": "2026-09-17T05:31:30.927Z",
    "created_at": "2026-09-17T05:31:30.884Z",
    "updated_at": "2026-09-17T05:31:30.971Z",
    "message": "",
    "cause_areas": [],
    "staff_size": "6-20",
    "annual_budget_range": "250k_1m",
    "donor_database_size": null,
    "current_tools": [],
    "current_tools_other": "",
    "challenges": [],
    "challenges_other": "",
    "timeline": "this_month",
    "decision_role": null,
    "contacts": [
      {
        "id": "6aab7b328083244e82a5ebd9",
        "name": "Tom Lee",
        "email": null,
        "phone": null,
        "role": "Treasurer",
      }
    ]
  }
}
... truncated

```

POST /integration/leads/:leadId/convert

Create the tenant (comped), or email a payment link (`billing_mode: send_link`), or a self-serve signup link (`mode: activation_link`).

REQUEST

```

{
  "mode": "manual_provision",
  "billing_mode": "comp",
  "slug": "riverbend-mu53dda9",
  "plan_code": "growth",
  "billing_cycle": "yearly",
  "comp_reason": "Launch partner",
  "reason": "Signed 3-year agreement"
}

```

RESPONSE 201

```

{
  "success": true,
  "data": {
    "outcome": "converted",
    "lead": {
      "id": "6aab7b328083244e82a5ebd8",
      "org_name": "Riverbend Food Bank",
      "org_website": "https://riverbend.example.org",
      "vertical": "general",
      "country": "Australia",
      "contact": {
        "name": "Priya Shah",
        "email": "p***@riverbend.example.org",
        "phone": null,
        "role": "CEO"
      },
      "stage": "won",
      "priority": "high",
      "tags": [

```

```

    "conference-2026"
  ],
  "deal": {
    "value": 2400,
    "currency": "AUD",
    "expected_close_at": "2027-01-31T00:00:00.000Z"
  },
  "interested_plan": "growth",
  "interested_billing_cycle": "yearly",
  "source": "superadmin_manual",
  "assignee": {
    "id": "6aab7b214a279134634019ed",
    "name": "Alex Morgan",
    "email": "a***@calcite.live",
    "assigned_at": "2026-09-17T05:31:30.968Z"
  },
  "lost": null,
  "converted_tenant_id": "6aab7b338083244e82a5ec1c",
  "flagged_spam": false,
  "consent_to_contact": false,
  "last_activity_at": "2026-09-17T05:31:30.927Z",
  "created_at": "2026-09-17T05:31:30.884Z",
  "updated_at": "2026-09-17T05:31:33.487Z",
  "message": "",
  "cause_areas": [],
  "staff_size": "6-20",
  "annual_budget_range": "250k_1m",
  "donor_database_size": null,
  "current_tools": [],
  "current_tools_other": "",
  "challenges": [],
  "challenges_other": "",
  "timeline": "this_month",
  "decision_role": null,
  "contacts": [
    {
      "id": "6aab7b328083244e82a5ebd9",
      "name": "Tom Lee",
      "email": null,
    }
  ]
}
... truncated

```

DELETE `/integration/leads/:leadId`

Delete a lead (permanent). Prefer marking it lost.

PLATFORM

GET `/integration/dashboard`

The console dashboard: revenue, 12-month signup growth, cross-tenant footprint.

RESPONSE 200

```

{
  "success": true,
  "data": {
    "currency": "AUD",
    "mrr": 0,
    "arr": 0,
    "collected_lifetime": 1490,
    "tenants_total": 2,
    "subscriptions_active": 2,
    "subscriptions_comped": 2,
    "subscriptions_past_due": 0,
  }
}

```

```

    "paying_by_cycle": {
      "monthly": 0,
      "yearly": 0
    },
    "plans": [
      {
        "code": "growth",
        "name": "Growth",
        "subscribers": 1,
        "paying_subscribers": 0,
        "mrr": 0,
        "list_price": {
          "monthly": 149,
          "yearly": 1390
        }
      },
      {
        "code": "growth-acme",
        "name": "Growth – Acme Foundation",
        "subscribers": 1,
        "paying_subscribers": 0,
        "mrr": 0,
        "list_price": {
          "monthly": 119,
          "yearly": 1490
        }
      }
    ],
    "recent_signups": [
      {
        "id": "6aab7b338083244e82a5ec1c",
        "name": "Riverbend Food Bank",
        "slug": "riverbend-mu53dda9",
        "plan_code": "growth",
        "subscription_status": "active",
        "owner": {
          "id": "6aab7b338083244e82a5ec1e",
          "name": "Priya Shah",
          "email": "p***@riverbend.example.org"
        },
        "created_at": "2026-09-17T05:31:31.022Z"
      },
      {
        "id": "6aab7b2a8083244e82a5ead0",
        "name": "Hope Street Foundation Ltd",
        "slug": "hope-street-foundation",
        "plan_code": "growth-acme",

```

... truncated

GET /integration/audit

The operator audit log, console and API. Optional ?

tenant_id=&action=&actor=&target_type=&target_id=&from=&to=&search=&page=&limit=.

RESPONSE 200

```

{
  "success": true,
  "data": [
    {
      "id": "6aab7b358083244e82a5ec3c",
      "action": "lead.deleted",
      "actor": "integration:hyper (s***@calcite.live)",
      "actor_id": null,
      "tenant_id": null,
      "tenant": null,

```

```

    "target_type": "lead",
    "target_id": "6aab7b358083244e82a5ec36",
    "at": "2026-09-17T05:31:33.513Z",
    "meta": {
      "orgName": "Duplicate Enquiry",
      "contactEmail": "s***@example.org",
      "via": "integration",
      "integrationKey": "hyper",
      "actorEmail": "s***@calcite.live"
    }
  },
  {
    "id": "6aab7b358083244e82a5ec38",
    "action": "lead.created",
    "actor": "integration:hyper (s***@calcite.live)",
    "actor_id": null,
    "tenant_id": null,
    "tenant": null,
    "target_type": "lead",
    "target_id": "6aab7b358083244e82a5ec36",
    "at": "2026-09-17T05:31:33.504Z",
    "meta": {
      "via": "integration",
      "integrationKey": "hyper",
      "actorEmail": "s***@calcite.live"
    }
  }
],
"meta": {
  "page": 1,
  "limit": 100,
  "total": 48,
  "pages": 1
}
}

```

BLOCKED

POST `/integration/tenants/:id/act-as`

403 IMPERSONATION_NOT_ALLOWED. Signing in as a tenant needs a named person — use the Donexus console's Open as support.

3 Gotchas

1 Merge vs replace. `PATCH /plans/:code` and `PUT /feature-matrix` **merge per key** into `limits` and `feature_flags` (keys you omit keep their value; `null` = unlimited) and `pricing` per cycle. `PUT /tenants/:id/override` **replaces the whole override** — keys you omit fall back to the plan. `PATCH /leads/:leadId` changes only the fields you send, but a list you send (tags, contacts) replaces the stored list.

2 Billing isn't restarted, and some flags don't move money. Suspend and delete **cancel** the tenant's Stripe subscription, and Stripe cancellations are final: reactivating or restoring doesn't restart billing (`BILLING_NOT_RESTARTED`). A tenant created with `POST /tenants` or converted as comped has **no Stripe subscription**. `comp` records who pays; an override `pricing` is for reporting only and doesn't change what Stripe charges — to change a paying tenant's price, fork a plan and assign it.

3 Money-moving endpoints. `assign-plan` on a Stripe-billed tenant swaps the price with prorations (a cycle change resets the billing date). `migrate-subscribers` with `create_prorations` or `always_invoice` charges tenants; `always_invoice` invoices immediately. There is no dry-run — the API key is enough.

4 Price changes are grandfathered. Editing a plan's price mints a new Stripe price; tenants already paying stay on the old one (`SUBSCRIBERS_GRANDFATHERED` warning) until you call `migrate-subscribers`.

5 Soft deletes and hard deletes. Deleting a tenant sets status `deleted` and keeps every record; archiving a plan keeps tenants on it; archiving a coupon keeps the record. **Permanent:** `DELETE` of a ticket, of a lead, and of a coupon nobody redeemed (a redeemed coupon returns `409 COUPON_REDEEMED`).

6 Some calls email real people. A ticket comment with `is_internal: false` (and the first resolve's satisfaction survey), a lead `reply`, every lead conversion, and an admin `password-reset`. `is_internal` defaults to **true**, so a ticket note is never emailed by omission; a lead reply requires `author_name` because it signs the email.

7 Resolve assignees first. Ticket assignees must be an admin of that tenant — take an id from `GET /tenants/:id/admins` (`404 ASSIGNEE_NOT_IN_TENANT`). Lead assignees must be a platform operator — take an id from `GET /leads/staff` (`400 INVALID_ASSIGNEE`).

8 Tenant admins vs the tenant. `/tenants/:id/admins/:userId` acts on **one person**: suspending an admin signs them out but the charity's site and donors carry on. To lock the whole charity, `PATCH /tenants/:id { "status": "suspended" }`. Nothing here sets or reveals a password.

4 Error codes

Code	Status	Meaning
INTEGRATION_DISABLED	503	INTEGRATION_API_KEYS not set (or no valid pair) on the server
API_KEY_MISSING	401	x-api-key header missing
API_KEY_INVALID	401	Key not in the configured list
INVALID_ACTOR_EMAIL	400	x-actor-email is not a single email address
IMPERSONATION_NOT_ALLOWED	403	act-as is closed to API keys
VALIDATION_ERROR	400	Body or params failed validation; details.field names the field
UNKNOWN_FIELD	400	A body field the endpoint doesn't accept (e.g. camelCase); details.allowed lists the valid ones
INVALID_JSON / PAYLOAD_TOO_LARGE	400 / 413	Malformed or oversized body
UNKNOWN_LIMIT_KEY / UNKNOWN_FEATURE_FLAG	400	A code that isn't in /feature-flags
CORE_FLAG_LOCKED	400	Tried to switch off a core feature
REASON_REQUIRED	400	Override or comp without a reason
OVERRIDE_WINDOW_UNSUPPORTED	400	effective_from / effective_until sent — not supported
CURRENCY_MISMATCH	400	A currency other than the platform's (AUD)
INVALID_PLAN_CODE / INVALID_SLUG	400	Code or subdomain in the wrong format
INVALID_ASSIGNEE	400	Lead assignee isn't a platform operator
CHARGE_NOW_UNSUPPORTED	400	Lead conversion with charge_now (needs a browser card form)
COUPON_NOT_RESTORABLE	400	Archived coupon expired, used up or over 100% — use replace
TENANT_NOT_FOUND	404	No tenant with that id or slug
TENANT_ADMIN_NOT_FOUND	404	Not an admin of that tenant
PLAN_NOT_FOUND / FORK_SOURCE_NOT_FOUND	404	No such plan
TICKET_NOT_FOUND	404	No such ticket in that tenant
ASSIGNEE_NOT_IN_TENANT	404	Ticket assignee isn't an admin of that tenant
INVOICE_NOT_FOUND / COUPON_NOT_FOUND / LEAD_NOT_FOUND	404	No such record

Code	Status	Meaning
ROUTE_NOT_FOUND	404	No integration endpoint with that method and path
EMAIL_IN_USE / SLUG_TAKEN	409	Owner email already has an account (emails are unique platform-wide) / subdomain taken
PLAN_CODE_TAKEN	409	A plan with that code exists
PLAN_ARCHIVED / PLAN_ALREADY_ARCHIVED / PLAN_NOT_ARCHIVED	409	Plan state doesn't allow the action
PLAN_HAS_ACTIVE_TENANTS	409	Archive with tenants still active — resend with <code>confirm=true</code>
PLAN_NOT_BILLABLE	409	Moving a paying tenant onto a plan with no Stripe price for that cycle
TENANT_DELETED / TENANT_ALREADY_DELETED	409	Restore the tenant first / already deleted
TENANT_PENDING_PAYMENT / TENANT_HAS_NO_OWNER	409	Signup never paid / no owner account to sign in
TENANT_ADMIN_SUSPENDED / MFA_NOT_ENABLED / NO_PORTAL_ADDRESS	409	Admin action not possible in the admin's current state
COUPON_CODE_TAKEN / COUPON_ARCHIVED / COUPON_ALREADY_ACTIVE / COUPON_REDEEMED	409	Coupon state doesn't allow the action (a redeemed coupon can only be archived)
LEAD_CLOSED / LEAD_WON_REQUIRES_CONVERT	409	Lead already won or lost / <code>won</code> is only set by convert
CONVERSION_FAILED	4xx	Lead conversion refused; the message says why
STRIPE_UPDATE_FAILED / EMAIL_SEND_FAILED	502	Stripe refused the change (nothing was saved) / the email couldn't be sent
STRIPE_UNAVAILABLE	503	Stripe isn't configured on the server
INTERNAL_ERROR	500	Unexpected failure — logged server-side

Warnings on 2xx responses: `STRIPE_NOT_SYNCED`, `SUBSCRIBERS_GRANDFATHERED`, `STRIPE_CANCEL_FAILED`, `BILLING_NOT_RESTARTED`, `NOT_BILLED`, `STRIPE_STILL_BILLING`, `WELCOME_EMAIL_FAILED`, `MIGRATION_PARTIAL`, `STRIPE_UNAVAILABLE`, `EMAIL_SEND_FAILED`.

5 Compared with Stewardex

Same authentication, envelope and resource layout. Where the products differ, Donexus keeps its own behaviour:

Stewardex	Donexus
<code>orgId</code> (slug-like)	<code>:id</code> = tenant id or slug
<code>POST /tenants/:orgId/trial-extend { days }</code>	<code>POST /tenants/:id/trial { extend_days }</code> or <code>{ trial_ends_at }</code>
<code>GET /tenants/:orgId/users</code>	<code>GET /tenants/:id/admins</code> plus suspend, unlock, force-logout, reset-2fa, password reset, 2FA policy
<code>GET /feature-matrix</code> (read-only)	<code>GET</code> and <code>PUT /feature-matrix</code>
<code>POST /plans/:code/migrate-revision</code>	<code>POST /plans/:code/migrate-subscribers { proration }</code> — no pinned revisions; moves Stripe prices
PATCH plan nested objects replace	merge per key / per cycle
Assign plan resets period and sets status active	Stripe proration; period resets only on a cycle change; status unchanged
Override <code>effective_until</code>	not supported → <code>400 OVERRIDE_WINDOW_UNSUPPORTED</code>
Invoice credit, void, retry, bulk retry, backfill	not offered — invoices are a read-only Stripe mirror; act in Stripe
Pause / resume, cycle anchor, override apply-to-stripe	not offered — no paused state; override pricing is reporting-only
Promo grants, apply coupon to tenant	not offered — coupons apply at checkout and on lead payment links
<code>GET/PATCH /settings</code>	not offered — platform settings stay in the console
—	Leads CRM (<code>/leads</code>), <code>/dashboard</code> , <code>/billing/summary</code> , tenant audit and invoices
<code>401 API_KEY_REQUIRED</code>	<code>401 API_KEY_MISSING</code>