

The following opcodes are used for **addition**:

- ADDI — Add Signed Integer
- ADDU — Add Unsigned Integer
- ADDF — Add Floating Point

ADDI — *Add Signed Integer* {#ADDI}

???+ note "Properties"

| Property | Value |
|--------------|-----------------------|
| Opcode | 13 |
| Type | Arithmetic |
| Operand Type | Signed 64-bit integer |
| Destination | L2 (implicit) |

```
L2 = L2 + <signed_imm>
L2 = L2 + <reg_val>
L2 = L2 + <const>
```

=== "ADDI Example"

```
`` `linenums="1" hl_lines="1 3 5 7"
; imm +ve
    ADDI    1
; imm -ve
    ADDI    -123
; reg val
    ADDI    val(QT)
; const
    ADDI    SOME_CONST_VAL
`` `
```

ADDU — *Add Unsigned Integer* {#ADDU}

Use ADDU to add an unsigned value to whatever value is stored within the L3 register. If the register L3 is not set, then initial value of L3 is assumed to be 0, and not a garbage value.

| Property | Value |
|----------------|-----------------------|
| `Opcode` | #18 |
| `Type` | *Arithmetic* |
| `Operand Type` | Unsigned 64-bit value |
| `Destination` | L3 (implicit) |

=== "ADDU Algorithm"

```

...
    L3 = L3 + <unsigned_imm>
    L3 = L3 + <reg_val>
    L3 = L3 + <const>
...

```

=== "ADDU Example"

```

```linenums="1" hl_lines="1 3 5"
; imm +ve
 ADDU 1
; reg val
 ADDU val(QT)
; const
 ADDU SOME_CONST_VAL
...

```

## ADDF — *Add Float value* {#ADDF}

Use ADDF to add a floating point value to whatever value is stored within the L1 register. If the register L1 is not set, then initial value of L1 is assumed to be 0, and not a garbage value.

| Property       | Value              |
|----------------|--------------------|
| `Opcode`       | #23                |
| `Type`         | *Arithmetic*       |
| `Operand Type` | 64-bit float value |
| `Destination`  | L1 (implicit)      |

### === "ADDF Algorithm"

```
...
 L1 = L1 + <float>
 L1 = L1 + <reg_val>
 L1 = L1 + <const>
...
```

### === "ADDF Example"

```
```linenums="1" hl_lines="1 3 5"  
; imm float  
    ADDF    3.14  
; reg val  
    ADDF    val(QT)  
; const  
    ADDF    SOME_CONST_VAL  
...
```
