

Parshvanath Charitable Trust's

A. P. SHAH INSTITUTE OF TECHNOLOGY

(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai)
(Religious Jain Minority)

Department of Information Technology

Academic Year: 2021-22

Semester: V

Class / Branch: IT Subject: DevOps Lab

Name of Instructor: Prof. Sonal Jain

Name of Student:Soham Dalvi

Student ID: 21104010

Date of Performance: 17/8/23 Date of Submission: 17/8/23


Experiment No. 4

Aim: To install and configure Jenkins to test and deploy an application with Maven

Output:

Creating a system on jenkins







In the left croner we can see backups being created at every minute



Doing shell scripting to make a file via jenkins

Confirming the file being created

```
apsit@apsit=HP-Pro-Tower-280-G9-PCI-Desktop-PC:/var/lib/jenkins/workspace/freestyle
apsit@apsit=HP-Pro-Tower-280-G9-PCI-Desktop-PC:/var/lib/jenkins/workspace/freestyle
spsit@apsit=HP-Pro-Tower-280-G9-PCI-Desktop-PC:/var/lib/jenkins/workspace/freestyle
spsit@apsit=HP-Pro-Tower-280-G9-PCI-Desktop-PC:/var/lib/jenkins/workspace/freestyle
spsit@apsit=HP-Pro-Tower-280-G9-PCI-Desktop-PC:/var/lib/jenkins/workspace/freestyle/Soham_jenkins
```

Console output for maven project which is linked through git

✓ Console Output

```
Started by user unknown or anonymous
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/github
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/anujdevopslearn/MavenBuild.git
> git init /var/lib/jenkins/workspace/github # timeout=10
Fetching\ upstream\ changes\ from\ https://github.com/anujdevopslearn/MavenBuild.git
> git --version # timeout=10
> git --version # 'git version 2.34.1'
> git fetch --tags --force --progress -- https://github.com/anujdevopslearn/MavenBuild.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/anujdevopslearn/MavenBuild.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision d79c72ec09b17c6cdc0a5feedb2afd9ea3907480 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f d79c72ec09b17c6cdc0a5feedb2afd9ea3907480 # timeout=10
Commit message: "Update README.md"
First time build. Skipping changelog.
Finished: SUCCESS
```

Conclusion: In this experiment we learnt how to configure Jenkins and deploy an application with maven