

Voltmate CRM — User manual for data entry (Sales)

Audience: People who enter and check customer data every day. You do **not** need prior CRM experience.
Product: Voltmate web app (Next.js frontend + API). Dates and numbers in examples follow the **English (India)** style used on screen.

Table of contents

- 1. What is this CRM?
- 2. Signing in and opening Sales
- 3. Who can do what (roles)
- 4. Create Lead Report
- 5. Lead Report (list, filters, preview, CSV)
- 6. Create Visit Report
- 7. Visit Report (list, filters, CSV)
- 8. Sales Performance hub (dashboard)
- 9. Daily Target screen
- 10. Supervisor / admin tools (overview only)
- 11. Troubleshooting
- 12. Glossary
- 13. Appendix A — Dropdown values (exact labels)
- 14. Appendix B — Screenshot checklist (for trainers)

1. What is this CRM?

Voltmate’s Sales CRM helps you store two related things:

Concept	Plain meaning	In the app
Lead	A person or business that might buy a vehicle. You capture their contact details, business type, and how you reached them.	Create Lead Report / rows in Lead Report
Visit	A single follow-up touch on an existing lead: which salesperson went, which vehicle was discussed, what stage the deal is in, and what to do next.	Create Visit Report / rows in Visit Report

Think of it as: **one Lead (customer record) can have many Visits over time**. The system ties visits to the lead using the **customer code** you see on the lead.

Lead (customer code VL-...) ■■■ Visit 1 (date, salesperson, status, next step) ■■■ Visit 2 ...

Customer code (cust code): A short ID the system assigns to the lead so every visit lines up with the same person.

2. Signing in and opening Sales

1. Open your Voltmate website and sign in with the username and password your **administrator** gives you.
2. After login you see the **home dashboard** with a sidebar.
3. Tap **Sales** in the sidebar. You land on **Sales Performance** — the main hub for CRM links, charts, and quick actions.

[Screenshot: Home sidebar with Sales highlighted]

At the top of Sales Performance you will see buttons similar to:

- **View Lead Report** — browse all leads.
 - **View Visit Report** — browse all visits.
 - **Daily Target** — opens a **weekly targets** screen (see [§9](#); **admins only**).
 - **Create New Lead Report** — add a new lead (**Admin / Sales Admin only**).
 - **Create New Visit Report** — log a visit on an existing lead (**Admin / Sales Admin only**).
 - **Refresh** — reload charts and lists from the server.
-

3. Who can do what (roles)

Exact wording in the app for restricted pages: **“Only Admin and Sales Admin can access this page.”**

Task	Typical roles
View Lead Report	Any logged-in user who can open Sales (no extra gate on that page in the app)
View Visit Report	Same
Create / edit / delete leads and visits	Admin, Sales Admin
Daily Target (/admin/daily-target)	Admin only (others see Access Denied)
Sales Analytics , admin attendance, admin task manager	Admin (sidebar entries when role is admin)

If you need create/edit access and see “Access Denied”, ask your **Admin** to give you the **Sales Admin** role (or use an admin account per your company policy).

4. Create Lead Report

Path: Sales hub → **Create New Lead Report**, or URL ending in /sales/create-lead-report.

Purpose: Register a **new prospect** with contact details, business classification, optional location, and optional “buying timeframe / call outcome” CRM fields.

4.1 Opening the form

- Use **Add Lead** (or equivalent) to open a blank form.
- To change an existing lead, use **Edit** from the table on the same page.

[Screenshot: Create Lead Report – table + Add / Edit]

4.2 Core fields (what to fill)

Fill fields honestly and consistently so reports stay trustworthy.

Field	What it means	Rules / tips
Connect Date	First meaningful contact date	Required (date picker). Defaults to today when opening a new lead.
Cust. Name	Customer or contact name	Required.
Business Category	High-level segment (e.g. Distribution & Logistics)	Pick from searchable list; then pick Business Type under it.
Business Type	Specific line of business	Required indirectly: you must end up with a subtype or only a category — the form saves Business Type if chosen, otherwise the category (see validation toast: business must be selected).
Phone No. 1	Primary mobile	Required. Exactly 10 digits , starting with 6–9 (Indian mobile).
Phone No. 2	Alternate mobile	Optional; same digit rules if filled.
Lead Type	Digital vs non-digital source	Digital Lead or Non Digital Lead .
Location (West Bengal)	Where they operate / live	Optional. Type at least 2 characters to search. Suggestions come from OpenStreetMap (Nominatim) with West Bengal, India bias; only results whose state is West Bengal appear. Click a row to paste a short address. You can still type manually.
Note	Free text	Optional general notes.

Screenshot: Lead form – top section including Location

4.3 Buying timeframe and call outcome (CRM section)

This block is labeled **Buying timeframe & call outcome**. The form reminds you:

If buying window is set (except Unknown) or outcome is busy/callback, set **Follow-up from** or **Callback time**.

See exact dropdown wording in [Appendix A](#).

Field	Purpose
Buying timeframe	When they might buy (bucket).
Call outcome / stall	What happened on the call (busy, needs time, comparing, etc.).
Follow-up from	Date — earliest date you should follow up from.
Earliest purchase intent	Optional date they hinted they might buy by.
They asked to call after	Date and time someone asked you to call back (datetime-local).
Customer promised they will call back	Checkbox — tick if they committed to calling you.
Timing / callback notes	Short extra context.

4.4 Rules that block Save (important)

On the form (before sending to server):

- **Business Category / Type** must be chosen (toast: *Please select a Business Category*).
- **Phone No. 1** required and must pass **10-digit mobile** validation.

On the server (you'll see an error toast if violated):

If **Buying timeframe** is set to anything **except** "Unknown / refused to say", you **must** fill **either**:

- **Follow-up from**, or
- **They asked to call after**

If **Call outcome / stall** is either:

- **Busy — customer will call us back**, or
- **Busy — asked us to call later**

then you **must** again fill **either Follow-up from or They asked to call after**.

These rules match backend validation (parseCrmDeferralBody).

4.5 Saving, exporting, deleting

- **Save Lead / Update Lead** submits the form; success closes the modal and refreshes the list.
- **Export CSV** on this page downloads **all leads** from the server export endpoint (/api/v1/leads/export/csv), **not** a filtered subset from the table search.
- **Delete** (if shown) removes a lead after confirmation.

5. Lead Report (list, filters, preview, CSV)

Path: View Lead Report → /sales/lead-report.

5.1 What this screen shows

Subtitle on screen: **Complete overview of all leads recorded in the system.**

You get:

- Connection status for the backend (**Backend: Connected / Disconnected**) and **Retry**.
- **Filters** row.
- **Summary tiles**: Total Leads, Digital Leads, Non-Digital, This Month (based on **currently filtered** rows).
- A **sortable table** and **Export CSV**.
- **Preview** opens a detailed modal per lead.

Screenshot: **Lead Report – filters + stats + table**

5.2 Filters

Control	Behaviour
Search	Debounce (~200 ms). Matches name , customer code , business , or phone .
Lead Type	All types, Digital Lead, or Non Digital Lead.
Business Category	Searchable; filters leads whose business text matches the category choice.
Date From / Date To	Filters by Connect Date range. Rows without connect date won't match date filters.
Clear All	Clears filter UI state.

When any filter is active, the subtitle says **Filtered results**.

5.3 Table columns (quick guide)

Column	Meaning
Cust Code	System customer ID for linking visits.
Customer Name	Lead name.
Business	Stored category/type line.
Phone	Primary + optional secondary.
Location	Text location if captured.
Lead Type	Digital vs Non Digital.
Buy window	Label from Buying timeframe dropdown.
Callback	Label from Call outcome / stall .
Connect Date	Shown in en-IN date format.

Preview	Opens detail modal.
---------	---------------------

Click column headers **Customer Name**, **Business**, **Lead Type**, **Connect Date** to sort; click again to reverse order.

5.4 Preview modal

View opens:

1. **Lead Details** — full CRM deferral fields, phones, location, notes.
2. **Record Audit** — **Added by** / **Last edited by** with timestamps.
3. **Activity History** — timeline from the activity log API (`entity_type=lead`). Shows actions such as create/update with **who** and **when**.

Screenshot: Lead Report – Preview modal showing Activity History

5.5 Export CSV on Lead Report

Important: Export CSV calls the API `GET /api/v1/leads/export/csv` and downloads **the full export the server returns**.

It does **not** automatically match your **on-screen filters**. To analyze a filtered subset, export everything and filter in Excel, or ask your admin for a report change.

Filename pattern: `lead-report_YYYY-MM-DD.csv`.

6. Create Visit Report

Path: `/sales/create-visit-report`.

Purpose: Record **one visit** against an **existing lead**: salesperson, vehicle, pipeline **status**, **next action**, dates, phones, notes, optional **Lost – Not Interested** reason, **hot lead**, optional **GPS ping**, and the same CRM deferral fields as leads.

6.1 Before you start

- You must **select the lead** this visit belongs to (search by customer code, name, etc., as implemented on screen).
- Pick **Salesperson** from the staff list loaded from the server.
- Pick **Vehicle** from the long searchable list — always choose the **exact variant** string (battery, cabin, etc.) so inventory reporting stays accurate.

Screenshot: Create Visit Report – lead search + vehicle select

6.2 Main visit fields

Field	Meaning
Connect Date	Carried from lead / editable per business rules

Visit Date	When this interaction happened
Status	Current pipeline stage for this visit
Next action	What should happen next (uses same option list as status)
Next action date	When that next step is due
Phone No. 1 / 2	Same 10-digit rules as leads
Note	Conversation summary

Status vs Next action:

Status = “where the customer sits **now** in the funnel.” **Next action** = “what we **plan to do next**.” They can match or differ depending on your process.

Visit **status** dropdown in the form uses the list under **Appendix A — Visit status / Next action**.

6.3 Lost – Not Interested

When **Status** is **Lost – Not Interested** (Unicode en dash as shown in app):

1. Choose a **reason** from the dropdown (budget, timing, product fit, etc.).
2. If reason is **Other**, you **must** type an explanation in **Lost reason notes**.

The form shows errors if these are missing.

6.4 Hot lead

Hot lead marks this customer as high priority on the **lead** record (`is_hot_lead`). Use it consistently so managers can filter hot opportunities.

6.5 Capture GPS after save

Checkbox text (paraphrased from UI): after save, **capture my GPS** for this visit — the **browser** will ask for location permission.

- Recording uses the device/browser GPS (same permission idea as attendance).
- If permission is denied, GPS fails, or network fails, you may still see: **Visit saved, but location was not recorded (permission, GPS, or network)**.

Only enable when appropriate for your workplace policy.

6.6 CRM deferral fields on visits

The visit form repeats **Buying timeframe**, **Call outcome / stall**, **Follow-up from**, **Earliest purchase intent**, **They asked to call after**, **Customer promised...**, **Timing / callback notes** — same meaning as on leads.

The **same server rules** apply: buying timeframe (except Unknown) or busy/callback outcomes require **Follow-up from** OR **They asked to call after**.

6.7 Export on Create Visit page

The **Export CSV** button on **Create Visit Report** uses `/api/v1/visits/export/csv` — a **full server export**, not tied to the search box on that page.

7. Visit Report (list, filters, CSV)

Path: `/sales/visit-report`.

7.1 Pipeline vs “Show lost / closed”

By default the filter chips focus on **active pipeline** statuses (New Lead through Booking Date Confirmed **including** intermediate stages such as Attempted Contact, Connected, etc., as listed in code).

Turn **Show lost / closed on** to include endings such as:

- Lost variants (Price Issue, Competitor, No Response, Not Interested)
- Loan Processing, Booking Amount Received, Order Confirmed, Delivery Scheduled, Delivered (Closed – Won)

Older visits may still show statuses from legacy data even if they are not in the **create** dropdown — keep filters aligned with what your managers expect.

Screenshot: Visit Report – toggle Show lost / closed

7.2 Filters and sorting

Filter	Behaviour
Search	Name, customer code, salesperson, vehicle, lead location
Status	Exact match on pipeline / extended statuses
Hot lead	All / Hot only / Not hot
Visit date From / To	Rows without visit date are excluded when dates set

Sort by clicking column headers (implementation mirrors Lead Report).

7.3 Summary tiles

Based on **currently filtered** visits:

- **Total** — row count.
- **Connected** — statuses whose text contains “**connected**” (case-insensitive substring).
- **Test drives / demos** — statuses containing “**demo**”.
- **Won** — statuses containing “**won**”.

These are simple keyword summaries; always verify critical numbers using filters or CSV.

7.4 Export CSV (Visit Report page)

This export builds the file **from the rows you currently see** (after filters and sorting).

- If **no rows**, you see **No rows to export for the current filters**.
- If search / status / hot / date filters are active, the filename adds **_filtered** before **.csv**.

Column order matches the CRM-wide export schema (IDs, cust_code, deferral fields, visit_location_captured_at, audit names, timestamps — see code constant VISIT_REPORT_CSV_COLUMNS).

8. Sales Performance hub (dashboard)

Path: Sidebar → **Sales**.

Shows KPI cards (**Total Leads**, **Total Visits**, conversion-style insights), charts (visits per salesperson, lead mix), and **recent** lead/visit snippets.

Use **Refresh** if data looks stale after colleagues entered records.

Screenshot: Sales Performance – KPI cards + charts

9. Daily Target screen

Linked from Sales hub as **Daily Target** (/admin/daily-target).

Who can open it: Admin only. Others receive **Access Denied**.

What it does (conceptually):

- Loads visits from /api/v1/visits/report.
- Builds **weekly** buckets (Monday–Sunday) based on **next_action_date** falling in that week.
- Excludes rows that look **Lost** (status or next action starting with “lost”).
- Lets admins drill into salesperson cards, days of week, pending vs updated visits.

Use this chapter only if **you are an admin** managing weekly follow-up discipline.

Screenshot: Daily Target – week navigator + salesperson cards

10. Supervisor / admin tools (overview only)

These screens exist for oversight — details intentionally brief here:

Area	Path	Purpose
Sales Analytics	/admin/sales-analytics	Deeper charts / funnel views (admin sidebar).
Overdue visits	/admin/overdue-visits	Highlights visits whose next action date is behind.
Sales location / map	/admin/sales-location	Geographic views of activity (where implemented).

Ask your supervisor **which** of these your team uses before training operators.

11. Troubleshooting

Problem	What to check
Save failed with message about follow_up / callback	Re-read §4.4 and §6.6. Add Follow-up from OR They asked to call after .
Phone validation error	Must be 10 digits , starting 6–9 . Remove spaces/country code in the mobile fields.
Lost – Not Interested won't save	Select a reason ; if Other , fill notes .
GPS not recorded	Browser permission, poor GPS signal, or connection — visit may still be saved; message explains partial success.
Lead CSV doesn't match filters	Expected — Lead Report CSV is full server export . Use spreadsheet filters or request a feature change.
Visit CSV empty	Clear overly narrow filters or widen dates on Visit Report .
Access Denied on Create pages	Need Admin or Sales Admin . Daily Target needs Admin .
Location suggestions empty	Type more letters; confirm area is West Bengal ; internet required for map search.

12. Glossary

Term	Meaning
Lead	Prospect master record (name, phones, business, lead type, CRM deferral fields).
Visit	One logged interaction tied to a lead (salesperson, vehicle, status, next steps).
Customer code (cust_code)	Stable ID linking visits to the correct lead.
Pipeline / Status	Stage of the sale for that visit (Demo, Negotiation, Lost, etc.).
Next action	Planned next stage or activity.
Buying timeframe	Bucket estimating when the customer might purchase.
Call outcome / stall	Why conversation paused or how customer behaved on call.
Deferral fields	Collective name for timeframe + outcome + follow-up/callback fields validated together.
Hot lead	Priority flag on the customer for sales focus.
Activity History	Audit timeline on lead preview from server logs.

Appendix A — Dropdown values (exact labels)

A.1 Buying timeframe (Buying timeframe)

Stored value	Label shown
(empty)	— Not specified —
within_1_month	Within 1 month
within_2_months	Within 2 months
within_3_months	Within 3 months
beyond_3_months	Beyond 3 months
unknown	Unknown / refused to say

A.2 Call outcome / stall (Call outcome / stall)

Stored value	Label shown
(empty)	— Not specified —
busy_will_call_back	Busy — customer will call us back
requested_callback_later	Busy — asked us to call later
needs_time_to_decide	Needs time to decide
travel_or_offline	Travel / offline / unreachable briefly
talk_to_family_first	Must discuss with family / partner
comparing_options	Comparing options / shopping around

A.3 Lead type

- Digital Lead
- Non Digital Lead

A.4 Visit status / Next action (Create Visit Report form)

Exact strings as in app (STATUSES):

1. New Lead
2. Demo Scheduled
3. Demo Completed
4. Quotation Shared
5. Demo Follow Up
6. Follow-Up 2
7. Negotiation
8. Booking Date Confirmed

- 9. Loan Processing
- 10. Booking Amount Received
- 11. Order Confirmed
- 12. Delivery Scheduled
- 13. Delivered (Closed – Won) — *Unicode en dash in product*
- 14. Lost – Price Issue
- 15. Lost – Competitor
- 16. Lost – No Response
- 17. Lost – Not Interested

A.5 Lost – Not Interested reasons

Value	Label
budget	Budget / affordability
timing	Timing — not ready to buy
product_fit	Product fit / specs mismatch
range_anxiety	Range / charging concerns
prefers_ice	Prefers ICE / not convinced on EV
chose_competitor	Chose a competitor
family_decision	Family / stakeholder decision
other	Other (explain below)

A.6 Visit Report filter statuses (pipeline + extended)

Pipeline-focused statuses (partial list — includes early funnel):

New Lead, Attempted Contact, Connected, Requirement Identified, Qualified Lead, Demo Scheduled, Demo Completed, Quotation Shared, Demo Follow Up, Follow-Up 2, Negotiation, Booking Date Confirmed.

Additional “lost / closed” statuses when extended toggle on:

Lost – Price Issue, Lost – Competitor, Lost – No Response, Lost – Not Interested, Loan Processing, Booking Amount Received, Order Confirmed, Delivery Scheduled, Delivered (Closed – Won).

Appendix B — Screenshot checklist (for trainers)

Replace placeholders in §§2–10 with real captures from **production or training**:

- 1. Login + Sales sidebar.
- 2. Sales Performance hub buttons row.
- 3. Create Lead Report — empty form + CRM section.

4. Create Lead Report — location dropdown sample.
5. Lead Report — filters + stats + table.
6. Lead Report — Preview modal + Activity History sample.
7. Create Visit Report — lead picker + vehicle search.
8. Create Visit Report — Lost NI fields + GPS checkbox.
9. Visit Report — filters + Show lost / closed + Export CSV row count matching table.
10. Daily Target — admin view (optional).

Maintenance: Whenever `voltmate-/lib/crmDeferral.ts` or visit status arrays change, update **Appendix A** and re-export PDF if your company distributes PDFs.

*Document generated from Voltmate codebase paths under `voltmate-/app/sales/`,
`voltmate-/components/sections/SalesPerformance.tsx`, `voltmate-/lib/crmDeferral.ts`,
`backend/src/utls/crmDeferral.ts`. Review quarterly or after CRM releases.*