ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36179

Chinese Longitudinal Healthy Longevity Survey (CLHLS), 1998-2012

Yi Zeng
Duke University, and Peking University

James Vaupel
Max Planck Institutes, and Duke University

Zhenyu Xiao
China National Research Center on Aging

Yuzhi Liu
Peking University

Chunyuan Zhang
Peking University

2011-2012 Longitudinal Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36179/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #36179

Chinese Longitudinal Healthy Longevity Survey (CLHLS), 1998-2012

Dataset: 6

1. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR has removed the variables **G141T**, **G142T**, **G143T**, **F610T**, **A540A**, **H22T**, **C55T**, **G15YT** and **G15Y1** from the data collection.

2. **Duplicate Variable Labels:** ICPSR has added the variable names to the beginning of the variable labels to make them unique, as there were many duplicate variable labels.

3. **Undocumented Codes:** The variables **C21C**, **F103I4**, **G15L1** and **G15O3** contain undocumented values such as 0, 2, 3 and 5 which ICPSR have labeled "UNDCOUMENTED CODE." No information was provided.

4. **Undocumented Missing Codes:** The variables **D71**, **D72**, **E3** and **H1** contain the missing value of 8 which has not been labeled. Please refer to the Original P.I. Documentation for more information.

5. **Duplicate Value Labels:** The following variables contain duplicate value labels for which no information was provided:

Variables	Values	Label
G14A1, **G14B1** and **G14C1**	20, 21	galactophore disease

6. **Additional Information:** For additional information on the Chinese Longitudinal Healthy Longevity Survey (CLHLS), please visit the Center for the Study of Aging and Human Development Web site.

Specifications of the coding system for the CLHLS 2011-2012 wave cross-sectional dataset of elderly aged 65+

Note: please read following specification BEFORE using this dataset.

1. This dataset is derived from the 2011-2012 wave of the Chinese Longitudinal Healthy Longevity Survey (CLHLS). Approximately 75.0% of the interviews in this wave were conducted in 2011 in the randomly selected half of the counties and cities (rather than the selected longevity areas) in the 23 provinces[1]; and the other 25.0% of the interviews were conducted in 2012 in the 8 selected longevity areas. The 2011-2012 follow-up survey contains 9,765 respondents aged 65+.

2. The variables and the coding system in this dataset are based on the individual questionnaire in the 2011-2012 follow-up survey. The names of the variables and the coding system in this dataset, however, are not necessarily exactly the same as those in the corresponding questionnaire in 2011-2012. Some are slightly different. Please use this codebook's system when performing analysis, and regard the questionnaire as a basic reference.

3. In the coding system, 'Write Format: F3', for example, means that the length of the code of the variable is 3 digits without decimal points, while 'Write Format: F8.4' represents the length of the code of the variable is 8 digits with 4 digits after the decimal point. The latter format (with a decimal point) is used for weights.

4. This is the released Version 1.0 for the 2011-2012 cross-sectional dataset. The ID in this released version has eight digits, which is generated from the national provincial code, questionnaire No., and the last two digits of the year of the very first interview of the interviewee.

5. Most of variables are treated as 'Numeric' ones in this dataset, while some of them are treated as 'string' ones. 'Numeric' variables such as age, year, month, number of persons, and number of days are treated as 'Scale' type. Most of the remaining 'Numeric' variables are treated as 'Nominal' ones including 'yes' or 'no' binominal questions. Variables in Part B, variables related to ADL, IADL functioning capacity in Part E, and some variables in Part D in the surviving individual questionnaires are treated as 'Ordinal' ones. More detailed information could be found in the 'measurement level' in the coding system.

6. A variable name with 'r' as the first letter refers to a variable that indicates whether the question was answered personally by the respondent or was

[1] The baseline survey and the next 3 follow-up surveys were conducted in 22 of China's 31 provinces in 1998, 2000, 2002, and 2005. Hainan was included in the 5th and 6th waves as the 23th province to perform the more in-depth study for longevity areas.

answered by a proxy.

7. '-1' is used in this dataset to indicate a situation in which the question is NOT applicable to the respondent. '9', '99', '999', '9999', and '99999'.are usually used to represent missing information in different variables, while '8', '88', '888', '8888', and '88888' in most cases (but NOT all cases) are used to indicate situations in which the respondent didn't know the answers to the question. The missing values indicated by '8', '88', '888', '8888', '88888', '9', '99', '99', '9999', and '99999' need to be imputed by the user before doing the analysis, especially when the proportion of 'missing' or 'don't know.' is larger than 5%. Datasets with imputed values to replace the missing data are not currently available.

8. Geographic codes indicating participants' county/city/town residence location in 2011-2012 waves are NOT included in this released dataset. This is because that some counties have very small number of participants; consequently, releasing participants' county/city/town residence location codes would violate the rules for protecting individuals' private confidentiality.

9. The weight variable "w_2011" is estimated based on the estimated numbers of elderly persons by age, sex, and rural/urban residence in 2011 derived from the 6th census conducted in 2010 for the 22 provinces where the 2011-2012 follow-up survey was conducted. The total number of the weighted individual cases of the survey is equal to the total sample size. However, the numbers of the weighted individual cases for the age-sex-residence-specific groups may not be exactly the same as the actual sub-sample size of the corresponding groups. Thus, SPSS, SAS, STATA (or other software) would not produce correct p-values for testing the statistical significance of the differences of the average proportions across different age-sex-reference groups, since the sub-sample size of the sub-groups may be altered after weighting the individual cases. Therefore, the weights need to be appropriately adjusted to ensure that the sub-sample size within each sub-group after weighting is exactly the same as the true sub-sample size for the cross sub-groups comparisons with statistical significant test. Such adjusted weights are available upon request. Please refer to Zeng and Vaupel et al. (2001: Appendix A) for details on how the weights and the adjusted weights are computed. Weight is not applied to those respondents aged less than 65 or more than 106 at their first interviews. The weight variable is located at the end of the dataset.

10. This dataset can be available in SPSS, SAS, STATA, or ASCII format. Please indicate which format you prefer.

11. This codebook is produced by SPSS 15.0.

12. We highly appreciate that you contact us with any errors you find or comments on the codebook, which will help us improve the dataset in the future. Please address questions and send comments to: Prof. Liu Yuzhi (chafs@pku.edu.cn;

Tel: 86-10-6275-6914), or Dr. Huashuai Chen (hc67@duke.edu; Tel. 1-919-660-7532, Fax: 1-919-668-0453). Our English website is: http://www.geri.duke.edu/china_study, and the Chinese website is: http://web5.pku.edu.cn/ageing/.

The CLHLS Research Team
March 9, 2014.

References:

1. Gu, D. (2008). General Data Assessment of the Chinese Longitudinal Healthy Longevity Survey in 2002. In Y. Zeng, D. L. Poston, D.A. Vlosky, and D. Gu (eds.). *Healthy Longevity in China: Demographic, Socioeconomic, and Psychological Dimensions.* Pp 39-59. Dordrecht, The Netherlands: Springer Publisher.
2. Gu, D., and Dupre, M.E. (2008). Assessment of Reliability of Mortality and Morbidity in the 1998-2002 CLHLS Waves. In Y. Zeng, D. L. Poston, D.A. Vlosky, and D. Gu (eds.). *Healthy Longevity in China: Demographic, Socioeconomic, and Psychological Dimensions.* Pp 101-117. Dordrecht, The Netherlands: Springer Publisher.
3. Zeng, Y., and Gu, D. (2008). Reliability of Age Reporting among the Chinese Oldest-old in the CLHLS Datasets. In Y. Zeng, D. L. Poston, D.A. Vlosky, and D. Gu (eds.). *Healthy Longevity in China: Demographic, Socioeconomic, and Psychological Dimensions.* Pp 61-79.Dordrecht, The Netherlands: Springer Publisher.
4. Zeng, Y., Vaupel, J.W., Xiao, Z., Zhang, C., and Liu, Y. (2001). The Healthy Longevity Survey and the Active Life Expectancy of the Oldest Old in China. *Population: An English Selection, 13(1),* 95-116.

ICPSR 36179

Chinese Longitudinal Healthy Longevity Survey (CLHLS), 1998-2012

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

2011-2012 Cross-Sectional Data, Version 1

ID: id id, province code +given no. + year of the wave of the very first interview

Based upon 9,765 valid cases out of 9,765 total cases.

- Mean: 38693611.80
- Minimum: 11000208.00
- Maximum: 61164105.00
- Standard Deviation: 9151055.09

Location: 1-8 (width: 8; decimal: 0)
Variable Type: numeric

YEARIN: yearin year of the 2011/2012 interview

Value	Label	Unweighted Frequency	%
2011	-	7328	75.0 %
2012	-	2437	25.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

- Mean: 2011.25
- Median: 2011.00
- Mode: 2011.00
- Minimum: 2011.00
- Maximum: 2012.00
- Standard Deviation: 0.43

Location: 9-12 (width: 4; decimal: 0)
Variable Type: numeric

MONTHIN: monthin month of the 2011/2012 interview

Value	Label	Unweighted Frequency	%
1	-	5	0.1 %
2	-	1	0.0 %
3	-	9	0.1 %
5	-	625	6.4 %
6	-	1126	11.5 %
7	-	3017	30.9 %
8	-	3322	34.0 %
9	-	644	6.6 %
10	-	357	3.7 %
11	-	645	6.6 %
12	-	14	0.1 %
99	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

- Mean: 7.60
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.44

Location: 13-14 (width: 2; decimal: 0)
Variable Type: numeric

DAYIN: dayin day of the 2011/2012 interview

Value	Label	Unweighted Frequency	%
1	-	227	2.3 %
2	-	256	2.6 %
3	-	202	2.1 %
4	-	244	2.5 %
5	-	255	2.6 %
6	-	229	2.3 %
7	-	219	2.2 %
8	-	307	3.1 %
9	-	258	2.6 %
10	-	326	3.3 %
11	-	387	4.0 %
12	-	404	4.1 %
13	-	366	3.7 %
14	-	307	3.1 %
15	-	454	4.6 %
16	-	315	3.2 %
17	-	324	3.3 %
18	-	435	4.5 %
19	-	454	4.6 %
20	-	376	3.9 %
21	-	282	2.9 %
22	-	411	4.2 %
23	-	379	3.9 %
24	-	381	3.9 %
25	-	450	4.6 %
26	-	369	3.8 %

Value	Label	Unweighted Frequency	%
27	-	275	2.8 %
28	-	292	3.0 %
29	-	298	3.1 %
30	-	163	1.7 %
31	-	120	1.2 %
99	missing	0	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

- Mean: 16.44
- Median: 17.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.10

Location: 15-16 (width: 2; decimal: 0)
Variable Type: numeric

V_BTHYR: v_bthyr validated birth year

Value	Label	Unweighted Frequency	%
1897	-	2	0.0 %
1898	-	6	0.1 %
1899	-	1	0.0 %
1900	-	9	0.1 %
1901	-	27	0.3 %
1902	-	33	0.3 %
1903	-	46	0.5 %
1904	-	87	0.9 %
1905	-	92	0.9 %
1906	-	153	1.6 %
1907	-	180	1.8 %
1908	-	217	2.2 %
1909	-	89	0.9 %
1910	-	171	1.8 %
1911	-	188	1.9 %
1912	-	169	1.7 %
1913	-	175	1.8 %
1914	-	206	2.1 %
1915	-	216	2.2 %
1916	-	269	2.8 %
1917	-	304	3.1 %

Value	Label	Unweighted Frequency	%
1918	-	327	3.3 %
1919	-	293	3.0 %
1920	-	246	2.5 %
1921	-	244	2.5 %
1922	-	254	2.6 %
1923	-	258	2.6 %
1924	-	258	2.6 %
1925	-	274	2.8 %
1926	-	265	2.7 %
1927	-	291	3.0 %
1928	-	311	3.2 %
1929	-	232	2.4 %
1930	-	224	2.3 %
1931	-	222	2.3 %
1932	-	205	2.1 %
1933	-	244	2.5 %
1934	-	249	2.5 %
1935	-	268	2.7 %
1936	-	249	2.5 %
1937	-	247	2.5 %
1938	-	272	2.8 %
1939	-	242	2.5 %
1940	-	222	2.3 %
1941	-	222	2.3 %
1942	-	239	2.4 %
1943	-	152	1.6 %
1944	-	53	0.5 %
1945	-	54	0.6 %
1946	-	54	0.6 %
	Missing Data		
.	-	379	3.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,386 valid cases out of 9,765 total cases.

- Mean: 1925.05
- Median: 1925.00
- Mode: 1918.00
- Minimum: 1897.00

- Maximum: 1965.00
- Standard Deviation: 11.25

Location: 17-20 (width: 4; decimal: 0)
Variable Type: numeric

V_BTHMON: v_bthmon validated birth month

Value	Label	Unweighted Frequency	%
1	-	638	6.5 %
2	-	730	7.5 %
3	-	790	8.1 %
4	-	710	7.3 %
5	-	802	8.2 %
6	-	830	8.5 %
7	-	779	8.0 %
8	-	744	7.6 %
9	-	817	8.4 %
10	-	855	8.8 %
11	-	925	9.5 %
12	-	766	7.8 %
99	missing	0	0.0 %
	Missing Data		
.	-	379	3.9 %
	Total	**9,765**	**100%**

Based upon 9,386 valid cases out of 9,765 total cases.

- Mean: 6.71
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.41

Location: 21-22 (width: 2; decimal: 0)
Variable Type: numeric

PROV: prov national code for provinces sampled

Value	Label	Unweighted Frequency	%
11	beijing	155	1.6 %
12	tianjin	52	0.5 %
13	hebei	71	0.7 %
14	shanxi	75	0.8 %
21	liaoning	304	3.1 %

Value	Label	Unweighted Frequency	%
22	jilin	168	1.7 %
23	helongjiang	123	1.3 %
31	shanghai	148	1.5 %
32	jiangsu	974	10.0 %
33	zhejiang	607	6.2 %
34	anhui	356	3.6 %
35	fujian	98	1.0 %
36	jiangxi	159	1.6 %
37	shangdong	1381	14.1 %
41	henan	964	9.9 %
42	hubei	444	4.5 %
43	hunan	442	4.5 %
44	guangdong	529	5.4 %
45	guangxi	1201	12.3 %
46	hainan	357	3.7 %
50	chongqing	310	3.2 %
51	sichuan	737	7.5 %
61	shaanxi	110	1.1 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

- Minimum: 11.00
- Maximum: 61.00

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric

TYPE: type category of the interviewee

Value	Label	Unweighted Frequency	%
1	elder first interviewed in 1998	128	1.3 %
2	elder first interviewed in 2000	236	2.4 %
3	elder first interviewed in 2002	2152	22.0 %
4	elder first interviewed in 2005	1679	17.2 %
5	elder first interviewed in 2008	4210	43.1 %
6	newly added elder to replace deceased, migrated, refusal, or	713	7.3 %
7	newly added centenarian or newly added elder aged 65 to 68	563	5.8 %
8	sibling aged 80+ of another interviewee aged 80+	84	0.9 %
9	missing	0	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 25-25 (width: 1; decimal: 0)
Variable Type: numeric

RELATYPE: relatype category of the interviewed respondent

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	full sibling	61	0.6 %
2	half sibling	2	0.0 %
3	adopted sibling	0	0.0 %
4	others	2	0.0 %
9	missing	19	0.2 %
	Missing Data		
.	-	9681	99.1 %
	Total	**9,765**	**100%**

Based upon 84 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 26-27 (width: 2; decimal: 0)
Variable Type: numeric

YB222: yb222 code of the interviewed oldest-old respondent

Value	Label	Unweighted Frequency	%
32162608	-	1	0.0 %
32180302	-	1	0.0 %
32425612	-	1	0.0 %
32434912	-	1	0.0 %
32436212	-	1	0.0 %
32437912	-	1	0.0 %
32444112	-	1	0.0 %
32445012	-	1	0.0 %
32445512	-	1	0.0 %
32448112	-	1	0.0 %
32451412	-	1	0.0 %
32451512	-	1	0.0 %
37002008	-	1	0.0 %
37350109	-	3	0.0 %

Value	Label	Unweighted Frequency	%
37361009	-	1	0.0 %
37364209	-	2	0.0 %
37365309	-	1	0.0 %
37375109	-	1	0.0 %
37377709	-	3	0.0 %
37378109	-	1	0.0 %
37379009	-	1	0.0 %
37381609	-	1	0.0 %
37382809	-	1	0.0 %
37406012	-	1	0.0 %
37414012	-	1	0.0 %
37414212	-	1	0.0 %
37414412	-	1	0.0 %
37418912	-	1	0.0 %
37422312	-	1	0.0 %
37422912	-	1	0.0 %
37423512	-	1	0.0 %
37424412	-	1	0.0 %
41230908	-	1	0.0 %
41231908	-	1	0.0 %
41249308	-	2	0.0 %
41254008	-	1	0.0 %
42210808	-	1	0.0 %
42214008	-	1	0.0 %
42216808	-	1	0.0 %
42216908	-	1	0.0 %
42225808	-	1	0.0 %
42238108	-	1	0.0 %
43305712	-	2	0.0 %
44228108	-	1	0.0 %
44228208	-	1	0.0 %
44605108	-	1	0.0 %
45212708	-	1	0.0 %
45801812	-	1	0.0 %
46024508	-	1	0.0 %
46086812	-	1	0.0 %
	Missing Data		
.	-	9708	99.4 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 57 valid cases out of 9,765 total cases.

- Mean: 38340304.51
- Median: 37406012.00
- Minimum: 32162608.00
- Maximum: 46086812.00
- Standard Deviation: 4140229.40

Location: 28-35 (width: 8; decimal: 0)
Variable Type: numeric

RESIDENC: residenc category of residence of the interviewee in 2011

Value	Label	Unweighted Frequency	%
1	city	1735	17.8 %
2	town	2885	29.5 %
3	rural	5145	52.7 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 36-36 (width: 1; decimal: 0)
Variable Type: numeric

TRUEAGE: trueage validated age

Value	Label	Unweighted Frequency	%
47	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
57	-	2	0.0 %
58	-	7	0.1 %
59	-	4	0.0 %
60	-	15	0.2 %
61	-	6	0.1 %
62	-	17	0.2 %
63	-	18	0.2 %
64	-	14	0.1 %

Value	Label	Unweighted Frequency	%
65	-	70	0.7 %
66	-	64	0.7 %
67	-	71	0.7 %
68	-	217	2.2 %
69	-	230	2.4 %
70	-	238	2.4 %
71	-	249	2.5 %
72	-	271	2.8 %
73	-	255	2.6 %
74	-	262	2.7 %
75	-	252	2.6 %
76	-	277	2.8 %
77	-	249	2.5 %
78	-	218	2.2 %
79	-	226	2.3 %
80	-	228	2.3 %
81	-	236	2.4 %
82	-	229	2.3 %
83	-	327	3.3 %
84	-	305	3.1 %
85	-	272	2.8 %
86	-	262	2.7 %
87	-	260	2.7 %
88	-	272	2.8 %
89	-	249	2.5 %
90	-	243	2.5 %
91	-	312	3.2 %
92	-	284	2.9 %
93	-	331	3.4 %
94	-	289	3.0 %
95	-	256	2.6 %
96	-	244	2.5 %
97	-	208	2.1 %
98	-	137	1.4 %
99	-	129	1.3 %
100	-	220	2.3 %
101	-	205	2.1 %
102	-	166	1.7 %
103	-	247	2.5 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,765 valid cases out of 9,765 total cases.

- Mean: 85.78
- Median: 86.00
- Mode: 93.00
- Minimum: 47.00
- Maximum: 114.00
- Standard Deviation: 11.41

Location: 37-39 (width: 3; decimal: 0)
Variable Type: numeric

A1: a1 sex

Value	Label	Unweighted Frequency	%
1	male	4398	45.0 %
2	female	5367	55.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-40 (width: 1; decimal: 0)
Variable Type: numeric

A2: a2 ethnic group

Value	Label	Unweighted Frequency	%
1	han	8403	86.1 %
2	hui	68	0.7 %
3	zhuang	291	3.0 %
4	yao	32	0.3 %
5	korea	2	0.0 %
6	man	40	0.4 %
7	mongolia	5	0.1 %
8	others	86	0.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	838	8.6 %
	Total	**9,765**	**100%**

Based upon 8,927 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 41-41 (width: 1; decimal: 0)
Variable Type: numeric

A2T: a2t other ethnic group beyond a2

Value	Label	Unweighted Frequency	%
	-	9764	100.0 %
Ãç×å	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: character

RA41: ra41 proxy or not for a41

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6600	67.6 %
1	with proxy	993	10.2 %
9	missing	8	0.1 %
	Missing Data		
.	-	2164	22.2 %
	Total	**9,765**	**100%**

Based upon 7,601 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric

A41: a41 which province were you born in?

Value	Label	Unweighted Frequency	%
11	beijing	71	0.7 %
12	tianjin	51	0.5 %
13	hebei	150	1.5 %
14	shanxi	71	0.7 %
15	inner mongolia	2	0.0 %
21	liaoning	297	3.0 %

Value	Label	Unweighted Frequency	%
22	jilin	119	1.2 %
23	helongjiang	50	0.5 %
31	shanghai	68	0.7 %
32	jiangsu	1031	10.6 %
33	zhejiang	635	6.5 %
34	anhui	365	3.7 %
35	fujian	97	1.0 %
36	jiangxi	158	1.6 %
37	shangdong	1356	13.9 %
41	henan	756	7.7 %
42	hubei	298	3.1 %
43	hunan	379	3.9 %
44	guangdong	401	4.1 %
45	guangxi	1101	11.3 %
46	hainan	258	2.6 %
50	chongqing	296	3.0 %
51	sichuan	738	7.6 %
52	guizhou	3	0.0 %
53	yunnan	2	0.0 %
54	tibet	0	0.0 %
61	shaanxi	86	0.9 %
62	gansu	0	0.0 %
63	qinghai	0	0.0 %
64	ningxia	0	0.0 %
65	xinjiang	0	0.0 %
71	taiwan	0	0.0 %
81	hongkong	2	0.0 %
88	don't know	3	0.0 %
90	north korea	0	0.0 %
91	south korea	0	0.0 %
92	burma	0	0.0 %
93	indonesia	1	0.0 %
94	japan	0	0.0 %
95	vietnam	0	0.0 %
96	others	2	0.0 %
99	missing	30	0.3 %
	Missing Data		
.	-	888	9.1 %
	Total	**9,765**	**100%**

Based upon 8,877 valid cases out of 9,765 total cases.

- Minimum: 11.00
- Maximum: 99.00

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric

RA42: ra42 proxy or not for a42

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6597	67.6 %
1	with proxy	1005	10.3 %
9	missing	6	0.1 %
	Missing Data		
.	-	2157	22.1 %
	Total	**9,765**	**100%**

Based upon 7,608 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric

A42: a42 was the country (city) you born in the same as current address?

Value	Label	Unweighted Frequency	%
1	same city/county as current address	7672	78.6 %
2	other city/county	1262	12.9 %
8	don't know	2	0.0 %
9	missing	6	0.1 %
	Missing Data		
.	-	823	8.4 %
	Total	**9,765**	**100%**

Based upon 8,942 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 52-52 (width: 1; decimal: 0)
Variable Type: numeric

RA43: ra43 proxy or not for a43

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6609	67.7 %
1	with proxy	985	10.1 %
9	missing	5	0.1 %
	Missing Data		
.	-	2166	22.2 %
	Total	**9,765**	**100%**

Based upon 7,599 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric

A43: a43 was the place of birth an urban area or a rural area at time of birth

Value	Label	Unweighted Frequency	%
1	urban	971	9.9 %
2	rural	7964	81.6 %
8	don't know	2	0.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	823	8.4 %
	Total	**9,765**	**100%**

Based upon 8,942 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 55-55 (width: 1; decimal: 0)
Variable Type: numeric

RA51: ra51 proxy or not for a51

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6005	61.5 %
1	with proxy	1671	17.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	2089	21.4 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,676 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 56-57 (width: 2; decimal: 0)
Variable Type: numeric

A51: a51 co-residence of interviewee

Value	Label	Unweighted Frequency	%
1	with household member(s)	7804	79.9 %
2	alone	1626	16.7 %
3	in an institution	207	2.1 %
9	missing	1	0.0 %
	Missing Data		
.	-	127	1.3 %
	Total	**9,765**	**100%**

Based upon 9,638 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 58-58 (width: 1; decimal: 0)
Variable Type: numeric

RA52: ra52 proxy or not for a52

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	4853	49.7 %
1	with proxy	1637	16.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	3275	33.5 %
	Total	**9,765**	**100%**

Based upon 6,490 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric

A52: a52 how many people are living with you?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	284	2.9 %
1	-	2675	27.4 %
2	-	1727	17.7 %
3	-	1044	10.7 %
4	-	1000	10.2 %
5	-	766	7.8 %
6	-	369	3.8 %
7	-	110	1.1 %
8	-	72	0.7 %
9	-	40	0.4 %
10	-	37	0.4 %
11	-	13	0.1 %
12	-	6	0.1 %
13	-	5	0.1 %
14	-	3	0.0 %
15	-	3	0.0 %
16	-	3	0.0 %
19	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
32	-	1	0.0 %
88	do not know	2	0.0 %
99	missing	6	0.1 %
	Missing Data		
.	-	1594	16.3 %
	Total	**9,765**	**100%**

Based upon 8,171 valid cases out of 9,765 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 3.57

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric

RA53A: ra53a proxy or not for a53a1, a53a11, a53a2, a53a3, a53a4, a53a5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	355	3.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	9410	96.4 %
	Total	**9,765**	**100%**

Based upon 355 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric

A53A1: a53a1 relationship between you and 1st person you living with currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	3103	31.8 %
1	child	3873	39.7 %
2	spouse of child	313	3.2 %
3	grandchild	240	2.5 %
4	spouse of grandchild	25	0.3 %
5	great grandchild or spouse of great grandchild	5	0.1 %
6	sibling	11	0.1 %
7	parent or parent-in-law	183	1.9 %
8	other	116	1.2 %
9	missing	3	0.0 %
	Missing Data		
.	-	1893	19.4 %
	Total	**9,765**	**100%**

Based upon 7,872 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric

A53A11: a53a11 other relationship between you and 1st person you living with currently

Value	Label	Unweighted Frequency	%
	-	9673	99.1 %
0	-	1	0.0 %
±£Ä·	-	45	0.5 %
±£Ä·\	-	1	0.0 %
±£Ä·¡¡	-	2	0.0 %
±íÍâÉû	-	1	0.0 %
¶ù×Ó	-	4	0.0 %
¹¤ÈË	-	1	0.0 %
¹ÍÖ÷	-	1	0.0 %
¼Ì×Ó	-	1	0.0 %
ÁÚ¾Ó	-	1	0.0 %
Áìµ¼	-	1	0.0 %
Å®¶ù	-	1	0.0 %
ÅäÅ¼	-	1	0.0 %
ÆäËûÇ×Êô	-	2	0.0 %
Ç×ÆÝ	-	1	0.0 %
É©×Ó	-	1	0.0 %
ÊåÉ©	-	1	0.0 %
ÊåÖ¶	-	1	0.0 %
ÌÆµÜÐÖ¼°ÆäÆÞ×Ó	-	1	0.0 %
ÌÕÐãÖ¥	-	1	0.0 %
Í¬¾Ó	-	1	0.0 %
ÍâÉû	-	1	0.0 %
ÍâÉûÅ®	-	1	0.0 %
ÍâËï	-	1	0.0 %
Î´»éÀÏ°é	-	1	0.0 %
ÏÄ¹úÓ¢£¨Ö¶Å®£©	-	1	0.0 %
ÐÁÐ÷Æ½	-	1	0.0 %
ÑøÀÏÔº	-	1	0.0 %
ÓÐÒ»¸ö±£Ä·ÓëÀÏÈËÍ¬³Ôµ«²»Í¬×¡	-	1	0.0 %
ÕÉ·ò	-	1	0.0 %
Ö¶¶ù	-	2	0.0 %
Ö¶Ëï×Ó	-	1	0.0 %
Ö¶Ï±¸¾	-	1	0.0 %
Ö¶×Ó	-	8	0.1 %
×ÓÅ®ÅäÅ¼	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 67-94 (width: 28; decimal: 0)
Variable Type: character

A53A3: a53a3 sex of 1st person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	4659	47.7 %
2	female	3183	32.6 %
8	don't know	2	0.0 %
9	missing	4	0.0 %
	Missing Data		
.	-	1917	19.6 %
	Total	**9,765**	**100%**

Based upon 7,848 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric

A53A2: a53a2 age of 1st person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
6	-	2	0.0 %
7	-	4	0.0 %
8	-	4	0.0 %
11	-	3	0.0 %
12	-	4	0.0 %
13	-	4	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	3	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	5	0.1 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
23	-	2	0.0 %
24	-	9	0.1 %
25	-	4	0.0 %
26	-	3	0.0 %
27	-	8	0.1 %
28	-	7	0.1 %
29	-	8	0.1 %
30	-	15	0.2 %
31	-	5	0.1 %
32	-	6	0.1 %
33	-	9	0.1 %
34	-	7	0.1 %
35	-	22	0.2 %
36	-	25	0.3 %
37	-	34	0.3 %
38	-	34	0.3 %
39	-	42	0.4 %
40	-	78	0.8 %
41	-	48	0.5 %
42	-	80	0.8 %
43	-	76	0.8 %
44	-	62	0.6 %
45	-	104	1.1 %
46	-	99	1.0 %
47	-	90	0.9 %
48	-	137	1.4 %
49	-	103	1.1 %
50	-	149	1.5 %
51	-	86	0.9 %
52	-	82	0.8 %
53	-	95	1.0 %
	Missing Data		
.	-	1944	19.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,821 valid cases out of 9,765 total cases.

- Mean: 80.87
- Median: 67.00
- Mode: 70.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 110.76

Location: 97-99 (width: 3; decimal: 0)
Variable Type: numeric

A53A4: a53a4 education level of 1st person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	2130	21.8 %
1	attend school but not graduated from primary school	1022	10.5 %
2	primary school	1573	16.1 %
3	middle school	1852	19.0 %
4	high school	783	8.0 %
5	collage or above	248	2.5 %
8	don't know	7	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	2148	22.0 %
	Total	**9,765**	**100%**

Based upon 7,617 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric

A53A5: a53a5 # of cigarettes 1st person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	1	0.0 %
0	-	5126	52.5 %
1	-	26	0.3 %
2	-	77	0.8 %
3	-	70	0.7 %
4	-	36	0.4 %
5	-	147	1.5 %
6	-	48	0.5 %
7	-	22	0.2 %

Value	Label	Unweighted Frequency	%
8	-	34	0.3 %
9	-	4	0.0 %
10	-	480	4.9 %
11	-	4	0.0 %
12	-	25	0.3 %
13	-	6	0.1 %
14	-	2	0.0 %
15	-	107	1.1 %
16	-	9	0.1 %
17	-	3	0.0 %
18	-	7	0.1 %
20	-	832	8.5 %
21	-	2	0.0 %
22	-	6	0.1 %
23	-	3	0.0 %
24	-	5	0.1 %
25	-	16	0.2 %
26	-	2	0.0 %
30	-	51	0.5 %
31	-	1	0.0 %
35	-	3	0.0 %
38	-	1	0.0 %
40	-	79	0.8 %
50	-	4	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
60	-	9	0.1 %
80	-	2	0.0 %
88	don't know	241	2.5 %
99	missing	16	0.2 %
	Missing Data		
.	-	2256	23.1 %
	Total	**9,765**	**100%**

Based upon 7,509 valid cases out of 9,765 total cases.

- Mean: 7.37
- Median: 0.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 99.00

- Standard Deviation: 17.51

Location: 102-103 (width: 2; decimal: 0)
Variable Type: numeric

RA53B: ra53b proxy or not for a53b1, a53b11, a53b2, a53b3, a53b4, a53b5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	254	2.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	9511	97.4 %
	Total	**9,765**	**100%**

Based upon 254 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric

A53B1: a53b1 relationship between you and 2nd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	213	2.2 %
1	child	1218	12.5 %
2	spouse of child	2984	30.6 %
3	grandchild	392	4.0 %
4	spouse of grandchild	170	1.7 %
5	great grandchild or spouse of great grandchild	33	0.3 %
6	sibling	6	0.1 %
7	parent or parent-in-law	50	0.5 %
8	other	67	0.7 %
9	missing	1	0.0 %
	Missing Data		
.	-	4631	47.4 %
	Total	**9,765**	**100%**

Based upon 5,134 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 106-107 (width: 2; decimal: 0)
Variable Type: numeric

A53B11: a53b11 other relationship between you and 2nd person living with you currently

Value	Label	Unweighted Frequency	%
	-	9712	99.5 %
±£Ã½	-	1	0.0 %
±£Ä·	-	21	0.2 %
¶ùÏ±	-	2	0.0 %
¶ù×Ó	-	1	0.0 %
¹¤ÈË	-	1	0.0 %
¹ÃÉ©	-	1	0.0 %
¼ÌÏ±¸¾	-	1	0.0 %
¼ÍÒåÐÂ	-	1	0.0 %
ÀÏÈËËï×ÓµÄËï×Ó	-	1	0.0 %
Å®Ðö	-	1	0.0 %
ÆÅÆÅ	-	1	0.0 %
É©×Ó	-	1	0.0 %
Ëï×Ó	-	1	0.0 %
ÌÆµÜÐÖ¼°ÆäÆÞ×Ó	-	1	0.0 %
ÍâÉû¡¡	-	1	0.0 %
ÍâÉûÏ±¸¾	-	1	0.0 %
Ï±¸¾	-	1	0.0 %
ÐÖµÜµÄ×ÓÅ®	-	1	0.0 %
ÕÂË®Äê£¨Ö¶Å®Ðö£©	-	1	0.0 %
Ö¶	-	1	0.0 %
Ö¶¶ùÏ±	-	1	0.0 %
Ö¶Ëï	-	1	0.0 %
Ö¶ËïÅäÅ¼	-	1	0.0 %
Ö¶ËïÏ±	-	1	0.0 %
Ö¶Ï±	-	3	0.0 %
Ö¶Ï±¸¾	-	2	0.0 %
Ö¶×Ó	-	3	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 108-123 (width: 16; decimal: 0)
Variable Type: character

A53B3: a53b3 sex of 2nd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	1688	17.3 %
2	female	3432	35.1 %
8	don't know	1	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	4642	47.5 %
	Total	**9,765**	**100%**

Based upon 5,123 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 124-125 (width: 2; decimal: 0)
Variable Type: numeric

A53B2: a53b2 age of 2nd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	1	0.0 %
2	-	7	0.1 %
3	-	3	0.0 %
4	-	10	0.1 %
5	-	9	0.1 %
6	-	5	0.1 %
7	-	7	0.1 %
8	-	7	0.1 %
9	-	7	0.1 %
10	-	6	0.1 %
11	-	10	0.1 %
12	-	15	0.2 %
13	-	12	0.1 %
14	-	9	0.1 %
15	-	11	0.1 %
16	-	12	0.1 %
17	-	10	0.1 %
18	-	12	0.1 %
19	-	12	0.1 %
20	-	17	0.2 %
21	-	9	0.1 %

Value	Label	Unweighted Frequency	%
22	-	19	0.2 %
23	-	19	0.2 %
24	-	17	0.2 %
25	-	17	0.2 %
26	-	17	0.2 %
27	-	9	0.1 %
28	-	17	0.2 %
29	-	12	0.1 %
30	-	45	0.5 %
31	-	21	0.2 %
32	-	37	0.4 %
33	-	22	0.2 %
34	-	39	0.4 %
35	-	51	0.5 %
36	-	61	0.6 %
37	-	61	0.6 %
38	-	71	0.7 %
39	-	65	0.7 %
40	-	157	1.6 %
41	-	93	1.0 %
42	-	127	1.3 %
43	-	130	1.3 %
44	-	91	0.9 %
45	-	137	1.4 %
46	-	133	1.4 %
47	-	113	1.2 %
48	-	177	1.8 %
49	-	141	1.4 %
	Missing Data		
.	-	4661	47.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,104 valid cases out of 9,765 total cases.

- Mean: 66.93
- Median: 54.00
- Mode: 60.00
- Minimum: 1.00
- Maximum: 999.00

- Standard Deviation: 110.04

Location: 126-128 (width: 3; decimal: 0)
Variable Type: numeric

A53B4: a53b4 education level of 2nd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	833	8.5 %
1	attend school but not graduated from primary school	539	5.5 %
2	primary school	1072	11.0 %
3	middle school	1594	16.3 %
4	high school	660	6.8 %
5	collage or above	240	2.5 %
8	don't know	5	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	4820	49.4 %
	Total	**9,765**	**100%**

Based upon 4,945 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric

A53B5: a53b5 # of cigarettes 2nd person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3935	40.3 %
1	-	8	0.1 %
2	-	10	0.1 %
3	-	33	0.3 %
4	-	11	0.1 %
5	-	57	0.6 %
6	-	10	0.1 %
7	-	6	0.1 %
8	-	12	0.1 %
9	-	2	0.0 %
10	-	162	1.7 %
11	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12	-	3	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	33	0.3 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	5	0.1 %
20	-	322	3.3 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
30	-	19	0.2 %
35	-	4	0.0 %
40	-	17	0.2 %
50	-	2	0.0 %
60	-	1	0.0 %
85	-	1	0.0 %
88	don't know	147	1.5 %
99	missing	16	0.2 %
	Missing Data		
.	-	4932	50.5 %
	Total	**9,765**	**100%**

Based upon 4,833 valid cases out of 9,765 total cases.

- Mean: 5.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 16.94

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric

RA53C: ra53c proxy or not for a53c1, a53c11, a53c2, a53c3, a53c4, a53c5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	123	1.3 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	9642	98.7 %
	Total	**9,765**	**100%**

Based upon 123 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric

A53C1: a53c1 relationship between you and 3rd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	42	0.4 %
1	child	241	2.5 %
2	spouse of child	728	7.5 %
3	grandchild	1928	19.7 %
4	spouse of grandchild	178	1.8 %
5	great grandchild or spouse of great grandchild	209	2.1 %
6	sibling	0	0.0 %
7	parent or parent-in-law	4	0.0 %
8	other	34	0.3 %
9	missing	1	0.0 %
	Missing Data		
.	-	6400	65.5 %
	Total	**9,765**	**100%**

Based upon 3,365 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric

A53C11: a53c11 other relationship between you and 3rd person living with you currently

Value	Label	Unweighted Frequency	%
	-	9736	99.7 %
±£Ä·	-	6	0.1 %

Value	Label	Unweighted Frequency	%
µ¹Ëï	-	1	0.0 %
¹ÃÖ¶	-	1	0.0 %
Ëï×Ó	-	1	0.0 %
ÍâÉûÏ±¸¾¡¡	-	1	0.0 %
ÍâËï	-	2	0.0 %
ÍâËïÏ±¸¾	-	1	0.0 %
ÍâËï×Ó	-	1	0.0 %
ÐÖµÜµÄ×ÓÅ®	-	1	0.0 %
ÕÂÏÄÇì£¨Ö¶Ëï)	-	1	0.0 %
Ö¶Ëï	-	4	0.0 %
Ö¶ËïµÄ¶ù×Ó	-	1	0.0 %
Ö¶ËïÅ®	-	2	0.0 %
Ö¶Ïï±	-	2	0.0 %
Ö¶ÖØËï×Ó	-	1	0.0 %
Ö¶×Ó	-	1	0.0 %
ÖØÍâÉû	-	1	0.0 %
ÖØÖØÍâËï	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 137-149 (width: 13; decimal: 0)
Variable Type: character

A53C3: a53c3 sex of 3rd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	1852	19.0 %
2	female	1496	15.3 %
8	don't know	2	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	6413	65.7 %
	Total	**9,765**	**100%**

Based upon 3,352 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 150-151 (width: 2; decimal: 0)
Variable Type: numeric

A53C2: a53c2 age of 3rd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	20	0.2 %
2	-	14	0.1 %
3	-	18	0.2 %
4	-	29	0.3 %
5	-	18	0.2 %
6	-	22	0.2 %
7	-	21	0.2 %
8	-	29	0.3 %
9	-	19	0.2 %
10	-	37	0.4 %
11	-	31	0.3 %
12	-	49	0.5 %
13	-	45	0.5 %
14	-	49	0.5 %
15	-	44	0.5 %
16	-	58	0.6 %
17	-	43	0.4 %
18	-	63	0.6 %
19	-	57	0.6 %
20	-	83	0.8 %
21	-	95	1.0 %
22	-	104	1.1 %
23	-	96	1.0 %
24	-	96	1.0 %
25	-	97	1.0 %
26	-	92	0.9 %
27	-	86	0.9 %
28	-	69	0.7 %
29	-	58	0.6 %
30	-	122	1.2 %
31	-	77	0.8 %
32	-	70	0.7 %
33	-	59	0.6 %
34	-	69	0.7 %
35	-	78	0.8 %
36	-	67	0.7 %

Value	Label	Unweighted Frequency	%
37	-	66	0.7 %
38	-	88	0.9 %
39	-	56	0.6 %
40	-	91	0.9 %
41	-	72	0.7 %
42	-	72	0.7 %
43	-	57	0.6 %
44	-	41	0.4 %
45	-	53	0.5 %
46	-	50	0.5 %
47	-	49	0.5 %
48	-	54	0.6 %
49	-	43	0.4 %
	Missing Data		
.	-	6413	65.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,352 valid cases out of 9,765 total cases.

- Mean: 49.26
- Median: 31.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 121.32

Location: 152-154 (width: 3; decimal: 0)
Variable Type: numeric

A53C4: a53c4 education level of 3rd person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	215	2.2 %
1	attend school but not graduated from primary school	247	2.5 %
2	primary school	420	4.3 %
3	middle school	1262	12.9 %
4	high school	645	6.6 %
5	collage or above	437	4.5 %
8	don't know	4	0.0 %
9	missing	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	6533	66.9 %
	Total	**9,765**	**100%**

Based upon 3,232 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric

A53C5: a53c5 # of cigarettes 3rd person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	2538	26.0 %
1	-	4	0.0 %
2	-	20	0.2 %
3	-	17	0.2 %
4	-	10	0.1 %
5	-	35	0.4 %
6	-	13	0.1 %
7	-	7	0.1 %
8	-	11	0.1 %
10	-	125	1.3 %
11	-	1	0.0 %
12	-	4	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	27	0.3 %
18	-	2	0.0 %
20	-	221	2.3 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	8	0.1 %
30	-	7	0.1 %
31	-	2	0.0 %
40	-	12	0.1 %
88	don't know	80	0.8 %
99	missing	13	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	6604	67.6 %
	Total	**9,765**	**100%**

Based upon 3,161 valid cases out of 9,765 total cases.

- Mean: 5.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 16.01

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric

RA53D: ra53d proxy or not for a53d1, a53d11, a53d2, a53d3, a53d4, a53d5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	96	1.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9669	99.0 %
	Total	**9,765**	**100%**

Based upon 96 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric

A53D1: a53d1 relationship between you and 4th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	40	0.4 %
1	child	85	0.9 %
2	spouse of child	146	1.5 %
3	grandchild	1188	12.2 %
4	spouse of grandchild	620	6.3 %
5	great grandchild or spouse of great grandchild	252	2.6 %
6	sibling	2	0.0 %
7	parent or parent-in-law	5	0.1 %

Value	Label	Unweighted Frequency	%
8	other	23	0.2 %
9	missing	1	0.0 %
	Missing Data		
.	-	7403	75.8 %
	Total	**9,765**	**100%**

Based upon 2,362 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric

A53D11: a53d11 other relationship between you and 4th person living with you currently

Value	Label	Unweighted Frequency	%
	-	9747	99.8 %
±£Ä·	-	1	0.0 %
¶ù×Ó	-	1	0.0 %
»ÆæÃ£¨Ö¶ËïÏ±£©	-	1	0.0 %
ËïÏ±	-	1	0.0 %
ÍâËï	-	1	0.0 %
ÍâËïÅ®	-	1	0.0 %
ÍâËïÅäÅ¼	-	1	0.0 %
ÐÖµÜµÄ×ÓÅ®	-	1	0.0 %
ÔøËï×ÓÅ®	-	1	0.0 %
Ö¶ËïµÄ¶ù×Ó	-	1	0.0 %
Ö¶ËïÏ±	-	2	0.0 %
Ö¶ËïÏ±¸¾	-	1	0.0 %
Ö¶Ëï×Ó	-	1	0.0 %
Ö¶ÖØËï×Ó	-	1	0.0 %
ÖØËïÏ±	-	2	0.0 %
ÖØËï×ÓÏ±¸¾	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 163-176 (width: 14; decimal: 0)
Variable Type: character

A53D3: a53d3 sex of 4th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	956	9.8 %
2	female	1391	14.2 %
8	don't know	2	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	7415	75.9 %
	Total	**9,765**	**100%**

Based upon 2,350 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric

A53D2: a53d2 age of 4th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
1	-	31	0.3 %
2	-	36	0.4 %
3	-	29	0.3 %
4	-	32	0.3 %
5	-	38	0.4 %
6	-	40	0.4 %
7	-	36	0.4 %
8	-	34	0.3 %
9	-	25	0.3 %
10	-	57	0.6 %
11	-	41	0.4 %
12	-	50	0.5 %
13	-	53	0.5 %
14	-	43	0.4 %
15	-	49	0.5 %
16	-	56	0.6 %
17	-	50	0.5 %
18	-	66	0.7 %
19	-	55	0.6 %
20	-	61	0.6 %

Value	Label	Unweighted Frequency	%
21	-	61	0.6 %
22	-	82	0.8 %
23	-	74	0.8 %
24	-	90	0.9 %
25	-	78	0.8 %
26	-	83	0.8 %
27	-	64	0.7 %
28	-	63	0.6 %
29	-	50	0.5 %
30	-	77	0.8 %
31	-	40	0.4 %
32	-	65	0.7 %
33	-	47	0.5 %
34	-	37	0.4 %
35	-	35	0.4 %
36	-	32	0.3 %
37	-	33	0.3 %
38	-	42	0.4 %
39	-	36	0.4 %
40	-	37	0.4 %
41	-	19	0.2 %
42	-	22	0.2 %
43	-	17	0.2 %
44	-	18	0.2 %
45	-	19	0.2 %
46	-	18	0.2 %
47	-	13	0.1 %
48	-	12	0.1 %
	Missing Data		
.	-	7414	75.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,351 valid cases out of 9,765 total cases.

- Mean: 43.93
- Median: 24.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 999.00

- Standard Deviation: 125.72

Location: 179-181 (width: 3; decimal: 0)
Variable Type: numeric

A53D4: a53d4 education level of 4th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	221	2.3 %
1	attend school but not graduated from primary school	234	2.4 %
2	primary school	260	2.7 %
3	middle school	797	8.2 %
4	high school	441	4.5 %
5	collage or above	301	3.1 %
8	don't know	2	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	7507	76.9 %
	Total	**9,765**	**100%**

Based upon 2,258 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 182-183 (width: 2; decimal: 0)
Variable Type: numeric

A53D5: a53d5 # of cigarettes 4th person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1961	20.1 %
2	-	3	0.0 %
3	-	4	0.0 %
4	-	6	0.1 %
5	-	9	0.1 %
6	-	5	0.1 %
7	-	3	0.0 %
8	-	4	0.0 %
10	-	45	0.5 %
11	-	1	0.0 %
12	-	1	0.0 %
15	-	11	0.1 %

Value	Label	Unweighted Frequency	%
16	-	2	0.0 %
18	-	1	0.0 %
20	-	72	0.7 %
21	-	1	0.0 %
24	-	1	0.0 %
25	-	4	0.0 %
40	-	1	0.0 %
60	-	1	0.0 %
88	don't know	40	0.4 %
99	missing	15	0.2 %
	Missing Data		
.	-	7574	77.6 %
	Total	**9,765**	**100%**

Based upon 2,191 valid cases out of 9,765 total cases.

- Mean: 3.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 14.76

Location: 184-185 (width: 2; decimal: 0)
Variable Type: numeric

RA53E: ra53e proxy or not for a53e1, a53e11, a53e2, a53e3, a53e4, a53e5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	71	0.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	9694	99.3 %
	Total	**9,765**	**100%**

Based upon 71 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 186-187 (width: 2; decimal: 0)
Variable Type: numeric

A53E1: a53e1 relationship between you and 5th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	22	0.2 %
1	child	36	0.4 %
2	spouse of child	53	0.5 %
3	grandchild	494	5.1 %
4	spouse of grandchild	172	1.8 %
5	great grandchild or spouse of great grandchild	563	5.8 %
6	sibling	2	0.0 %
7	parent or parent-in-law	4	0.0 %
8	other	16	0.2 %
9	missing	1	0.0 %
	Missing Data		
.	-	8402	86.0 %
	Total	**9,765**	**100%**

Based upon 1,363 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 188-189 (width: 2; decimal: 0)
Variable Type: numeric

A53E11: a53e11 other relationship between you and 5th person living with you currently

Value	Label	Unweighted Frequency	%
	-	9753	99.9 %
ÆäËûÇ×Êô	-	1	0.0 %
ÍâÖØËï×Ó	-	1	0.0 %
ÔøËïÅ®	-	2	0.0 %
Ö¶ÖØËï	-	1	0.0 %
Ö¶ÖØËïÅ®	-	1	0.0 %
Ö¶×Ó	-	1	0.0 %
ÖØ´ÎËï	-	1	0.0 %
ÖØËï	-	1	0.0 %
ÖØËïÅäÅ¼	-	1	0.0 %
ÖØËï×Ó	-	1	0.0 %
ÖØÖØËï	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 190-197 (width: 8; decimal: 0)
Variable Type: character

A53E3: a53e3 sex of 5th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	661	6.8 %
2	female	694	7.1 %
8	don't know	1	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	8408	86.1 %
	Total	**9,765**	**100%**

Based upon 1,357 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 198-199 (width: 2; decimal: 0)
Variable Type: numeric

A53E2: a53e2 age of 5th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	2	0.0 %
1	-	61	0.6 %
2	-	47	0.5 %
3	-	63	0.6 %
4	-	34	0.3 %
5	-	54	0.6 %
6	-	43	0.4 %
7	-	62	0.6 %
8	-	52	0.5 %
9	-	38	0.4 %
10	-	27	0.3 %
11	-	32	0.3 %
12	-	37	0.4 %
13	-	38	0.4 %
14	-	24	0.2 %
15	-	31	0.3 %

Value	Label	Unweighted Frequency	%
16	-	37	0.4 %
17	-	29	0.3 %
18	-	42	0.4 %
19	-	22	0.2 %
20	-	34	0.3 %
21	-	27	0.3 %
22	-	28	0.3 %
23	-	41	0.4 %
24	-	34	0.3 %
25	-	51	0.5 %
26	-	28	0.3 %
27	-	25	0.3 %
28	-	19	0.2 %
29	-	16	0.2 %
30	-	33	0.3 %
31	-	12	0.1 %
32	-	11	0.1 %
33	-	15	0.2 %
34	-	14	0.1 %
35	-	13	0.1 %
36	-	9	0.1 %
37	-	9	0.1 %
38	-	14	0.1 %
39	-	7	0.1 %
40	-	15	0.2 %
41	-	3	0.0 %
42	-	9	0.1 %
43	-	4	0.0 %
44	-	2	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	5	0.1 %
48	-	4	0.0 %
	Missing Data		
.	-	8409	86.1 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,356 valid cases out of 9,765 total cases.

- Mean: 38.85
- Median: 16.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 131.48

Location: 200-202 (width: 3; decimal: 0)
Variable Type: numeric

A53E4: a53e4 education level of 5th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	283	2.9 %
1	attend school but not graduated from primary school	193	2.0 %
2	primary school	145	1.5 %
3	middle school	344	3.5 %
4	high school	187	1.9 %
5	collage or above	116	1.2 %
8	don't know	2	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	8494	87.0 %
	Total	**9,765**	**100%**

Based upon 1,271 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric

A53E5: a53e5 # of cigarettes 5th person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1127	11.5 %
2	-	5	0.1 %
3	-	2	0.0 %
4	-	2	0.0 %
5	-	6	0.1 %
6	-	2	0.0 %
7	-	2	0.0 %

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
10	-	18	0.2 %
15	-	4	0.0 %
18	-	4	0.0 %
20	-	34	0.3 %
21	-	1	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
40	-	1	0.0 %
88	don't know	23	0.2 %
99	missing	11	0.1 %
	Missing Data		
.	-	8519	87.2 %
	Total	**9,765**	**100%**

Based upon 1,246 valid cases out of 9,765 total cases.

- Mean: 3.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 15.35

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric

RA53F: ra53f proxy or not for a53f1, a53f11, a53f2, a53f3, a53f4, a53f5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	43	0.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	9722	99.6 %
	Total	**9,765**	**100%**

Based upon 43 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric

A53F1: a53f1 relationship between you and 6th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	7	0.1 %
1	child	19	0.2 %
2	spouse of child	28	0.3 %
3	grandchild	182	1.9 %
4	spouse of grandchild	85	0.9 %
5	great grandchild or spouse of great grandchild	268	2.7 %
6	sibling	2	0.0 %
7	parent or parent-in-law	2	0.0 %
8	other	12	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	9158	93.8 %
	Total	**9,765**	**100%**

Based upon 607 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric

A53F11: a53f11 other relationship between you and 6th person living with you currently

Value	Label	Unweighted Frequency	%
	-	9757	99.9 %
±£Ä·	-	1	0.0 %
¶ùÏ±	-	1	0.0 %
ÍâÖØËïÅ®	-	1	0.0 %
ÖØËï¶ù×Ó	-	1	0.0 %
ÖØËïÅ®ÅäÅ¼¼°Æä×Ó	-	1	0.0 %
ÖØËïÏ±	-	2	0.0 %
ÖØËï×ÓÅ®ÅäÅ¼	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 211-226 (width: 16; decimal: 0)
Variable Type: character

A53F3: a53f3 sex of 6th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	273	2.8 %
2	female	328	3.4 %
8	don't know	1	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9162	93.8 %
	Total	**9,765**	**100%**

Based upon 603 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric

A53F2: a53f2 age of 6th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	4	0.0 %
1	-	40	0.4 %
2	-	34	0.3 %
3	-	37	0.4 %
4	-	18	0.2 %
5	-	21	0.2 %
6	-	22	0.2 %
7	-	17	0.2 %
8	-	20	0.2 %
9	-	14	0.1 %
10	-	14	0.1 %
11	-	14	0.1 %
12	-	13	0.1 %
13	-	10	0.1 %
14	-	6	0.1 %
15	-	8	0.1 %
16	-	15	0.2 %
17	-	8	0.1 %
18	-	9	0.1 %
19	-	7	0.1 %
20	-	11	0.1 %

Value	Label	Unweighted Frequency	%
21	-	18	0.2 %
22	-	18	0.2 %
23	-	20	0.2 %
24	-	10	0.1 %
25	-	20	0.2 %
26	-	13	0.1 %
27	-	9	0.1 %
28	-	11	0.1 %
29	-	3	0.0 %
30	-	12	0.1 %
31	-	5	0.1 %
32	-	3	0.0 %
33	-	6	0.1 %
34	-	10	0.1 %
35	-	4	0.0 %
36	-	7	0.1 %
37	-	7	0.1 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	7	0.1 %
41	-	4	0.0 %
42	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
	Missing Data		
.	-	9167	93.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 598 valid cases out of 9,765 total cases.

- Mean: 49.23
- Median: 16.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 999.00

- Standard Deviation: 162.10

Location: 229-231 (width: 3; decimal: 0)
Variable Type: numeric

A53F4: a53f4 education level of 6th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	171	1.8 %
1	attend school but not graduated from primary school	80	0.8 %
2	primary school	63	0.6 %
3	middle school	129	1.3 %
4	high school	67	0.7 %
5	collage or above	45	0.5 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9209	94.3 %
	Total	**9,765**	**100%**

Based upon 556 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 232-233 (width: 2; decimal: 0)
Variable Type: numeric

A53F5: a53f5 # of cigarettes 6th person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	499	5.1 %
1	-	1	0.0 %
2	-	1	0.0 %
4	-	2	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
10	-	10	0.1 %
11	-	1	0.0 %
18	-	1	0.0 %
20	-	14	0.1 %
30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
88	don't know	9	0.1 %
99	missing	3	0.0 %
	Missing Data		
.	-	9219	94.4 %
	Total	**9,765**	**100%**

Based upon 546 valid cases out of 9,765 total cases.

- Mean: 2.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 13.73

Location: 234-235 (width: 2; decimal: 0)
Variable Type: numeric

RA53G: ra53g proxy or not for a53g1, a53g11, a53g2, a53g3, a53g4, a53g5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	24	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	9741	99.8 %
	Total	**9,765**	**100%**

Based upon 24 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 236-237 (width: 2; decimal: 0)
Variable Type: numeric

A53G1: a53g1 relationship between you and 7th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	7	0.1 %
1	child	10	0.1 %
2	spouse of child	15	0.2 %
3	grandchild	76	0.8 %
4	spouse of grandchild	28	0.3 %

Value	Label	Unweighted Frequency	%
5	great grandchild or spouse of great grandchild	114	1.2 %
6	sibling	0	0.0 %
7	parent or parent-in-law	2	0.0 %
8	other	11	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	9500	97.3 %
	Total	**9,765**	**100%**

Based upon 265 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 238-239 (width: 2; decimal: 0)
Variable Type: numeric

A53G11: a53g11 other relationship between you and 7th person living with you currently

Value	Label	Unweighted Frequency	%
	-	9755	99.9 %
±£Ä·	-	1	0.0 %
µÚÎå´ú×ÓËï	-	1	0.0 %
»ÒËï×Ó	-	1	0.0 %
Ç×ÆÝ	-	1	0.0 %
ÍâÖØËïÅ®	-	1	0.0 %
ÐþËïÅ®	-	1	0.0 %
ÖØËïÅ®	-	1	0.0 %
ÖØËïÅ®ÅäÅ¼¼°Æä×Ó	-	1	0.0 %
ÖØËïÏ±¸¾	-	1	0.0 %
ÖØËï×ÓÅ®ÅäÅ¼	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 240-255 (width: 16; decimal: 0)
Variable Type: character

A53G3: a53g3 sex of 7th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	125	1.3 %
2	female	140	1.4 %

Value	Label	Unweighted Frequency	%
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9499	97.3 %
	Total	**9,765**	**100%**

Based upon 266 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 256-257 (width: 2; decimal: 0)
Variable Type: numeric

A53G2: a53g2 age of 7th person living with you currently

Value	Label	Unweighted Frequency	%
-1.0	not applicable	0	0.0 %
0.0	-	2	0.0 %
0.5	-	1	0.0 %
1.0	-	19	0.2 %
2.0	-	13	0.1 %
3.0	-	11	0.1 %
4.0	-	8	0.1 %
5.0	-	11	0.1 %
6.0	-	5	0.1 %
7.0	-	14	0.1 %
8.0	-	6	0.1 %
9.0	-	4	0.0 %
10.0	-	3	0.0 %
11.0	-	5	0.1 %
12.0	-	7	0.1 %
13.0	-	5	0.1 %
14.0	-	5	0.1 %
15.0	-	9	0.1 %
16.0	-	5	0.1 %
17.0	-	4	0.0 %
18.0	-	7	0.1 %
19.0	-	10	0.1 %
20.0	-	6	0.1 %
21.0	-	3	0.0 %
22.0	-	2	0.0 %

Value	Label	Unweighted Frequency	%
23.0	-	5	0.1 %
24.0	-	5	0.1 %
25.0	-	7	0.1 %
26.0	-	4	0.0 %
27.0	-	7	0.1 %
28.0	-	1	0.0 %
29.0	-	2	0.0 %
30.0	-	8	0.1 %
31.0	-	1	0.0 %
32.0	-	1	0.0 %
35.0	-	5	0.1 %
36.0	-	2	0.0 %
37.0	-	2	0.0 %
38.0	-	1	0.0 %
39.0	-	2	0.0 %
40.0	-	2	0.0 %
41.0	-	1	0.0 %
42.0	-	3	0.0 %
43.0	-	2	0.0 %
44.0	-	1	0.0 %
45.0	-	1	0.0 %
47.0	-	2	0.0 %
48.0	-	1	0.0 %
49.0	-	2	0.0 %
50.0	-	1	0.0 %
	Missing Data		
.	-	9501	97.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264 valid cases out of 9,765 total cases.

- Mean: 60.12
- Median: 16.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 184.20

Location: 258-262 (width: 5; decimal: 1)
Variable Type: numeric

A53G4: a53g4 education level of 7th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	71	0.7 %
1	attend school but not graduated from primary school	32	0.3 %
2	primary school	23	0.2 %
3	middle school	65	0.7 %
4	high school	29	0.3 %
5	collage or above	19	0.2 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9525	97.5 %
	Total	**9,765**	**100%**

Based upon 240 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric

A53G5: a53g5 # of cigarettes 7th person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	221	2.3 %
8	-	2	0.0 %
10	-	8	0.1 %
11	-	1	0.0 %
20	-	4	0.0 %
33	-	1	0.0 %
88	don't know	3	0.0 %
99	missing	2	0.0 %
	Missing Data		
.	-	9523	97.5 %
	Total	**9,765**	**100%**

Based upon 242 valid cases out of 9,765 total cases.

- Mean: 2.82
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 13.61

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric

RA53H: ra53h proxy or not for a53h1, a53h11, a53h2, a53h3, a53h4, a53h5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	13	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9752	99.9 %
	Total	**9,765**	**100%**

Based upon 13 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric

A53H1: a53h1 relationship between you and 8th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	3	0.0 %
1	child	5	0.1 %
2	spouse of child	8	0.1 %
3	grandchild	39	0.4 %
4	spouse of grandchild	19	0.2 %
5	great grandchild or spouse of great grandchild	70	0.7 %
6	sibling	0	0.0 %
7	parent or parent-in-law	0	0.0 %
8	other	5	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	9614	98.5 %
	Total	**9,765**	**100%**

Based upon 151 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric

A53H11: a53h11 other relationship between you and 8th person living with you currently

Value	Label	Unweighted Frequency	%
	-	9761	100.0 %
ÐþËï	-	1	0.0 %
ÔøËï	-	1	0.0 %
ÖØËïÅäÅ¼	-	1	0.0 %
ÖØÖØËï×ÓÅ®	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 271-280 (width: 10; decimal: 0)
Variable Type: character

A53H3: a53h3 sex of 8th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	83	0.8 %
2	female	67	0.7 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9614	98.5 %
	Total	**9,765**	**100%**

Based upon 151 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric

A53H2: a53h2 age of 8th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	11	0.1 %
2	-	4	0.0 %

Value	Label	Unweighted Frequency	%
3	-	6	0.1 %
4	-	6	0.1 %
5	-	7	0.1 %
6	-	10	0.1 %
7	-	5	0.1 %
8	-	5	0.1 %
9	-	1	0.0 %
10	-	5	0.1 %
11	-	1	0.0 %
12	-	3	0.0 %
13	-	3	0.0 %
14	-	4	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	1	0.0 %
19	-	5	0.1 %
20	-	2	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
24	-	5	0.1 %
25	-	2	0.0 %
26	-	4	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	4	0.0 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	2	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
59	-	1	0.0 %
64	-	1	0.0 %
70	-	1	0.0 %
83	-	1	0.0 %
88	-	2	0.0 %
888	don't know	7	0.1 %
999	missing	1	0.0 %
	Missing Data		
.	-	9618	98.5 %
	Total	**9,765**	**100%**

Based upon 147 valid cases out of 9,765 total cases.

- Mean: 66.61
- Median: 15.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 201.95

Location: 283-285 (width: 3; decimal: 0)
Variable Type: numeric

A53H4: a53h4 education level of 8th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	37	0.4 %
1	attend school but not graduated from primary school	20	0.2 %
2	primary school	11	0.1 %
3	middle school	36	0.4 %
4	high school	18	0.2 %
5	collage or above	10	0.1 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9632	98.6 %
	Total	**9,765**	**100%**

Based upon 133 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

A53H5: a53h5 # of cigarettes 8th person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	117	1.2 %
3	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
10	-	4	0.0 %
15	-	1	0.0 %
20	-	2	0.0 %
30	-	3	0.0 %
88	don't know	3	0.0 %
99	missing	1	0.0 %
	Missing Data		
.	-	9631	98.6 %
	Total	**9,765**	**100%**

Based upon 134 valid cases out of 9,765 total cases.

- Mean: 4.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 16.19

Location: 288-289 (width: 2; decimal: 0)
Variable Type: numeric

RA53I: ra53i proxy or not for a53i1, a53i11, a53i2, a53i3, a53i4, a53i5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	11	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9754	99.9 %
	Total	**9,765**	**100%**

Based upon 11 valid cases out of 9,765 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 290-291 (width: 2; decimal: 0)
Variable Type: numeric

A53I1: a53i1 relationship between you and 9th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	0	0.0 %
1	child	2	0.0 %
2	spouse of child	2	0.0 %
3	grandchild	25	0.3 %
4	spouse of grandchild	10	0.1 %
5	great grandchild or spouse of great grandchild	51	0.5 %
6	sibling	0	0.0 %
7	parent or parent-in-law	0	0.0 %
8	other	2	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	9671	99.0 %
	Total	**9,765**	**100%**

Based upon 94 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 292-293 (width: 2; decimal: 0)
Variable Type: numeric

A53I11: a53i11 other relationship between you and 9th person living with you currently

Value	Label	Unweighted Frequency	%
	-	9763	100.0 %
ÖØËï×ÓÅäÅ¼	-	1	0.0 %
ÖØÖØËï×ÓÅ®	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 294-303 (width: 10; decimal: 0)
Variable Type: character

A53I3: a53i3 sex of 9th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	46	0.5 %
2	female	46	0.5 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9672	99.0 %
	Total	**9,765**	**100%**

Based upon 93 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 304-305 (width: 2; decimal: 0)
Variable Type: numeric

A53I2: a53i2 age of 9th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
1	-	6	0.1 %
2	-	5	0.1 %
3	-	6	0.1 %
4	-	3	0.0 %
5	-	2	0.0 %
6	-	2	0.0 %
7	-	4	0.0 %
8	-	6	0.1 %
9	-	2	0.0 %
10	-	2	0.0 %
12	-	6	0.1 %
14	-	3	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	5	0.1 %
19	-	2	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %

Value	Label	Unweighted Frequency	%
24	-	3	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
39	-	2	0.0 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
49	-	1	0.0 %
88	-	1	0.0 %
110	-	1	0.0 %
888	don't know	6	0.1 %
999	missing	1	0.0 %
	Missing Data		
.	-	9672	99.0 %
	Total	**9,765**	**100%**

Based upon 93 valid cases out of 9,765 total cases.

- Mean: 83.96
- Median: 14.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 236.06

Location: 306-308 (width: 3; decimal: 0)
Variable Type: numeric

A53I4: a53i4 education level of 9th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	24	0.2 %
1	attend school but not graduated from primary school	15	0.2 %
2	primary school	6	0.1 %
3	middle school	19	0.2 %
4	high school	11	0.1 %
5	collage or above	6	0.1 %
8	don't know	0	0.0 %
9	missing	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	9683	99.2 %
	Total	**9,765**	**100%**

Based upon 82 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric

A53I5: a53i5 # of cigarettes 9th person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	76	0.8 %
10	-	4	0.0 %
21	-	1	0.0 %
30	-	1	0.0 %
88	don't know	2	0.0 %
99	missing	1	0.0 %
	Missing Data		
.	-	9680	99.1 %
	Total	**9,765**	**100%**

Based upon 85 valid cases out of 9,765 total cases.

- Mean: 4.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 17.41

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric

RA53J: ra53j proxy or not for a53j1, a53j11, a53j2, a53j3, a53j4, a53j5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	9	0.1 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9756	99.9 %
	Total	**9,765**	**100%**

Based upon 9 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric

A53J1: a53j1 relationship between you and 10th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	spouse	0	0.0 %
1	child	0	0.0 %
2	spouse of child	3	0.0 %
3	grandchild	15	0.2 %
4	spouse of grandchild	7	0.1 %
5	great grandchild or spouse of great grandchild	27	0.3 %
6	sibling	0	0.0 %
7	parent or parent-in-law	0	0.0 %
8	other	0	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	9711	99.4 %
	Total	**9,765**	**100%**

Based upon 54 valid cases out of 9,765 total cases.

- Minimum: 2.00
- Maximum: 9.00

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric

A53J11: a53j11 other relationship between you and 10th person living with you currently

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 317-317 (width: 1; decimal: 0)

Variable Type: character

A53J3: a53j3 sex of 10th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	19	0.2 %
2	female	33	0.3 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9712	99.5 %
	Total	**9,765**	**100%**

Based upon 53 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 318-319 (width: 2; decimal: 0)
Variable Type: numeric

A53J2: a53j2 age of 10th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	1	0.0 %
2	-	2	0.0 %
3	-	4	0.0 %
4	-	2	0.0 %
5	-	3	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	3	0.0 %
12	-	3	0.0 %
13	-	2	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	2	0.0 %
21	-	2	0.0 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
31	-	1	0.0 %
33	-	1	0.0 %
36	-	2	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
50	-	1	0.0 %
888	don't know	5	0.1 %
999	missing	1	0.0 %
	Missing Data		
.	-	9712	99.5 %
	Total	**9,765**	**100%**

Based upon 53 valid cases out of 9,765 total cases.

- Mean: 116.87
- Median: 13.00
- Mode: 888.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 285.43

Location: 320-322 (width: 3; decimal: 0)
Variable Type: numeric

A53J4: a53j4 education level of 10th person living with you currently

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	no education	14	0.1 %
1	attend school but not graduated from primary school	9	0.1 %
2	primary school	7	0.1 %
3	middle school	13	0.1 %
4	high school	3	0.0 %
5	collage or above	2	0.0 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9716	99.5 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 49 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric

A53J5: a53j5 # of cigarettes 10th person usuallysmoke per day inside home

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	42	0.4 %
6	-	1	0.0 %
10	-	1	0.0 %
20	-	1	0.0 %
88	don't know	2	0.0 %
99	missing	1	0.0 %
	Missing Data		
.	-	9717	99.5 %
	Total	**9,765**	**100%**

Based upon 48 valid cases out of 9,765 total cases.

- Mean: 6.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 22.51

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric

RA530: ra530 proxy or not for a530

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	455	4.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	9310	95.3 %
	Total	**9,765**	**100%**

Based upon 455 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric

A530: a530 is the house/apartment of the elder purchased/self-built/inherited/rented?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	purchased	1175	12.0 %
2	self-built	7030	72.0 %
3	inherited	236	2.4 %
4	welfare-oriented public housing	404	4.1 %
5	rented	332	3.4 %
6	subleased	334	3.4 %
7	others	0	0.0 %
8	don't know	2	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	250	2.6 %
	Total	**9,765**	**100%**

Based upon 9,515 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric

A530A: a530a other types for your owing the house/apartment

Value	Label	Unweighted Frequency	%
	-	9763	100.0 %
¾Ó×¡¹âÈÙÔº	-	1	0.0 %
Õþ¸®	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 331-340 (width: 10; decimal: 0)
Variable Type: character

RA531: ra531 proxy or not for a531

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	450	4.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	9315	95.4 %
	Total	**9,765**	**100%**

Based upon 450 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric

A531: a531 under whose name your current house/apartment purchased or rented

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	self or spouse	4255	43.6 %
2	children	4529	46.4 %
3	grandchildren	399	4.1 %
4	other relatives	123	1.3 %
5	others	185	1.9 %
8	don't know	8	0.1 %
9	missing	6	0.1 %
	Missing Data		
.	-	260	2.7 %
	Total	**9,765**	**100%**

Based upon 9,505 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric

A531A: a531a other name for your the house/apartment purchased or rented

Value	Label	Unweighted Frequency	%
	-	9763	100.0 %
¹âÈÙÔºËÞÉá	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Õþ¸®	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 345-354 (width: 10; decimal: 0)
Variable Type: character

RA532: ra532 proxy or not for a532

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	444	4.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	9321	95.5 %
	Total	**9,765**	**100%**

Based upon 444 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric

A532: a532 do you (and your spouse) have your own bedroom?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	8898	91.1 %
2	no	603	6.2 %
8	do not know	1	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	261	2.7 %
	Total	**9,765**	**100%**

Based upon 9,504 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric

RA533: ra533 proxy or not for a533

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	444	4.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	9321	95.5 %
	Total	**9,765**	**100%**

Based upon 444 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric

A533: a533 what type of dwelling is your home?

Value	Label	Unweighted Frequency	%
1	detached house	6364	65.2 %
2	duplex/triplex	1078	11.0 %
3	low rise apartment (1-3 floors)	615	6.3 %
4	high rise apartment (>3 floors, without elevators)	1162	11.9 %
5	high rise apartment (>3 floors, with elevators)	138	1.4 %
6	mobile home / trailer	0	0.0 %
7	other	139	1.4 %
8	do not know	2	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	265	2.7 %
	Total	**9,765**	**100%**

Based upon 9,500 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 361-361 (width: 1; decimal: 0)
Variable Type: numeric

A533A: a533a other type of dwelling

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 362-362 (width: 1; decimal: 0)
Variable Type: character

RA534: ra534 proxy or not for a534

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	488	5.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9277	95.0 %
	Total	**9,765**	**100%**

Based upon 488 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric

A534: a534 what is the approximate year your home was built?

Value	Label	Unweighted Frequency	%
1700	-	1	0.0 %
1712	-	3	0.0 %
1800	-	5	0.1 %
1802	-	1	0.0 %
1810	-	1	0.0 %
1811	-	1	0.0 %
1820	-	3	0.0 %
1832	-	2	0.0 %
1835	-	2	0.0 %
1838	-	1	0.0 %
1845	-	1	0.0 %
1847	-	1	0.0 %
1849	-	1	0.0 %
1850	-	3	0.0 %

Value	Label	Unweighted Frequency	%
1852	-	1	0.0 %
1860	-	3	0.0 %
1861	-	2	0.0 %
1862	-	5	0.1 %
1870	-	1	0.0 %
1871	-	1	0.0 %
1872	-	1	0.0 %
1880	-	2	0.0 %
1882	-	1	0.0 %
1885	-	2	0.0 %
1890	-	6	0.1 %
1892	-	4	0.0 %
1895	-	1	0.0 %
1900	-	31	0.3 %
1901	-	4	0.0 %
1902	-	5	0.1 %
1903	-	2	0.0 %
1904	-	1	0.0 %
1905	-	4	0.0 %
1906	-	1	0.0 %
1907	-	1	0.0 %
1908	-	3	0.0 %
1909	-	5	0.1 %
1910	-	27	0.3 %
1911	-	16	0.2 %
1912	-	22	0.2 %
1914	-	1	0.0 %
1915	-	3	0.0 %
1916	-	3	0.0 %
1917	-	2	0.0 %
1918	-	2	0.0 %
1919	-	1	0.0 %
1920	-	14	0.1 %
1921	-	5	0.1 %
1922	-	11	0.1 %
1923	-	2	0.0 %
	Missing Data		
.	-	287	2.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,478 valid cases out of 9,765 total cases.

- Mean: 2336.29
- Median: 1990.00
- Mode: 8888.00
- Minimum: 1700.00
- Maximum: 9999.00
- Standard Deviation: 1518.71

Location: 365-368 (width: 4; decimal: 0)
Variable Type: numeric

RA535: ra535 proxy or not for a535

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	446	4.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	9319	95.4 %
	Total	**9,765**	**100%**

Based upon 446 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric

A535: a535 during past 1 year, was your home damaged from broken pipes or heavy rain?

Value	Label	Unweighted Frequency	%
1	yes	2621	26.8 %
2	no	6826	69.9 %
8	do not know	55	0.6 %
9	missing	4	0.0 %
	Missing Data		
.	-	259	2.7 %
	Total	**9,765**	**100%**

Based upon 9,506 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 371-371 (width: 1; decimal: 0)
Variable Type: numeric

RA536: ra536 proxy or not for a536

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	444	4.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	9321	95.5 %
	Total	**9,765**	**100%**

Based upon 444 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 372-373 (width: 2; decimal: 0)
Variable Type: numeric

A536: a536 does your home frequently have a mildew odor or musty smell?

Value	Label	Unweighted Frequency	%
1	yes	1844	18.9 %
2	no	7650	78.3 %
8	do not know	13	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	256	2.6 %
	Total	**9,765**	**100%**

Based upon 9,509 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 374-374 (width: 1; decimal: 0)
Variable Type: numeric

RA537: ra537 proxy or not for a537

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	418	4.3 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	9347	95.7 %
	Total	**9,765**	**100%**

Based upon 418 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric

A537: a537 which fuels are normally used for cooking in your home?

Value	Label	Unweighted Frequency	%
0	never cooking	150	1.5 %
1	gas: from underground pipes	869	8.9 %
2	gas: bottled, tank, or lp	2506	25.7 %
3	electricity	1212	12.4 %
4	fuel oil, kerosene, etc	15	0.2 %
5	coal or coke	526	5.4 %
6	charcoal	24	0.2 %
7	solar energy	4	0.0 %
8	firewood or straw	4150	42.5 %
9	other	28	0.3 %
	Missing Data		
.	-	281	2.9 %
	Total	**9,765**	**100%**

Based upon 9,484 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 377-377 (width: 1; decimal: 0)
Variable Type: numeric

A537A: a537a other kinds beyond a537

Value	Label	Unweighted Frequency	%
	-	9727	99.6 %
µç»ò²ñ²ÝÏà½á°Ï	-	1	0.0 %
¶ùÏ±ËÍ·¹	-	1	0.0 %

Value	Label	Unweighted Frequency	%
¶ù×Ó×¡ÔÚÇ°Ôº£¬Ã¿¶Ù¶ËÀ´¡£	-	1	0.0 %
¹ÜµÀÒº»¯Æø	-	1	0.0 %
ÃºÆø¹Þ	-	1	0.0 %
ÃºÇò	-	1	0.0 %
Ä¾²ñ	-	2	0.0 %
ËÍ·¹	-	1	0.0 %
ÑøÀïÔºÊ³ÌÃ	-	1	0.0 %
Òº»¯Æø	-	3	0.0 %
Òº»¯Æø¹Þ	-	4	0.0 %
Òº»¯Ê¯ÓÍÆ÷¡£	-	1	0.0 %
ÒÔÃºÆøºÍ²ñ²ÝÁ½ÖÖÎªÖ÷	-	1	0.0 %
ÓÃÃºÇòÂ¯×ö·¹	-	1	0.0 %
ÔÚ¶ù×Ó¼Ò³Ô	-	1	0.0 %
ÕÓÆø	-	15	0.2 %
×ÓÅ®ËÍ·¹	-	1	0.0 %
×ÓÅ®ËÍ·¹¸øÀïÈË	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 378-401 (width: 24; decimal: 0)
Variable Type: character

RA540: ra540 proxy or not for a540

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	28	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	9737	99.7 %
	Total	**9,765**	**100%**

Based upon 28 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 402-403 (width: 2; decimal: 0)
Variable Type: numeric

A540: a540 the primary reason that you live in an institution (elderly center, elderly home

Value	Label	Unweighted Frequency	%
1	no child or child is unavailable for caregiving	140	1.4 %
2	don't want to bother children	60	0.6 %
3	no own house/apartment but want to separate with children	19	0.2 %
4	able to interact with other old persons	24	0.2 %
5	others	50	0.5 %
8	do not know	27	0.3 %
9	missing	1949	20.0 %
	Missing Data		
.	-	7496	76.8 %
	Total	**9,765**	**100%**

Based upon 2,269 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 404-404 (width: 1; decimal: 0)
Variable Type: numeric

RA541: ra541 proxy or not for a541

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	21	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	9744	99.8 %
	Total	**9,765**	**100%**

Based upon 21 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric

A541: a541 the average monthly cost for the elder living in an institution

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	42	0.4 %
9	-	9	0.1 %

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
20	-	2	0.0 %
30	-	5	0.1 %
35	-	2	0.0 %
55	-	2	0.0 %
60	-	1	0.0 %
88	-	1	0.0 %
100	-	7	0.1 %
120	-	2	0.0 %
140	-	1	0.0 %
150	-	6	0.1 %
180	-	2	0.0 %
190	-	1	0.0 %
200	-	18	0.2 %
206	-	1	0.0 %
210	-	1	0.0 %
260	-	1	0.0 %
290	-	1	0.0 %
300	-	29	0.3 %
340	-	1	0.0 %
350	-	2	0.0 %
360	-	2	0.0 %
400	-	3	0.0 %
410	-	1	0.0 %
440	-	1	0.0 %
450	-	4	0.0 %
460	-	1	0.0 %
500	-	26	0.3 %
600	-	11	0.1 %
635	-	1	0.0 %
700	-	10	0.1 %
730	-	1	0.0 %
750	-	2	0.0 %
800	-	10	0.1 %
850	-	2	0.0 %
900	-	5	0.1 %
950	-	1	0.0 %
1000	-	21	0.2 %
1080	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1100	-	4	0.0 %
1140	-	1	0.0 %
1175	-	1	0.0 %
1180	-	1	0.0 %
1200	-	13	0.1 %
1300	-	3	0.0 %
1340	-	1	0.0 %
1360	-	1	0.0 %
	Missing Data		
.	-	7713	79.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,052 valid cases out of 9,765 total cases.

- Mean: 8543.91
- Median: 9999.00
- Mode: 9999.00
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 3379.96

Location: 407-410 (width: 4; decimal: 0)
Variable Type: numeric

RA542: ra542 proxy or not for a542

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	21	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	9744	99.8 %
	Total	**9,765**	**100%**

Based upon 21 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric

A542: a542 who mainly paid for the cost?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	self	88	0.9 %
2	spouse	6	0.1 %
3	children & their spouses	129	1.3 %
4	grandchildren & their spouses	22	0.2 %
5	public & collectives	86	0.9 %
6	others	9	0.1 %
8	don't know	6	0.1 %
9	missing	1733	17.7 %
	Missing Data		
.	-	7686	78.7 %
	Total	**9,765**	**100%**

Based upon 2,079 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric

A542A: a542a other people mainly paid for the cost

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 415-415 (width: 1; decimal: 0)
Variable Type: character

RA54: ra54 proxy or not for a54a a54b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	19	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	9746	99.8 %
	Total	**9,765**	**100%**

Based upon 19 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 416-417 (width: 2; decimal: 0)
Variable Type: numeric

A54A: a54a year of being admitted to the institution or living alone

Value	Label	Unweighted Frequency	%
1917	-	1	0.0 %
1941	-	2	0.0 %
1950	-	1	0.0 %
1954	-	1	0.0 %
1960	-	3	0.0 %
1961	-	2	0.0 %
1962	-	1	0.0 %
1965	-	1	0.0 %
1966	-	1	0.0 %
1968	-	2	0.0 %
1969	-	2	0.0 %
1970	-	4	0.0 %
1971	-	2	0.0 %
1974	-	1	0.0 %
1975	-	3	0.0 %
1976	-	6	0.1 %
1977	-	2	0.0 %
1978	-	1	0.0 %
1979	-	1	0.0 %
1980	-	20	0.2 %
1981	-	3	0.0 %
1982	-	3	0.0 %
1983	-	6	0.1 %
1984	-	11	0.1 %
1985	-	11	0.1 %
1986	-	14	0.1 %
1987	-	5	0.1 %
1988	-	14	0.1 %
1989	-	14	0.1 %
1990	-	30	0.3 %
1991	-	20	0.2 %
1992	-	12	0.1 %

Value	Label	Unweighted Frequency	%
1993	-	10	0.1 %
1994	-	10	0.1 %
1995	-	17	0.2 %
1996	-	33	0.3 %
1997	-	14	0.1 %
1998	-	23	0.2 %
1999	-	20	0.2 %
2000	-	49	0.5 %
2001	-	25	0.3 %
2002	-	21	0.2 %
2003	-	22	0.2 %
2004	-	16	0.2 %
2005	-	27	0.3 %
2006	-	36	0.4 %
2007	-	31	0.3 %
2008	-	53	0.5 %
2009	-	66	0.7 %
2010	-	60	0.6 %
	Missing Data		
.	-	7352	75.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,413 valid cases out of 9,765 total cases.

- Mean: 7421.46
- Median: 9999.00
- Mode: 9999.00
- Minimum: 1917.00
- Maximum: 9999.00
- Standard Deviation: 3707.48

Location: 418-421 (width: 4; decimal: 0)
Variable Type: numeric

A54B: a54b month of being admitted to the institution or living alone

Value	Label	Unweighted Frequency	%
1	-	65	0.7 %
2	-	51	0.5 %
3	-	67	0.7 %
4	-	44	0.5 %

Value	Label	Unweighted Frequency	%
5	-	94	1.0 %
6	-	91	0.9 %
7	-	77	0.8 %
8	-	58	0.6 %
9	-	38	0.4 %
10	-	94	1.0 %
11	-	26	0.3 %
12	-	36	0.4 %
88	don't know	99	1.0 %
99	missing	1567	16.0 %
	Missing Data		
.	-	7358	75.4 %
	Total	**9,765**	**100%**

Based upon 2,407 valid cases out of 9,765 total cases.

- Mean: 69.97
- Median: 99.00
- Mode: 99.00
- Minimum: 1.00
- Maximum: 99.00
- Standard Deviation: 42.65

Location: 422-423 (width: 2; decimal: 0)
Variable Type: numeric

B11: b11 self-reported quality of life

Value	Label	Unweighted Frequency	%
1	very good	1508	15.4 %
2	good	3963	40.6 %
3	so so	3036	31.1 %
4	bad	415	4.2 %
5	very bad	65	0.7 %
8	not able to answer	696	7.1 %
9	missing	6	0.1 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 424-424 (width: 1; decimal: 0)
Variable Type: numeric

B12: b12 self-reported health

Value	Label	Unweighted Frequency	%
1	very good	917	9.4 %
2	good	3158	32.3 %
3	so so	3361	34.4 %
4	bad	1435	14.7 %
5	very bad	128	1.3 %
8	not able to answer	685	7.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 425-425 (width: 1; decimal: 0)
Variable Type: numeric

B121: b121 do you feel any change of your health since last year

Value	Label	Unweighted Frequency	%
1	much better	204	2.1 %
2	a little better	709	7.3 %
3	no change	4274	43.8 %
4	a little worse	3168	32.4 %
5	much worse	598	6.1 %
8	not able to answer	726	7.4 %
9	missing	8	0.1 %
	Missing Data		
.	-	78	0.8 %
	Total	**9,765**	**100%**

Based upon 9,687 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 426-426 (width: 1; decimal: 0)
Variable Type: numeric

B21: b21 look on the bright side of things

Value	Label	Unweighted Frequency	%
1	always	1042	10.7 %
2	often	5634	57.7 %
3	sometimes	1710	17.5 %
4	seldom	378	3.9 %
5	never	32	0.3 %
8	not able to answer	888	9.1 %
9	missing	6	0.1 %
	Missing Data		
.	-	75	0.8 %
	Total	**9,765**	**100%**

Based upon 9,690 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 427-427 (width: 1; decimal: 0)
Variable Type: numeric

B22: b22 keep my belongings neat and clean

Value	Label	Unweighted Frequency	%
1	always	1003	10.3 %
2	often	5034	51.6 %
3	sometimes	2583	26.5 %
4	seldom	182	1.9 %
5	never	13	0.1 %
8	not able to answer	868	8.9 %
9	missing	6	0.1 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 428-428 (width: 1; decimal: 0)
Variable Type: numeric

B23: b23 feel fearful or anxious

Value	Label	Unweighted Frequency	%
1	always	46	0.5 %
2	often	308	3.2 %
3	sometimes	1622	16.6 %
4	seldom	3638	37.3 %
5	never	3113	31.9 %
8	not able to answer	957	9.8 %
9	missing	5	0.1 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 429-429 (width: 1; decimal: 0)
Variable Type: numeric

B24: b24 feel lonely and isolated

Value	Label	Unweighted Frequency	%
1	always	143	1.5 %
2	often	467	4.8 %
3	sometimes	1919	19.7 %
4	seldom	3128	32.0 %
5	never	3075	31.5 %
8	not able to answer	952	9.7 %
9	missing	5	0.1 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 430-430 (width: 1; decimal: 0)
Variable Type: numeric

B25: b25 make own decision

Value	Label	Unweighted Frequency	%
1	always	3260	33.4 %
2	often	2191	22.4 %
3	sometimes	1760	18.0 %
4	seldom	1006	10.3 %
5	never	393	4.0 %
8	not able to answer	1067	10.9 %
9	missing	5	0.1 %
	Missing Data		
.	-	83	0.8 %
	Total	**9,765**	**100%**

Based upon 9,682 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 431-431 (width: 1; decimal: 0)
Variable Type: numeric

B26: b26 feel useless with age

Value	Label	Unweighted Frequency	%
1	always	710	7.3 %
2	often	1434	14.7 %
3	sometimes	3104	31.8 %
4	seldom	2024	20.7 %
5	never	1366	14.0 %
8	not able to answer	1042	10.7 %
9	missing	5	0.1 %
	Missing Data		
.	-	80	0.8 %
	Total	**9,765**	**100%**

Based upon 9,685 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 432-432 (width: 1; decimal: 0)
Variable Type: numeric

B27: b27 be happy as younger

Value	Label	Unweighted Frequency	%
1	always	3069	31.4 %
2	often	1051	10.8 %
3	sometimes	2030	20.8 %
4	seldom	1774	18.2 %
5	never	467	4.8 %
8	not able to answer	1290	13.2 %
9	missing	5	0.1 %
	Missing Data		
.	-	79	0.8 %
	Total	**9,765**	**100%**

Based upon 9,686 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 433-433 (width: 1; decimal: 0)
Variable Type: numeric

B28: b28 have you felt sad, blue, or depressed for two weeks or more in last 12 months?

Value	Label	Unweighted Frequency	%
1	yes	1213	12.4 %
2	no	6871	70.4 %
8	not able to answer	1592	16.3 %
9	missing	5	0.1 %
	Missing Data		
.	-	84	0.9 %
	Total	**9,765**	**100%**

Based upon 9,681 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 434-434 (width: 1; decimal: 0)
Variable Type: numeric

B29: b29 have you lost interest in most things like hobbies, work, or similar activities

Value	Label	Unweighted Frequency	%
1	yes	815	8.3 %
2	no	6879	70.4 %
8	not able to answer	1963	20.1 %

Value	Label	Unweighted Frequency	%
9	missing	7	0.1 %
	Missing Data		
.	-	101	1.0 %
	Total	**9,765**	**100%**

Based upon 9,664 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 435-435 (width: 1; decimal: 0)
Variable Type: numeric

B210: b210 how much of the day did these feelings usually last?

Value	Label	Unweighted Frequency	%
1	all day long	166	1.7 %
2	most of the day	200	2.0 %
3	about half of the day	288	2.9 %
4	less than half of the day	686	7.0 %
8	not able to answer	1608	16.5 %
9	missing	185	1.9 %
	Missing Data		
.	-	6632	67.9 %
	Total	**9,765**	**100%**

Based upon 3,133 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 436-436 (width: 1; decimal: 0)
Variable Type: numeric

C11: c11 what time of day is it right now?

Value	Label	Unweighted Frequency	%
0	wrong	268	2.7 %
1	correct	8418	86.2 %
8	not able to answer	992	10.2 %
9	missing	5	0.1 %
	Missing Data		
.	-	82	0.8 %
	Total	**9,765**	**100%**

Based upon 9,683 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 437-437 (width: 1; decimal: 0)
Variable Type: numeric

C12: c12 what is the animal year of this year?

Value	Label	Unweighted Frequency	%
0	wrong	788	8.1 %
1	correct	7545	77.3 %
8	not able to answer	1345	13.8 %
9	missing	5	0.1 %
	Missing Data		
.	-	82	0.8 %
	Total	**9,765**	**100%**

Based upon 9,683 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 438-438 (width: 1; decimal: 0)
Variable Type: numeric

C13: c13 what is the date of the mid-autumn festival?

Value	Label	Unweighted Frequency	%
0	wrong	665	6.8 %
1	correct	7645	78.3 %
8	not able to answer	1369	14.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	81	0.8 %
	Total	**9,765**	**100%**

Based upon 9,684 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 439-439 (width: 1; decimal: 0)
Variable Type: numeric

C14: c14 what is the season right now?

Value	Label	Unweighted Frequency	%
0	wrong	530	5.4 %
1	correct	7973	81.6 %
8	not able to answer	1176	12.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	81	0.8 %
	Total	**9,765**	**100%**

Based upon 9,684 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 440-440 (width: 1; decimal: 0)
Variable Type: numeric

C15: c15 what is the name of this county or district?

Value	Label	Unweighted Frequency	%
0	wrong	332	3.4 %
1	correct	8120	83.2 %
8	not able to answer	1219	12.5 %
9	missing	6	0.1 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Based upon 9,677 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 441-441 (width: 1; decimal: 0)
Variable Type: numeric

C16: c16 # of kinds of food named in one minute

Value	Label	Unweighted Frequency	%
0	-	379	3.9 %
1	-	96	1.0 %
2	-	308	3.2 %
3	-	509	5.2 %
4	-	515	5.3 %
5	-	866	8.9 %

Value	Label	Unweighted Frequency	%
6	-	733	7.5 %
7	-	434	4.4 %
8	-	792	8.1 %
9	-	227	2.3 %
10	-	2249	23.0 %
11	-	174	1.8 %
12	-	339	3.5 %
13	-	139	1.4 %
14	-	88	0.9 %
15	-	334	3.4 %
16	-	103	1.1 %
17	-	60	0.6 %
18	-	105	1.1 %
19	-	26	0.3 %
20	-	242	2.5 %
21	-	45	0.5 %
22	-	27	0.3 %
23	-	24	0.2 %
24	-	15	0.2 %
25	-	55	0.6 %
26	-	12	0.1 %
27	-	10	0.1 %
28	-	11	0.1 %
29	-	2	0.0 %
30	-	78	0.8 %
31	-	8	0.1 %
32	-	13	0.1 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	8	0.1 %
36	-	5	0.1 %
37	-	4	0.0 %
38	-	2	0.0 %
40	-	11	0.1 %
41	-	1	0.0 %
43	-	1	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
50	-	4	0.0 %

Value	Label	Unweighted Frequency	%
51	-	3	0.0 %
60	-	3	0.0 %
61	-	1	0.0 %
81	-	2	0.0 %
88	not able to answer	463	4.7 %
	Missing Data		
.	-	173	1.8 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,592 valid cases out of 9,765 total cases.

- Mean: 13.28
- Median: 9.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 19.13

Location: 442-443 (width: 2; decimal: 0)
Variable Type: numeric

C21A: c21a repeat the name of 'table' at first attempt

Value	Label	Unweighted Frequency	%
0	wrong	703	7.2 %
1	correct	7601	77.8 %
8	not able to answer	1375	14.1 %
9	missing	6	0.1 %
	Missing Data		
.	-	80	0.8 %
	Total	**9,765**	**100%**

Based upon 9,685 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 444-444 (width: 1; decimal: 0)
Variable Type: numeric

C21B: c21b repeat the name of 'apple' at first attempt

Value	Label	Unweighted Frequency	%
0	wrong	950	9.7 %

Value	Label	Unweighted Frequency	%
1	correct	7298	74.7 %
8	not able to answer	1409	14.4 %
9	missing	6	0.1 %
	Missing Data		
.	-	102	1.0 %
	Total	**9,765**	**100%**

Based upon 9,663 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 445-445 (width: 1; decimal: 0)
Variable Type: numeric

C21C: c21c repeat the name of 'clothes' at first attempt

Value	Label	Unweighted Frequency	%
0	wrong	993	10.2 %
1	correct	7225	74.0 %
2	UNDOCUMENTED CODE	1	0.0 %
8	not able to answer	1434	14.7 %
9	missing	5	0.1 %
	Missing Data		
.	-	107	1.1 %
	Total	**9,765**	**100%**

Based upon 9,658 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 446-446 (width: 1; decimal: 0)
Variable Type: numeric

C22: c22 attempts to repeat the names of three objects correctly

Value	Label	Unweighted Frequency	%
-1	not applicable, i.e., repeat objects correctly	0	0.0 %
0	-	5794	59.3 %
1	-	544	5.6 %
2	-	547	5.6 %
3	-	538	5.5 %
4	-	218	2.2 %

Value	Label	Unweighted Frequency	%
5	-	136	1.4 %
6	-	133	1.4 %
7	can't repeat the names of three object correctly	682	7.0 %
8	not able to answer c21a c21b c21c	302	3.1 %
9	missing	169	1.7 %
	Missing Data		
.	-	702	7.2 %
	Total	**9,765**	**100%**

Based upon 9,063 valid cases out of 9,765 total cases.

- Mean: 1.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.64

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric

C31A: c31a $20-$3=?

Value	Label	Unweighted Frequency	%
0	wrong	601	6.2 %
1	correct	7312	74.9 %
8	not able to answer	1764	18.1 %
9	missing	7	0.1 %
	Missing Data		
.	-	81	0.8 %
	Total	**9,765**	**100%**

Based upon 9,684 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 449-449 (width: 1; decimal: 0)
Variable Type: numeric

C31B: c31b $20-$3-$3=?

Value	Label	Unweighted Frequency	%
0	wrong	1214	12.4 %
1	correct	6601	67.6 %
8	not able to answer	1859	19.0 %

Value	Label	Unweighted Frequency	%
9	missing	9	0.1 %
	Missing Data		
.	-	82	0.8 %
	Total	**9,765**	**100%**

Based upon 9,683 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 450-450 (width: 1; decimal: 0)
Variable Type: numeric

C31C: c31c $20-$3-$3-$3=?

Value	Label	Unweighted Frequency	%
0	wrong	1297	13.3 %
1	correct	6443	66.0 %
8	not able to answer	1935	19.8 %
9	missing	7	0.1 %
	Missing Data		
.	-	83	0.8 %
	Total	**9,765**	**100%**

Based upon 9,682 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 451-451 (width: 1; decimal: 0)
Variable Type: numeric

C31D: c31d $20-$3-$3-$3-$3=?

Value	Label	Unweighted Frequency	%
0	wrong	1513	15.5 %
1	correct	6180	63.3 %
8	unable to do	1980	20.3 %
9	missing	8	0.1 %
	Missing Data		
.	-	84	0.9 %
	Total	**9,765**	**100%**

Based upon 9,681 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 452-452 (width: 1; decimal: 0)
Variable Type: numeric

C31E: c31e $20-$3-$3-$3-$3-$3=?

Value	Label	Unweighted Frequency	%
0	wrong	1369	14.0 %
1	correct	6242	63.9 %
8	not able to answer	2023	20.7 %
9	missing	13	0.1 %
	Missing Data		
.	-	118	1.2 %
	Total	**9,765**	**100%**

Based upon 9,647 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 453-453 (width: 1; decimal: 0)
Variable Type: numeric

C32: c32 draw the figure following the example

Value	Label	Unweighted Frequency	%
0	wrong	1938	19.8 %
1	correct	2794	28.6 %
8	can't use pen to draw the figure	3445	35.3 %
9	not able to do this (disabled)	1454	14.9 %
	Missing Data		
.	-	134	1.4 %
	Total	**9,765**	**100%**

Based upon 9,631 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 454-454 (width: 1; decimal: 0)
Variable Type: numeric

C41A: c41a repeat the name of 'table' a while later

Value	Label	Unweighted Frequency	%
0	wrong	1356	13.9 %

Value	Label	Unweighted Frequency	%
1	correct	6419	65.7 %
8	not able to answer	1889	19.3 %
9	missing	13	0.1 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Based upon 9,677 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 455-455 (width: 1; decimal: 0)
Variable Type: numeric

C41B: c41b repeat the name of 'apple' a while later

Value	Label	Unweighted Frequency	%
0	wrong	1502	15.4 %
1	correct	6268	64.2 %
8	not able to answer	1893	19.4 %
9	missing	9	0.1 %
	Missing Data		
.	-	93	1.0 %
	Total	**9,765**	**100%**

Based upon 9,672 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 456-456 (width: 1; decimal: 0)
Variable Type: numeric

C41C: c41c repeat the name of 'clothes' a while later

Value	Label	Unweighted Frequency	%
0	wrong	1661	17.0 %
1	correct	6043	61.9 %
8	not able to answer	1958	20.1 %
9	missing	9	0.1 %
	Missing Data		
.	-	94	1.0 %
	Total	**9,765**	**100%**

Based upon 9,671 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 457-457 (width: 1; decimal: 0)
Variable Type: numeric

C51A: c51a name 'pen'

Value	Label	Unweighted Frequency	%
0	wrong	132	1.4 %
1	correct	8365	85.7 %
8	not able to answer	1182	12.1 %
9	missing	8	0.1 %
	Missing Data		
.	-	78	0.8 %
	Total	**9,765**	**100%**

Based upon 9,687 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 458-458 (width: 1; decimal: 0)
Variable Type: numeric

C51B: c51b name 'watch'

Value	Label	Unweighted Frequency	%
0	wrong	195	2.0 %
1	correct	8262	84.6 %
8	not able to answer	1213	12.4 %
9	missing	9	0.1 %
	Missing Data		
.	-	86	0.9 %
	Total	**9,765**	**100%**

Based upon 9,679 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 459-459 (width: 1; decimal: 0)
Variable Type: numeric

C52: c52 repeat a sentence

Value	Label	Unweighted Frequency	%
0	wrong	608	6.2 %
1	correct	7396	75.7 %
8	not able to answer	1663	17.0 %
9	missing	10	0.1 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Based upon 9,677 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 460-460 (width: 1; decimal: 0)
Variable Type: numeric

C52X1: c52x1 act as the meaning of a sentence

Value	Label	Unweighted Frequency	%
0	wrong	188	1.9 %
1	correct	3700	37.9 %
8	not able to answer	1003	10.3 %
9	missing	2450	25.1 %
	Missing Data		
.	-	2424	24.8 %
	Total	**9,765**	**100%**

Based upon 7,341 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 461-461 (width: 1; decimal: 0)
Variable Type: numeric

C52X2: c52x2 write a complete sentence

Value	Label	Unweighted Frequency	%
0	wrong	235	2.4 %
1	correct	1595	16.3 %
8	not able to answer	1429	14.6 %
9	missing	4065	41.6 %
	Missing Data		
.	-	2441	25.0 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,324 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 462-462 (width: 1; decimal: 0)
Variable Type: numeric

C53A: c53a taking paper using right hand

Value	Label	Unweighted Frequency	%
0	wrong	351	3.6 %
1	correct	7838	80.3 %
8	not able to do	1480	15.2 %
9	missing	17	0.2 %
	Missing Data		
.	-	79	0.8 %
	Total	**9,765**	**100%**

Based upon 9,686 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 463-463 (width: 1; decimal: 0)
Variable Type: numeric

C53B: c53b fold paper

Value	Label	Unweighted Frequency	%
0	wrong	499	5.1 %
1	correct	7525	77.1 %
8	not able to do	1655	16.9 %
9	missing	6	0.1 %
	Missing Data		
.	-	80	0.8 %
	Total	**9,765**	**100%**

Based upon 9,685 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 464-464 (width: 1; decimal: 0)
Variable Type: numeric

C53C: c53c put paper on the floor

Value	Label	Unweighted Frequency	%
0	wrong	307	3.1 %
1	correct	7666	78.5 %
8	not able to do	1706	17.5 %
9	missing	6	0.1 %
	Missing Data		
.	-	80	0.8 %
	Total	**9,765**	**100%**

Based upon 9,685 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 465-465 (width: 1; decimal: 0)
Variable Type: numeric

C54: c54 was the interviewee able to answer sections b and c?

Value	Label	Unweighted Frequency	%
1	yes	5773	59.1 %
2	no	1076	11.0 %
3	partially	2749	28.2 %
8	do not know	23	0.2 %
9	missing	6	0.1 %
	Missing Data		
.	-	138	1.4 %
	Total	**9,765**	**100%**

Based upon 9,627 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 466-466 (width: 1; decimal: 0)
Variable Type: numeric

C55: c55 what is the main reason unable to answer questions?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	visually impaired, but can hear	350	3.6 %
2	hearing impaired, but can see	1231	12.6 %
3	visually and hearing impaired	676	6.9 %

Value	Label	Unweighted Frequency	%
4	paralyzed	140	1.4 %
5	didn't wish to participate	65	0.7 %
6	could not understand because of cognitive impairment	264	2.7 %
7	not able to participate at the moment due to illness	70	0.7 %
8	other reasons	654	6.7 %
9	missing	561	5.7 %
	Missing Data		
.	-	5754	58.9 %
	Total	**9,765**	**100%**

Based upon 4,011 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric

RD1: rd1 proxy or not for d1

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5387	55.2 %
1	with proxy	2360	24.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2018	20.7 %
	Total	**9,765**	**100%**

Based upon 7,747 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric

D1: d1 staple food

Value	Label	Unweighted Frequency	%
1	rice	5705	58.4 %
2	corn(maize)	385	3.9 %
3	wheat (noodles and bread etc.)	2312	23.7 %
4	rice and wheat	1229	12.6 %

Value	Label	Unweighted Frequency	%
5	other	65	0.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	69	0.7 %
	Total	**9,765**	**100%**

Based upon 9,696 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 471-471 (width: 1; decimal: 0)
Variable Type: numeric

D1A: d1a other type of staple food

Value	Label	Unweighted Frequency	%
	-	9711	99.4 %
´óÃ×+ÔÓÁ¸	-	1	0.0 %
´óÃ×£¬ÓñÃ×¸÷°ë¡£	-	1	0.0 %
´óÃ×£¬ÓñÃ×ÀÓÃ×	-	1	0.0 %
´óÃ×ÔÓÁ¸	-	1	0.0 %
µ°	-	2	0.0 %
µ°¡¢ÌÇ¡¢Èâ	-	1	0.0 %
µ°¸â	-	2	0.0 %
¶¹°ü¡¢¶¹ÄÌ	-	1	0.0 %
·½±ãÃæ	-	1	0.0 %
ºÈÄÌ	-	1	0.0 %
¼¦µ°	-	1	0.0 %
¼¦µ°,ÂóÆ¬,ÃæÌõ,ôÕ×Ó	-	1	0.0 %
¼¦µ°£¬¶¹ÄÌ·Û	-	1	0.0 %
¼¦µ°£¬ÄÌ	-	1	0.0 %
Á÷Ê³	-	2	0.0 %
Á÷ÖÊÊ³Îï	-	1	0.0 %
Ãæ°ü	-	1	0.0 %
ÄÌ,±ý¸É,¼¦µ°	-	1	0.0 %
ÄÌ£¬²¤ÂÜ¶¹	-	1	0.0 %
Å£ÄÌ Ã×Ë®	-	1	0.0 %
Å£ÄÌÁ÷Ê³	-	1	0.0 %
Èâ¡¢¼¦µ°	-	1	0.0 %
ÊÇÄÌ·Û£¬ÄÌ·ÛµãÐÄÒÔ³ÔÊæ·þÎªÖ÷¡£	-	1	0.0 %
Ë®½È	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ÌðÊ³	-	1	0.0 %
Ï¡·¹	-	1	0.0 %
Ð¡Ã×	-	1	0.0 %
Ð¡Ã×·¹	-	2	0.0 %
ÒÔÉÏ¾ù³Ô	-	1	0.0 %
Òò²¡²»ÄÜ·¹Ê³£¬Ö»ÄÜºÈÃ×ÌÀ	-	1	0.0 %
ÓÐÉ¶³ÔÉ¶	-	1	0.0 %
ÓñÃ×	-	11	0.1 %
ÓñÃ×·Û	-	1	0.0 %
ÓñÃ×Öà	-	3	0.0 %
Öà	-	2	0.0 %
Öà¡¡¡´óÃ×£¬Ð¡Ã×¡£	-	1	0.0 %
Öà£¬ÈíÊ³	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 472-501 (width: 30; decimal: 0)
Variable Type: character

RD2: rd2 proxy or not for d2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5275	54.0 %
1	with proxy	2463	25.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2027	20.8 %
	Total	**9,765**	**100%**

Based upon 7,738 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 502-503 (width: 2; decimal: 0)
Variable Type: numeric

D2: d2 amount of staple food per day (liang)

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.0 %
0.500000000000	-	2	0.0 %

Value	Label	Unweighted Frequency	%
1.000000000000	-	124	1.3 %
2.000000000000	-	684	7.0 %
3.000000000000	-	1334	13.7 %
4.000000000000	-	1344	13.8 %
4.500000000000	-	1	0.0 %
5.000000000000	-	1551	15.9 %
6.000000000000	-	1925	19.7 %
6.300000190735	-	1	0.0 %
6.400000095367	-	1	0.0 %
7.000000000000	-	480	4.9 %
8.000000000000	-	881	9.0 %
9.000000000000	-	285	2.9 %
10.000000000000	-	713	7.3 %
11.000000000000	-	17	0.2 %
12.000000000000	-	167	1.7 %
13.000000000000	-	11	0.1 %
14.000000000000	-	7	0.1 %
15.000000000000	-	81	0.8 %
16.000000000000	-	6	0.1 %
17.000000000000	-	2	0.0 %
18.000000000000	-	6	0.1 %
20.000000000000	-	26	0.3 %
21.000000000000	-	1	0.0 %
22.000000000000	-	1	0.0 %
25.000000000000	-	3	0.0 %
30.000000000000	-	4	0.0 %
35.000000000000	-	1	0.0 %
36.000000000000	-	1	0.0 %
40.000000000000	-	3	0.0 %
45.000000000000	-	2	0.0 %
50.000000000000	-	1	0.0 %
60.000000000000	-	1	0.0 %
88.000000000000	don't know	8	0.1 %
95.000000000000	-	1	0.0 %
96.000000000000	-	1	0.0 %
99.000000000000	missing	1	0.0 %
	Missing Data		
.	-	85	0.9 %
	Total	**9,765**	**100%**

Based upon 9,680 valid cases out of 9,765 total cases.

- Mean: 5.818615702509
- Median: 5.000000000000
- Mode: 6.000000000000
- Minimum: 0.000000000000
- Maximum: 99.000000000000
- Standard Deviation: 4.153657383704

Location: 504-518 (width: 15; decimal: 12)
Variable Type: numeric

RD31: rd31 proxy or not for d31

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5339	54.7 %
1	with proxy	2395	24.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2031	20.8 %
	Total	**9,765**	**100%**

Based upon 7,734 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric

D31: d31 how often eat fresh fruit?

Value	Label	Unweighted Frequency	%
1	almost everyday	1313	13.4 %
2	quite often	2310	23.7 %
3	occasionally	3419	35.0 %
4	rarely or never	2646	27.1 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 521-521 (width: 1; decimal: 0)
Variable Type: numeric

RD32: rd32 proxy or not for d32

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5358	54.9 %
1	with proxy	2421	24.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	1986	20.3 %
	Total	**9,765**	**100%**

Based upon 7,779 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 522-523 (width: 2; decimal: 0)
Variable Type: numeric

D32: d32 how often eat vegetables?

Value	Label	Unweighted Frequency	%
1	almost everyday	5428	55.6 %
2	except winter	3053	31.3 %
3	occasionally	831	8.5 %
4	rarely or never	367	3.8 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	86	0.9 %
	Total	**9,765**	**100%**

Based upon 9,679 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 524-524 (width: 1; decimal: 0)
Variable Type: numeric

RD33: rd33 proxy or not for d33

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	without proxy	5269	54.0 %
1	with proxy	2511	25.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	1985	20.3 %
	Total	**9,765**	**100%**

Based upon 7,780 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric

D33: d33 what kind of grease do you mainly use for cooking?

Value	Label	Unweighted Frequency	%
1	vegetable grease	8287	84.9 %
2	gingili grease	83	0.8 %
3	lard	1256	12.9 %
4	other animal's fat	43	0.4 %
8	don't know	1	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	92	0.9 %
	Total	**9,765**	**100%**

Based upon 9,673 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 527-527 (width: 1; decimal: 0)
Variable Type: numeric

D33A: d33a other kind of grease you mainly use

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 528-528 (width: 1; decimal: 0)
Variable Type: character

RD34: rd34 proxy or not for d34

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5357	54.9 %
1	with proxy	2408	24.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2000	20.5 %
	Total	**9,765**	**100%**

Based upon 7,765 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 529-530 (width: 2; decimal: 0)
Variable Type: numeric

D34: d34 main flavor you have

Value	Label	Unweighted Frequency	%
1	insipidity	6067	62.1 %
2	salty	1823	18.7 %
3	sweet	634	6.5 %
4	hot	270	2.8 %
5	crude	19	0.2 %
6	do not have all the above tastes	848	8.7 %
8	don't know	5	0.1 %
9	missing	4	0.0 %
	Missing Data		
.	-	95	1.0 %
	Total	**9,765**	**100%**

Based upon 9,670 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 531-531 (width: 1; decimal: 0)
Variable Type: numeric

RD4MEAT: rd4meat proxy or not for d4meat1 and d4meat2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	without proxy	5216	53.4 %
1	with proxy	2623	26.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	1926	19.7 %
	Total	**9,765**	**100%**

Based upon 7,839 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 532-533 (width: 2; decimal: 0)
Variable Type: numeric

D4MEAT2: d4meat2 how often eat meat at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	3151	32.3 %
2	not everyday, but at least once per week	4055	41.5 %
3	not every week, but at least once per month	1040	10.7 %
4	not every month, but occasionally	627	6.4 %
5	rarely or never	812	8.3 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	80	0.8 %
	Total	**9,765**	**100%**

Based upon 9,685 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 534-534 (width: 1; decimal: 0)
Variable Type: numeric

D4MEAT1: d4meat1 how often ate meat at around age 60?

Value	Label	Unweighted Frequency	%
1	almost everyday	1145	11.7 %
2	not everyday, but at least once per week	2731	28.0 %
3	not every week, but at least once per month	2141	21.9 %
4	not every month, but occasionally	1865	19.1 %

Value	Label	Unweighted Frequency	%
5	rarely or never	1827	18.7 %
8	don't know	26	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	30	0.3 %
	Total	**9,765**	**100%**

Based upon 9,735 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 535-535 (width: 1; decimal: 0)
Variable Type: numeric

RD4FISH: rd4fish proxy or not for d4fish1 and d4fish2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5217	53.4 %
1	with proxy	2617	26.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	1931	19.8 %
	Total	**9,765**	**100%**

Based upon 7,834 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 536-537 (width: 2; decimal: 0)
Variable Type: numeric

D4FISH2: d4fish2 how often eat fish at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	767	7.9 %
2	not everyday, but at least once per week	3652	37.4 %
3	not every week, but at least once per month	1950	20.0 %
4	not every month, but occasionally	1338	13.7 %
5	rarely or never	1978	20.3 %
8	don't know	0	0.0 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	80	0.8 %
	Total	**9,765**	**100%**

Based upon 9,685 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 538-538 (width: 1; decimal: 0)
Variable Type: numeric

D4FISH1: d4fish1 how often ate fish at around age 60?

Value	Label	Unweighted Frequency	%
1	almost everyday	450	4.6 %
2	not everyday, but at least once per week	2309	23.6 %
3	not every week, but at least once per month	2148	22.0 %
4	not every month, but occasionally	2376	24.3 %
5	rarely or never	2430	24.9 %
8	don't know	22	0.2 %
9	missing	1	0.0 %
	Missing Data		
.	-	29	0.3 %
	Total	**9,765**	**100%**

Based upon 9,736 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 539-539 (width: 1; decimal: 0)
Variable Type: numeric

RD4EGG: rd4egg proxy or not for d4egg1 and d4egg2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5240	53.7 %
1	with proxy	2597	26.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	1928	19.7 %
	Total	**9,765**	**100%**

Based upon 7,837 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 540-541 (width: 2; decimal: 0)
Variable Type: numeric

D4EGG2: d4egg2 how often eat eggs at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	3123	32.0 %
2	not everyday, but at least once per week	3619	37.1 %
3	not every week, but at least once per month	1146	11.7 %
4	not every month, but occasionally	740	7.6 %
5	rarely or never	1059	10.8 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	78	0.8 %
	Total	**9,765**	**100%**

Based upon 9,687 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 542-542 (width: 1; decimal: 0)
Variable Type: numeric

D4EGG1: d4egg1 how often ate eggs at around age 60?

Value	Label	Unweighted Frequency	%
1	almost everyday	1409	14.4 %
2	not everyday, but at least once per week	2940	30.1 %
3	not every week, but at least once per month	1895	19.4 %
4	not every month, but occasionally	1915	19.6 %
5	rarely or never	1551	15.9 %
8	don't know	26	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	29	0.3 %
	Total	**9,765**	**100%**

Based upon 9,736 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 543-543 (width: 1; decimal: 0)
Variable Type: numeric

RD4BEAN: rd4bean proxy or not for d4bean1 and d4bean2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5218	53.4 %
1	with proxy	2610	26.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	1937	19.8 %
	Total	**9,765**	**100%**

Based upon 7,828 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 544-545 (width: 2; decimal: 0)
Variable Type: numeric

D4BEAN2: d4bean2 how often eat food made from beans at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	1274	13.0 %
2	not everyday, but at least once per week	3957	40.5 %
3	not every week, but at least once per month	1884	19.3 %
4	not every month, but occasionally	1298	13.3 %
5	rarely or never	1270	13.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	82	0.8 %
	Total	**9,765**	**100%**

Based upon 9,683 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 546-546 (width: 1; decimal: 0)
Variable Type: numeric

D4BEAN1: d4bean1 how often ate food made from beans at around age 60?

Value	Label	Unweighted Frequency	%
1	almost everyday	1116	11.4 %
2	not everyday, but at least once per week	2832	29.0 %
3	not every week, but at least once per month	1986	20.3 %
4	not every month, but occasionally	2277	23.3 %
5	rarely or never	1496	15.3 %
8	don't know	28	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	30	0.3 %
	Total	**9,765**	**100%**

Based upon 9,735 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 547-547 (width: 1; decimal: 0)
Variable Type: numeric

RD4VEG: rd4veg proxy or not for d4veg1 and d4veg2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5238	53.6 %
1	with proxy	2587	26.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	1940	19.9 %
	Total	**9,765**	**100%**

Based upon 7,825 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 548-549 (width: 2; decimal: 0)
Variable Type: numeric

D4VEG2: d4veg2 how often eat salt-preserved vegetables at present

Value	Label	Unweighted Frequency	%
1	almost everyday	1460	15.0 %
2	not everyday, but at least once per week	1731	17.7 %

Value	Label	Unweighted Frequency	%
3	not every week, but at least once per month	967	9.9 %
4	not every month, but occasionally	1561	16.0 %
5	rarely or never	3958	40.5 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Based upon 9,677 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 550-550 (width: 1; decimal: 0)
Variable Type: numeric

D4VEG1: d4veg1 how often ate salt-preserved vegetables at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	3080	31.5 %
2	not everyday, but at least once per week	1988	20.4 %
3	not every week, but at least once per month	1057	10.8 %
4	not every month, but occasionally	1614	16.5 %
5	rarely or never	1972	20.2 %
8	don't know	24	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	30	0.3 %
	Total	**9,765**	**100%**

Based upon 9,735 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 551-551 (width: 1; decimal: 0)
Variable Type: numeric

RD4SUGA: rd4suga proxy or not for d4suga1 and d4suga2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5239	53.7 %

Value	Label	Unweighted Frequency	%
1	with proxy	2585	26.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	1941	19.9 %
	Total	**9,765**	**100%**

Based upon 7,824 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 552-553 (width: 2; decimal: 0)
Variable Type: numeric

D4SUGA2: d4suga2 how often eat sugar at present

Value	Label	Unweighted Frequency	%
1	almost everyday	1421	14.6 %
2	not everyday, but at least once per week	1894	19.4 %
3	not every week, but at least once per month	1119	11.5 %
4	not every month, but occasionally	1874	19.2 %
5	rarely or never	3367	34.5 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	89	0.9 %
	Total	**9,765**	**100%**

Based upon 9,676 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 554-554 (width: 1; decimal: 0)
Variable Type: numeric

D4SUGA1: d4suga1 how often ate sugar at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	695	7.1 %
2	not everyday, but at least once per week	1361	13.9 %
3	not every week, but at least once per month	1441	14.8 %
4	not every month, but occasionally	2674	27.4 %
5	rarely or never	3541	36.3 %

Value	Label	Unweighted Frequency	%
8	don't know	23	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	30	0.3 %
	Total	**9,765**	**100%**

Based upon 9,735 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 555-555 (width: 1; decimal: 0)
Variable Type: numeric

RD4TEA: rd4tea proxy or not for d4tea1 and d4tea2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5237	53.6 %
1	with proxy	2589	26.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	1939	19.9 %
	Total	**9,765**	**100%**

Based upon 7,826 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 556-557 (width: 2; decimal: 0)
Variable Type: numeric

D4TEA2: d4tea2 how often drink tea at present

Value	Label	Unweighted Frequency	%
1	almost everyday	2259	23.1 %
2	not everyday, but at least once per week	664	6.8 %
3	not every week, but at least once per month	287	2.9 %
4	not every month, but occasionally	642	6.6 %
5	rarely or never	5822	59.6 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	91	0.9 %
	Total	**9,765**	**100%**

Based upon 9,674 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 558-558 (width: 1; decimal: 0)
Variable Type: numeric

D4TEA1: d4tea1 how often drank tea at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	2711	27.8 %
2	not everyday, but at least once per week	637	6.5 %
3	not every week, but at least once per month	313	3.2 %
4	not every month, but occasionally	936	9.6 %
5	rarely or never	5113	52.4 %
8	don't know	24	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	31	0.3 %
	Total	**9,765**	**100%**

Based upon 9,734 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 559-559 (width: 1; decimal: 0)
Variable Type: numeric

RD4GARL: rd4garl proxy or not for d4garl1 and d4garl2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5236	53.6 %
1	with proxy	2586	26.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	1943	19.9 %
	Total	**9,765**	**100%**

Based upon 7,822 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 560-561 (width: 2; decimal: 0)
Variable Type: numeric

D4GARL2: d4garl2 how often eat garlic at present

Value	Label	Unweighted Frequency	%
1	almost everyday	1725	17.7 %
2	not everyday, but at least once per week	2098	21.5 %
3	not every week, but at least once per month	1172	12.0 %
4	not every month, but occasionally	1529	15.7 %
5	rarely or never	3153	32.3 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Based upon 9,677 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 562-562 (width: 1; decimal: 0)
Variable Type: numeric

D4GARL1: d4garl1 how often ate garlic at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	1773	18.2 %
2	not everyday, but at least once per week	2121	21.7 %
3	not every week, but at least once per month	1300	13.3 %
4	not every month, but occasionally	2310	23.7 %
5	rarely or never	2203	22.6 %
8	don't know	28	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	30	0.3 %
	Total	**9,765**	**100%**

Based upon 9,735 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 563-563 (width: 1; decimal: 0)
Variable Type: numeric

RDEMILK: rdemilk proxy or not for d4milk1 and d4milk2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5228	53.5 %
1	with proxy	2602	26.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	1935	19.8 %
	Total	**9,765**	**100%**

Based upon 7,830 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 564-565 (width: 2; decimal: 0)
Variable Type: numeric

D4MILK1: d4milk1 how often eat milk products at present

Value	Label	Unweighted Frequency	%
1	almost everyday	1735	17.8 %
2	not everyday, but at least once per week	1333	13.7 %
3	not every week, but at least once per month	887	9.1 %
4	not every month, but occasionally	1196	12.2 %
5	rarely or never	4529	46.4 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	85	0.9 %
	Total	**9,765**	**100%**

Based upon 9,680 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 566-566 (width: 1; decimal: 0)
Variable Type: numeric

D4MILK2: d4milk2 how often ate milk products at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	492	5.0 %
2	not everyday, but at least once per week	540	5.5 %
3	not every week, but at least once per month	546	5.6 %
4	not every month, but occasionally	1281	13.1 %
5	rarely or never	6851	70.2 %
8	don't know	24	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	31	0.3 %
	Total	**9,765**	**100%**

Based upon 9,734 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 567-567 (width: 1; decimal: 0)
Variable Type: numeric

RD4NUT: rd4nut proxy or not for d4nut1 and d4nut2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5209	53.3 %
1	with proxy	2621	26.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	1935	19.8 %
	Total	**9,765**	**100%**

Based upon 7,830 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 568-569 (width: 2; decimal: 0)
Variable Type: numeric

D4NUT1: d4nut1 how often eat nut products at present

Value	Label	Unweighted Frequency	%
1	almost everyday	278	2.8 %
2	not everyday, but at least once per week	860	8.8 %
3	not every week, but at least once per month	878	9.0 %

Value	Label	Unweighted Frequency	%
4	not every month, but occasionally	1627	16.7 %
5	rarely or never	6034	61.8 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Based upon 9,677 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 570-570 (width: 1; decimal: 0)
Variable Type: numeric

D4NUT2: d4nut2 how often ate nut products at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	297	3.0 %
2	not everyday, but at least once per week	949	9.7 %
3	not every week, but at least once per month	1191	12.2 %
4	not every month, but occasionally	2970	30.4 %
5	rarely or never	4303	44.1 %
8	don't know	24	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	31	0.3 %
	Total	**9,765**	**100%**

Based upon 9,734 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 571-571 (width: 1; decimal: 0)
Variable Type: numeric

RD4ALGA: rd4alga proxy or not for d4alga1 and d4alga2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5202	53.3 %
1	with proxy	2631	26.9 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	1932	19.8 %
	Total	**9,765**	**100%**

Based upon 7,833 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 572-573 (width: 2; decimal: 0)
Variable Type: numeric

D4ALGA1: d4alga1 how often eat mushroom or algae at present

Value	Label	Unweighted Frequency	%
1	almost everyday	184	1.9 %
2	not everyday, but at least once per week	1311	13.4 %
3	not every week, but at least once per month	1422	14.6 %
4	not every month, but occasionally	2248	23.0 %
5	rarely or never	4511	46.2 %
8	don't know	0	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	87	0.9 %
	Total	**9,765**	**100%**

Based upon 9,678 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 574-574 (width: 1; decimal: 0)
Variable Type: numeric

D4ALGA2: d4alga2 how often ate mushroom or algae at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	106	1.1 %
2	not everyday, but at least once per week	691	7.1 %
3	not every week, but at least once per month	1128	11.6 %
4	not every month, but occasionally	2642	27.1 %
5	rarely or never	5141	52.6 %
8	don't know	26	0.3 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	31	0.3 %
	Total	**9,765**	**100%**

Based upon 9,734 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 575-575 (width: 1; decimal: 0)
Variable Type: numeric

RD4VIT: rd4vit proxy or not for d4vit1 and d4vit2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5175	53.0 %
1	with proxy	2655	27.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	1935	19.8 %
	Total	**9,765**	**100%**

Based upon 7,830 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 576-577 (width: 2; decimal: 0)
Variable Type: numeric

D4VIT1: d4vit1 how often eat vitamins (a/c/e) at present

Value	Label	Unweighted Frequency	%
1	almost everyday	695	7.1 %
2	not everyday, but at least once per week	397	4.1 %
3	not every week, but at least once per month	276	2.8 %
4	not every month, but occasionally	874	9.0 %
5	rarely or never	7429	76.1 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	94	1.0 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 9,671 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 578-578 (width: 1; decimal: 0)
Variable Type: numeric

D4VIT2: d4vit2 how often ate vitamins (a/c/e) at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	132	1.4 %
2	not everyday, but at least once per week	104	1.1 %
3	not every week, but at least once per month	160	1.6 %
4	not every month, but occasionally	644	6.6 %
5	rarely or never	8668	88.8 %
8	don't know	25	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	32	0.3 %
	Total	**9,765**	**100%**

Based upon 9,733 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 579-579 (width: 1; decimal: 0)
Variable Type: numeric

RD4DRUG: rd4drug proxy or not for d4drug1 and d4drug2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5166	52.9 %
1	with proxy	2666	27.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	1933	19.8 %
	Total	**9,765**	**100%**

Based upon 7,832 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 580-581 (width: 2; decimal: 0)
Variable Type: numeric

D4DRUG1: d4drug1 how often eat medicinal plants at present

Value	Label	Unweighted Frequency	%
1	almost everyday	232	2.4 %
2	not every day, but at least once per week	227	2.3 %
3	not every week, but at least once per month	263	2.7 %
4	not every month, but occasionally	746	7.6 %
5	rarely or never	8199	84.0 %
8	don't know	2	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	96	1.0 %
	Total	**9,765**	**100%**

Based upon 9,669 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 582-582 (width: 1; decimal: 0)
Variable Type: numeric

D4DRUG2: d4drug2 how often ate medicinal plants at around age 60

Value	Label	Unweighted Frequency	%
1	almost everyday	58	0.6 %
2	not every day, but at least once per week	88	0.9 %
3	not every week, but at least once per month	148	1.5 %
4	not every month, but occasionally	709	7.3 %
5	rarely or never	8705	89.1 %
8	don't know	23	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	34	0.3 %
	Total	**9,765**	**100%**

Based upon 9,731 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 583-583 (width: 1; decimal: 0)
Variable Type: numeric

RD5: rd5 proxy or not for d5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5352	54.8 %
1	with proxy	2378	24.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2035	20.8 %
	Total	**9,765**	**100%**

Based upon 7,730 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 584-585 (width: 2; decimal: 0)
Variable Type: numeric

D5: d5 what kind of water usually drink?

Value	Label	Unweighted Frequency	%
1	boiled water	9052	92.7 %
2	un-boiled water	463	4.7 %
9	missing	3	0.0 %
	Missing Data		
.	-	247	2.5 %
	Total	**9,765**	**100%**

Based upon 9,518 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 586-586 (width: 1; decimal: 0)
Variable Type: numeric

RD6: rd6 proxy or not for d6a d6b d6c

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5408	55.4 %
1	with proxy	2333	23.9 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2024	20.7 %
	Total	**9,765**	**100%**

Based upon 7,741 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 587-588 (width: 2; decimal: 0)
Variable Type: numeric

D6A: d6a main source of water drank during childhood

Value	Label	Unweighted Frequency	%
1	from a well	5963	61.1 %
2	from a river or lake	1805	18.5 %
3	from a spring	289	3.0 %
4	from a pond or pool	752	7.7 %
5	tap water	163	1.7 %
8	don't know	9	0.1 %
9	missing	5	0.1 %
	Missing Data		
.	-	779	8.0 %
	Total	**9,765**	**100%**

Based upon 8,986 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 589-589 (width: 1; decimal: 0)
Variable Type: numeric

D6B: d6b main source of water drank at around age 60

Value	Label	Unweighted Frequency	%
1	from a well	5590	57.2 %
2	from a river or lake	617	6.3 %
3	from a spring	243	2.5 %
4	from a pond or pool	146	1.5 %
5	tap water	2398	24.6 %
8	don't know	5	0.1 %
9	missing	6	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	760	7.8 %
	Total	**9,765**	**100%**

Based upon 9,005 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 590-590 (width: 1; decimal: 0)
Variable Type: numeric

D6C: d6c main source of drinking water at present

Value	Label	Unweighted Frequency	%
1	from a well	3132	32.1 %
2	from a river or lake	73	0.7 %
3	from a spring	240	2.5 %
4	from a pond or pool	35	0.4 %
5	tap water	6183	63.3 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	102	1.0 %
	Total	**9,765**	**100%**

Based upon 9,663 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 591-591 (width: 1; decimal: 0)
Variable Type: numeric

RD71: rd71 proxy or not for d71

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5551	56.8 %
1	with proxy	1741	17.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	2473	25.3 %
	Total	**9,765**	**100%**

Based upon 7,292 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 592-593 (width: 2; decimal: 0)
Variable Type: numeric

D71: d71 smoke or not at present?

Value	Label	Unweighted Frequency	%
1	yes	1733	17.7 %
2	no	7928	81.2 %
8	-	4	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	97	1.0 %
	Total	**9,765**	**100%**

Based upon 9,668 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 594-594 (width: 1; decimal: 0)
Variable Type: numeric

RD72: rd72 proxy or not for d72

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6503	66.6 %
1	with proxy	1256	12.9 %
9	missing	3	0.0 %
	Missing Data		
.	-	2003	20.5 %
	Total	**9,765**	**100%**

Based upon 7,762 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 595-596 (width: 2; decimal: 0)
Variable Type: numeric

D72: d72 smoked or not in the past?

Value	Label	Unweighted Frequency	%
1	yes	3064	31.4 %
2	no	6635	67.9 %
8	-	1	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	62	0.6 %
	Total	**9,765**	**100%**

Based upon 9,703 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 597-597 (width: 1; decimal: 0)
Variable Type: numeric

RD73: rd73 proxy or not for d73

Value	Label	Unweighted Frequency	%
-1	not applicable	2657	27.2 %
0	without proxy	2349	24.1 %
1	with proxy	246	2.5 %
9	missing	7	0.1 %
	Missing Data		
.	-	4506	46.1 %
	Total	**9,765**	**100%**

Based upon 5,259 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 598-599 (width: 2; decimal: 0)
Variable Type: numeric

D73: d73 age when began smoking

Value	Label	Unweighted Frequency	%
-1	not applicable	2657	27.2 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	3	0.0 %
7	-	5	0.1 %
8	-	8	0.1 %

Value	Label	Unweighted Frequency	%
9	-	6	0.1 %
10	-	16	0.2 %
11	-	6	0.1 %
12	-	45	0.5 %
13	-	35	0.4 %
14	-	60	0.6 %
15	-	149	1.5 %
16	-	186	1.9 %
17	-	174	1.8 %
18	-	315	3.2 %
19	-	86	0.9 %
20	-	590	6.0 %
21	-	98	1.0 %
22	-	114	1.2 %
23	-	85	0.9 %
24	-	61	0.6 %
25	-	212	2.2 %
26	-	54	0.6 %
27	-	33	0.3 %
28	-	46	0.5 %
29	-	8	0.1 %
30	-	212	2.2 %
31	-	16	0.2 %
32	-	40	0.4 %
33	-	14	0.1 %
34	-	18	0.2 %
35	-	58	0.6 %
36	-	12	0.1 %
37	-	7	0.1 %
38	-	7	0.1 %
39	-	3	0.0 %
40	-	86	0.9 %
41	-	9	0.1 %
42	-	10	0.1 %
43	-	7	0.1 %
44	-	1	0.0 %
45	-	14	0.1 %
46	-	4	0.0 %
47	-	4	0.0 %

Value	Label	Unweighted Frequency	%
48	-	9	0.1 %
50	-	36	0.4 %
51	-	2	0.0 %
52	-	9	0.1 %
53	-	1	0.0 %
	Missing Data		
.	-	3994	40.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,771 valid cases out of 9,765 total cases.

- Mean: 18.93
- Median: 15.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 77.74

Location: 600-602 (width: 3; decimal: 0)
Variable Type: numeric

RD74: rd74 proxy or not for d74

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	82	0.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	9683	99.2 %
	Total	**9,765**	**100%**

Based upon 82 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 603-604 (width: 2; decimal: 0)
Variable Type: numeric

D74: d74 age when quit smoking if not smoking at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
30	-	4	0.0 %
31	-	1	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
38	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	3	0.0 %
50	-	10	0.1 %
51	-	2	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	3	0.0 %
56	-	1	0.0 %
58	-	6	0.1 %
60	-	22	0.2 %
62	-	1	0.0 %
63	-	1	0.0 %
64	-	5	0.1 %
65	-	8	0.1 %
66	-	1	0.0 %
67	-	1	0.0 %
68	-	3	0.0 %
69	-	1	0.0 %
70	-	18	0.2 %
72	-	7	0.1 %
73	-	4	0.0 %
74	-	2	0.0 %
75	-	9	0.1 %
76	-	5	0.1 %
78	-	4	0.0 %
80	-	10	0.1 %
81	-	2	0.0 %

Value	Label	Unweighted Frequency	%
82	-	4	0.0 %
83	-	1	0.0 %
84	-	3	0.0 %
85	-	4	0.0 %
87	-	1	0.0 %
88	-	2	0.0 %
89	-	1	0.0 %
90	-	9	0.1 %
91	-	2	0.0 %
92	-	1	0.0 %
	Missing Data		
.	-	9198	94.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 567 valid cases out of 9,765 total cases.

- Mean: 687.76
- Median: 999.00
- Mode: 999.00
- Minimum: 22.00
- Maximum: 999.00
- Standard Deviation: 434.51

Location: 605-607 (width: 3; decimal: 0)
Variable Type: numeric

RD75: rd75 proxy or not for d75

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1190	12.2 %
1	with proxy	290	3.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	8285	84.8 %
	Total	**9,765**	**100%**

Based upon 1,480 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

D75: d75 number of times smoke (or smoked) per day

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	27	0.3 %
1	-	34	0.3 %
2	-	89	0.9 %
3	-	121	1.2 %
4	-	78	0.8 %
5	-	162	1.7 %
6	-	69	0.7 %
7	-	46	0.5 %
8	-	49	0.5 %
9	-	2	0.0 %
10	-	374	3.8 %
11	-	6	0.1 %
12	-	33	0.3 %
13	-	13	0.1 %
14	-	3	0.0 %
15	-	92	0.9 %
16	-	5	0.1 %
17	-	2	0.0 %
18	-	11	0.1 %
20	-	498	5.1 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	3	0.0 %
25	-	11	0.1 %
30	-	53	0.5 %
35	-	4	0.0 %
38	-	1	0.0 %
40	-	36	0.4 %
50	-	2	0.0 %
51	-	1	0.0 %
55	-	1	0.0 %
60	-	6	0.1 %
80	-	1	0.0 %
88	don't know	114	1.2 %
99	missing	32	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	7784	79.7 %
	Total	**9,765**	**100%**

Based upon 1,981 valid cases out of 9,765 total cases.

- Mean: 18.35
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 22.19

Location: 610-611 (width: 2; decimal: 0)
Variable Type: numeric

RD76: rd76 proxy or not for d76

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1160	11.9 %
1	with proxy	299	3.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	8306	85.1 %
	Total	**9,765**	**100%**

Based upon 1,459 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 612-613 (width: 2; decimal: 0)
Variable Type: numeric

D76: d76 how soon after you wake up do you smoke your first cigarette?

Value	Label	Unweighted Frequency	%
1	within 5 minutes	448	4.6 %
2	6-30 minutes	479	4.9 %
3	31-60 minutes	253	2.6 %
4	after 60 minutes	715	7.3 %
8	do not know	18	0.2 %
9	missing	48	0.5 %
	Missing Data		
.	-	7804	79.9 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 1,961 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 614-614 (width: 1; decimal: 0)
Variable Type: numeric

RD77: rd77 proxy or not for d77

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1252	12.8 %
1	with proxy	275	2.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	8238	84.4 %
	Total	**9,765**	**100%**

Based upon 1,527 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 615-616 (width: 2; decimal: 0)
Variable Type: numeric

D77: d77 what do you think about your chances of being diagnosed with lung cancer?

Value	Label	Unweighted Frequency	%
1	at much less risk	111	1.1 %
2	at less risk	64	0.7 %
3	at the same risk	403	4.1 %
4	at higher risk	440	4.5 %
5	at much higher risk	67	0.7 %
8	do not know	927	9.5 %
9	missing	30	0.3 %
	Missing Data		
.	-	7723	79.1 %
	Total	**9,765**	**100%**

Based upon 2,042 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 617-617 (width: 1; decimal: 0)
Variable Type: numeric

RD78: rd78 proxy or not for d78

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5716	58.5 %
1	with proxy	1622	16.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	2427	24.9 %
	Total	**9,765**	**100%**

Based upon 7,338 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 618-619 (width: 2; decimal: 0)
Variable Type: numeric

D78: d78 during childhood, were you exposed to smoke from other people at home?

Value	Label	Unweighted Frequency	%
1	yes	2653	27.2 %
2	no	2994	30.7 %
8	do not know	2242	23.0 %
9	missing	13	0.1 %
	Missing Data		
.	-	1863	19.1 %
	Total	**9,765**	**100%**

Based upon 7,902 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 620-620 (width: 1; decimal: 0)
Variable Type: numeric

D78A: d78a if yes, for how many hours per day?

Value	Label	Unweighted Frequency	%
-1.0	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0.0	-	36	0.4 %
0.5	-	3	0.0 %
1.0	-	740	7.6 %
2.0	-	550	5.6 %
3.0	-	257	2.6 %
4.0	-	133	1.4 %
5.0	-	140	1.4 %
6.0	-	66	0.7 %
7.0	-	13	0.1 %
8.0	-	131	1.3 %
10.0	-	78	0.8 %
11.0	-	3	0.0 %
12.0	-	36	0.4 %
14.0	-	2	0.0 %
15.0	-	3	0.0 %
16.0	-	1	0.0 %
18.0	-	2	0.0 %
19.0	-	1	0.0 %
20.0	-	6	0.1 %
24.0	-	8	0.1 %
30.0	-	1	0.0 %
88.0	do not know	770	7.9 %
99.0	missing	391	4.0 %
	Missing Data		
.	-	6394	65.5 %
	Total	**9,765**	**100%**

Based upon 3,371 valid cases out of 9,765 total cases.

- Mean: 33.69
- Median: 4.00
- Mode: 88.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 42.24

Location: 621-624 (width: 4; decimal: 1)
Variable Type: numeric

D78B: d78b if yes, for how many years?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	-	29	0.3 %
1	-	9	0.1 %
2	-	17	0.2 %
3	-	37	0.4 %
4	-	26	0.3 %
5	-	110	1.1 %
6	-	50	0.5 %
7	-	35	0.4 %
8	-	69	0.7 %
9	-	6	0.1 %
10	-	468	4.8 %
11	-	15	0.2 %
12	-	61	0.6 %
13	-	29	0.3 %
14	-	31	0.3 %
15	-	144	1.5 %
16	-	79	0.8 %
17	-	13	0.1 %
18	-	41	0.4 %
19	-	5	0.1 %
20	-	332	3.4 %
21	-	3	0.0 %
22	-	8	0.1 %
23	-	5	0.1 %
24	-	4	0.0 %
25	-	26	0.3 %
26	-	6	0.1 %
27	-	2	0.0 %
28	-	2	0.0 %
30	-	177	1.8 %
35	-	19	0.2 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	109	1.1 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	11	0.1 %

Value	Label	Unweighted Frequency	%
46	-	3	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	111	1.1 %
51	-	1	0.0 %
52	-	3	0.0 %
55	-	4	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	58	0.6 %
	Missing Data		
.	-	6409	65.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,356 valid cases out of 9,765 total cases.

- Mean: 44.74
- Median: 30.00
- Mode: 88.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 36.45

Location: 625-626 (width: 2; decimal: 0)
Variable Type: numeric

RD79: rd79 proxy or not for d79

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5720	58.6 %
1	with proxy	1610	16.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2435	24.9 %
	Total	**9,765**	**100%**

Based upon 7,330 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

D79: d79 during young/middle-ages, were you exposed to smoke from others at home?

Value	Label	Unweighted Frequency	%
1	yes	3345	34.3 %
2	no	3012	30.8 %
8	do not know	1528	15.6 %
9	missing	10	0.1 %
	Missing Data		
.	-	1870	19.2 %
	Total	**9,765**	**100%**

Based upon 7,895 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 629-629 (width: 1; decimal: 0)
Variable Type: numeric

D79A: d79a if yes, for how many hours per day?

Value	Label	Unweighted Frequency	%
-1.0	not applicable	0	0.0 %
0.0	-	26	0.3 %
0.5	-	3	0.0 %
1.0	-	970	9.9 %
2.0	-	632	6.5 %
3.0	-	328	3.4 %
4.0	-	183	1.9 %
5.0	-	173	1.8 %
6.0	-	88	0.9 %
7.0	-	18	0.2 %
8.0	-	124	1.3 %
9.0	-	3	0.0 %
10.0	-	92	0.9 %
12.0	-	39	0.4 %
14.0	-	3	0.0 %
15.0	-	2	0.0 %
16.0	-	2	0.0 %
17.0	-	1	0.0 %
18.0	-	4	0.0 %
20.0	-	6	0.1 %

Value	Label	Unweighted Frequency	%
24.0	-	12	0.1 %
30.0	-	4	0.0 %
88.0	do not know	600	6.1 %
99.0	missing	185	1.9 %
	Missing Data		
.	-	6267	64.2 %
	Total	**9,765**	**100%**

Based upon 3,498 valid cases out of 9,765 total cases.

- Mean: 22.79
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 36.66

Location: 630-633 (width: 4; decimal: 1)
Variable Type: numeric

D79B: d79b if yes, for how many years?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	24	0.2 %
1	-	7	0.1 %
2	-	17	0.2 %
3	-	28	0.3 %
4	-	24	0.2 %
5	-	89	0.9 %
6	-	25	0.3 %
7	-	19	0.2 %
8	-	35	0.4 %
9	-	2	0.0 %
10	-	342	3.5 %
11	-	10	0.1 %
12	-	27	0.3 %
13	-	11	0.1 %
14	-	10	0.1 %
15	-	127	1.3 %
16	-	12	0.1 %
17	-	11	0.1 %
18	-	21	0.2 %

Value	Label	Unweighted Frequency	%
19	-	4	0.0 %
20	-	522	5.3 %
21	-	4	0.0 %
22	-	13	0.1 %
23	-	6	0.1 %
24	-	8	0.1 %
25	-	73	0.7 %
26	-	5	0.1 %
27	-	5	0.1 %
28	-	4	0.0 %
30	-	400	4.1 %
31	-	3	0.0 %
32	-	13	0.1 %
33	-	4	0.0 %
34	-	6	0.1 %
35	-	47	0.5 %
36	-	4	0.0 %
37	-	1	0.0 %
38	-	6	0.1 %
39	-	3	0.0 %
40	-	292	3.0 %
41	-	4	0.0 %
42	-	9	0.1 %
43	-	3	0.0 %
44	-	6	0.1 %
45	-	31	0.3 %
46	-	4	0.0 %
47	-	1	0.0 %
48	-	14	0.1 %
49	-	4	0.0 %
	Missing Data		
.	-	6262	64.1 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,503 valid cases out of 9,765 total cases.

- Mean: 40.87
- Median: 30.00

- Mode: 88.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 30.12

Location: 634-635 (width: 2; decimal: 0)
Variable Type: numeric

RD710: rd710 proxy or not for d710

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	4	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9761	100.0 %
	Total	**9,765**	**100%**

Based upon 4 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 636-637 (width: 2; decimal: 0)
Variable Type: numeric

D710: d710 in social settings such as restaurant, were you exposed to smoke from others?

Value	Label	Unweighted Frequency	%
1	yes	2702	27.7 %
2	no	2796	28.6 %
8	do not know	2269	23.2 %
9	missing	43	0.4 %
	Missing Data		
.	-	1955	20.0 %
	Total	**9,765**	**100%**

Based upon 7,810 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 638-638 (width: 1; decimal: 0)
Variable Type: numeric

D710A: d710a if yes, for how many hours per day?

Value	Label	Unweighted Frequency	%
-1.00000000000	not applicable	0	0.0 %
0.00000000000	-	35	0.4 %
0.20000000298	-	1	0.0 %
0.50000000000	-	1	0.0 %
1.00000000000	-	1042	10.7 %
2.00000000000	-	445	4.6 %
3.00000000000	-	164	1.7 %
4.00000000000	-	73	0.7 %
5.00000000000	-	93	1.0 %
6.00000000000	-	25	0.3 %
7.00000000000	-	9	0.1 %
8.00000000000	-	50	0.5 %
10.00000000000	-	22	0.2 %
12.00000000000	-	3	0.0 %
15.00000000000	-	1	0.0 %
16.00000000000	-	2	0.0 %
20.00000000000	-	5	0.1 %
22.00000000000	-	1	0.0 %
24.00000000000	-	7	0.1 %
30.00000000000	-	2	0.0 %
88.00000000000	do not know	694	7.1 %
99.00000000000	missing	194	2.0 %
	Missing Data		
.	-	6896	70.6 %
	Total	**9,765**	**100%**

Based upon 2,869 valid cases out of 9,765 total cases.

- Mean: 29.531439525968
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 99.000000000000
- Standard Deviation: 40.900240082750

Location: 639-653 (width: 15; decimal: 12)
Variable Type: numeric

D710B: d710b if yes, for how many years?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	29	0.3 %

Value	Label	Unweighted Frequency	%
1	-	35	0.4 %
2	-	53	0.5 %
3	-	64	0.7 %
4	-	13	0.1 %
5	-	116	1.2 %
6	-	19	0.2 %
7	-	14	0.1 %
8	-	52	0.5 %
9	-	4	0.0 %
10	-	293	3.0 %
11	-	2	0.0 %
12	-	21	0.2 %
13	-	4	0.0 %
14	-	3	0.0 %
15	-	73	0.7 %
16	-	8	0.1 %
17	-	3	0.0 %
18	-	16	0.2 %
19	-	8	0.1 %
20	-	334	3.4 %
21	-	5	0.1 %
22	-	5	0.1 %
23	-	3	0.0 %
24	-	5	0.1 %
25	-	22	0.2 %
26	-	4	0.0 %
27	-	6	0.1 %
28	-	6	0.1 %
30	-	261	2.7 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	22	0.2 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
40	-	152	1.6 %
41	-	2	0.0 %
42	-	5	0.1 %

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
44	-	1	0.0 %
45	-	13	0.1 %
46	-	3	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	137	1.4 %
51	-	1	0.0 %
52	-	1	0.0 %
	Missing Data		
.	-	6901	70.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,864 valid cases out of 9,765 total cases.

- Mean: 44.58
- Median: 30.00
- Mode: 88.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 34.39

Location: 654-655 (width: 2; decimal: 0)
Variable Type: numeric

RD81: rd81 proxy or not for d81

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5709	58.5 %
1	with proxy	1946	19.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	2110	21.6 %
	Total	**9,765**	**100%**

Based upon 7,655 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 656-657 (width: 2; decimal: 0)
Variable Type: numeric

D81: d81 drink or not at present?

Value	Label	Unweighted Frequency	%
1	yes	1640	16.8 %
2	no	7972	81.6 %
8	do not know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	152	1.6 %
	Total	**9,765**	**100%**

Based upon 9,613 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 658-658 (width: 1; decimal: 0)
Variable Type: numeric

RD82: rd82 proxy or not for d82

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6514	66.7 %
1	with proxy	1221	12.5 %
9	missing	4	0.0 %
	Missing Data		
.	-	2026	20.7 %
	Total	**9,765**	**100%**

Based upon 7,739 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 659-660 (width: 2; decimal: 0)
Variable Type: numeric

D82: d82 drank or not in the past?

Value	Label	Unweighted Frequency	%
1	yes	2618	26.8 %
2	no	7072	72.4 %
8	do not know	3	0.0 %
9	missing	4	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	68	0.7 %
	Total	**9,765**	**100%**

Based upon 9,697 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 661-661 (width: 1; decimal: 0)
Variable Type: numeric

RD83: rd83 proxy or not for d83

Value	Label	Unweighted Frequency	%
-1	not applicable	2888	29.6 %
0	without proxy	2009	20.6 %
1	with proxy	269	2.8 %
9	missing	15	0.2 %
	Missing Data		
.	-	4584	46.9 %
	Total	**9,765**	**100%**

Based upon 5,181 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 662-663 (width: 2; decimal: 0)
Variable Type: numeric

D83: d83 age when began drinking

Value	Label	Unweighted Frequency	%
-1	not applicable	2888	29.6 %
0	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	3	0.0 %
8	-	10	0.1 %
9	-	4	0.0 %
10	-	20	0.2 %
11	-	2	0.0 %
12	-	23	0.2 %

Value	Label	Unweighted Frequency	%
13	-	13	0.1 %
14	-	20	0.2 %
15	-	102	1.0 %
16	-	94	1.0 %
17	-	104	1.1 %
18	-	236	2.4 %
19	-	54	0.6 %
20	-	528	5.4 %
21	-	71	0.7 %
22	-	90	0.9 %
23	-	70	0.7 %
24	-	46	0.5 %
25	-	180	1.8 %
26	-	36	0.4 %
27	-	29	0.3 %
28	-	26	0.3 %
29	-	3	0.0 %
30	-	228	2.3 %
31	-	8	0.1 %
32	-	33	0.3 %
33	-	15	0.2 %
34	-	13	0.1 %
35	-	54	0.6 %
36	-	9	0.1 %
37	-	10	0.1 %
38	-	6	0.1 %
39	-	2	0.0 %
40	-	85	0.9 %
41	-	6	0.1 %
42	-	15	0.2 %
43	-	6	0.1 %
44	-	2	0.0 %
45	-	21	0.2 %
46	-	4	0.0 %
47	-	1	0.0 %
48	-	8	0.1 %
50	-	64	0.7 %
51	-	1	0.0 %
52	-	8	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	4141	42.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,624 valid cases out of 9,765 total cases.

- Mean: 24.52
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 101.58

Location: 664-666 (width: 3; decimal: 0)
Variable Type: numeric

RD84: rd84 proxy or not for d84

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	68	0.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	9697	99.3 %
	Total	**9,765**	**100%**

Based upon 68 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 667-668 (width: 2; decimal: 0)
Variable Type: numeric

D84: d84 age when quit drinking if not drinking at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
30	-	1	0.0 %
50	-	5	0.1 %
55	-	4	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
59	-	1	0.0 %
60	-	10	0.1 %
61	-	1	0.0 %
62	-	5	0.1 %
64	-	1	0.0 %
65	-	5	0.1 %
67	-	5	0.1 %
68	-	2	0.0 %
69	-	2	0.0 %
70	-	11	0.1 %
71	-	2	0.0 %
72	-	1	0.0 %
73	-	4	0.0 %
74	-	1	0.0 %
75	-	5	0.1 %
76	-	1	0.0 %
77	-	1	0.0 %
78	-	4	0.0 %
80	-	7	0.1 %
81	-	3	0.0 %
82	-	4	0.0 %
83	-	3	0.0 %
84	-	3	0.0 %
85	-	7	0.1 %
86	-	4	0.0 %
87	-	1	0.0 %
88	-	2	0.0 %
90	-	4	0.0 %
92	-	2	0.0 %
95	-	5	0.1 %
96	-	1	0.0 %
97	-	2	0.0 %
98	-	2	0.0 %
99	-	4	0.0 %
100	-	1	0.0 %
101	-	1	0.0 %
888	don't know	21	0.2 %
999	missing	344	3.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9270	94.9 %
	Total	**9,765**	**100%**

Based upon 495 valid cases out of 9,765 total cases.

- Mean: 751.66
- Median: 999.00
- Mode: 999.00
- Minimum: 30.00
- Maximum: 999.00
- Standard Deviation: 404.82

Location: 669-671 (width: 3; decimal: 0)
Variable Type: numeric

RD85: rd85 proxy or not for d85

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1106	11.3 %
1	with proxy	307	3.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	8352	85.5 %
	Total	**9,765**	**100%**

Based upon 1,413 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 672-673 (width: 2; decimal: 0)
Variable Type: numeric

D85: d85 what kind of alcohol you drink (drank) ?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	very strong liquor	701	7.2 %
2	not very strong liquor	448	4.6 %
3	wine	44	0.5 %
4	rice wine	381	3.9 %
5	beer	159	1.6 %
6	others	83	0.8 %
8	don't know	4	0.0 %
9	missing	35	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	7910	81.0 %
	Total	**9,765**	**100%**

Based upon 1,855 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 674-675 (width: 2; decimal: 0)
Variable Type: numeric

D85A: d85a other kind of alcohol

Value	Label	Unweighted Frequency	%
	-	9764	100.0 %
Ò©¾Æ	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 676-679 (width: 4; decimal: 0)
Variable Type: character

RD86: rd86 proxy or not for d86

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1112	11.4 %
1	with proxy	304	3.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	8349	85.5 %
	Total	**9,765**	**100%**

Based upon 1,416 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 680-681 (width: 2; decimal: 0)
Variable Type: numeric

D86: d86 how much per day do you drink (or drank)?

Value	Label	Unweighted Frequency	%
-1.000000000000	not applicable	0	0.0 %
0.000000000000	-	6	0.1 %
0.300000011921	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.500000000000	-	2	0.0 %
1.000000000000	-	585	6.0 %
1.500000000000	-	1	0.0 %
2.000000000000	-	511	5.2 %
2.500000000000	-	1	0.0 %
3.000000000000	-	199	2.0 %
4.000000000000	-	110	1.1 %
5.000000000000	-	161	1.6 %
6.000000000000	-	51	0.5 %
7.000000000000	-	14	0.1 %
8.000000000000	-	27	0.3 %
9.000000000000	-	3	0.0 %
10.000000000000	-	80	0.8 %
12.000000000000	-	5	0.1 %
13.000000000000	-	2	0.0 %
15.000000000000	-	6	0.1 %
16.000000000000	-	1	0.0 %
20.000000000000	-	10	0.1 %
24.000000000000	-	3	0.0 %
25.000000000000	-	4	0.0 %
30.000000000000	-	1	0.0 %
88.000000000000	don't know	12	0.1 %
99.000000000000	missing	39	0.4 %
	Missing Data		
.	-	7929	81.2 %
	Total	**9,765**	**100%**

Based upon 1,836 valid cases out of 9,765 total cases.

- Mean: 5.671405228768
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 99.000000000000
- Standard Deviation: 15.670510821725

Location: 682-696 (width: 15; decimal: 12)
Variable Type: numeric

RD87: rd87 proxy or not for d87

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1139	11.7 %
1	with proxy	282	2.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	8344	85.4 %
	Total	**9,765**	**100%**

Based upon 1,421 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 697-698 (width: 2; decimal: 0)
Variable Type: numeric

D87: d87 when stop drinking, do you feel anxious for most of the day for at least 2 days?

Value	Label	Unweighted Frequency	%
1	yes	472	4.8 %
2	no	1351	13.8 %
8	do not know	9	0.1 %
9	missing	36	0.4 %
	Missing Data		
.	-	7897	80.9 %
	Total	**9,765**	**100%**

Based upon 1,868 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 699-699 (width: 1; decimal: 0)
Variable Type: numeric

RD91: rd91 proxy or not for d91

Value	Label	Unweighted Frequency	%
0	without proxy	5618	57.5 %
1	with proxy	2073	21.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2074	21.2 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,691 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 700-700 (width: 1; decimal: 0)
Variable Type: numeric

D91: d91 exercise or not at present?

Value	Label	Unweighted Frequency	%
1	yes	3181	32.6 %
2	no	6410	65.6 %
8	don't know	1	0.0 %
9	missing	4	0.0 %
	Missing Data		
.	-	169	1.7 %
	Total	**9,765**	**100%**

Based upon 9,596 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 701-701 (width: 1; decimal: 0)
Variable Type: numeric

RD92: rd92 proxy or not for d92

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6533	66.9 %
1	with proxy	1195	12.2 %
9	missing	5	0.1 %
	Missing Data		
.	-	2032	20.8 %
	Total	**9,765**	**100%**

Based upon 7,733 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 702-703 (width: 2; decimal: 0)
Variable Type: numeric

D92: d92 exercised or not in the past?

Value	Label	Unweighted Frequency	%
1	yes	2533	25.9 %
2	no	7102	72.7 %
8	don't know	2	0.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	123	1.3 %
	Total	**9,765**	**100%**

Based upon 9,642 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 704-704 (width: 1; decimal: 0)
Variable Type: numeric

RD93: rd93 proxy or not for d93

Value	Label	Unweighted Frequency	%
-1	not applicable	2670	27.3 %
0	without proxy	2271	23.3 %
1	with proxy	297	3.0 %
9	missing	32	0.3 %
	Missing Data		
.	-	4495	46.0 %
	Total	**9,765**	**100%**

Based upon 5,270 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 705-706 (width: 2; decimal: 0)
Variable Type: numeric

D93: d93 age when started to exercise

Value	Label	Unweighted Frequency	%
-1	not applicable	2670	27.3 %
0	-	1	0.0 %
2	-	3	0.0 %
5	-	3	0.0 %
6	-	11	0.1 %

Value	Label	Unweighted Frequency	%
7	-	12	0.1 %
8	-	22	0.2 %
9	-	5	0.1 %
10	-	37	0.4 %
11	-	11	0.1 %
12	-	41	0.4 %
13	-	39	0.4 %
14	-	44	0.5 %
15	-	103	1.1 %
16	-	81	0.8 %
17	-	37	0.4 %
18	-	78	0.8 %
19	-	17	0.2 %
20	-	145	1.5 %
21	-	14	0.1 %
22	-	17	0.2 %
23	-	11	0.1 %
24	-	11	0.1 %
25	-	25	0.3 %
26	-	5	0.1 %
27	-	4	0.0 %
28	-	10	0.1 %
30	-	37	0.4 %
31	-	1	0.0 %
32	-	3	0.0 %
33	-	2	0.0 %
34	-	7	0.1 %
35	-	16	0.2 %
37	-	4	0.0 %
38	-	4	0.0 %
40	-	60	0.6 %
41	-	1	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	27	0.3 %
46	-	5	0.1 %
47	-	5	0.1 %
48	-	11	0.1 %

Value	Label	Unweighted Frequency	%
49	-	5	0.1 %
50	-	220	2.3 %
51	-	15	0.2 %
52	-	12	0.1 %
53	-	12	0.1 %
54	-	7	0.1 %
	Missing Data		
.	-	4075	41.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,690 valid cases out of 9,765 total cases.

- Mean: 42.18
- Median: 13.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 125.57

Location: 707-709 (width: 3; decimal: 0)
Variable Type: numeric

RD94: rd94 proxy or not for d94

Value	Label	Unweighted Frequency	%
-1	not applicable	3450	35.3 %
0	without proxy	1015	10.4 %
1	with proxy	234	2.4 %
9	missing	569	5.8 %
	Missing Data		
.	-	4497	46.1 %
	Total	**9,765**	**100%**

Based upon 5,268 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 710-711 (width: 2; decimal: 0)
Variable Type: numeric

D94: d94 age when quit exercise if not exercising at present

Value	Label	Unweighted Frequency	%
-1	not applicable	4055	41.5 %
0	-	1	0.0 %
2	-	2	0.0 %
18	-	1	0.0 %
23	-	1	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
35	-	1	0.0 %
40	-	4	0.0 %
42	-	1	0.0 %
45	-	2	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	16	0.2 %
61	-	1	0.0 %
63	-	3	0.0 %
64	-	2	0.0 %
65	-	11	0.1 %
66	-	2	0.0 %
67	-	2	0.0 %
68	-	3	0.0 %
69	-	4	0.0 %
70	-	23	0.2 %
72	-	5	0.1 %
73	-	3	0.0 %
74	-	2	0.0 %
75	-	11	0.1 %
76	-	3	0.0 %
78	-	1	0.0 %
79	-	5	0.1 %
80	-	32	0.3 %
81	-	7	0.1 %
82	-	7	0.1 %
83	-	8	0.1 %

Value	Label	Unweighted Frequency	%
84	-	5	0.1 %
85	-	23	0.2 %
86	-	7	0.1 %
87	-	9	0.1 %
88	-	7	0.1 %
89	-	5	0.1 %
90	-	16	0.2 %
91	-	5	0.1 %
92	-	8	0.1 %
93	-	6	0.1 %
94	-	4	0.0 %
	Missing Data		
.	-	4092	41.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,673 valid cases out of 9,765 total cases.

- Mean: 228.73
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 412.84

Location: 712-714 (width: 3; decimal: 0)
Variable Type: numeric

RD101: rd101 proxy or not for d101

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6655	68.2 %
1	with proxy	1033	10.6 %
9	missing	7	0.1 %
	Missing Data		
.	-	2070	21.2 %
	Total	**9,765**	**100%**

Based upon 7,695 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 715-716 (width: 2; decimal: 0)
Variable Type: numeric

D101: d101 have you done physical labor regularly?

Value	Label	Unweighted Frequency	%
1	yes	8106	83.0 %
2	no	1475	15.1 %
8	don't know	7	0.1 %
9	missing	7	0.1 %
	Missing Data		
.	-	170	1.7 %
	Total	**9,765**	**100%**

Based upon 9,595 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 717-717 (width: 1; decimal: 0)
Variable Type: numeric

RD102: rd102 proxy or not for d102

Value	Label	Unweighted Frequency	%
-1	not applicable	631	6.5 %
0	without proxy	5487	56.2 %
1	with proxy	923	9.5 %
9	missing	20	0.2 %
	Missing Data		
.	-	2704	27.7 %
	Total	**9,765**	**100%**

Based upon 7,061 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 718-719 (width: 2; decimal: 0)
Variable Type: numeric

D102: d102 age when began doing physical labor

Value	Label	Unweighted Frequency	%
-1	not applicable	631	6.5 %
0	-	1	0.0 %
3	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5	-	8	0.1 %
6	-	20	0.2 %
7	-	69	0.7 %
8	-	146	1.5 %
9	-	59	0.6 %
10	-	287	2.9 %
11	-	95	1.0 %
12	-	538	5.5 %
13	-	494	5.1 %
14	-	601	6.2 %
15	-	1296	13.3 %
16	-	1070	11.0 %
17	-	766	7.8 %
18	-	1056	10.8 %
19	-	209	2.1 %
20	-	710	7.3 %
21	-	91	0.9 %
22	-	89	0.9 %
23	-	48	0.5 %
24	-	35	0.4 %
25	-	86	0.9 %
26	-	23	0.2 %
27	-	17	0.2 %
28	-	15	0.2 %
29	-	6	0.1 %
30	-	87	0.9 %
31	-	4	0.0 %
32	-	15	0.2 %
33	-	2	0.0 %
34	-	6	0.1 %
35	-	18	0.2 %
36	-	10	0.1 %
37	-	5	0.1 %
38	-	5	0.1 %
39	-	3	0.0 %
40	-	27	0.3 %
41	-	3	0.0 %
42	-	5	0.1 %
43	-	3	0.0 %

Value	Label	Unweighted Frequency	%
44	-	1	0.0 %
45	-	8	0.1 %
48	-	2	0.0 %
49	-	3	0.0 %
50	-	4	0.0 %
51	-	2	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
	Missing Data		
.	-	966	9.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,799 valid cases out of 9,765 total cases.

- Mean: 25.71
- Median: 16.00
- Mode: 15.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 96.99

Location: 720-722 (width: 3; decimal: 0)
Variable Type: numeric

RD103: rd103 proxy or not for d103

Value	Label	Unweighted Frequency	%
-1	not applicable	631	6.5 %
0	without proxy	5451	55.8 %
1	with proxy	941	9.6 %
9	missing	25	0.3 %
	Missing Data		
.	-	2717	27.8 %
	Total	**9,765**	**100%**

Based upon 7,048 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 723-724 (width: 2; decimal: 0)
Variable Type: numeric

D103: d103 age when stopped doing physical labor

Value	Label	Unweighted Frequency	%
-1	not applicable	631	6.5 %
13	-	1	0.0 %
15	-	1	0.0 %
16	-	2	0.0 %
17	-	6	0.1 %
18	-	6	0.1 %
19	-	8	0.1 %
20	-	17	0.2 %
21	-	4	0.0 %
22	-	8	0.1 %
23	-	4	0.0 %
24	-	9	0.1 %
25	-	9	0.1 %
26	-	5	0.1 %
27	-	4	0.0 %
28	-	11	0.1 %
29	-	1	0.0 %
30	-	18	0.2 %
31	-	5	0.1 %
32	-	7	0.1 %
33	-	4	0.0 %
34	-	4	0.0 %
35	-	13	0.1 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	5	0.1 %
39	-	3	0.0 %
40	-	41	0.4 %
41	-	3	0.0 %
42	-	8	0.1 %
43	-	4	0.0 %
44	-	6	0.1 %
45	-	51	0.5 %
46	-	15	0.2 %
47	-	13	0.1 %
48	-	34	0.3 %
49	-	4	0.0 %

Value	Label	Unweighted Frequency	%
50	-	288	2.9 %
51	-	24	0.2 %
52	-	36	0.4 %
53	-	21	0.2 %
54	-	24	0.2 %
55	-	145	1.5 %
56	-	59	0.6 %
57	-	44	0.5 %
58	-	74	0.8 %
59	-	27	0.3 %
60	-	842	8.6 %
61	-	35	0.4 %
62	-	100	1.0 %
	Missing Data		
.	-	972	10.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,793 valid cases out of 9,765 total cases.

- Mean: 245.40
- Median: 70.00
- Mode: 999.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 365.65

Location: 725-727 (width: 3; decimal: 0)
Variable Type: numeric

RD11A: rd11a proxy or not for d11a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5449	55.8 %
1	with proxy	2320	23.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	1996	20.4 %
	Total	**9,765**	**100%**

Based upon 7,769 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 728-729 (width: 2; decimal: 0)
Variable Type: numeric

D11A: d11a do you do house work at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	4243	43.5 %
2	not daily, but once for a week	618	6.3 %
3	not weekly, but at least once for a month	136	1.4 %
4	not monthly, but sometimes	352	3.6 %
5	never	4341	44.5 %
9	missing	3	0.0 %
	Missing Data		
.	-	72	0.7 %
	Total	**9,765**	**100%**

Based upon 9,693 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 730-730 (width: 1; decimal: 0)
Variable Type: numeric

RD11B: rd11b proxy or not for d11b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5454	55.9 %
1	with proxy	2316	23.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	1995	20.4 %
	Total	**9,765**	**100%**

Based upon 7,770 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 731-732 (width: 2; decimal: 0)
Variable Type: numeric

D11B: d11b do you grow vegetables & do other field work at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	4122	42.2 %
2	not daily, but once for a week	948	9.7 %
3	not weekly, but at least once for a month	234	2.4 %
4	not monthly, but sometimes	520	5.3 %
5	never	3867	39.6 %
9	missing	2	0.0 %
	Missing Data		
.	-	72	0.7 %
	Total	**9,765**	**100%**

Based upon 9,693 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 733-733 (width: 1; decimal: 0)
Variable Type: numeric

RD11C: rd11c proxy or not for d11c

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5437	55.7 %
1	with proxy	2329	23.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	1999	20.5 %
	Total	**9,765**	**100%**

Based upon 7,766 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 734-735 (width: 2; decimal: 0)
Variable Type: numeric

D11C: d11c do you do garden work

Value	Label	Unweighted Frequency	%
1	almost everyday	1321	13.5 %
2	not daily, but once for a week	251	2.6 %
3	not weekly, but at least once for a month	110	1.1 %
4	not monthly, but sometimes	220	2.3 %

Value	Label	Unweighted Frequency	%
5	never	7786	79.7 %
8	do not know	1	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	74	0.8 %
	Total	**9,765**	**100%**

Based upon 9,691 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 736-736 (width: 1; decimal: 0)
Variable Type: numeric

RD11D: rd11d proxy or not for d11d

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5437	55.7 %
1	with proxy	2326	23.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	2002	20.5 %
	Total	**9,765**	**100%**

Based upon 7,763 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 737-738 (width: 2; decimal: 0)
Variable Type: numeric

D11D: d11d do you read newspapers/books at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	1088	11.1 %
2	not daily, but once for a week	373	3.8 %
3	not weekly, but at least once for a month	138	1.4 %
4	not monthly, but sometimes	356	3.6 %
5	never	7729	79.2 %
9	missing	5	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 739-739 (width: 1; decimal: 0)
Variable Type: numeric

RD11E: rd11e proxy or not for d11e

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5441	55.7 %
1	with proxy	2322	23.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	2002	20.5 %
	Total	**9,765**	**100%**

Based upon 7,763 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 740-741 (width: 2; decimal: 0)
Variable Type: numeric

D11E: d11e do you raise domestic animals/pets at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	1750	17.9 %
2	not daily, but once for a week	215	2.2 %
3	not weekly, but at least once for a month	124	1.3 %
4	not monthly, but sometimes	219	2.2 %
5	never	7379	75.6 %
9	missing	2	0.0 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 742-742 (width: 1; decimal: 0)
Variable Type: numeric

RD11F: rd11f proxy or not for d11f

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5430	55.6 %
1	with proxy	2335	23.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	2000	20.5 %
	Total	**9,765**	**100%**

Based upon 7,765 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 743-744 (width: 2; decimal: 0)
Variable Type: numeric

D11F: d11f do you play cards/mah-jongg at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	591	6.1 %
2	not daily, but once for a week	407	4.2 %
3	not weekly, but at least once for a month	157	1.6 %
4	not monthly, but sometimes	352	3.6 %
5	never	8178	83.7 %
8	do not know	2	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 745-745 (width: 1; decimal: 0)
Variable Type: numeric

RD11G: rd11g proxy or not for d11g

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5453	55.8 %
1	with proxy	2308	23.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	2004	20.5 %
	Total	**9,765**	**100%**

Based upon 7,761 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 746-747 (width: 2; decimal: 0)
Variable Type: numeric

D11G: d11g do you watch tv or listen to radio at present ?

Value	Label	Unweighted Frequency	%
1	almost everyday	5095	52.2 %
2	not daily, but once for a week	896	9.2 %
3	not weekly, but at least once for a month	249	2.5 %
4	not monthly, but sometimes	434	4.4 %
5	never	3014	30.9 %
9	missing	1	0.0 %
	Missing Data		
.	-	76	0.8 %
	Total	**9,765**	**100%**

Based upon 9,689 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 748-748 (width: 1; decimal: 0)
Variable Type: numeric

RD11H: rd11h proxy or not for d11h

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5428	55.6 %
1	with proxy	2333	23.9 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	2004	20.5 %
	Total	**9,765**	**100%**

Based upon 7,761 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 749-750 (width: 2; decimal: 0)
Variable Type: numeric

D11H: d11h do you take part in some social activities at present?

Value	Label	Unweighted Frequency	%
1	almost everyday	282	2.9 %
2	not daily, but once for a week	197	2.0 %
3	not weekly, but at least once for a month	173	1.8 %
4	not monthly, but sometimes	695	7.1 %
5	never	8331	85.3 %
8	do not know	2	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	82	0.8 %
	Total	**9,765**	**100%**

Based upon 9,683 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 751-751 (width: 1; decimal: 0)
Variable Type: numeric

RD12: rd12 proxy or not for d12

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5527	56.6 %
1	with proxy	2073	21.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2165	22.2 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,600 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 752-753 (width: 2; decimal: 0)
Variable Type: numeric

D12: d12 # of times traveling beyond home county/city in the past two years

Value	Label	Unweighted Frequency	%
0	-	8847	90.6 %
1	-	319	3.3 %
2	-	203	2.1 %
3	-	66	0.7 %
4	-	54	0.6 %
5	-	71	0.7 %
6	-	13	0.1 %
7	-	4	0.0 %
8	-	3	0.0 %
9	-	2	0.0 %
10	-	14	0.1 %
12	-	4	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
30	-	1	0.0 %
88	don't know	4	0.0 %
99	missing	5	0.1 %
	Missing Data		
.	-	152	1.6 %
	Total	**9,765**	**100%**

Based upon 9,613 valid cases out of 9,765 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 3.04

Location: 754-755 (width: 2; decimal: 0)

Variable Type: numeric

RE0: re0 proxy or not for e0

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5491	56.2 %
1	with proxy	2292	23.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	1982	20.3 %
	Total	**9,765**	**100%**

Based upon 7,783 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 756-757 (width: 2; decimal: 0)
Variable Type: numeric

E0: e0 for the last 6 months, were you limited in activities because of health problem?

Value	Label	Unweighted Frequency	%
1	yes, strongly limited	1380	14.1 %
2	yes, limited	2299	23.5 %
3	not limited	6012	61.6 %
8	do not know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	73	0.7 %
	Total	**9,765**	**100%**

Based upon 9,692 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 758-758 (width: 1; decimal: 0)
Variable Type: numeric

RE1: re1 proxy or not for e1

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5468	56.0 %
1	with proxy	2302	23.6 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	1995	20.4 %
	Total	**9,765**	**100%**

Based upon 7,770 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 759-760 (width: 2; decimal: 0)
Variable Type: numeric

E1: e1 bathing

Value	Label	Unweighted Frequency	%
1	without assistance	7350	75.3 %
2	one part assistance	566	5.8 %
3	more than one part assistance	1748	17.9 %
8	do not know	4	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	94	1.0 %
	Total	**9,765**	**100%**

Based upon 9,671 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 761-761 (width: 1; decimal: 0)
Variable Type: numeric

RE1B: re1b proxy or not for e1b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	806	8.3 %
1	with proxy	1367	14.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	7592	77.7 %
	Total	**9,765**	**100%**

Based upon 2,173 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 762-763 (width: 2; decimal: 0)
Variable Type: numeric

E1B: e1b # of days needing assistance in bathing

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	20	0.2 %
1	-	14	0.1 %
2	-	8	0.1 %
3	-	9	0.1 %
4	-	2	0.0 %
5	-	7	0.1 %
6	-	4	0.0 %
7	-	13	0.1 %
8	-	3	0.0 %
10	-	31	0.3 %
11	-	1	0.0 %
12	-	9	0.1 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	16	0.2 %
16	-	2	0.0 %
18	-	2	0.0 %
20	-	19	0.2 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	6	0.1 %
28	-	2	0.0 %
30	-	67	0.7 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
40	-	15	0.2 %
45	-	3	0.0 %
46	-	1	0.0 %
50	-	17	0.2 %
51	-	1	0.0 %

Value	Label	Unweighted Frequency	%
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	53	0.5 %
61	-	2	0.0 %
67	-	1	0.0 %
70	-	7	0.1 %
75	-	1	0.0 %
80	-	6	0.1 %
81	-	1	0.0 %
85	-	1	0.0 %
88	-	1	0.0 %
90	-	37	0.4 %
92	-	1	0.0 %
96	-	1	0.0 %
99	-	1	0.0 %
	Missing Data		
.	-	7447	76.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,318 valid cases out of 9,765 total cases.

- Mean: 1367.12
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 2283.82

Location: 764-767 (width: 4; decimal: 0)
Variable Type: numeric

RE2: re2 proxy or not for e2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5508	56.4 %
1	with proxy	2229	22.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	2028	20.8 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,737 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 768-769 (width: 2; decimal: 0)
Variable Type: numeric

E2: e2 dressing

Value	Label	Unweighted Frequency	%
1	without assistance	8388	85.9 %
2	need assistance for trying shoes	156	1.6 %
3	assistance in getting clothes and getting dressed	1102	11.3 %
9	missing	1	0.0 %
	Missing Data		
.	-	118	1.2 %
	Total	**9,765**	**100%**

Based upon 9,647 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 770-770 (width: 1; decimal: 0)
Variable Type: numeric

RE2B: re2b proxy or not for e2b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	334	3.4 %
1	with proxy	889	9.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	8542	87.5 %
	Total	**9,765**	**100%**

Based upon 1,223 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 771-772 (width: 2; decimal: 0)
Variable Type: numeric

E2B: e2b # of days needing assistance in dressing

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	14	0.1 %
1	-	10	0.1 %
2	-	5	0.1 %
3	-	2	0.0 %
5	-	3	0.0 %
6	-	1	0.0 %
7	-	9	0.1 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	12	0.1 %
11	-	1	0.0 %
12	-	3	0.0 %
14	-	1	0.0 %
15	-	9	0.1 %
16	-	2	0.0 %
18	-	1	0.0 %
20	-	7	0.1 %
25	-	3	0.0 %
28	-	1	0.0 %
30	-	39	0.4 %
34	-	2	0.0 %
35	-	1	0.0 %
40	-	12	0.1 %
44	-	1	0.0 %
46	-	1	0.0 %
50	-	7	0.1 %
51	-	1	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
60	-	22	0.2 %
61	-	1	0.0 %
70	-	1	0.0 %
80	-	3	0.0 %
90	-	16	0.2 %
92	-	1	0.0 %
100	-	17	0.2 %

Value	Label	Unweighted Frequency	%
110	-	1	0.0 %
120	-	16	0.2 %
123	-	1	0.0 %
126	-	1	0.0 %
127	-	1	0.0 %
140	-	1	0.0 %
150	-	17	0.2 %
160	-	3	0.0 %
165	-	1	0.0 %
180	-	111	1.1 %
181	-	1	0.0 %
183	-	1	0.0 %
187	-	1	0.0 %
	Missing Data		
.	-	8489	86.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,276 valid cases out of 9,765 total cases.

- Mean: 1426.71
- Median: 410.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 2465.72

Location: 773-776 (width: 4; decimal: 0)
Variable Type: numeric

RE3: re3 proxy or not for e3

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5504	56.4 %
1	with proxy	2235	22.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	2026	20.7 %
	Total	**9,765**	**100%**

Based upon 7,739 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 777-778 (width: 2; decimal: 0)
Variable Type: numeric

E3: e3 toileting

Value	Label	Unweighted Frequency	%
1	without assistance	8388	85.9 %
2	assistance in cleaning or arranging clothes	760	7.8 %
3	don't use toilet	524	5.4 %
8	-	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	92	0.9 %
	Total	**9,765**	**100%**

Based upon 9,673 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 779-779 (width: 1; decimal: 0)
Variable Type: numeric

RE3B: re3b proxy or not for e3b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	330	3.4 %
1	with proxy	897	9.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	8538	87.4 %
	Total	**9,765**	**100%**

Based upon 1,227 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 780-781 (width: 2; decimal: 0)
Variable Type: numeric

E3B: e3b # of days needing assistance in toileting

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	8	0.1 %
1	-	4	0.0 %
2	-	3	0.0 %
3	-	5	0.1 %
4	-	3	0.0 %
5	-	3	0.0 %
6	-	2	0.0 %
7	-	10	0.1 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	11	0.1 %
11	-	3	0.0 %
12	-	3	0.0 %
14	-	2	0.0 %
15	-	10	0.1 %
18	-	1	0.0 %
20	-	8	0.1 %
25	-	2	0.0 %
28	-	2	0.0 %
30	-	32	0.3 %
34	-	2	0.0 %
35	-	1	0.0 %
40	-	9	0.1 %
45	-	3	0.0 %
46	-	1	0.0 %
50	-	5	0.1 %
51	-	1	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
60	-	24	0.2 %
61	-	2	0.0 %
67	-	1	0.0 %
70	-	3	0.0 %
78	-	1	0.0 %
80	-	3	0.0 %
84	-	1	0.0 %
90	-	19	0.2 %
92	-	1	0.0 %

Value	Label	Unweighted Frequency	%
100	-	25	0.3 %
110	-	1	0.0 %
115	-	1	0.0 %
120	-	17	0.2 %
124	-	1	0.0 %
125	-	1	0.0 %
127	-	1	0.0 %
150	-	22	0.2 %
160	-	4	0.0 %
165	-	1	0.0 %
168	-	1	0.0 %
	Missing Data		
.	-	8471	86.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,294 valid cases out of 9,765 total cases.

- Mean: 1338.43
- Median: 365.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 2420.80

Location: 782-785 (width: 4; decimal: 0)
Variable Type: numeric

RE4: re4 proxy or not for e4

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5524	56.6 %
1	with proxy	2194	22.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2047	21.0 %
	Total	**9,765**	**100%**

Based upon 7,718 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 786-787 (width: 2; decimal: 0)
Variable Type: numeric

E4: e4 indoor transferring

Value	Label	Unweighted Frequency	%
1	without assistance	8535	87.4 %
2	with assistance	669	6.9 %
3	bedridden	434	4.4 %
9	missing	2	0.0 %
	Missing Data		
.	-	125	1.3 %
	Total	**9,765**	**100%**

Based upon 9,640 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 788-788 (width: 1; decimal: 0)
Variable Type: numeric

RE4B: re4b proxy or not for e4b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	294	3.0 %
1	with proxy	751	7.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	8720	89.3 %
	Total	**9,765**	**100%**

Based upon 1,045 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 789-790 (width: 2; decimal: 0)
Variable Type: numeric

E4B: e4b # of days needing assistance in indoor transferring

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	8	0.1 %
1	-	4	0.0 %

Value	Label	Unweighted Frequency	%
2	-	3	0.0 %
3	-	2	0.0 %
4	-	1	0.0 %
5	-	3	0.0 %
6	-	2	0.0 %
7	-	5	0.1 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	12	0.1 %
11	-	4	0.0 %
12	-	2	0.0 %
15	-	9	0.1 %
18	-	1	0.0 %
20	-	7	0.1 %
22	-	1	0.0 %
25	-	2	0.0 %
28	-	1	0.0 %
30	-	32	0.3 %
35	-	2	0.0 %
40	-	9	0.1 %
45	-	1	0.0 %
46	-	1	0.0 %
50	-	4	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
60	-	23	0.2 %
61	-	2	0.0 %
67	-	1	0.0 %
70	-	3	0.0 %
75	-	1	0.0 %
80	-	3	0.0 %
90	-	17	0.2 %
100	-	16	0.2 %
110	-	1	0.0 %
115	-	1	0.0 %
120	-	16	0.2 %
125	-	1	0.0 %
127	-	1	0.0 %

Value	Label	Unweighted Frequency	%
150	-	17	0.2 %
160	-	2	0.0 %
165	-	1	0.0 %
175	-	1	0.0 %
180	-	105	1.1 %
182	-	2	0.0 %
187	-	1	0.0 %
192	-	1	0.0 %
	Missing Data		
.	-	8663	88.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,102 valid cases out of 9,765 total cases.

- Mean: 1477.37
- Median: 365.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 2629.00

Location: 791-794 (width: 4; decimal: 0)
Variable Type: numeric

RE5: re5 proxy or not for e5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5544	56.8 %
1	with proxy	2182	22.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	2039	20.9 %
	Total	**9,765**	**100%**

Based upon 7,726 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 795-796 (width: 2; decimal: 0)
Variable Type: numeric

E5: e5 continence

Value	Label	Unweighted Frequency	%
1	without assistance	9039	92.6 %
2	occasional accidents	484	5.0 %
3	incontinent	154	1.6 %
9	missing	1	0.0 %
	Missing Data		
.	-	87	0.9 %
	Total	**9,765**	**100%**

Based upon 9,678 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 797-797 (width: 1; decimal: 0)
Variable Type: numeric

RE5B: re5b proxy or not for e5b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	225	2.3 %
1	with proxy	466	4.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	9074	92.9 %
	Total	**9,765**	**100%**

Based upon 691 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 798-799 (width: 2; decimal: 0)
Variable Type: numeric

E5B: e5b # of days needing assistance in continence

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	11	0.1 %
1	-	14	0.1 %
2	-	16	0.2 %
3	-	14	0.1 %

Value	Label	Unweighted Frequency	%
4	-	5	0.1 %
5	-	9	0.1 %
6	-	3	0.0 %
7	-	9	0.1 %
8	-	7	0.1 %
10	-	9	0.1 %
12	-	2	0.0 %
15	-	8	0.1 %
20	-	6	0.1 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	20	0.2 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	4	0.0 %
50	-	6	0.1 %
60	-	13	0.1 %
62	-	1	0.0 %
72	-	1	0.0 %
80	-	1	0.0 %
90	-	12	0.1 %
100	-	15	0.2 %
112	-	1	0.0 %
120	-	11	0.1 %
125	-	1	0.0 %
150	-	8	0.1 %
160	-	3	0.0 %
165	-	1	0.0 %
170	-	1	0.0 %
175	-	1	0.0 %
176	-	1	0.0 %
180	-	53	0.5 %
200	-	22	0.2 %
210	-	1	0.0 %
240	-	7	0.1 %
260	-	2	0.0 %
270	-	3	0.0 %

Value	Label	Unweighted Frequency	%
280	-	2	0.0 %
300	-	21	0.2 %
320	-	4	0.0 %
350	-	2	0.0 %
360	-	22	0.2 %
363	-	1	0.0 %
	Missing Data		
.	-	9084	93.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 681 valid cases out of 9,765 total cases.

- Mean: 1526.45
- Median: 360.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 2962.91

Location: 800-803 (width: 4; decimal: 0)
Variable Type: numeric

RE6: re6 proxy or not for e6

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5511	56.4 %
1	with proxy	2147	22.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	2107	21.6 %
	Total	**9,765**	**100%**

Based upon 7,658 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 804-805 (width: 2; decimal: 0)
Variable Type: numeric

E6: e6 feeding

Value	Label	Unweighted Frequency	%
1	without assistance	8773	89.8 %
2	with some help	531	5.4 %
3	need feeding	294	3.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	166	1.7 %
	Total	**9,765**	**100%**

Based upon 9,599 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 806-806 (width: 1; decimal: 0)
Variable Type: numeric

RE6B: re6b proxy or not for e6b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	229	2.3 %
1	with proxy	582	6.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	8954	91.7 %
	Total	**9,765**	**100%**

Based upon 811 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 807-808 (width: 2; decimal: 0)
Variable Type: numeric

E6B: e6b # of days needing assistance in feeding

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	11	0.1 %
1	-	4	0.0 %
2	-	3	0.0 %
3	-	3	0.0 %
5	-	5	0.1 %

Value	Label	Unweighted Frequency	%
6	-	3	0.0 %
7	-	6	0.1 %
8	-	4	0.0 %
9	-	1	0.0 %
10	-	8	0.1 %
12	-	1	0.0 %
15	-	8	0.1 %
20	-	4	0.0 %
25	-	2	0.0 %
30	-	23	0.2 %
32	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
40	-	8	0.1 %
50	-	5	0.1 %
51	-	1	0.0 %
53	-	1	0.0 %
60	-	19	0.2 %
61	-	1	0.0 %
70	-	3	0.0 %
80	-	3	0.0 %
90	-	18	0.2 %
100	-	13	0.1 %
120	-	13	0.1 %
124	-	1	0.0 %
127	-	1	0.0 %
150	-	17	0.2 %
160	-	3	0.0 %
165	-	1	0.0 %
170	-	1	0.0 %
180	-	77	0.8 %
182	-	1	0.0 %
183	-	2	0.0 %
187	-	1	0.0 %
190	-	1	0.0 %
192	-	1	0.0 %
200	-	26	0.3 %
210	-	4	0.0 %
220	-	2	0.0 %

Value	Label	Unweighted Frequency	%
240	-	13	0.1 %
242	-	1	0.0 %
250	-	2	0.0 %
260	-	2	0.0 %
261	-	1	0.0 %
	Missing Data		
.	-	8919	91.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 846 valid cases out of 9,765 total cases.

- Mean: 1492.04
- Median: 365.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 2744.71

Location: 809-812 (width: 4; decimal: 0)
Variable Type: numeric

RE610: re610 proxy or not for e610

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1615	16.5 %
1	with proxy	1370	14.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	6780	69.4 %
	Total	**9,765**	**100%**

Based upon 2,985 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 813-814 (width: 2; decimal: 0)
Variable Type: numeric

E610: e610 primary caregiver when the elder need assistance in above six tasks

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
1	spouse	428	4.4 %
2	son	898	9.2 %
3	daughter-in-law	580	5.9 %
4	daughter	391	4.0 %
5	son-in-law	18	0.2 %
6	son and daughter	89	0.9 %
7	grandchild(ren)	141	1.4 %
8	other relative(s)	47	0.5 %
9	neighbors	11	0.1 %
10	social services	76	0.8 %
11	housekeeper	141	1.4 %
12	nobody	303	3.1 %
88	not able to answer	3	0.0 %
99	missing	74	0.8 %
	Missing Data		
.	-	6565	67.2 %
	Total	**9,765**	**100%**

Based upon 3,200 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 815-816 (width: 2; decimal: 0)
Variable Type: numeric

RE62: re62 proxy or not for e62

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1332	13.6 %
1	with proxy	1283	13.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	7150	73.2 %
	Total	**9,765**	**100%**

Based upon 2,615 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 817-818 (width: 2; decimal: 0)
Variable Type: numeric

E62: e62 the willingness of the primary caregiver when providing such care

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	willing to do	2400	24.6 %
2	without patience	62	0.6 %
3	need respite care	123	1.3 %
4	unwilling to do	25	0.3 %
8	don't know	175	1.8 %
9	missing	73	0.7 %
	Missing Data		
.	-	6907	70.7 %
	Total	**9,765**	**100%**

Based upon 2,858 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 819-820 (width: 2; decimal: 0)
Variable Type: numeric

RE63: re63 proxy or not for e63

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1163	11.9 %
1	with proxy	1297	13.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	7305	74.8 %
	Total	**9,765**	**100%**

Based upon 2,460 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 821-822 (width: 2; decimal: 0)
Variable Type: numeric

E63: e63 the total direct cost paid for caregiving last week

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	680	7.0 %

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
6	-	2	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	23	0.2 %
15	-	1	0.0 %
18	-	1	0.0 %
20	-	26	0.3 %
22	-	1	0.0 %
25	-	6	0.1 %
30	-	41	0.4 %
35	-	7	0.1 %
40	-	18	0.2 %
42	-	1	0.0 %
45	-	1	0.0 %
50	-	125	1.3 %
55	-	1	0.0 %
60	-	25	0.3 %
70	-	28	0.3 %
72	-	1	0.0 %
75	-	1	0.0 %
80	-	34	0.3 %
82	-	1	0.0 %
88	-	2	0.0 %
90	-	9	0.1 %
100	-	309	3.2 %
120	-	15	0.2 %
125	-	3	0.0 %
130	-	2	0.0 %
140	-	11	0.1 %
150	-	50	0.5 %
160	-	6	0.1 %
170	-	4	0.0 %
180	-	4	0.0 %
185	-	1	0.0 %
188	-	1	0.0 %
200	-	255	2.6 %
210	-	6	0.1 %

Value	Label	Unweighted Frequency	%
214	-	1	0.0 %
220	-	3	0.0 %
230	-	2	0.0 %
240	-	1	0.0 %
250	-	17	0.2 %
260	-	3	0.0 %
270	-	1	0.0 %
280	-	5	0.1 %
300	-	157	1.6 %
	Missing Data		
.	-	7110	72.8 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,655 valid cases out of 9,765 total cases.

- Mean: 9525.07
- Median: 100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 27887.49

Location: 823-827 (width: 5; decimal: 0)
Variable Type: numeric

RE64: re64 proxy or not for e64

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1176	12.0 %
1	with proxy	1209	12.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	7380	75.6 %
	Total	**9,765**	**100%**

Based upon 2,385 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 828-829 (width: 2; decimal: 0)
Variable Type: numeric

E64: e64 who mainly pays the above cost?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	self	360	3.7 %
2	spouse	68	0.7 %
3	children and their spouses	1644	16.8 %
4	grandchildren and their spouses	135	1.4 %
5	public and collectives	81	0.8 %
6	others	49	0.5 %
8	not able to answer	18	0.2 %
9	missing	223	2.3 %
	Missing Data		
.	-	7187	73.6 %
	Total	**9,765**	**100%**

Based upon 2,578 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 830-831 (width: 2; decimal: 0)
Variable Type: numeric

E64A: e64a othe people who pays the above cost

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 832-832 (width: 1; decimal: 0)
Variable Type: character

RE65: re65 proxy or not for e65

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1312	13.4 %
1	with proxy	1248	12.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	7205	73.8 %
	Total	**9,765**	**100%**

Based upon 2,560 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 833-834 (width: 2; decimal: 0)
Variable Type: numeric

E65: e65 does the help received for the six above tasks meet his/her needs?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	full meet	1155	11.8 %
2	so so	1431	14.7 %
3	unable to meet	107	1.1 %
8	not able to answer	24	0.2 %
9	missing	78	0.8 %
	Missing Data		
.	-	6970	71.4 %
	Total	**9,765**	**100%**

Based upon 2,795 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 835-836 (width: 2; decimal: 0)
Variable Type: numeric

RE67: re67 proxy or not for e67

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	4577	46.9 %
1	with proxy	1781	18.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	3407	34.9 %
	Total	**9,765**	**100%**

Based upon 6,358 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 837-838 (width: 2; decimal: 0)
Variable Type: numeric

E67: e67 how many hours did the (grand)children help the elder last week?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	2373	24.3 %
1	-	133	1.4 %
2	-	188	1.9 %
3	-	166	1.7 %
4	-	101	1.0 %
5	-	146	1.5 %
6	-	71	0.7 %
7	-	223	2.3 %
8	-	110	1.1 %
9	-	9	0.1 %
10	-	363	3.7 %
11	-	9	0.1 %
12	-	76	0.8 %
13	-	12	0.1 %
14	-	207	2.1 %
15	-	90	0.9 %
16	-	17	0.2 %
17	-	4	0.0 %
18	-	17	0.2 %
20	-	262	2.7 %
21	-	137	1.4 %
22	-	7	0.1 %
23	-	6	0.1 %
24	-	73	0.7 %
25	-	18	0.2 %
26	-	6	0.1 %
27	-	4	0.0 %
28	-	86	0.9 %
30	-	116	1.2 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
35	-	75	0.8 %
36	-	15	0.2 %
37	-	1	0.0 %
38	-	2	0.0 %

Value	Label	Unweighted Frequency	%
40	-	69	0.7 %
42	-	34	0.3 %
43	-	1	0.0 %
45	-	8	0.1 %
48	-	30	0.3 %
49	-	8	0.1 %
50	-	68	0.7 %
52	-	3	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
56	-	50	0.5 %
58	-	1	0.0 %
60	-	53	0.5 %
	Missing Data		
.	-	3173	32.5 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,592 valid cases out of 9,765 total cases.

- Mean: 65.71
- Median: 7.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 193.92

Location: 839-841 (width: 3; decimal: 0)
Variable Type: numeric

RE7: re7 proxy or not for e7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5573	57.1 %
1	with proxy	2202	22.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	1990	20.4 %
	Total	**9,765**	**100%**

Based upon 7,775 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 842-843 (width: 2; decimal: 0)
Variable Type: numeric

E7: e7 able to go outside to visit neighbors?

Value	Label	Unweighted Frequency	%
1	yes	7211	73.8 %
2	a little difficult	656	6.7 %
3	unable to do so	1826	18.7 %
9	missing	4	0.0 %
	Missing Data		
.	-	68	0.7 %
	Total	**9,765**	**100%**

Based upon 9,697 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 844-844 (width: 1; decimal: 0)
Variable Type: numeric

RE8: re8 proxy or not for e8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5565	57.0 %
1	with proxy	2210	22.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	1990	20.4 %
	Total	**9,765**	**100%**

Based upon 7,775 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 845-846 (width: 2; decimal: 0)
Variable Type: numeric

E8: e8 able to go shopping by yourself?

Value	Label	Unweighted Frequency	%
1	yes	6117	62.6 %

Value	Label	Unweighted Frequency	%
2	a little difficult	889	9.1 %
3	unable to do so	2688	27.5 %
9	missing	3	0.0 %
	Missing Data		
.	-	68	0.7 %
	Total	**9,765**	**100%**

Based upon 9,697 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 847-847 (width: 1; decimal: 0)
Variable Type: numeric

RE9: re9 proxy or not for e9

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5562	57.0 %
1	with proxy	2209	22.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	1994	20.4 %
	Total	**9,765**	**100%**

Based upon 7,771 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 848-849 (width: 2; decimal: 0)
Variable Type: numeric

E9: e9 able to make food by yourself?

Value	Label	Unweighted Frequency	%
1	yes	6097	62.4 %
2	a little difficult	833	8.5 %
3	unable to do so	2759	28.3 %
9	missing	6	0.1 %
	Missing Data		
.	-	70	0.7 %
	Total	**9,765**	**100%**

Based upon 9,695 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 850-850 (width: 1; decimal: 0)
Variable Type: numeric

RE10: re10 proxy or not for e10

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5564	57.0 %
1	with proxy	2209	22.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	1992	20.4 %
	Total	**9,765**	**100%**

Based upon 7,773 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 851-852 (width: 2; decimal: 0)
Variable Type: numeric

E10: e10 able to wash clothes by yourself?

Value	Label	Unweighted Frequency	%
1	yes	6291	64.4 %
2	a little difficult	804	8.2 %
3	unable to do so	2593	26.6 %
9	missing	4	0.0 %
	Missing Data		
.	-	73	0.7 %
	Total	**9,765**	**100%**

Based upon 9,692 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 853-853 (width: 1; decimal: 0)
Variable Type: numeric

RE11: re11 proxy or not for e11

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5550	56.8 %
1	with proxy	2224	22.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	1991	20.4 %
	Total	**9,765**	**100%**

Based upon 7,774 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 854-855 (width: 2; decimal: 0)
Variable Type: numeric

E11: e11 able to walk one kilometer?

Value	Label	Unweighted Frequency	%
1	yes	5082	52.0 %
2	a little difficult	1487	15.2 %
3	unable to do so	3126	32.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	69	0.7 %
	Total	**9,765**	**100%**

Based upon 9,696 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 856-856 (width: 1; decimal: 0)
Variable Type: numeric

RE12: re12 proxy or not for e12

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5536	56.7 %
1	with proxy	2236	22.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	1993	20.4 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,772 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 857-858 (width: 2; decimal: 0)
Variable Type: numeric

E12: e12 able to carry 5kg weight?

Value	Label	Unweighted Frequency	%
1	yes	5309	54.4 %
2	a little difficult	1425	14.6 %
3	unable to do so	2958	30.3 %
8	do not know	1	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	71	0.7 %
	Total	**9,765**	**100%**

Based upon 9,694 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 859-859 (width: 1; decimal: 0)
Variable Type: numeric

RE13: re13 proxy or not for e13

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5556	56.9 %
1	with proxy	2216	22.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	1993	20.4 %
	Total	**9,765**	**100%**

Based upon 7,772 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 860-861 (width: 2; decimal: 0)

Variable Type: numeric

E13: e13 able to crouch and stand three times?

Value	Label	Unweighted Frequency	%
1	yes	4658	47.7 %
2	a little difficult	1988	20.4 %
3	unable to do so	3047	31.2 %
9	missing	1	0.0 %
	Missing Data		
.	-	71	0.7 %
	Total	**9,765**	**100%**

Based upon 9,694 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 862-862 (width: 1; decimal: 0)
Variable Type: numeric

RE14: re14 proxy or not for e14

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5543	56.8 %
1	with proxy	2227	22.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	1995	20.4 %
	Total	**9,765**	**100%**

Based upon 7,770 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 863-864 (width: 2; decimal: 0)
Variable Type: numeric

E14: e14 able to take public transportation?

Value	Label	Unweighted Frequency	%
1	yes	4553	46.6 %
2	a little difficult	1307	13.4 %
3	unable to do so	3821	39.1 %
8	do not know	3	0.0 %

Value	Label	Unweighted Frequency	%
9	missing	7	0.1 %
	Missing Data		
.	-	74	0.8 %
	Total	**9,765**	**100%**

Based upon 9,691 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 865-865 (width: 1; decimal: 0)
Variable Type: numeric

RF1: rf1 proxy or not for f1

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6568	67.3 %
1	with proxy	1018	10.4 %
9	missing	6	0.1 %
	Missing Data		
.	-	2173	22.3 %
	Total	**9,765**	**100%**

Based upon 7,592 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 866-867 (width: 2; decimal: 0)
Variable Type: numeric

F1: f1 years of schooling

Value	Label	Unweighted Frequency	%
0	-	5652	57.9 %
1	-	263	2.7 %
2	-	507	5.2 %
3	-	630	6.5 %
4	-	427	4.4 %
5	-	457	4.7 %
6	-	683	7.0 %
7	-	159	1.6 %
8	-	213	2.2 %

Value	Label	Unweighted Frequency	%
9	-	253	2.6 %
10	-	106	1.1 %
11	-	58	0.6 %
12	-	166	1.7 %
13	-	24	0.2 %
14	-	17	0.2 %
15	-	42	0.4 %
16	-	32	0.3 %
17	-	19	0.2 %
18	-	7	0.1 %
19	-	2	0.0 %
20	-	4	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
88	don't know	10	0.1 %
99	missing	6	0.1 %
	Missing Data		
.	-	25	0.3 %
	Total	**9,765**	**100%**

Based upon 9,740 valid cases out of 9,765 total cases.

- Mean: 2.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 5.05

Location: 868-869 (width: 2; decimal: 0)
Variable Type: numeric

RF2: rf2 proxy or not for f2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6543	67.0 %
1	with proxy	1068	10.9 %
9	missing	8	0.1 %
	Missing Data		
.	-	2146	22.0 %
	Total	**9,765**	**100%**

Based upon 7,619 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 870-871 (width: 2; decimal: 0)
Variable Type: numeric

F2: f2 main occupation before age 60

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	professional and technical personnel	383	3.9 %
1	governmental, institutional or managerial personnel	282	2.9 %
2	commercial, service or industrial worker	1087	11.1 %
3	self-employed	156	1.6 %
4	agriculture, forestry, animal husbandry or fishery worker	6094	62.4 %
5	houseworker	574	5.9 %
6	military personnel	64	0.7 %
7	never worked	50	0.5 %
8	others	144	1.5 %
9	missing	9	0.1 %
	Missing Data		
.	-	922	9.4 %
	Total	**9,765**	**100%**

Based upon 8,843 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 872-873 (width: 2; decimal: 0)
Variable Type: numeric

F2T: f2t other occupation beyond f2

Value	Label	Unweighted Frequency	%
	-	9760	99.9 %
´å¸É²¿	-	1	0.0 %
´ó¶Ó»á¼Æ	-	1	0.0 %
Å©´åÉú²ú¶Ó³¤	-	1	0.0 %
ÓæÃñ	-	2	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 874-885 (width: 12; decimal: 0)
Variable Type: character

RF21: rf21 proxy or not for f21

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5429	55.6 %
1	with proxy	2272	23.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	2064	21.1 %
	Total	**9,765**	**100%**

Based upon 7,701 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 886-887 (width: 2; decimal: 0)
Variable Type: numeric

F21: f21 do you have a retirement pension?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retired (worker)	1623	16.6 %
2	retired (cadre)	233	2.4 %
3	no	7738	79.2 %
8	do not know	1	0.0 %
9	missing	4	0.0 %
	Missing Data		
.	-	166	1.7 %
	Total	**9,765**	**100%**

Based upon 9,599 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 888-889 (width: 2; decimal: 0)
Variable Type: numeric

RF211: rf211 proxy or not for f211

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1618	16.6 %
1	with proxy	537	5.5 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	7610	77.9 %
	Total	**9,765**	**100%**

Based upon 2,155 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 890-891 (width: 2; decimal: 0)
Variable Type: numeric

F211: f211 are you retired?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retired (worker)	1580	16.2 %
2	retired (cadre)	158	1.6 %
3	no	1308	13.4 %
9	missing	25	0.3 %
	Missing Data		
.	-	6694	68.6 %
	Total	**9,765**	**100%**

Based upon 3,071 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 892-893 (width: 2; decimal: 0)
Variable Type: numeric

RF22: rf22 proxy or not for f22

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1271	13.0 %
1	with proxy	323	3.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	8171	83.7 %
	Total	**9,765**	**100%**

Based upon 1,594 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 894-895 (width: 2; decimal: 0)
Variable Type: numeric

F22: f22 which year did you retire?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1800	-	1	0.0 %
1900	-	1	0.0 %
1911	-	1	0.0 %
1920	-	1	0.0 %
1927	-	2	0.0 %
1928	-	1	0.0 %
1933	-	2	0.0 %
1949	-	1	0.0 %
1951	-	1	0.0 %
1953	-	2	0.0 %
1954	-	1	0.0 %
1956	-	1	0.0 %
1957	-	1	0.0 %
1958	-	4	0.0 %
1959	-	1	0.0 %
1960	-	2	0.0 %
1961	-	8	0.1 %
1962	-	6	0.1 %
1963	-	6	0.1 %
1964	-	6	0.1 %
1965	-	5	0.1 %
1966	-	4	0.0 %
1967	-	6	0.1 %
1968	-	6	0.1 %
1969	-	3	0.0 %
1970	-	10	0.1 %
1971	-	15	0.2 %
1972	-	18	0.2 %
1973	-	15	0.2 %
1974	-	18	0.2 %
1975	-	44	0.5 %
1976	-	26	0.3 %

Value	Label	Unweighted Frequency	%
1977	-	28	0.3 %
1978	-	51	0.5 %
1979	-	57	0.6 %
1980	-	110	1.1 %
1981	-	65	0.7 %
1982	-	62	0.6 %
1983	-	61	0.6 %
1984	-	61	0.6 %
1985	-	66	0.7 %
1986	-	74	0.8 %
1987	-	52	0.5 %
1988	-	64	0.7 %
1989	-	47	0.5 %
1990	-	66	0.7 %
1991	-	56	0.6 %
1992	-	46	0.5 %
1993	-	52	0.5 %
	Missing Data		
.	-	8010	82.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,755 valid cases out of 9,765 total cases.

- Mean: 2415.51
- Median: 1987.00
- Mode: 1980.00
- Minimum: 1800.00
- Maximum: 9999.00
- Standard Deviation: 1706.73

Location: 896-899 (width: 4; decimal: 0)
Variable Type: numeric

RF221: rf221 proxy or not for f221

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	18	0.2 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9747	99.8 %
	Total	**9,765**	**100%**

Based upon 18 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 900-901 (width: 2; decimal: 0)
Variable Type: numeric

F221: f221 if retired, what is your monthly retirement pension?

Value	Label	Unweighted Frequency	%
0	-	6	0.1 %
15	-	1	0.0 %
20	-	1	0.0 %
35	-	2	0.0 %
40	-	1	0.0 %
43	-	1	0.0 %
50	-	2	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
80	-	4	0.0 %
88	-	1	0.0 %
100	-	4	0.0 %
117	-	1	0.0 %
120	-	5	0.1 %
125	-	1	0.0 %
130	-	1	0.0 %
138	-	1	0.0 %
150	-	4	0.0 %
160	-	1	0.0 %
188	-	1	0.0 %
190	-	1	0.0 %
200	-	10	0.1 %
217	-	1	0.0 %
230	-	1	0.0 %
240	-	3	0.0 %
250	-	2	0.0 %
300	-	4	0.0 %
390	-	1	0.0 %

Value	Label	Unweighted Frequency	%
400	-	8	0.1 %
470	-	1	0.0 %
480	-	1	0.0 %
500	-	13	0.1 %
518	-	1	0.0 %
540	-	2	0.0 %
550	-	1	0.0 %
566	-	1	0.0 %
574	-	1	0.0 %
580	-	1	0.0 %
600	-	14	0.1 %
604	-	1	0.0 %
620	-	1	0.0 %
650	-	2	0.0 %
660	-	1	0.0 %
670	-	1	0.0 %
680	-	1	0.0 %
700	-	7	0.1 %
710	-	1	0.0 %
750	-	1	0.0 %
760	-	1	0.0 %
790	-	1	0.0 %
	Missing Data		
.	-	8009	82.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,756 valid cases out of 9,765 total cases.

- Mean: 5142.64
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 16666.77

Location: 902-906 (width: 5; decimal: 0)
Variable Type: numeric

RF23: rf23 proxy or not for f23

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	without proxy	1346	13.8 %
1	with proxy	345	3.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	8074	82.7 %
	Total	**9,765**	**100%**

Based upon 1,691 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 907-908 (width: 2; decimal: 0)
Variable Type: numeric

F23: f23 are you still engaged in paid jobs after retirement?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	258	2.6 %
2	no	1672	17.1 %
8	do not know	5	0.1 %
9	missing	23	0.2 %
	Missing Data		
.	-	7807	79.9 %
	Total	**9,765**	**100%**

Based upon 1,958 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 909-910 (width: 2; decimal: 0)
Variable Type: numeric

RF24: rf24 proxy or not for f24

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	4609	47.2 %
1	with proxy	2188	22.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2968	30.4 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 6,797 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 911-912 (width: 2; decimal: 0)
Variable Type: numeric

F24: f24 do you have public old age insurance?

Value	Label	Unweighted Frequency	%
1	yes	1937	19.8 %
2	no	6595	67.5 %
8	do not know	8	0.1 %
9	missing	23	0.2 %
	Missing Data		
.	-	1202	12.3 %
	Total	**9,765**	**100%**

Based upon 8,563 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 913-913 (width: 1; decimal: 0)
Variable Type: numeric

RF25: rf25 proxy or not for f25a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1085	11.1 %
1	with proxy	421	4.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	8259	84.6 %
	Total	**9,765**	**100%**

Based upon 1,506 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 914-915 (width: 2; decimal: 0)
Variable Type: numeric

F251: f251 what is the annual payment by individual if taking part in old age insurance?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	739	7.6 %
1	-	1	0.0 %
2	-	2	0.0 %
4	-	1	0.0 %
10	-	5	0.1 %
20	-	15	0.2 %
24	-	5	0.1 %
30	-	35	0.4 %
36	-	1	0.0 %
40	-	4	0.0 %
48	-	3	0.0 %
50	-	10	0.1 %
55	-	11	0.1 %
60	-	8	0.1 %
68	-	1	0.0 %
80	-	3	0.0 %
90	-	2	0.0 %
100	-	201	2.1 %
105	-	1	0.0 %
120	-	6	0.1 %
130	-	1	0.0 %
135	-	2	0.0 %
136	-	1	0.0 %
140	-	1	0.0 %
150	-	9	0.1 %
160	-	3	0.0 %
170	-	2	0.0 %
180	-	1	0.0 %
200	-	32	0.3 %
210	-	2	0.0 %
240	-	3	0.0 %
260	-	2	0.0 %
298	-	1	0.0 %
300	-	24	0.2 %
320	-	1	0.0 %
400	-	8	0.1 %

Value	Label	Unweighted Frequency	%
480	-	1	0.0 %
500	-	16	0.2 %
560	-	2	0.0 %
573	-	1	0.0 %
575	-	4	0.0 %
580	-	1	0.0 %
600	-	3	0.0 %
630	-	1	0.0 %
690	-	1	0.0 %
700	-	3	0.0 %
720	-	1	0.0 %
750	-	2	0.0 %
800	-	7	0.1 %
	Missing Data		
.	-	8029	82.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,736 valid cases out of 9,765 total cases.

- Mean: 14609.37
- Median: 100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 32598.90

Location: 916-920 (width: 5; decimal: 0)
Variable Type: numeric

F252: f252 what is the annual subsidy by government if taking part in old age insurance?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	350	3.6 %
1	-	1	0.0 %
2	-	2	0.0 %
4	-	7	0.1 %
5	-	2	0.0 %
10	-	1	0.0 %
20	-	7	0.1 %
30	-	54	0.6 %

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	2	0.0 %
45	-	1	0.0 %
50	-	20	0.2 %
55	-	136	1.4 %
60	-	32	0.3 %
65	-	3	0.0 %
70	-	20	0.2 %
72	-	3	0.0 %
75	-	1	0.0 %
80	-	4	0.0 %
90	-	14	0.1 %
92	-	2	0.0 %
100	-	33	0.3 %
110	-	1	0.0 %
120	-	23	0.2 %
130	-	1	0.0 %
150	-	29	0.3 %
160	-	2	0.0 %
170	-	2	0.0 %
188	-	1	0.0 %
190	-	1	0.0 %
195	-	1	0.0 %
200	-	11	0.1 %
230	-	1	0.0 %
240	-	4	0.0 %
270	-	1	0.0 %
280	-	6	0.1 %
289	-	1	0.0 %
290	-	3	0.0 %
300	-	7	0.1 %
320	-	1	0.0 %
340	-	2	0.0 %
360	-	2	0.0 %
365	-	1	0.0 %
375	-	1	0.0 %
400	-	3	0.0 %

Value	Label	Unweighted Frequency	%
440	-	1	0.0 %
450	-	7	0.1 %
	Missing Data		
.	-	8172	83.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,593 valid cases out of 9,765 total cases.

- Mean: 22984.27
- Median: 360.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 38912.84

Location: 921-925 (width: 5; decimal: 0)
Variable Type: numeric

RF25B: rf25b proxy or not for f25b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	59	0.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	9706	99.4 %
	Total	**9,765**	**100%**

Based upon 59 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 926-927 (width: 2; decimal: 0)
Variable Type: numeric

F25B1: f25b1 which year did you take part in public old age insurance?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1907	-	1	0.0 %
1908	-	2	0.0 %
1921	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1939	-	1	0.0 %
1948	-	1	0.0 %
1950	-	1	0.0 %
1951	-	1	0.0 %
1955	-	1	0.0 %
1956	-	1	0.0 %
1957	-	2	0.0 %
1958	-	1	0.0 %
1961	-	1	0.0 %
1963	-	1	0.0 %
1970	-	1	0.0 %
1971	-	1	0.0 %
1972	-	1	0.0 %
1975	-	1	0.0 %
1978	-	1	0.0 %
1979	-	5	0.1 %
1980	-	3	0.0 %
1981	-	4	0.0 %
1982	-	2	0.0 %
1983	-	2	0.0 %
1984	-	1	0.0 %
1985	-	5	0.1 %
1986	-	1	0.0 %
1987	-	1	0.0 %
1989	-	2	0.0 %
1990	-	8	0.1 %
1991	-	4	0.0 %
1992	-	10	0.1 %
1993	-	8	0.1 %
1994	-	2	0.0 %
1995	-	7	0.1 %
1996	-	7	0.1 %
1997	-	6	0.1 %
1998	-	14	0.1 %
1999	-	7	0.1 %
2000	-	9	0.1 %
2001	-	14	0.1 %
2002	-	9	0.1 %
2003	-	75	0.8 %

Value	Label	Unweighted Frequency	%
2004	-	46	0.5 %
2005	-	33	0.3 %
2006	-	40	0.4 %
2007	-	49	0.5 %
2008	-	67	0.7 %
2009	-	231	2.4 %
2010	-	518	5.3 %
	Missing Data		
.	-	7851	80.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,914 valid cases out of 9,765 total cases.

- Mean: 2822.57
- Median: 2010.00
- Mode: 2010.00
- Minimum: 1907.00
- Maximum: 9999.00
- Standard Deviation: 2273.67

Location: 928-931 (width: 4; decimal: 0)
Variable Type: numeric

F25B2: f25b2 which month did you take part in public old age insurance?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	8	0.1 %
1	-	459	4.7 %
2	-	41	0.4 %
3	-	36	0.4 %
4	-	95	1.0 %
5	-	177	1.8 %
6	-	125	1.3 %
7	-	241	2.5 %
8	-	63	0.6 %
9	-	111	1.1 %
10	-	164	1.7 %
11	-	67	0.7 %
12	-	61	0.6 %
55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
67	-	1	0.0 %
88	do not know	201	2.1 %
99	missing	48	0.5 %
	Missing Data		
.	-	7866	80.6 %
	Total	**9,765**	**100%**

Based upon 1,899 valid cases out of 9,765 total cases.

- Mean: 16.60
- Median: 7.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 28.86

Location: 932-933 (width: 2; decimal: 0)
Variable Type: numeric

RF26: rf26 proxy or not for f26

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1189	12.2 %
1	with proxy	463	4.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	8113	83.1 %
	Total	**9,765**	**100%**

Based upon 1,652 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 934-935 (width: 2; decimal: 0)
Variable Type: numeric

F26: f26 what is your monthly pension from old age insurance at present?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	60	0.6 %
1	-	1	0.0 %
2	-	1	0.0 %
9	-	3	0.0 %

Value	Label	Unweighted Frequency	%
10	-	7	0.1 %
15	-	2	0.0 %
20	-	2	0.0 %
30	-	2	0.0 %
40	-	4	0.0 %
42	-	1	0.0 %
50	-	27	0.3 %
51	-	1	0.0 %
55	-	552	5.7 %
56	-	1	0.0 %
57	-	4	0.0 %
60	-	186	1.9 %
63	-	1	0.0 %
65	-	16	0.2 %
66	-	1	0.0 %
67	-	1	0.0 %
69	-	5	0.1 %
70	-	29	0.3 %
72	-	1	0.0 %
75	-	2	0.0 %
76	-	2	0.0 %
80	-	16	0.2 %
81	-	1	0.0 %
84	-	1	0.0 %
85	-	6	0.1 %
88	-	1	0.0 %
90	-	101	1.0 %
91	-	1	0.0 %
92	-	8	0.1 %
96	-	1	0.0 %
99	-	1	0.0 %
100	-	86	0.9 %
101	-	1	0.0 %
105	-	3	0.0 %
106	-	1	0.0 %
108	-	1	0.0 %
110	-	23	0.2 %
115	-	1	0.0 %
120	-	13	0.1 %

Value	Label	Unweighted Frequency	%
123	-	6	0.1 %
125	-	1	0.0 %
130	-	5	0.1 %
137	-	1	0.0 %
138	-	2	0.0 %
140	-	2	0.0 %
	Missing Data		
.	-	7736	79.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,029 valid cases out of 9,765 total cases.

- Mean: 742.22
- Median: 90.00
- Mode: 55.00
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 1988.51

Location: 936-939 (width: 4; decimal: 0)
Variable Type: numeric

RF27: rf27 proxy or not for f27

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3472	35.6 %
1	with proxy	1662	17.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	4631	47.4 %
	Total	**9,765**	**100%**

Based upon 5,134 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 940-941 (width: 2; decimal: 0)
Variable Type: numeric

F27: f27 what's the reason that you did not take part in old age insurance?

Value	Label	Unweighted Frequency	%
1	not worth	175	1.8 %
2	not necessary	1596	16.3 %
3	cannot afford to the payment	1281	13.1 %
8	do not know	3333	34.1 %
9	missing	133	1.4 %
	Missing Data		
.	-	3247	33.3 %
	Total	**9,765**	**100%**

Based upon 6,518 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 942-942 (width: 1; decimal: 0)
Variable Type: numeric

RF31: rf31 proxy or not for f31

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5425	55.6 %
1	with proxy	2333	23.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	2007	20.6 %
	Total	**9,765**	**100%**

Based upon 7,758 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 943-944 (width: 2; decimal: 0)
Variable Type: numeric

F31: f31 main source of financial support

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retirement wages	1748	17.9 %
2	spouse	259	2.7 %
3	child(ren)	5289	54.2 %
4	grandchild(ren)	319	3.3 %

Value	Label	Unweighted Frequency	%
5	other relative(s)	40	0.4 %
6	local government or community	701	7.2 %
7	work by self	940	9.6 %
8	others	378	3.9 %
9	no other means	5	0.1 %
99	missing	0	0.0 %
	Missing Data		
.	-	86	0.9 %
	Total	**9,765**	**100%**

Based upon 9,679 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 945-946 (width: 2; decimal: 0)
Variable Type: numeric

F31T: f31t other main source beyond f31

Value	Label	Unweighted Frequency	%
	-	9423	96.5 %
360Ã¿ÔÂ£¬²Î¼ÓÅ©´åÑøÀÏ±£ÏÕ¡£	-	1	0.0 %
4Ä¶µØ	-	2	0.0 %
862Ôª/ÔÂ Ð¡³ÇÕò	-	1	0.0 %
912Ôª/ÔÂ Ð¡³ÇÕò	-	1	0.0 %
°ÙËê²¹Öú½ð	-	1	0.0 %
°ÙËêÀÏÈË²¹Öú½ð	-	1	0.0 %
°üµØ	-	1	0.0 %
±£ÏÕ	-	1	0.0 %
²¹Öú½ð£¨ÀÏ°éµ¥Î»·¢µÄ£©¸§Ðô½ð¡£	-	1	0.0 %
²Î¼ÓÑøÀÏ±£ÏÕµÄ±£ÏÕ½ð	-	1	0.0 %
²Ð·Ï¾üÈË¸§Ðô·Ñ	-	1	0.0 %
²â¶ÓÀÍ±£	-	1	0.0 %
²ðÇ¨·Ñ	-	1	0.0 %
´¢Ðî	-	1	0.0 %
´¦Ëï×ÓÅ®	-	1	0.0 %
´å²¹ÖúÒ»ÔÂ980Ôª	-	1	0.0 %
´å·¿·¢µÄÁ½¸öÔÂ200Ôª¡£	-	1	0.0 %
´å¼¯ÌåÕ÷µØ²¹Ìù	-	1	0.0 %
´åÎ¯»á·ÖÇ®	-	1	0.0 %
´æ¿î	-	3	0.0 %

Value	Label	Unweighted Frequency	%
µ±±ø²¹Ìù	-	1	0.0 %
µ±µØÃñÕþ²¿ÃÅ°ÙËêÀÏÈË²¹Öú¡£	-	1	0.0 %
µÍ±£	-	27	0.3 %
µÍ±£280Ôª	-	1	0.0 %
µÍ±££¬ÀÏµ³Ô±¡£	-	1	0.0 %
µÍ±£½ð	-	2	0.0 %
µ×±£60Ôª	-	1	0.0 %
¶ùÏ±	-	1	0.0 %
¶ùÏ± ¡£	-	1	0.0 %
·¿×â	-	2	0.0 %
¸§Ðô½ð	-	7	0.1 %
¸§Ðô½ð ÑøÀÏ½ð	-	1	0.0 %
¸ßÁä²¹Öú½ð	-	1	0.0 %
¹ý¶É·Ñ£¬·¿×â	-	1	0.0 %
¹ýÈ¥¼ÒÀï»ýÐî	-	1	0.0 %
»ýÐî	-	3	0.0 %
¼ÒÊôÉú»î²¹Ìù	-	1	0.0 %
¾üÊô²¹Ìù	-	1	0.0 %
ÀÍ±£	-	1	0.0 %
ÀÏ°é¸§Ñø½ð	-	1	0.0 %
ÀÏ°é¹ÊºóËùÔÚµ¥Î»Ìá¹©	-	1	0.0 %
ÀÏ°éÈ¥ÊÀºó¸§Ðô½ð	-	1	0.0 %
ÀÏ±ø²¹Ìù	-	1	0.0 %
ÀÏÐ-¡¢ÀÏÈËÉú»î·Ñ	-	1	0.0 %
ÁÒÊô²¹Ìù	-	1	0.0 %
ÂôµØ	-	1	0.0 %
ÂôµãÐ¡²Ë	-	1	0.0 %
ÃÃÃÃ	-	1	0.0 %
ÃÅÊÐ×â½ð	-	1	0.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 947-991 (width: 45; decimal: 0)
Variable Type: character

RF32: rf32 proxy or not for f32a, f32b,f32c,f32d,f32e

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5476	56.1 %
1	with proxy	2219	22.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2070	21.2 %
	Total	**9,765**	**100%**

Based upon 7,695 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 992-993 (width: 2; decimal: 0)
Variable Type: numeric

F32A: f32a first of other financial support sources

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retirement wages	462	4.7 %
2	spouse	413	4.2 %
3	child(ren)	2985	30.6 %
4	grandchild(ren)	1270	13.0 %
5	other relative(s)	317	3.2 %
6	local government or community	1345	13.8 %
7	work by self	397	4.1 %
8	others	294	3.0 %
9	no other means	2000	20.5 %
88	do not know	8	0.1 %
99	missing	80	0.8 %
	Missing Data		
.	-	194	2.0 %
	Total	**9,765**	**100%**

Based upon 9,571 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 994-995 (width: 2; decimal: 0)
Variable Type: numeric

F32A1: f32a1 first of other financial sources not specified above

Value	Label	Unweighted Frequency	%
	-	9582	98.1 %
60ËêÒÔÉÏÀÏÈË²¹Öú¡£	-	5	0.1 %
60ËêÒÔÉÏÀÏÈË¹ú¼ÒÃ¿ÔÂ²¹Ìù55.	-	1	0.0 %
±£ÏÕ	-	1	0.0 %
±£ÏÕ¡¢ÕÉ·òµ¥Î»	-	1	0.0 %
²»ÐèÒª	-	1	0.0 %
²»ÐèÒª¡£	-	1	0.0 %
²ÅÉÍÍËÐÝ½ð²¹Ìù·Ñ	-	1	0.0 %
³¤ÊÙ²¹Ìù100Ôª/ÔÂ	-	1	0.0 %
³¤ÊÙ½ð100Ôª/ÔÂ	-	1	0.0 %
´åÎ¯»á¼¯Ìå²¹Öú¡£	-	1	0.0 %
µ¥Î»·¢·Å¹ý½Ú·Ñ	-	1	0.0 %
µÍ±£	-	12	0.1 %
µÍ±£40Ôª/ÔÂ	-	2	0.0 %
µÍ±££¬¹¤ÈË300Ôª¡£	-	1	0.0 %
µÍ±£·Ñ	-	1	0.0 %
µÍ±£Ã¿ÔÂ40Ôª	-	1	0.0 %
µÍ±£Ã¿ÔÂ80Ôª	-	1	0.0 %
¶¨²¹	-	1	0.0 %
·¿ÎÝ³ö×â	-	1	0.0 %
·¿ÎÝ×â½ð	-	1	0.0 %
·¿×â	-	1	0.0 %
·¿×â800Ôª	-	1	0.0 %
¸§Ðô½ð	-	2	0.0 %
¸ßÁä²¹Öú½ð	-	1	0.0 %
¸öÌåÀí·¢	-	1	0.0 %
¹ú¼Ò¹æ¶¨60ËêÉÏÀÏÈË²¹Öú60Ôª	-	1	0.0 %
¹ú¼Ò¹æ¶¨60ËêÒÔÉÏÀÏÈËÃ¿ÔÂ¸ø60Ôª¡£	-	1	0.0 %
¹ú¼ÒÒ»¸öÔÂ¸øÀÏÈË60Ôª²¹Ìù	-	1	0.0 %
»Ø¼ÒÃ¿ÔÂ·¢55Ôª£¬¡£	-	1	0.0 %
½ÖµÀ	-	1	0.0 %
ÀÏµ³Ô±²¹Öú	-	1	0.0 %
ÀÏÄê³¤ÊÙ½ð100Ôª/ÔÂ	-	1	0.0 %
ÁÚ¾Ó	-	1	0.0 %
Ã¿ÔÂ200Ôª²¹Ìù¡£	-	1	0.0 %
ÃÅÃæ×â½ð	-	1	0.0 %
Å©´åÑøÀÏ½ð	-	1	0.0 %
ÆÆÀÃ	-	1	0.0 %
ÆÌÃæ×â½ð	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Éç»á±£ÏÕ ¡££¬	-	1	0.0 %
Ê§µØÅ©Ãñ²¹Öú	-	1	0.0 %
ÌïµØ×â½ð	-	1	0.0 %
ÍÁµØ¡£	-	1	0.0 %
ÍËÖ°½ð	-	1	0.0 %
Íõ±£	-	1	0.0 %
ÐÂÅ©ºÏ	-	1	0.0 %
ÐÂÐÍÅ©´åÉç»áÑøÀÏ±£ÏÕ´ýÓö	-	5	0.1 %
ÐÞÂ·	-	1	0.0 %
ÑøÀÏ±£ÏÕ	-	23	0.2 %
ÑøÀÏ±£ÏÕ¡£	-	4	0.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 996-1027 (width: 32; decimal: 0)
Variable Type: character

F32B: f32b second of other financial support sources

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retirement wages	21	0.2 %
2	spouse	111	1.1 %
3	child(ren)	541	5.5 %
4	grandchild(ren)	1032	10.6 %
5	other relative(s)	579	5.9 %
6	local government or community	896	9.2 %
7	work by self	253	2.6 %
8	others	196	2.0 %
9	no other means	191	2.0 %
88	do not know	87	0.9 %
99	missing	2009	20.6 %
	Missing Data		
.	-	3849	39.4 %
	Total	**9,765**	**100%**

Based upon 5,916 valid cases out of 9,765 total cases.

- Minimum: 1.00

- Maximum: 99.00

Location: 1028-1029 (width: 2; decimal: 0)
Variable Type: numeric

F32B1: f32b1 second of other financial sources not specified above

Value	Label	Unweighted Frequency	%
	-	9668	99.0 %
60ËêÉÏÒÔÀÏÈË²¹Öú¡£	-	1	0.0 %
60ËêÒÔÀÏÈËÃ¿ÔÂ²¹Öú55ÑøÀÏ½ð¡£	-	1	0.0 %
60ËêÒÔÉÏÀÏÈË²¹Öú¡£	-	5	0.1 %
60ËêÒÔÉÏÀÏÈËÃ¿ÔÂ55Ôª¡£	-	1	0.0 %
60ÒÔÉÏÀÏÈË²¹Öú¡£	-	1	0.0 %
±£ÏÕ	-	1	0.0 %
²ðÇ¨°²ÖÃ·Ñ	-	1	0.0 %
³ÇÏç¾ÓÃñÉç»áÑøÀÏ±£ÏÕ¡£	-	1	0.0 %
´å¼¯Ìå	-	1	0.0 %
´å¼¯Ìå¼ì	-	1	0.0 %
´å¼¯ÌåÍ³Ò»¸ø60ËêÉÏÀÏÈËÃ¿ÔÂ1100Ôª¡£	-	1	0.0 %
´åÃ¿ÄêÖ·¢·Å¡£	-	1	0.0 %
µÍ±£	-	3	0.0 %
µÍ±£²¹Öú¡£	-	1	0.0 %
µÜÃÃ²¹Ìù£¨ÔÚ¿´²¡Ê±£©¡£	-	1	0.0 %
·¿ÎÝ³ö×â	-	1	0.0 %
·¿ÎÝ³ö×â¡£	-	1	0.0 %
·¿×â	-	1	0.0 %
¸§Ðô½ð	-	1	0.0 %
¸ßÁä²¹Öú	-	1	0.0 %
¸ßÁä²¹Öú½ð	-	1	0.0 %
¹ã¶«Ê¡»ù±¾ÑøÀÏ±£ÏÕ	-	1	0.0 %
¹ú¼Ò²¹·¢ÀÏÈËÃ¿ÔÂ100Ôª¡£	-	1	0.0 %
¹ú¼Ò²¹Öú	-	1	0.0 %
¹ú¼Ò²¹ÖúÃ¿ÔÂ50Ôª	-	1	0.0 %
¾üÈË²¹Ìù	-	1	0.0 %
À§ÄÑ²¹Ìù	-	1	0.0 %
ÁÒÊ¿¸§Ðô½ð¡£	-	1	0.0 %
Ã¿ÔÂ50ÔªÑøÀÏ½ð	-	1	0.0 %
Å©×ª·Ç£¨Éç±££©	-	1	0.0 %
ÅäÅ¼¸§Ðô½ð	-	1	0.0 %
Éç±£	-	1	0.0 %
Ê§µØÅ©Ãñ²¹Ìù	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Ë½µØÇ®136/ÔÂ	-	1	0.0 %
ÍÁµØ³ö×â½ð	-	1	0.0 %
ÍÁµØÕ¼ÓÃ½ð	-	1	0.0 %
ÍâÉûÅ®	-	1	0.0 %
ÍâËï	-	1	0.0 %
ÐÂ*´åÑøÀÏ±£ÏÕ´ýÓö	-	1	0.0 %
ÐÂÐÍÅ©´åÉç»áÑøÀÏ±£ÏÕ´ýÓö	-	7	0.1 %
ÐÂÐÍÅ©´åÉç»áÑøÀÏ±£ÏÕ´ýÓö¡£	-	1	0.0 %
ÑøÀÏ±£ÏÕ	-	4	0.0 %
ÑøÀÏ½ð	-	25	0.3 %
ÑøÀÏ½ð,¸ßÁäÀÏÈË²¹Ìù	-	1	0.0 %
ÑøÀÏ½ð¡£	-	4	0.0 %
ÑøÀÏöÎ¡£	-	1	0.0 %
ÒÅÖö·Ñ	-	1	0.0 %
ÒÆÃñ²¹Öú¡£	-	1	0.0 %
Õ¼µØÅâ¿î	-	1	0.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1030-1063 (width: 34; decimal: 0)
Variable Type: character

F32C: f32c third of other financial support sources

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retirement wages	11	0.1 %
2	spouse	17	0.2 %
3	child(ren)	96	1.0 %
4	grandchild(ren)	160	1.6 %
5	other relative(s)	411	4.2 %
6	local government or community	395	4.0 %
7	work by self	141	1.4 %
8	others	79	0.8 %
9	no other means	170	1.7 %
88	do not know	109	1.1 %
99	missing	2782	28.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	5394	55.2 %
	Total	**9,765**	**100%**

Based upon 4,371 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 1064-1065 (width: 2; decimal: 0)
Variable Type: numeric

F32C1: f32c1 third of other financial sources not specified above

Value	Label	Unweighted Frequency	%
	-	9750	99.8 %
±£Ä·	-	1	0.0 %
¸ßÁäÀÏÈË²¹Öú¡£	-	1	0.0 %
¹ú¼Ò¹æ¶¨60¶àÒÔÉÏÀÏÈË²¹¸ø¡£	-	1	0.0 %
¹ú¼ÒÑøÀÏÊÙ	-	1	0.0 %
½ÌÊé	-	1	0.0 %
ÀÏÈËÒÔÇ°ÊÇ´å¸É²¿£¬´åÎ¯»áÃ¿ÔÂ²¹Ìù180Ôª	-	1	0.0 %
ÉÏ¼¶ÒÆÃñ²¹Öú¡£	-	1	0.0 %
Éç»áÑøÀÏ±£ÏÕ	-	2	0.0 %
ÑøÀÏ±£ÏÕ	-	1	0.0 %
ÑøÀÏ½ð	-	2	0.0 %
ÑøÀÏ½ð¡£	-	1	0.0 %
ÒÅæ×²¹Öú¡£	-	1	0.0 %
Õþ¸®¹æ¶¨60ËêÒÔÉÏÀÏÈË²¹Öú	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1066-1102 (width: 37; decimal: 0)
Variable Type: character

F32D: f32d fourth of other financial support sources

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retirement wages	4	0.0 %
2	spouse	4	0.0 %
3	child(ren)	10	0.1 %
4	grandchild(ren)	29	0.3 %
5	other relative(s)	84	0.9 %

Value	Label	Unweighted Frequency	%
6	local government or community	125	1.3 %
7	work by self	64	0.7 %
8	others	31	0.3 %
9	no other means	146	1.5 %
88	do not know	119	1.2 %
99	missing	3067	31.4 %
	Missing Data		
.	-	6082	62.3 %
	Total	**9,765**	**100%**

Based upon 3,683 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 1103-1104 (width: 2; decimal: 0)
Variable Type: numeric

F32D1: f32d1 fourth of other financial sources not specified above

Value	Label	Unweighted Frequency	%
	-	9757	99.9 %
*	-	1	0.0 %
´åÀï»¹ÓÐÊ§µØÅ©ÃñÃ¿ÔÂ80Ô²²¹Öú	-	1	0.0 %
µØ×â	-	1	0.0 %
·¿²¹	-	1	0.0 %
ÀÍ¶¯	-	1	0.0 %
ÀÏÁä²¹Ìù	-	1	0.0 %
Å©±£	-	1	0.0 %
Éç±£	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1105-1132 (width: 28; decimal: 0)
Variable Type: character

F32E: f32e fifth of other financial support sources

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	retirement wages	2	0.0 %
2	spouse	4	0.0 %
3	child(ren)	3	0.0 %

Value	Label	Unweighted Frequency	%
4	grandchild(ren)	8	0.1 %
5	other relative(s)	11	0.1 %
6	local government or community	18	0.2 %
7	work by self	37	0.4 %
8	others	18	0.2 %
9	no other means	211	2.2 %
88	do not know	124	1.3 %
99	missing	3111	31.9 %
	Missing Data		
.	-	6218	63.7 %
	Total	**9,765**	**100%**

Based upon 3,547 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 1133-1134 (width: 2; decimal: 0)
Variable Type: numeric

F32T: f32t fifth of other financial sources not specified above

Value	Label	Unweighted Frequency	%
	-	9636	98.7 %
°ÙËêÀÏÈË²¹Öú½ð	-	6	0.1 %
±£ÏÕ½ð	-	1	0.0 %
³ö×âÎÝÊÕÈë	-	1	0.0 %
´å·Öºì	-	4	0.0 %
´å·Öºì£¬ÐÂÅ©±£	-	1	0.0 %
´å¹É·Ý·Öºì	-	1	0.0 %
´åÀï²¹Öú	-	2	0.0 %
´åÎ¯²¹Öú	-	1	0.0 %
µÍ±£	-	2	0.0 %
µÍ±£Ã¿ÔÂ100Ôª	-	1	0.0 %
·¿×â½ð	-	1	0.0 %
ÃñÕþ²¹Öú	-	1	0.0 %
Å©±£	-	80	0.8 %
Ç²Êô²¹Öú	-	1	0.0 %
Éç±£	-	1	0.0 %
Ê°¶«Î÷	-	1	0.0 %
Ë®²úÑøÖ³	-	1	0.0 %
ËÇÑø¼ÒÇÝ¼ÒÐó	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ËãÃü	-	1	0.0 %
Îå±£»§	-	2	0.0 %
ÐÂÅ©±£	-	6	0.1 %
Ñø¼ÒÇÝ	-	1	0.0 %
ÑøÀÏ±£ÏÕ	-	2	0.0 %
ÑøÀÏ½ð	-	1	0.0 %
ÒÅ²ú	-	2	0.0 %
ÒÅÊô²¹Öú	-	2	0.0 %
Õþ¸®	-	1	0.0 %
Õþ¸®Ã¿ÔÂ·¢60Ôª	-	2	0.0 %
×îµÍÉú»î±£ÕÏ½ð	-	2	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1135-1148 (width: 14; decimal: 0)
Variable Type: character

F32E1: f32e1 other main source beyond f32a-f32e

Value	Label	Unweighted Frequency	%
	-	9760	99.9 %
¶îÍâÊÕÈë	-	1	0.0 %
¸î²Ý	-	1	0.0 %
ÂôÁ¸Ê³	-	1	0.0 %
Îå*	-	1	0.0 %
ÐÂÅ©±£ÑøÀÏ½ð¡£	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1149-1162 (width: 14; decimal: 0)
Variable Type: character

RF33: rf33 proxy or not for f33

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5532	56.7 %
1	with proxy	2199	22.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2034	20.8 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,731 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1163-1164 (width: 2; decimal: 0)
Variable Type: numeric

F33: f33 is all of the financial support sufficient to pay for daily expenses?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	7702	78.9 %
2	no	1963	20.1 %
8	do not know	8	0.1 %
9	missing	3	0.0 %
	Missing Data		
.	-	89	0.9 %
	Total	**9,765**	**100%**

Based upon 9,676 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1165-1166 (width: 2; decimal: 0)
Variable Type: numeric

RF340: rf340 proxy or not for f340

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5553	56.9 %
1	with proxy	2191	22.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2021	20.7 %
	Total	**9,765**	**100%**

Based upon 7,744 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

F340: f340 your power in decision-making on financial spending in the household

Value	Label	Unweighted Frequency	%
0	make decisions on some of the main spending in my household	1594	16.3 %
1	make decisions on almost all spending in my household	1797	18.4 %
2	make decisions on some of the non-main spending in my househ	755	7.7 %
3	make decisions only on own spending	2610	26.7 %
4	cannot make decisons on any spending	2119	21.7 %
5	don't know	0	0.0 %
8	do not know	772	7.9 %
9	missing	7	0.1 %
	Missing Data		
.	-	111	1.1 %
	Total	**9,765**	**100%**

Based upon 9,654 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1169-1169 (width: 1; decimal: 0)
Variable Type: numeric

RF34: rf34 proxy or not for f34

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5448	55.8 %
1	with proxy	2322	23.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	1995	20.4 %
	Total	**9,765**	**100%**

Based upon 7,770 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1170-1171 (width: 2; decimal: 0)
Variable Type: numeric

F34: f34 how do you rate your economic status compared with other local people?

Value	Label	Unweighted Frequency	%
1	very rich	125	1.3 %
2	rich	1522	15.6 %
3	so so	6456	66.1 %
4	poor	1218	12.5 %
5	very poor	273	2.8 %
8	don't know	82	0.8 %
9	missing	1	0.0 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Based upon 9,677 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1172-1172 (width: 1; decimal: 0)
Variable Type: numeric

RF35: rf35 proxy or not for f35

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5156	52.8 %
1	with proxy	2517	25.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	2092	21.4 %
	Total	**9,765**	**100%**

Based upon 7,673 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1173-1174 (width: 2; decimal: 0)
Variable Type: numeric

F35: f35 total income of your household last year

Value	Label	Unweighted Frequency	%
0	-	133	1.4 %
8	-	2	0.0 %
9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
88	-	9	0.1 %
144	-	1	0.0 %
150	-	1	0.0 %
200	-	13	0.1 %
240	-	2	0.0 %
300	-	11	0.1 %
350	-	1	0.0 %
360	-	2	0.0 %
400	-	13	0.1 %
500	-	36	0.4 %
540	-	1	0.0 %
550	-	3	0.0 %
600	-	22	0.2 %
660	-	4	0.0 %
700	-	12	0.1 %
710	-	1	0.0 %
720	-	3	0.0 %
750	-	1	0.0 %
800	-	24	0.2 %
820	-	1	0.0 %
860	-	1	0.0 %
888	-	37	0.4 %
900	-	4	0.0 %
960	-	3	0.0 %
980	-	1	0.0 %
1000	-	172	1.8 %
1080	-	1	0.0 %
1100	-	3	0.0 %
1200	-	39	0.4 %
1300	-	6	0.1 %
1320	-	2	0.0 %
1400	-	10	0.1 %
1440	-	9	0.1 %
1460	-	1	0.0 %
1500	-	65	0.7 %
1560	-	1	0.0 %
1600	-	7	0.1 %
1640	-	1	0.0 %
1700	-	4	0.0 %

Value	Label	Unweighted Frequency	%
1750	-	1	0.0 %
1800	-	27	0.3 %
1830	-	1	0.0 %
1860	-	1	0.0 %
1895	-	1	0.0 %
1900	-	8	0.1 %
1920	-	2	0.0 %
2000	-	329	3.4 %
	Missing Data		
.	-	279	2.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,486 valid cases out of 9,765 total cases.

- Mean: 29342.71
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 29738.12

Location: 1175-1179 (width: 5; decimal: 0)
Variable Type: numeric

RF41: rf41 proxy or not for f41

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5565	57.0 %
1	with proxy	2151	22.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	2049	21.0 %
	Total	**9,765**	**100%**

Based upon 7,716 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1180-1181 (width: 2; decimal: 0)
Variable Type: numeric

F41: f41 current marital status

Value	Label	Unweighted Frequency	%
1	currently married and living with spouse	3532	36.2 %
2	married but not living with spouse	166	1.7 %
3	divorced	22	0.2 %
4	widowed	5846	59.9 %
5	never married	101	1.0 %
8	do not know	3	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	94	1.0 %
	Total	**9,765**	**100%**

Based upon 9,671 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1182-1182 (width: 1; decimal: 0)
Variable Type: numeric

RF41A: rf41a proxy or not for f41a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5481	56.1 %
1	with proxy	1720	17.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	2564	26.3 %
	Total	**9,765**	**100%**

Based upon 7,201 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1183-1184 (width: 2; decimal: 0)
Variable Type: numeric

F41A1: f41a1 did you experience the event of spouse passing-away after 2008 survey?

Value	Label	Unweighted Frequency	%
1	yes	874	9.0 %
2	no	7257	74.3 %
8	do not know	1	0.0 %

Value	Label	Unweighted Frequency	%
9	missing	17	0.2 %
	Missing Data		
.	-	1616	16.5 %
	Total	**9,765**	**100%**

Based upon 8,149 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1185-1185 (width: 1; decimal: 0)
Variable Type: numeric

F41A11: f41a11 if yes, which year to be widowed?

Value	Label	Unweighted Frequency	%
1111	-	2	0.0 %
1907	-	1	0.0 %
1919	-	1	0.0 %
1936	-	1	0.0 %
1938	-	1	0.0 %
1940	-	1	0.0 %
1941	-	1	0.0 %
1942	-	1	0.0 %
1945	-	2	0.0 %
1946	-	1	0.0 %
1947	-	1	0.0 %
1948	-	2	0.0 %
1949	-	2	0.0 %
1950	-	2	0.0 %
1951	-	1	0.0 %
1952	-	1	0.0 %
1953	-	3	0.0 %
1955	-	3	0.0 %
1958	-	3	0.0 %
1959	-	1	0.0 %
1960	-	4	0.0 %
1961	-	3	0.0 %
1962	-	5	0.1 %
1963	-	2	0.0 %
1964	-	3	0.0 %
1965	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1966	-	3	0.0 %
1967	-	4	0.0 %
1968	-	4	0.0 %
1969	-	5	0.1 %
1970	-	3	0.0 %
1971	-	3	0.0 %
1972	-	2	0.0 %
1973	-	1	0.0 %
1974	-	2	0.0 %
1975	-	2	0.0 %
1976	-	6	0.1 %
1977	-	3	0.0 %
1978	-	6	0.1 %
1979	-	3	0.0 %
1980	-	11	0.1 %
1981	-	2	0.0 %
1982	-	11	0.1 %
1983	-	3	0.0 %
1984	-	5	0.1 %
1985	-	6	0.1 %
1986	-	5	0.1 %
1987	-	7	0.1 %
1988	-	6	0.1 %
1989	-	7	0.1 %
	Missing Data		
.	-	8598	88.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,167 valid cases out of 9,765 total cases.

- Mean: 4518.55
- Median: 2009.00
- Mode: 9999.00
- Minimum: 1111.00
- Maximum: 9999.00
- Standard Deviation: 3679.38

Location: 1186-1189 (width: 4; decimal: 0)
Variable Type: numeric

F41A12: f41a12 if yes, which month to be widowed?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	43	0.4 %
2	-	60	0.6 %
3	-	61	0.6 %
4	-	61	0.6 %
5	-	87	0.9 %
6	-	72	0.7 %
7	-	61	0.6 %
8	-	71	0.7 %
9	-	47	0.5 %
10	-	98	1.0 %
11	-	52	0.5 %
12	-	59	0.6 %
88	do not know	56	0.6 %
99	missing	330	3.4 %
	Missing Data		
.	-	8606	88.1 %
	Total	**9,765**	**100%**

Based upon 1,159 valid cases out of 9,765 total cases.

- Mean: 36.87
- Median: 10.00
- Mode: 99.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 42.94

Location: 1190-1191 (width: 2; decimal: 0)
Variable Type: numeric

F41A2: f41a2 did you experience the event of divorcement after 2008 survey?

Value	Label	Unweighted Frequency	%
1	yes	19	0.2 %
2	no	7048	72.2 %
8	do not know	1	0.0 %
9	missing	41	0.4 %
	Missing Data		
.	-	2656	27.2 %
	Total	**9,765**	**100%**

Based upon 7,109 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1192-1192 (width: 1; decimal: 0)
Variable Type: numeric

F41A21: f41a21 if yes, which year to be divorced?

Value	Label	Unweighted Frequency	%
1947	-	1	0.0 %
1948	-	1	0.0 %
1950	-	1	0.0 %
1962	-	1	0.0 %
1999	-	2	0.0 %
2000	-	1	0.0 %
2002	-	1	0.0 %
2008	-	1	0.0 %
2009	-	2	0.0 %
2011	-	1	0.0 %
8888	do not know	6	0.1 %
9999	missing	369	3.8 %
	Missing Data		
.	-	9378	96.0 %
	Total	**9,765**	**100%**

Based upon 387 valid cases out of 9,765 total cases.

- Mean: 9733.34
- Median: 9999.00
- Mode: 9999.00
- Minimum: 1947.00
- Maximum: 9999.00
- Standard Deviation: 1394.30

Location: 1193-1196 (width: 4; decimal: 0)
Variable Type: numeric

F41A22: f41a22 if yes, which month to be divorced?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	3	0.0 %
2	-	2	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
11	-	3	0.0 %
88	do not know	4	0.0 %
99	missing	371	3.8 %
	Missing Data		
.	-	9377	96.0 %
	Total	**9,765**	**100%**

Based upon 388 valid cases out of 9,765 total cases.

- Mean: 95.74
- Median: 99.00
- Mode: 99.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 16.94

Location: 1197-1198 (width: 2; decimal: 0)
Variable Type: numeric

F41A3: f41a3 did you experience the event of remarriage after 2008 survey?

Value	Label	Unweighted Frequency	%
1	yes	15	0.2 %
2	no	6493	66.5 %
8	do not know	1	0.0 %
9	missing	18	0.2 %
	Missing Data		
.	-	3238	33.2 %
	Total	**9,765**	**100%**

Based upon 6,527 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1199-1199 (width: 1; decimal: 0)
Variable Type: numeric

F41A31: f41a31 if yes, which year to be remarried?

Value	Label	Unweighted Frequency	%
1951	-	1	0.0 %
2007	-	1	0.0 %
2008	-	1	0.0 %
2009	-	4	0.0 %

Value	Label	Unweighted Frequency	%
2010	-	3	0.0 %
2011	-	1	0.0 %
8888	do not know	7	0.1 %
9999	missing	241	2.5 %
	Missing Data		
.	-	9506	97.3 %
	Total	**9,765**	**100%**

Based upon 259 valid cases out of 9,765 total cases.

- Mean: 9629.41
- Median: 9999.00
- Mode: 9999.00
- Minimum: 1951.00
- Maximum: 9999.00
- Standard Deviation: 1619.17

Location: 1200-1203 (width: 4; decimal: 0)
Variable Type: numeric

F41A32: f41a32 if yes, which month to be remarried?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	2	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
11	-	2	0.0 %
88	do not know	5	0.1 %
99	missing	241	2.5 %
	Missing Data		
.	-	9508	97.4 %
	Total	**9,765**	**100%**

Based upon 257 valid cases out of 9,765 total cases.

- Mean: 94.82
- Median: 99.00
- Mode: 99.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 18.82

Location: 1204-1205 (width: 2; decimal: 0)

Variable Type: numeric

RF41B: rf41b proxy or not for f41b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3812	39.0 %
1	with proxy	1518	15.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	4435	45.4 %
	Total	**9,765**	**100%**

Based upon 5,330 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1206-1207 (width: 2; decimal: 0)
Variable Type: numeric

F41B: f41b do you have cohabited partner but not formally married at present?

Value	Label	Unweighted Frequency	%
1	yes	51	0.5 %
2	no	6513	66.7 %
8	do not know	0	0.0 %
9	missing	69	0.7 %
	Missing Data		
.	-	3132	32.1 %
	Total	**9,765**	**100%**

Based upon 6,633 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1208-1208 (width: 1; decimal: 0)
Variable Type: numeric

F41B1: f41b1 if yes, which year to be cohabited?

Value	Label	Unweighted Frequency	%
1929	-	1	0.0 %
1941	-	1	0.0 %
1948	-	1	0.0 %
1950	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1963	-	1	0.0 %
1964	-	1	0.0 %
1970	-	1	0.0 %
1994	-	2	0.0 %
1996	-	2	0.0 %
1997	-	1	0.0 %
2002	-	1	0.0 %
2004	-	1	0.0 %
2005	-	1	0.0 %
2006	-	1	0.0 %
2008	-	2	0.0 %
2009	-	1	0.0 %
2010	-	1	0.0 %
2011	-	2	0.0 %
8888	do not know	4	0.0 %
9999	missing	201	2.1 %
	Missing Data		
.	-	9538	97.7 %
	Total	**9,765**	**100%**

Based upon 227 valid cases out of 9,765 total cases.

- Mean: 9202.94
- Median: 9999.00
- Mode: 9999.00
- Minimum: 1929.00
- Maximum: 9999.00
- Standard Deviation: 2373.61

Location: 1209-1212 (width: 4; decimal: 0)
Variable Type: numeric

F41B2: f41b2 if yes, which month to be cohabited?

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %

Value	Label	Unweighted Frequency	%
10	-	6	0.1 %
11	-	1	0.0 %
12	-	1	0.0 %
88	do not know	4	0.0 %
99	missing	200	2.0 %
	Missing Data		
.	-	9541	97.7 %
	Total	**9,765**	**100%**

Based upon 224 valid cases out of 9,765 total cases.

- Mean: 90.60
- Median: 99.00
- Mode: 99.00
- Minimum: 1.00
- Maximum: 99.00
- Standard Deviation: 26.25

Location: 1213-1214 (width: 2; decimal: 0)
Variable Type: numeric

RF42: rf42 proxy or not for f42

Value	Label	Unweighted Frequency	%
-1	not applicable	37	0.4 %
0	without proxy	6523	66.8 %
1	with proxy	953	9.8 %
9	missing	7	0.1 %
	Missing Data		
.	-	2245	23.0 %
	Total	**9,765**	**100%**

Based upon 7,520 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1215-1216 (width: 2; decimal: 0)
Variable Type: numeric

F42: f42 how many times have you been married?

Value	Label	Unweighted Frequency	%
-1	not applicable	37	0.4 %
0	-	15	0.2 %
1	-	8030	82.2 %

Value	Label	Unweighted Frequency	%
2	-	486	5.0 %
3	-	50	0.5 %
4	-	8	0.1 %
5	-	2	0.0 %
7	-	1	0.0 %
10	-	1	0.0 %
20	-	1	0.0 %
88	don't know	1	0.0 %
99	missing	7	0.1 %
	Missing Data		
.	-	1126	11.5 %
	Total	**9,765**	**100%**

Based upon 8,639 valid cases out of 9,765 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 1.00
- Minimum: -1.00
- Maximum: 99.00
- Standard Deviation: 2.97

Location: 1217-1218 (width: 2; decimal: 0)
Variable Type: numeric

RF43A: rf43a proxy or not for f43a1 to f43a4

Value	Label	Unweighted Frequency	%
-1	not applicable	40	0.4 %
0	without proxy	6508	66.6 %
1	with proxy	967	9.9 %
9	missing	7	0.1 %
	Missing Data		
.	-	2243	23.0 %
	Total	**9,765**	**100%**

Based upon 7,522 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1219-1220 (width: 2; decimal: 0)
Variable Type: numeric

F43A1: f43a1 age at the 1st marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	40	0.4 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	4	0.0 %
9	-	5	0.1 %
10	-	18	0.2 %
11	-	9	0.1 %
12	-	24	0.2 %
13	-	38	0.4 %
14	-	80	0.8 %
15	-	141	1.4 %
16	-	347	3.6 %
17	-	579	5.9 %
18	-	1013	10.4 %
19	-	927	9.5 %
20	-	1448	14.8 %
21	-	680	7.0 %
22	-	677	6.9 %
23	-	488	5.0 %
24	-	436	4.5 %
25	-	475	4.9 %
26	-	255	2.6 %
27	-	165	1.7 %
28	-	185	1.9 %
29	-	76	0.8 %
30	-	143	1.5 %
31	-	40	0.4 %
32	-	50	0.5 %
33	-	19	0.2 %
34	-	18	0.2 %
35	-	17	0.2 %
36	-	15	0.2 %
37	-	10	0.1 %
38	-	7	0.1 %
39	-	1	0.0 %
40	-	14	0.1 %
41	-	2	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	3	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	4	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
59	-	1	0.0 %
	Missing Data		
.	-	1111	11.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,654 valid cases out of 9,765 total cases.

- Mean: 39.43
- Median: 20.00
- Mode: 20.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 126.38

Location: 1221-1223 (width: 3; decimal: 0)
Variable Type: numeric

F43A2: f43a2 current status of the 1st marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	40	0.4 %
1	married	3624	37.1 %
2	divorced	190	1.9 %
3	widowed	4777	48.9 %
8	don't know	7	0.1 %
9	missing	8	0.1 %
	Missing Data		
.	-	1119	11.5 %
	Total	**9,765**	**100%**

Based upon 8,646 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1224-1225 (width: 2; decimal: 0)
Variable Type: numeric

F43A3: f43a3 age at the 1st marriage dissolution

Value	Label	Unweighted Frequency	%
-1	not applicable	2058	21.1 %
0	-	3	0.0 %
1	-	2	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %
14	-	2	0.0 %
15	-	3	0.0 %
16	-	2	0.0 %
17	-	4	0.0 %
18	-	11	0.1 %
19	-	13	0.1 %
20	-	28	0.3 %
21	-	25	0.3 %
22	-	36	0.4 %
23	-	32	0.3 %
24	-	26	0.3 %
25	-	34	0.3 %
26	-	28	0.3 %
27	-	25	0.3 %
28	-	42	0.4 %
29	-	30	0.3 %
30	-	52	0.5 %
31	-	24	0.2 %
32	-	26	0.3 %
33	-	23	0.2 %
34	-	21	0.2 %
35	-	41	0.4 %
36	-	51	0.5 %
37	-	25	0.3 %
38	-	41	0.4 %
39	-	32	0.3 %
40	-	69	0.7 %
41	-	23	0.2 %

Value	Label	Unweighted Frequency	%
42	-	32	0.3 %
43	-	26	0.3 %
44	-	12	0.1 %
45	-	55	0.6 %
46	-	37	0.4 %
47	-	25	0.3 %
48	-	51	0.5 %
49	-	28	0.3 %
50	-	89	0.9 %
51	-	36	0.4 %
52	-	48	0.5 %
53	-	46	0.5 %
54	-	38	0.4 %
55	-	56	0.6 %
56	-	58	0.6 %
57	-	53	0.5 %
58	-	69	0.7 %
	Missing Data		
.	-	1219	12.5 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,546 valid cases out of 9,765 total cases.

- Mean: 245.21
- Median: 66.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 387.89

Location: 1226-1228 (width: 3; decimal: 0)
Variable Type: numeric

F43A4: f43a4 quality of the 1st marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	40	0.4 %
1	good	6930	71.0 %
2	so so	1396	14.3 %
3	bad	238	2.4 %
8	don't know	13	0.1 %

Value	Label	Unweighted Frequency	%
9	missing	10	0.1 %
	Missing Data		
.	-	1138	11.7 %
	Total	**9,765**	**100%**

Based upon 8,627 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1229-1230 (width: 2; decimal: 0)
Variable Type: numeric

RF43B: rf43b proxy or not for f43b1 to f43b4

Value	Label	Unweighted Frequency	%
-1	not applicable	3876	39.7 %
0	without proxy	415	4.2 %
1	with proxy	78	0.8 %
9	missing	4	0.0 %
	Missing Data		
.	-	5392	55.2 %
	Total	**9,765**	**100%**

Based upon 4,373 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1231-1232 (width: 2; decimal: 0)
Variable Type: numeric

F43B1: f43b1 age at the 2nd marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	3876	39.7 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	3	0.0 %
18	-	1	0.0 %
19	-	4	0.0 %
20	-	10	0.1 %
21	-	8	0.1 %
22	-	18	0.2 %

Value	Label	Unweighted Frequency	%
23	-	21	0.2 %
24	-	22	0.2 %
25	-	23	0.2 %
26	-	25	0.3 %
27	-	14	0.1 %
28	-	21	0.2 %
29	-	22	0.2 %
30	-	41	0.4 %
31	-	14	0.1 %
32	-	25	0.3 %
33	-	15	0.2 %
34	-	6	0.1 %
35	-	19	0.2 %
36	-	19	0.2 %
37	-	7	0.1 %
38	-	13	0.1 %
39	-	9	0.1 %
40	-	16	0.2 %
41	-	10	0.1 %
42	-	14	0.1 %
43	-	7	0.1 %
44	-	10	0.1 %
45	-	7	0.1 %
46	-	7	0.1 %
47	-	4	0.0 %
48	-	5	0.1 %
49	-	4	0.0 %
50	-	7	0.1 %
51	-	3	0.0 %
52	-	2	0.0 %
53	-	4	0.0 %
54	-	1	0.0 %
55	-	4	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
58	-	6	0.1 %
59	-	4	0.0 %
60	-	4	0.0 %
61	-	2	0.0 %

Value	Label	Unweighted Frequency	%
62	-	5	0.1 %
63	-	4	0.0 %
	Missing Data		
.	-	5338	54.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,427 valid cases out of 9,765 total cases.

- Mean: 7.74
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 63.80

Location: 1233-1235 (width: 3; decimal: 0)
Variable Type: numeric

F43B2: f43b2 current status of the 2nd marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	3876	39.7 %
1	married	189	1.9 %
2	divorced	19	0.2 %
3	widowed	335	3.4 %
8	don't know	1	0.0 %
9	missing	6	0.1 %
	Missing Data		
.	-	5339	54.7 %
	Total	**9,765**	**100%**

Based upon 4,426 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1236-1237 (width: 2; decimal: 0)
Variable Type: numeric

F43B3: f43b3 age at the 2nd marriage dissolution

Value	Label	Unweighted Frequency	%
-1	not applicable	4003	41.0 %
20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
22	-	1	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
26	-	1	0.0 %
27	-	4	0.0 %
28	-	3	0.0 %
29	-	3	0.0 %
30	-	2	0.0 %
31	-	3	0.0 %
32	-	4	0.0 %
34	-	3	0.0 %
35	-	6	0.1 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	5	0.1 %
41	-	3	0.0 %
42	-	6	0.1 %
43	-	1	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	2	0.0 %
48	-	4	0.0 %
49	-	2	0.0 %
50	-	9	0.1 %
51	-	5	0.1 %
52	-	3	0.0 %
53	-	2	0.0 %
54	-	4	0.0 %
55	-	3	0.0 %
56	-	3	0.0 %
57	-	5	0.1 %
58	-	7	0.1 %
59	-	5	0.1 %
60	-	6	0.1 %
61	-	4	0.0 %
62	-	9	0.1 %

Value	Label	Unweighted Frequency	%
63	-	5	0.1 %
64	-	5	0.1 %
65	-	7	0.1 %
66	-	2	0.0 %
67	-	9	0.1 %
68	-	4	0.0 %
69	-	4	0.0 %
70	-	13	0.1 %
71	-	3	0.0 %
	Missing Data		
.	-	5339	54.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,426 valid cases out of 9,765 total cases.

- Mean: 23.77
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 138.78

Location: 1238-1240 (width: 3; decimal: 0)
Variable Type: numeric

F43B4: f43b4 quality of the 2nd marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	3876	39.7 %
1	good	379	3.9 %
2	so so	133	1.4 %
3	bad	26	0.3 %
8	don't know	2	0.0 %
9	missing	7	0.1 %
	Missing Data		
.	-	5342	54.7 %
	Total	**9,765**	**100%**

Based upon 4,423 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1241-1242 (width: 2; decimal: 0)
Variable Type: numeric

RF43C: rf43c proxy or not for f43c1 to f43c4

Value	Label	Unweighted Frequency	%
-1	not applicable	4135	42.3 %
0	without proxy	46	0.5 %
1	with proxy	15	0.2 %
9	missing	4	0.0 %
	Missing Data		
.	-	5565	57.0 %
	Total	**9,765**	**100%**

Based upon 4,200 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1243-1244 (width: 2; decimal: 0)
Variable Type: numeric

F43C1: f43c1 age at the 3rd marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	4135	42.3 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
26	-	4	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	4	0.0 %
34	-	1	0.0 %
35	-	5	0.1 %
36	-	3	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
44	-	2	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
50	-	3	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
59	-	1	0.0 %
61	-	2	0.0 %
64	-	1	0.0 %
65	-	2	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
71	-	2	0.0 %
78	-	1	0.0 %
85	-	1	0.0 %
87	-	1	0.0 %
90	-	1	0.0 %
888	don't know	1	0.0 %
999	missing	6	0.1 %
	Missing Data		
.	-	5564	57.0 %
	Total	**9,765**	**100%**

Based upon 4,201 valid cases out of 9,765 total cases.

- Mean: 1.27
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 40.56

Location: 1245-1247 (width: 3; decimal: 0)
Variable Type: numeric

F43C2: f43c2 current status of the 3rd marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	4135	42.3 %
1	married	20	0.2 %
2	divorced	9	0.1 %
3	widowed	31	0.3 %

Value	Label	Unweighted Frequency	%
8	don't know	0	0.0 %
9	missing	6	0.1 %
	Missing Data		
.	-	5564	57.0 %
	Total	**9,765**	**100%**

Based upon 4,201 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1248-1249 (width: 2; decimal: 0)
Variable Type: numeric

F43C3: f43c3 age at the 3rd marriage dissolution

Value	Label	Unweighted Frequency	%
-1	not applicable	4147	42.5 %
0	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
66	-	1	0.0 %
67	-	3	0.0 %
69	-	1	0.0 %
70	-	2	0.0 %
72	-	1	0.0 %
73	-	2	0.0 %
74	-	1	0.0 %
77	-	3	0.0 %
81	-	2	0.0 %
84	-	1	0.0 %

Value	Label	Unweighted Frequency	%
85	-	2	0.0 %
86	-	1	0.0 %
89	-	1	0.0 %
90	-	1	0.0 %
888	don't know	2	0.0 %
999	missing	15	0.2 %
	Missing Data		
.	-	5563	57.0 %
	Total	**9,765**	**100%**

Based upon 4,202 valid cases out of 9,765 total cases.

- Mean: 3.54
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 62.96

Location: 1250-1252 (width: 3; decimal: 0)
Variable Type: numeric

F43C4: f43c4 quality of the 3rd marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	4135	42.3 %
1	good	28	0.3 %
2	so so	20	0.2 %
3	bad	12	0.1 %
8	don't know	0	0.0 %
9	missing	7	0.1 %
	Missing Data		
.	-	5563	57.0 %
	Total	**9,765**	**100%**

Based upon 4,202 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1253-1254 (width: 2; decimal: 0)
Variable Type: numeric

RF43D: rf43d proxy or not for f43d1 to f43d4

Value	Label	Unweighted Frequency	%
-1	not applicable	4162	42.6 %
0	without proxy	5	0.1 %
1	with proxy	10	0.1 %
9	missing	4	0.0 %
	Missing Data		
.	-	5584	57.2 %
	Total	**9,765**	**100%**

Based upon 4,181 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1255-1256 (width: 2; decimal: 0)
Variable Type: numeric

F43D1: f43d1 age at the latest marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	4162	42.6 %
25	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
36	-	1	0.0 %
40	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
57	-	1	0.0 %
74	-	1	0.0 %
888	don't know	0	0.0 %
999	missing	6	0.1 %
	Missing Data		
.	-	5587	57.2 %
	Total	**9,765**	**100%**

Based upon 4,178 valid cases out of 9,765 total cases.

- Mean: 0.54
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00
- Standard Deviation: 37.94

Location: 1257-1259 (width: 3; decimal: 0)

Variable Type: numeric

F43D2: f43d2 current status of the latest marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	4162	42.6 %
1	married	4	0.0 %
2	divorced	1	0.0 %
3	widowed	5	0.1 %
8	don't know	0	0.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	5588	57.2 %
	Total	**9,765**	**100%**

Based upon 4,177 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1260-1261 (width: 2; decimal: 0)
Variable Type: numeric

F43D3: f43d3 age at the latest marriage dissolution

Value	Label	Unweighted Frequency	%
-1	not applicable	4164	42.6 %
48	-	1	0.0 %
54	-	1	0.0 %
62	-	1	0.0 %
68	-	1	0.0 %
75	-	1	0.0 %
84	-	1	0.0 %
888	don't know	1	0.0 %
999	missing	8	0.1 %
	Missing Data		
.	-	5586	57.2 %
	Total	**9,765**	**100%**

Based upon 4,179 valid cases out of 9,765 total cases.

- Mean: 1.22
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 999.00

- Standard Deviation: 45.89

Location: 1262-1264 (width: 3; decimal: 0)
Variable Type: numeric

F43D4: f43d4 quality of the latest marriage

Value	Label	Unweighted Frequency	%
-1	not applicable	4162	42.6 %
1	good	6	0.1 %
2	so so	1	0.0 %
3	bad	3	0.0 %
8	don't know	0	0.0 %
9	missing	7	0.1 %
	Missing Data		
.	-	5586	57.2 %
	Total	**9,765**	**100%**

Based upon 4,179 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1265-1266 (width: 2; decimal: 0)
Variable Type: numeric

RF44: rf44 proxy or not for f44

Value	Label	Unweighted Frequency	%
-1	not applicable	40	0.4 %
0	without proxy	6493	66.5 %
1	with proxy	921	9.4 %
9	missing	44	0.5 %
	Missing Data		
.	-	2267	23.2 %
	Total	**9,765**	**100%**

Based upon 7,498 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1267-1268 (width: 2; decimal: 0)
Variable Type: numeric

F44: f44 years of schooling of the latest spouse

Value	Label	Unweighted Frequency	%
-1	not applicable	40	0.4 %
0	-	5316	54.4 %
1	-	140	1.4 %
2	-	364	3.7 %
3	-	457	4.7 %
4	-	306	3.1 %
5	-	415	4.2 %
6	-	514	5.3 %
7	-	95	1.0 %
8	-	131	1.3 %
9	-	241	2.5 %
10	-	88	0.9 %
11	-	29	0.3 %
12	-	107	1.1 %
13	-	11	0.1 %
14	-	15	0.2 %
15	-	27	0.3 %
16	-	22	0.2 %
17	-	5	0.1 %
18	-	8	0.1 %
20	-	1	0.0 %
25	-	1	0.0 %
88	don't know	96	1.0 %
99	missing	47	0.5 %
	Missing Data		
.	-	1289	13.2 %
	Total	**9,765**	**100%**

Based upon 8,476 valid cases out of 9,765 total cases.

- Mean: 3.47
- Median: 0.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 99.00
- Standard Deviation: 12.01

Location: 1269-1270 (width: 2; decimal: 0)
Variable Type: numeric

RF45: rf45 proxy or not for f45

Value	Label	Unweighted Frequency	%
-1	not applicable	41	0.4 %
0	without proxy	6497	66.5 %
1	with proxy	971	9.9 %
9	missing	2	0.0 %
	Missing Data		
.	-	2254	23.1 %
	Total	**9,765**	**100%**

Based upon 7,511 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1271-1272 (width: 2; decimal: 0)
Variable Type: numeric

F45: f45 main occupation of the latest spouse before age 60

Value	Label	Unweighted Frequency	%
-1	not applicable	40	0.4 %
0	professional and technical personnel	270	2.8 %
1	governmental, institutional or managerial personnel	243	2.5 %
2	commercial, service or industrial worker	1016	10.4 %
3	professional	143	1.5 %
4	agriculture,forestry,animal husbandry or fishery worker	6038	61.8 %
5	housework	593	6.1 %
6	military personnel	50	0.5 %
7	never worked	44	0.5 %
8	others	106	1.1 %
9	missing	3	0.0 %
	Missing Data		
.	-	1219	12.5 %
	Total	**9,765**	**100%**

Based upon 8,546 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1273-1274 (width: 2; decimal: 0)
Variable Type: numeric

F45T: f45t other occupation beyond f45

Value	Label	Unweighted Frequency	%
	-	9718	99.5 %
²¹Íø	-	1	0.0 %
²»Öªµ À	-	3	0.0 %
³øÊ¦	-	1	0.0 %
´ó¶Ó»á¼Æ	-	1	0.0 %
µÅÈýÂÖ	-	1	0.0 %
·ÄÉ´	-	1	0.0 %
¸öÌå	-	5	0.1 %
¼Ç²»Çå	-	1	0.0 %
¾-ÉÌ	-	1	0.0 %
¿ªÐ¡Ö½³§	-	1	0.0 %
Ã»¹¤×÷	-	1	0.0 %
Å©³¡¿ª»Ä	-	1	0.0 %
ÉÌÒµ	-	1	0.0 %
ÉçÇø¹¤×÷ÈËÔ±	-	1	0.0 %
Éú²ú¶Ó¶Ó³¤	-	1	0.0 %
Ë°Îñ	-	1	0.0 %
Î´´ð	-	5	0.1 %
Î´»Ø´ð	-	1	0.0 %
ÎÞ	-	4	0.0 %
ÐÐ´¬	-	1	0.0 %
ÓÎ»÷Í¨Ñ¶Ô±	-	1	0.0 %
ÓæÃñ	-	5	0.1 %
ÕÕÏà	-	1	0.0 %
Ö°Ô±	-	1	0.0 %
ÖÖµØ	-	1	0.0 %
×Ô¼º¼Ò×ö¶¹¸¯	-	1	0.0 %
×öÉúÒâ	-	3	0.0 %
×öÐ¡ÂòÂô	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1275-1286 (width: 12; decimal: 0)
Variable Type: character

RF46: rf46 proxy or not for f46

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3161	32.4 %

Value	Label	Unweighted Frequency	%
1	with proxy	663	6.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	5941	60.8 %
	Total	**9,765**	**100%**

Based upon 3,824 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1287-1288 (width: 2; decimal: 0)
Variable Type: numeric

F46: f46 does your spouse have a paid job at present?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes full time	445	4.6 %
2	yes part time	370	3.8 %
3	no	2534	25.9 %
8	do not know	4	0.0 %
9	missing	2467	25.3 %
	Missing Data		
.	-	3945	40.4 %
	Total	**9,765**	**100%**

Based upon 5,820 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1289-1290 (width: 2; decimal: 0)
Variable Type: numeric

RF47: rf47 proxy or not for f47

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3164	32.4 %
1	with proxy	655	6.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	5946	60.9 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 3,819 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1291-1292 (width: 2; decimal: 0)
Variable Type: numeric

F47: f47 current health status of your spouse

Value	Label	Unweighted Frequency	%
1	very good	483	4.9 %
2	good	1146	11.7 %
3	so so	1156	11.8 %
4	bad	447	4.6 %
5	very bad	83	0.8 %
8	do not know	3	0.0 %
9	missing	2484	25.4 %
	Missing Data		
.	-	3963	40.6 %
	Total	**9,765**	**100%**

Based upon 5,802 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1293-1293 (width: 1; decimal: 0)
Variable Type: numeric

RF5: rf5 proxy or not for f5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5565	57.0 %
1	with proxy	2066	21.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2134	21.9 %
	Total	**9,765**	**100%**

Based upon 7,631 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1294-1295 (width: 2; decimal: 0)
Variable Type: numeric

F5: f5 who take care of you when you are sick?

Value	Label	Unweighted Frequency	%
1	spouse	2397	24.5 %
2	son	3552	36.4 %
3	daughter-in-law	1149	11.8 %
4	daughter	982	10.1 %
5	son-in-law	27	0.3 %
6	son and daughter	510	5.2 %
7	grandchildren	320	3.3 %
8	other relatives	127	1.3 %
9	friends and neighbors	59	0.6 %
10	social services	123	1.3 %
11	live-in care giver	149	1.5 %
12	nobody	173	1.8 %
88	don't know	4	0.0 %
99	missing	19	0.2 %
	Missing Data		
.	-	174	1.8 %
	Total	**9,765**	**100%**

Based upon 9,591 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 1296-1297 (width: 2; decimal: 0)
Variable Type: numeric

RF61: rf61 proxy or not for f61

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5532	56.7 %
1	with proxy	2159	22.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	2074	21.2 %
	Total	**9,765**	**100%**

Based upon 7,691 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1298-1299 (width: 2; decimal: 0)
Variable Type: numeric

F61: f61 get adequate medical service at present

Value	Label	Unweighted Frequency	%
1	yes	9069	92.9 %
2	no	572	5.9 %
8	do not know	2	0.0 %
9	missing	8	0.1 %
	Missing Data		
.	-	114	1.2 %
	Total	**9,765**	**100%**

Based upon 9,651 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1300-1300 (width: 1; decimal: 0)
Variable Type: numeric

RF610: rf610 proxy or not for f610

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	459	4.7 %
1	with proxy	228	2.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	9078	93.0 %
	Total	**9,765**	**100%**

Based upon 687 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1301-1302 (width: 2; decimal: 0)
Variable Type: numeric

F610: f610 main reason not to visit doctor when necessary

Value	Label	Unweighted Frequency	%
-1	not applicable (not sick)	0	0.0 %
1	no money	269	2.8 %
2	far from hospital	65	0.7 %
3	inconvenience to travel	157	1.6 %
4	nobody to go with	65	0.7 %
5	didn't want to go	113	1.2 %
6	other	32	0.3 %
8	do not know	4	0.0 %
9	missing	72	0.7 %
	Missing Data		
.	-	8988	92.0 %
	Total	**9,765**	**100%**

Based upon 777 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1303-1304 (width: 2; decimal: 0)
Variable Type: numeric

RF62: rf62 proxy or not for f62

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6507	66.6 %
1	with proxy	880	9.0 %
9	missing	48	0.5 %
	Missing Data		
.	-	2330	23.9 %
	Total	**9,765**	**100%**

Based upon 7,435 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1305-1306 (width: 2; decimal: 0)
Variable Type: numeric

F62: f62 got adequate medical treatment at around age 60

Value	Label	Unweighted Frequency	%
1	yes	6659	68.2 %

Value	Label	Unweighted Frequency	%
2	no	1029	10.5 %
8	didn't answer	347	3.6 %
9	missing	50	0.5 %
	Missing Data		
.	-	1680	17.2 %
	Total	**9,765**	**100%**

Based upon 8,085 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1307-1307 (width: 1; decimal: 0)
Variable Type: numeric

RF63: rf63 proxy or not for 63

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6581	67.4 %
1	with proxy	841	8.6 %
9	missing	7	0.1 %
	Missing Data		
.	-	2336	23.9 %
	Total	**9,765**	**100%**

Based upon 7,429 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1308-1309 (width: 2; decimal: 0)
Variable Type: numeric

F63: f63 got adequate medical treatment in childhood

Value	Label	Unweighted Frequency	%
1	yes	2611	26.7 %
2	no	4790	49.1 %
8	didn't answer	674	6.9 %
9	missing	9	0.1 %
	Missing Data		
.	-	1681	17.2 %
	Total	**9,765**	**100%**

Based upon 8,084 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1310-1310 (width: 1; decimal: 0)
Variable Type: numeric

RF64: rf64 proxy or not for f64a-f64t

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5385	55.1 %
1	with proxy	2318	23.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2062	21.1 %
	Total	**9,765**	**100%**

Based upon 7,703 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1311-1312 (width: 2; decimal: 0)
Variable Type: numeric

F64A: f64a do you have retirement pension at present

Value	Label	Unweighted Frequency	%
0	no	7870	80.6 %
1	yes	1617	16.6 %
8	do not know	6	0.1 %
9	missing	30	0.3 %
	Missing Data		
.	-	242	2.5 %
	Total	**9,765**	**100%**

Based upon 9,523 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1313-1313 (width: 1; decimal: 0)
Variable Type: numeric

F64B: f64b do you have public old-age insurance at present

Value	Label	Unweighted Frequency	%
0	no	7799	79.9 %
1	yes	1697	17.4 %
8	do not know	10	0.1 %
9	missing	3	0.0 %
	Missing Data		
.	-	256	2.6 %
	Total	**9,765**	**100%**

Based upon 9,509 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1314-1314 (width: 1; decimal: 0)
Variable Type: numeric

F64C: f64c do you have private or commercial old-age insurance at present

Value	Label	Unweighted Frequency	%
0	no	9372	96.0 %
1	yes	109	1.1 %
8	do not know	11	0.1 %
9	missing	3	0.0 %
	Missing Data		
.	-	270	2.8 %
	Total	**9,765**	**100%**

Based upon 9,495 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1315-1315 (width: 1; decimal: 0)
Variable Type: numeric

F64D: f64d do you have public free medical services at present

Value	Label	Unweighted Frequency	%
0	no	9095	93.1 %
1	yes	393	4.0 %
8	do not know	9	0.1 %
9	missing	3	0.0 %
	Missing Data		
.	-	265	2.7 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 9,500 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1316-1316 (width: 1; decimal: 0)
Variable Type: numeric

F64E1: f64e1 do you have medical insurance for urban workers at present

Value	Label	Unweighted Frequency	%
0	no	8653	88.6 %
1	yes	843	8.6 %
8	do not know	11	0.1 %
9	missing	3	0.0 %
	Missing Data		
.	-	255	2.6 %
	Total	**9,765**	**100%**

Based upon 9,510 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1317-1317 (width: 1; decimal: 0)
Variable Type: numeric

F64F1: f64f1 do you have collective medical insurance for urban residents at present

Value	Label	Unweighted Frequency	%
0	no	8837	90.5 %
1	yes	649	6.6 %
8	do not know	10	0.1 %
9	missing	3	0.0 %
	Missing Data		
.	-	266	2.7 %
	Total	**9,765**	**100%**

Based upon 9,499 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1318-1318 (width: 1; decimal: 0)
Variable Type: numeric

F64G1: f64g1 do you have the new rural cooperative medical insurance at present

Value	Label	Unweighted Frequency	%
0	no	3025	31.0 %
1	yes	6563	67.2 %
8	do not know	10	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	165	1.7 %
	Total	**9,765**	**100%**

Based upon 9,600 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1319-1319 (width: 1; decimal: 0)
Variable Type: numeric

F64H1: f64h1 do you have commercial medical insurance at present

Value	Label	Unweighted Frequency	%
0	no	9441	96.7 %
1	yes	36	0.4 %
8	do not know	12	0.1 %
9	missing	4	0.0 %
	Missing Data		
.	-	272	2.8 %
	Total	**9,765**	**100%**

Based upon 9,493 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1320-1320 (width: 1; decimal: 0)
Variable Type: numeric

F64I: f64i do you have other social security or private insurance at present

Value	Label	Unweighted Frequency	%
0	no	8264	84.6 %
1	yes	350	3.6 %
8	do not know	18	0.2 %
9	missing	35	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1098	11.2 %
	Total	**9,765**	**100%**

Based upon 8,667 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1321-1321 (width: 1; decimal: 0)
Variable Type: numeric

F64T: f64t other insurance beyond f64a-f64i

Value	Label	Unweighted Frequency	%
	-	9470	97.0 %
100ÔªÃ¿ÔÂ£¬Õþ¸®¸ø°ÙËêÀÏÈË	-	1	0.0 %
1200	-	1	0.0 %
20	-	1	0.0 %
260µÍ±£	-	1	0.0 %
300	-	1	0.0 %
570ÔªÒ»¸öÔÂ	-	1	0.0 %
60ËêÒÔºóÕþ¸®²¹Öú	-	1	0.0 %
60ËêÒÔÉÏÀÏÈË²¹Öú55Ã¿ÔÂ£¬ÒÆÃñ²¹Öú50Ã¿ÔÂ£¬°ÙËêÒÔÉÏÀÏÈË²¹Öú100	-	1	0.0 %
60ËêÒÔÉÏÀÏÈË²¹Öú¡£	-	8	0.1 %
90ËêÀÏÈË²¹Öú	-	1	0.0 %
90ËêÀÏÈËÉú»î²¹Ìù100Ôª	-	1	0.0 %
°ÙËêÀÏÄê²¹Öú½ð	-	1	0.0 %
°ÙËêÀÏÈË²¹Ìù	-	1	0.0 %
°ÙËêÀÏÈË²¹Öú	-	4	0.0 %
°ÙËêÀÏÈË¹ú¼Ò·¢200Ôª	-	1	0.0 %
°ÙËêÀÏÈË½ð1ÔÂ200Ôª	-	1	0.0 %
°ÙËêÀÏÈËÉú»î²¹Öú½ð¼°Õþ¸®²¹Öú¡£	-	1	0.0 %
°ÙËêÉú»î²¹Öú	-	1	0.0 %
°ÙËêÒÔÉÏÀÏÈËÉú»î²¹Ìù£¬Ã¿ÔÂ220Ôª	-	1	0.0 %
±±¾©ÆðÒå¾ü²¹Öú	-	1	0.0 %
±»·ÃÀÏÈË²¿·ÖÏîÄ¿²»Àí½â£¬Å®¶ù´úÎª»Ø´ð	-	1	0.0 %
²¹Öú£¨¹ú¼Ò£©	-	1	0.0 %
²»Çå³þ	-	2	0.0 %
²»ÖªµÀ	-	3	0.0 %
²Î¼ÓÅ©´å¾ÓÃñÑøÀÏ±£ÏÕ360Ã¿ÔÂ	-	1	0.0 %
²Ð¼²²¹Öú¡£	-	1	0.0 %
³¤ÊÙ±£½¡·Ñ	-	1	0.0 %

Value	Label	Unweighted Frequency	%
³ÇÊÐ¾ÓÃñ×îµÍÉú»î±£ÕÏ	-	1	0.0 %
³ÇÕò¸ßÁäÎÞ±£ÀÏÈËÒ½±£	-	1	0.0 %
´åÀïÃ¿ÔÂ¸ø510Ôª	-	1	0.0 %
´åÎ¯·¢²¹Öú¡£	-	1	0.0 %
´ó²¡±£ÏÕ	-	2	0.0 %
´ó¶ÓÀÍ±£	-	1	0.0 %
µ±µØÕþ¸®	-	3	0.0 %
µ±µØÕþ¸®²¹Öú¿¹Õ½Ó¢ÐÛ	-	1	0.0 %
µ³Ô±²¹Öú	-	1	0.0 %
µÍ±£	-	68	0.7 %
µÍ±££¨Ã¿ÔÂ50Ôª£©	-	1	0.0 %
µÍ±££¬90ËêÒÔÉÏ²¹Ìù100Ôª	-	1	0.0 %
µÍ±££¬ÒÆÃñ²¹Öú¡£	-	1	0.0 %
µÍ±£·Ñ60Ôª/ÔÂ	-	1	0.0 %
µÍ±£½ð	-	1	0.0 %
µÍ±£Ò½ÁÆ±£ÏÕ¡£	-	1	0.0 %
µÍ±£×Ô´ø±£ÏÕ¡£	-	1	0.0 %
¸£ÀûÔº	-	1	0.0 %
¸§Ðô½ð	-	3	0.0 %
¸§Ðô½ð¡£	-	1	0.0 %
¸ßÁä²¹Ìù	-	1	0.0 %
¸ßÁä²¹Öú½ð	-	2	0.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1322-1381 (width: 60; decimal: 0)
Variable Type: character

RF651A1: rf651a1 proxy or not for f651a1

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5244	53.7 %
1	with proxy	2474	25.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	2047	21.0 %
	Total	**9,765**	**100%**

Based upon 7,718 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1382-1383 (width: 2; decimal: 0)
Variable Type: numeric

F651A1: f651a1 how much money did you spend on outpatient costs last year?

Value	Label	Unweighted Frequency	%
0	-	2245	23.0 %
1	-	2	0.0 %
2	-	1	0.0 %
3	-	2	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %
10	-	14	0.1 %
15	-	2	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	35	0.4 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	34	0.3 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	13	0.1 %
50	-	95	1.0 %
52	-	2	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
60	-	25	0.3 %
65	-	1	0.0 %
67	-	1	0.0 %
69	-	1	0.0 %
70	-	11	0.1 %
75	-	1	0.0 %
80	-	24	0.2 %
86	-	1	0.0 %

Value	Label	Unweighted Frequency	%
88	-	15	0.2 %
90	-	12	0.1 %
96	-	1	0.0 %
100	-	470	4.8 %
105	-	1	0.0 %
110	-	2	0.0 %
120	-	24	0.2 %
128	-	1	0.0 %
130	-	8	0.1 %
132	-	1	0.0 %
135	-	1	0.0 %
140	-	2	0.0 %
150	-	57	0.6 %
160	-	8	0.1 %
165	-	1	0.0 %
168	-	1	0.0 %
170	-	2	0.0 %
175	-	1	0.0 %
	Missing Data		
.	-	271	2.8 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,494 valid cases out of 9,765 total cases.

- Mean: 5648.28
- Median: 500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 19484.86

Location: 1384-1388 (width: 5; decimal: 0)
Variable Type: numeric

RF651B1: rf651b1 proxy or not for f651b1

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5294	54.2 %
1	with proxy	2174	22.3 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2297	23.5 %
	Total	**9,765**	**100%**

Based upon 7,468 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1389-1390 (width: 2; decimal: 0)
Variable Type: numeric

F651B1: f651b1 how much money did your family pay for outpatient costs last year?

Value	Label	Unweighted Frequency	%
0	-	2458	25.2 %
1	-	2	0.0 %
2	-	1	0.0 %
3	-	2	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %
10	-	9	0.1 %
15	-	5	0.1 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	36	0.4 %
24	-	1	0.0 %
25	-	4	0.0 %
26	-	1	0.0 %
28	-	2	0.0 %
30	-	36	0.4 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	20	0.2 %
45	-	2	0.0 %
50	-	102	1.0 %
52	-	1	0.0 %
55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57	-	1	0.0 %
60	-	38	0.4 %
61	-	1	0.0 %
65	-	3	0.0 %
70	-	22	0.2 %
75	-	1	0.0 %
78	-	1	0.0 %
80	-	48	0.5 %
87	-	1	0.0 %
88	-	17	0.2 %
90	-	16	0.2 %
100	-	446	4.6 %
102	-	1	0.0 %
105	-	1	0.0 %
110	-	2	0.0 %
115	-	1	0.0 %
120	-	29	0.3 %
125	-	2	0.0 %
128	-	1	0.0 %
130	-	7	0.1 %
135	-	1	0.0 %
140	-	6	0.1 %
147	-	1	0.0 %
	Missing Data		
.	-	641	6.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,124 valid cases out of 9,765 total cases.

- Mean: 5061.03
- Median: 300.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 18783.80

Location: 1391-1395 (width: 5; decimal: 0)
Variable Type: numeric

RF651A2: rf651a2 proxy or not for f651a2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5287	54.1 %
1	with proxy	2168	22.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2310	23.7 %
	Total	**9,765**	**100%**

Based upon 7,455 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1396-1397 (width: 2; decimal: 0)
Variable Type: numeric

F651A2: f651a2 how much money did you spend on inpatient costs last year?

Value	Label	Unweighted Frequency	%
0	-	6409	65.6 %
1	-	2	0.0 %
10	-	2	0.0 %
20	-	3	0.0 %
30	-	3	0.0 %
40	-	2	0.0 %
50	-	6	0.1 %
60	-	1	0.0 %
80	-	3	0.0 %
88	-	16	0.2 %
90	-	1	0.0 %
100	-	21	0.2 %
130	-	1	0.0 %
150	-	2	0.0 %
200	-	48	0.5 %
240	-	2	0.0 %
250	-	1	0.0 %
300	-	39	0.4 %
320	-	1	0.0 %
330	-	1	0.0 %
350	-	2	0.0 %
380	-	1	0.0 %
400	-	21	0.2 %

Value	Label	Unweighted Frequency	%
410	-	1	0.0 %
450	-	2	0.0 %
460	-	1	0.0 %
500	-	66	0.7 %
560	-	1	0.0 %
600	-	27	0.3 %
650	-	1	0.0 %
680	-	2	0.0 %
700	-	22	0.2 %
750	-	2	0.0 %
770	-	1	0.0 %
800	-	33	0.3 %
845	-	1	0.0 %
860	-	1	0.0 %
890	-	1	0.0 %
900	-	6	0.1 %
980	-	1	0.0 %
1000	-	126	1.3 %
1050	-	1	0.0 %
1100	-	7	0.1 %
1115	-	1	0.0 %
1120	-	1	0.0 %
1150	-	1	0.0 %
1200	-	35	0.4 %
1247	-	1	0.0 %
1290	-	1	0.0 %
1297	-	1	0.0 %
	Missing Data		
.	-	657	6.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,108 valid cases out of 9,765 total cases.

- Mean: 7673.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 23436.67

Location: 1398-1402 (width: 5; decimal: 0)
Variable Type: numeric

RF651B2: rf651b2 proxy or not for f651b2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5277	54.0 %
1	with proxy	1903	19.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2585	26.5 %
	Total	**9,765**	**100%**

Based upon 7,180 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1403-1404 (width: 2; decimal: 0)
Variable Type: numeric

F651B2: f651b2 how much money did your family pay for inpatient costs last year?

Value	Label	Unweighted Frequency	%
0	-	6099	62.5 %
3	-	2	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
20	-	4	0.0 %
30	-	3	0.0 %
40	-	3	0.0 %
50	-	6	0.1 %
60	-	2	0.0 %
80	-	4	0.0 %
88	-	17	0.2 %
90	-	1	0.0 %
100	-	28	0.3 %
120	-	3	0.0 %
130	-	1	0.0 %
150	-	5	0.1 %
180	-	5	0.1 %
200	-	62	0.6 %
209	-	1	0.0 %

Value	Label	Unweighted Frequency	%
220	-	2	0.0 %
240	-	2	0.0 %
250	-	3	0.0 %
260	-	1	0.0 %
300	-	59	0.6 %
314	-	1	0.0 %
320	-	1	0.0 %
330	-	1	0.0 %
350	-	5	0.1 %
380	-	1	0.0 %
390	-	1	0.0 %
400	-	40	0.4 %
410	-	1	0.0 %
415	-	1	0.0 %
450	-	4	0.0 %
480	-	1	0.0 %
500	-	94	1.0 %
540	-	1	0.0 %
550	-	2	0.0 %
560	-	3	0.0 %
580	-	2	0.0 %
600	-	40	0.4 %
640	-	1	0.0 %
650	-	1	0.0 %
675	-	1	0.0 %
680	-	3	0.0 %
700	-	36	0.4 %
730	-	1	0.0 %
740	-	1	0.0 %
750	-	1	0.0 %
759	-	1	0.0 %
	Missing Data		
.	-	1093	11.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,672 valid cases out of 9,765 total cases.

- Mean: 7224.81

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 23455.48

Location: 1405-1409 (width: 5; decimal: 0)
Variable Type: numeric

RF6521: rf6521 proxy or not for f6521

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5334	54.6 %
1	with proxy	2371	24.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	2060	21.1 %
	Total	**9,765**	**100%**

Based upon 7,705 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1410-1411 (width: 2; decimal: 0)
Variable Type: numeric

F6521: f6521 who mainly paid the cost?

Value	Label	Unweighted Frequency	%
1	medical insurance for urban workers	990	10.1 %
2	collective medical insurance for urban residents	360	3.7 %
3	new rural cooperative medical insurance	2150	22.0 %
4	commercial medical insurance	9	0.1 %
5	self	1437	14.7 %
6	spouse	135	1.4 %
7	children/grandchildren	4216	43.2 %
8	no money to pay	35	0.4 %
9	other	220	2.3 %
	Missing Data		
.	-	213	2.2 %
	Total	**9,765**	**100%**

Based upon 9,552 valid cases out of 9,765 total cases.

- Minimum: 1.00

- Maximum: 9.00

Location: 1412-1412 (width: 1; decimal: 0)
Variable Type: numeric

F6521T: f6521t other people who mainly paid the cost

Value	Label	Unweighted Frequency	%
	-	9763	100.0 %
¾´ÀÏÔº	-	1	0.0 %
Îå±£	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1413-1418 (width: 6; decimal: 0)
Variable Type: character

RF652A: rf652a proxy or not for f652a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5281	54.1 %
1	with proxy	2481	25.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2003	20.5 %
	Total	**9,765**	**100%**

Based upon 7,762 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1419-1420 (width: 2; decimal: 0)
Variable Type: numeric

F652A: f652a how far from your home to the nearest hospital (in kilometres)?

Value	Label	Unweighted Frequency	%
0.00000000000	-	113	1.2 %
0.00999999978	-	1	0.0 %
0.10000000149	-	99	1.0 %
0.20000000298	-	90	0.9 %
0.25000000000	-	1	0.0 %
0.30000001192	-	73	0.7 %
0.40000000596	-	18	0.2 %

Value	Label	Unweighted Frequency	%
0.50000000000	-	368	3.8 %
0.60000002384	-	3	0.0 %
0.69999998808	-	8	0.1 %
0.80000001192	-	4	0.0 %
1.00000000000	-	5129	52.5 %
1.10000002384	-	8	0.1 %
1.39999997616	-	1	0.0 %
1.50000000000	-	60	0.6 %
1.60000002384	-	1	0.0 %
1.70000004768	-	1	0.0 %
2.00000000000	-	1710	17.5 %
2.09999990463	-	7	0.1 %
2.50000000000	-	12	0.1 %
3.00000000000	-	714	7.3 %
3.50000000000	-	4	0.0 %
4.00000000000	-	296	3.0 %
4.09999990464	-	1	0.0 %
5.00000000000	-	392	4.0 %
5.09999990464	-	1	0.0 %
6.00000000000	-	119	1.2 %
7.00000000000	-	49	0.5 %
7.50000000000	-	3	0.0 %
8.00000000000	-	57	0.6 %
9.00000000000	-	13	0.1 %
10.00000000000	-	89	0.9 %
10.10000038147	-	3	0.0 %
10.19999980927	-	1	0.0 %
10.50000000000	-	1	0.0 %
11.00000000000	-	4	0.0 %
11.19999980927	-	2	0.0 %
12.00000000000	-	12	0.1 %
13.00000000000	-	4	0.0 %
14.00000000000	-	3	0.0 %
15.00000000000	-	38	0.4 %
16.00000000000	-	2	0.0 %
17.00000000000	-	2	0.0 %
18.00000000000	-	1	0.0 %
20.00000000000	-	14	0.1 %
20.10000038147	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.20000076294	-	3	0.0 %
21.20000076294	-	2	0.0 %
25.00000000000	-	3	0.0 %
26.00000000000	-	2	0.0 %
	Missing Data		
.	-	148	1.5 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,617 valid cases out of 9,765 total cases.

- Mean: 2.54774462321
- Median: 1.00000000000
- Mode: 1.00000000000
- Minimum: 0.00000000000
- Maximum: 400.00000000000
- Standard Deviation: 8.41709839531

Location: 1421-1435 (width: 15; decimal: 11)
Variable Type: numeric

RF652B: rf652b proxy or not for f652b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5413	55.4 %
1	with proxy	2319	23.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2033	20.8 %
	Total	**9,765**	**100%**

Based upon 7,732 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1436-1437 (width: 2; decimal: 0)
Variable Type: numeric

F652B: f652b do you have regular phycial examination once every year?

Value	Label	Unweighted Frequency	%
1	yes	2975	30.5 %

Value	Label	Unweighted Frequency	%
2	no	6694	68.6 %
8	do not know	5	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	91	0.9 %
	Total	**9,765**	**100%**

Based upon 9,674 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1438-1438 (width: 1; decimal: 0)
Variable Type: numeric

RF66: rf66 proxy or not for f66

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6530	66.9 %
1	with proxy	1060	10.9 %
9	missing	1	0.0 %
	Missing Data		
.	-	2174	22.3 %
	Total	**9,765**	**100%**

Based upon 7,591 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1439-1440 (width: 2; decimal: 0)
Variable Type: numeric

F66: f66 often went to bed hungry as a child

Value	Label	Unweighted Frequency	%
1	yes	6446	66.0 %
2	no	2068	21.2 %
8	don't know	333	3.4 %
9	missing	1	0.0 %
	Missing Data		
.	-	917	9.4 %
	Total	**9,765**	**100%**

Based upon 8,848 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1441-1441 (width: 1; decimal: 0)
Variable Type: numeric

RF71: rf71 proxy or not for f71

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5610	57.5 %
1	with proxy	2086	21.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2069	21.2 %
	Total	**9,765**	**100%**

Based upon 7,696 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1442-1443 (width: 2; decimal: 0)
Variable Type: numeric

F71: f71 mother alive or not

Value	Label	Unweighted Frequency	%
1	yes	420	4.3 %
2	no	9200	94.2 %
8	don't know	2	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	142	1.5 %
	Total	**9,765**	**100%**

Based upon 9,623 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1444-1444 (width: 1; decimal: 0)
Variable Type: numeric

RF721: rf721 proxy or not for f721

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	123	1.3 %
1	with proxy	71	0.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	9571	98.0 %
	Total	**9,765**	**100%**

Based upon 194 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1445-1446 (width: 2; decimal: 0)
Variable Type: numeric

F721: f721 mother's age if alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
2	-	4	0.0 %
4	-	1	0.0 %
53	-	1	0.0 %
58	-	1	0.0 %
65	-	1	0.0 %
73	-	1	0.0 %
80	-	1	0.0 %
83	-	2	0.0 %
84	-	1	0.0 %
86	-	5	0.1 %
87	-	1	0.0 %
88	-	9	0.1 %
89	-	6	0.1 %
90	-	14	0.1 %
91	-	7	0.1 %
92	-	8	0.1 %
93	-	10	0.1 %
94	-	7	0.1 %
95	-	10	0.1 %
96	-	7	0.1 %
97	-	5	0.1 %
98	-	3	0.0 %

Value	Label	Unweighted Frequency	%
99	-	4	0.0 %
100	-	57	0.6 %
101	-	61	0.6 %
102	-	73	0.7 %
103	-	42	0.4 %
104	-	37	0.4 %
105	-	31	0.3 %
106	-	18	0.2 %
107	-	10	0.1 %
108	-	6	0.1 %
109	-	5	0.1 %
110	-	7	0.1 %
111	-	1	0.0 %
115	-	2	0.0 %
117	-	2	0.0 %
118	-	1	0.0 %
120	-	1	0.0 %
121	-	1	0.0 %
122	-	1	0.0 %
127	-	1	0.0 %
130	-	1	0.0 %
202	-	1	0.0 %
212	-	1	0.0 %
888	don't know	40	0.4 %
999	missing	21	0.2 %
	Missing Data		
.	-	9235	94.6 %
	Total	**9,765**	**100%**

Based upon 530 valid cases out of 9,765 total cases.

- Mean: 195.01
- Median: 102.00
- Mode: 102.00
- Minimum: 2.00
- Maximum: 999.00
- Standard Deviation: 264.89

Location: 1447-1449 (width: 3; decimal: 0)
Variable Type: numeric

RF722: rf722 proxy or not for f722

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5311	54.4 %
1	with proxy	1616	16.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2838	29.1 %
	Total	**9,765**	**100%**

Based upon 6,927 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1450-1451 (width: 2; decimal: 0)
Variable Type: numeric

F722: f722 mother's age at death

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	1	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	10	0.1 %
24	-	4	0.0 %
25	-	7	0.1 %
26	-	10	0.1 %
27	-	7	0.1 %
28	-	7	0.1 %
29	-	5	0.1 %
30	-	12	0.1 %
31	-	7	0.1 %
32	-	5	0.1 %
33	-	9	0.1 %
34	-	5	0.1 %
35	-	12	0.1 %
36	-	1	0.0 %
37	-	5	0.1 %
38	-	11	0.1 %

Value	Label	Unweighted Frequency	%
39	-	4	0.0 %
40	-	9	0.1 %
41	-	4	0.0 %
42	-	6	0.1 %
43	-	3	0.0 %
44	-	5	0.1 %
45	-	13	0.1 %
46	-	12	0.1 %
47	-	11	0.1 %
48	-	12	0.1 %
49	-	6	0.1 %
50	-	22	0.2 %
51	-	7	0.1 %
52	-	11	0.1 %
53	-	5	0.1 %
54	-	9	0.1 %
55	-	14	0.1 %
56	-	13	0.1 %
57	-	4	0.0 %
58	-	8	0.1 %
59	-	6	0.1 %
60	-	28	0.3 %
61	-	9	0.1 %
62	-	17	0.2 %
63	-	14	0.1 %
64	-	10	0.1 %
65	-	22	0.2 %
	Missing Data		
.	-	8142	83.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,623 valid cases out of 9,765 total cases.

- Mean: 280.88
- Median: 84.00
- Mode: 888.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 358.31

Location: 1452-1454 (width: 3; decimal: 0)
Variable Type: numeric

F722A: f722a if passed away, did she pass away after the date of 2008/2009 survey?

Value	Label	Unweighted Frequency	%
1	yes	136	1.4 %
2	no	6586	67.4 %
8	don't know	9	0.1 %
9	missing	6	0.1 %
	Missing Data		
.	-	3028	31.0 %
	Total	**9,765**	**100%**

Based upon 6,737 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1455-1455 (width: 1; decimal: 0)
Variable Type: numeric

RF73: rf73 proxy or not for f73

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	367	3.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	9398	96.2 %
	Total	**9,765**	**100%**

Based upon 367 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1456-1457 (width: 2; decimal: 0)
Variable Type: numeric

F73: f73 respondent's age at mother's death

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
1	-	11	0.1 %

Value	Label	Unweighted Frequency	%
2	-	15	0.2 %
3	-	31	0.3 %
4	-	12	0.1 %
5	-	21	0.2 %
6	-	8	0.1 %
7	-	14	0.1 %
8	-	19	0.2 %
9	-	13	0.1 %
10	-	16	0.2 %
11	-	10	0.1 %
12	-	22	0.2 %
13	-	12	0.1 %
14	-	11	0.1 %
15	-	23	0.2 %
16	-	11	0.1 %
17	-	14	0.1 %
18	-	10	0.1 %
19	-	8	0.1 %
20	-	31	0.3 %
21	-	14	0.1 %
22	-	14	0.1 %
23	-	7	0.1 %
24	-	11	0.1 %
25	-	23	0.2 %
26	-	19	0.2 %
27	-	14	0.1 %
28	-	22	0.2 %
29	-	10	0.1 %
30	-	38	0.4 %
31	-	6	0.1 %
32	-	20	0.2 %
33	-	11	0.1 %
34	-	14	0.1 %
35	-	33	0.3 %
36	-	16	0.2 %
37	-	19	0.2 %
38	-	23	0.2 %
39	-	8	0.1 %
40	-	61	0.6 %

Value	Label	Unweighted Frequency	%
41	-	15	0.2 %
42	-	28	0.3 %
43	-	24	0.2 %
44	-	12	0.1 %
45	-	51	0.5 %
46	-	22	0.2 %
47	-	22	0.2 %
48	-	27	0.3 %
	Missing Data		
.	-	6791	69.5 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,974 valid cases out of 9,765 total cases.

- Mean: 223.29
- Median: 65.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 345.58

Location: 1458-1460 (width: 3; decimal: 0)
Variable Type: numeric

RF74: rf74 proxy or not for f74

Value	Label	Unweighted Frequency	%
0	without proxy	6397	65.5 %
1	with proxy	1145	11.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2223	22.8 %
	Total	**9,765**	**100%**

Based upon 7,542 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1461-1461 (width: 1; decimal: 0)
Variable Type: numeric

F74: f74 how many years did your mother attend school?

Value	Label	Unweighted Frequency	%
0	-	8311	85.1 %
1	-	26	0.3 %
2	-	57	0.6 %
3	-	44	0.5 %
4	-	15	0.2 %
5	-	15	0.2 %
6	-	22	0.2 %
7	-	1	0.0 %
8	-	3	0.0 %
9	-	7	0.1 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	4	0.0 %
20	-	1	0.0 %
88	don't know	121	1.2 %
99	missing	1	0.0 %
	Missing Data		
.	-	1135	11.6 %
	Total	**9,765**	**100%**

Based upon 8,630 valid cases out of 9,765 total cases.

- Mean: 1.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 10.41

Location: 1462-1463 (width: 2; decimal: 0)
Variable Type: numeric

RF81: rf81 proxy or not for f81

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5635	57.7 %
1	with proxy	1973	20.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2157	22.1 %
	Total	**9,765**	**100%**

Based upon 7,608 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1464-1465 (width: 2; decimal: 0)
Variable Type: numeric

F81: f81 father alive or not

Value	Label	Unweighted Frequency	%
1	yes	72	0.7 %
2	no	9489	97.2 %
8	don't know	4	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	199	2.0 %
	Total	**9,765**	**100%**

Based upon 9,566 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1466-1466 (width: 1; decimal: 0)
Variable Type: numeric

RF821: rf821 proxy or not for f821

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	60	0.6 %
1	with proxy	47	0.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	9658	98.9 %
	Total	**9,765**	**100%**

Based upon 107 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1467-1468 (width: 2; decimal: 0)
Variable Type: numeric

F821: f821 father's age if alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
2	-	2	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
20	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
40	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
50	-	1	0.0 %
65	-	1	0.0 %
70	-	2	0.0 %
72	-	1	0.0 %
75	-	3	0.0 %
76	-	1	0.0 %
78	-	2	0.0 %
79	-	2	0.0 %
80	-	3	0.0 %
82	-	1	0.0 %
86	-	2	0.0 %
87	-	1	0.0 %
88	-	5	0.1 %
89	-	1	0.0 %
90	-	5	0.1 %
91	-	1	0.0 %
92	-	2	0.0 %
93	-	1	0.0 %
94	-	1	0.0 %
95	-	3	0.0 %
96	-	3	0.0 %
97	-	3	0.0 %
98	-	3	0.0 %
99	-	4	0.0 %
100	-	9	0.1 %
101	-	15	0.2 %
102	-	10	0.1 %
103	-	10	0.1 %

Value	Label	Unweighted Frequency	%
104	-	4	0.0 %
105	-	6	0.1 %
106	-	2	0.0 %
108	-	2	0.0 %
109	-	1	0.0 %
110	-	2	0.0 %
111	-	1	0.0 %
112	-	2	0.0 %
115	-	2	0.0 %
116	-	4	0.0 %
117	-	1	0.0 %
	Missing Data		
.	-	9556	97.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 209 valid cases out of 9,765 total cases.

- Mean: 342.89
- Median: 103.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 385.05

Location: 1469-1471 (width: 3; decimal: 0)
Variable Type: numeric

RF822: rf822 proxy or not for f822

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5378	55.1 %
1	with proxy	1564	16.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	2823	28.9 %
	Total	**9,765**	**100%**

Based upon 6,942 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1472-1473 (width: 2; decimal: 0)
Variable Type: numeric

F822: f822 father's age at death

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
7	-	1	0.0 %
20	-	4	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	5	0.1 %
24	-	3	0.0 %
25	-	10	0.1 %
26	-	6	0.1 %
27	-	5	0.1 %
28	-	8	0.1 %
29	-	7	0.1 %
30	-	20	0.2 %
31	-	8	0.1 %
32	-	11	0.1 %
33	-	8	0.1 %
34	-	4	0.0 %
35	-	15	0.2 %
36	-	12	0.1 %
37	-	19	0.2 %
38	-	17	0.2 %
39	-	11	0.1 %
40	-	22	0.2 %
41	-	13	0.1 %
42	-	22	0.2 %
43	-	10	0.1 %
44	-	11	0.1 %
45	-	12	0.1 %
46	-	15	0.2 %
47	-	8	0.1 %
48	-	17	0.2 %
49	-	11	0.1 %
50	-	19	0.2 %
51	-	12	0.1 %
52	-	22	0.2 %

Value	Label	Unweighted Frequency	%
53	-	14	0.1 %
54	-	15	0.2 %
55	-	19	0.2 %
56	-	15	0.2 %
57	-	10	0.1 %
58	-	17	0.2 %
59	-	11	0.1 %
60	-	44	0.5 %
61	-	17	0.2 %
62	-	18	0.2 %
63	-	24	0.2 %
64	-	18	0.2 %
65	-	32	0.3 %
66	-	15	0.2 %
67	-	15	0.2 %
	Missing Data		
.	-	7928	81.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,837 valid cases out of 9,765 total cases.

- Mean: 274.10
- Median: 77.00
- Mode: 888.00
- Minimum: 7.00
- Maximum: 999.00
- Standard Deviation: 359.89

Location: 1474-1476 (width: 3; decimal: 0)
Variable Type: numeric

F822A: f822a if passed away, did he pass away after the date of 2008/2009 survey?

Value	Label	Unweighted Frequency	%
1	yes	65	0.7 %
2	no	6666	68.3 %
8	don't know	9	0.1 %
9	missing	8	0.1 %
	Missing Data		
.	-	3017	30.9 %
	Total	**9,765**	**100%**

Based upon 6,748 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1477-1477 (width: 1; decimal: 0)
Variable Type: numeric

RF83: rf83 proxy or not for f83

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	341	3.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	9424	96.5 %
	Total	**9,765**	**100%**

Based upon 341 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1478-1479 (width: 2; decimal: 0)
Variable Type: numeric

F83: f83 respondent's age at father's death

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	9	0.1 %
1	-	23	0.2 %
2	-	15	0.2 %
3	-	26	0.3 %
4	-	16	0.2 %
5	-	19	0.2 %
6	-	16	0.2 %
7	-	25	0.3 %
8	-	26	0.3 %
9	-	29	0.3 %
10	-	33	0.3 %
11	-	14	0.1 %
12	-	28	0.3 %
13	-	22	0.2 %
14	-	23	0.2 %

Value	Label	Unweighted Frequency	%
15	-	25	0.3 %
16	-	26	0.3 %
17	-	17	0.2 %
18	-	34	0.3 %
19	-	19	0.2 %
20	-	48	0.5 %
21	-	18	0.2 %
22	-	30	0.3 %
23	-	17	0.2 %
24	-	26	0.3 %
25	-	31	0.3 %
26	-	17	0.2 %
27	-	22	0.2 %
28	-	32	0.3 %
29	-	14	0.1 %
30	-	62	0.6 %
31	-	14	0.1 %
32	-	33	0.3 %
33	-	20	0.2 %
34	-	18	0.2 %
35	-	39	0.4 %
36	-	25	0.3 %
37	-	25	0.3 %
38	-	32	0.3 %
39	-	18	0.2 %
40	-	80	0.8 %
41	-	17	0.2 %
42	-	49	0.5 %
43	-	24	0.2 %
44	-	10	0.1 %
45	-	60	0.6 %
46	-	20	0.2 %
47	-	23	0.2 %
48	-	27	0.3 %
	Missing Data		
.	-	6571	67.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,194 valid cases out of 9,765 total cases.

- Mean: 222.42
- Median: 56.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 352.92

Location: 1480-1482 (width: 3; decimal: 0)
Variable Type: numeric

RF84: rf84 proxy or not for f84

Value	Label	Unweighted Frequency	%
0	without proxy	6653	68.1 %
1	with proxy	917	9.4 %
9	missing	12	0.1 %
	Missing Data		
.	-	2183	22.4 %
	Total	**9,765**	**100%**

Based upon 7,582 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1483-1483 (width: 1; decimal: 0)
Variable Type: numeric

F84: f84 father's main occupation before age 60

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	professional and technical personnel	170	1.7 %
1	governmental, institutional or managerial personnel	67	0.7 %
2	commercial, service or industrial worker	493	5.0 %
3	self-employed	238	2.4 %
4	agriculture,forestry,animal husbandry or fishery worker	7419	76.0 %
5	housework	97	1.0 %
6	military personnel	55	0.6 %
7	never worked	20	0.2 %
8	others	201	2.1 %
9	missing	18	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	987	10.1 %
	Total	**9,765**	**100%**

Based upon 8,778 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1484-1485 (width: 2; decimal: 0)
Variable Type: numeric

F84T: f84t other occupation beyond f84

Value	Label	Unweighted Frequency	%
	-	9694	99.3 %
6ËêÊ±±»Ë	-	1	0.0 %
°ÚÐ¡Ì¯	-	1	0.0 %
²»¼ÇµÃ	-	1	0.0 %
²»Çå³þ	-	2	0.0 %
²»Öª	-	1	0.0 %
²»ÖªµÀ	-	5	0.1 %
²»ÖªÈ¥ÏÌò	-	1	0.0 %
²Ã·ì	-	2	0.0 %
³¤¹¤	-	1	0.0 %
³Å´¬	-	1	0.0 %
µØÏÂ¹²²ú	-	1	0.0 %
µØÖ÷	-	1	0.0 %
¸öÌå	-	1	0.0 %
¸öÌå»§	-	3	0.0 %
¹ú¼Ò¸É²¿	-	1	0.0 %
º£ÔË	-	1	0.0 %
»ªÇÈ	-	1	0.0 %
¼Ç²»Çå	-	2	0.0 %
½º¼ÃÌúÂ·¹ÜÀíÈËÔ±	-	1	0.0 %
¾-ÉÌ	-	2	0.0 %
¾-Óª	-	1	0.0 %
ÀÏ°å	-	1	0.0 %
ÂòÂôÈË	-	1	0.0 %
Ä¾½³	-	2	0.0 %
ÉÌÈË	-	3	0.0 %
ÉÏº£²¶ÀÌ	-	1	0.0 %
ÉúÒâ	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Ë¾»ú	-	1	0.0 %
Ìô·ò	-	1	0.0 %
Î´´ð	-	1	0.0 %
ÎÄÔ±	-	1	0.0 %
ÎÞ	-	2	0.0 %
ÏÂº£ÍøÓã	-	1	0.0 %
ÏØÀïÃØÊé	-	1	0.0 %
Ïë²»Çå	-	1	0.0 %
Ð¡ÉÌÈË	-	1	0.0 %
Ð¡ÉúÒâ	-	1	0.0 %
ÓæÃñ	-	12	0.1 %
Öª¸®	-	1	0.0 %
×ö¶¹¸¯	-	1	0.0 %
×öÂòÂô	-	2	0.0 %
×öÉúÒâ	-	3	0.0 %
×öÐ¡ÂòÂô	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1486-1501 (width: 16; decimal: 0)
Variable Type: character

RF85: rf85 proxy or not for f85

Value	Label	Unweighted Frequency	%
0	without proxy	6555	67.1 %
1	with proxy	1028	10.5 %
9	missing	1	0.0 %
	Missing Data		
.	-	2181	22.3 %
	Total	**9,765**	**100%**

Based upon 7,584 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1502-1502 (width: 1; decimal: 0)
Variable Type: numeric

F85: f85 father's main occupation in your childhood

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	professional and technical personnel	160	1.6 %
1	governmental, institutional or managerial personnel	60	0.6 %
2	commercial, service or industrial worker	440	4.5 %
3	self-employed	287	2.9 %
4	agriculture,forestry,animal husbandry or fishery worker	7448	76.3 %
5	housework	99	1.0 %
6	military personnel	40	0.4 %
7	never worked	33	0.3 %
8	others	207	2.1 %
9	missing	4	0.0 %
	Missing Data		
.	-	987	10.1 %
	Total	**9,765**	**100%**

Based upon 8,778 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1503-1504 (width: 2; decimal: 0)
Variable Type: numeric

F85T: f85t other occupation beyond f85

Value	Label	Unweighted Frequency	%
	-	9694	99.3 %
6ËêÊ±±»ËÍ¸ø±ðÈË	-	1	0.0 %
°ÚÐ¡Ì¯	-	1	0.0 %
²»¼ÇµÃ	-	1	0.0 %
²»Çå³þ	-	2	0.0 %
²»Öª	-	1	0.0 %
²»ÖªµÀ	-	4	0.0 %
²Ã·ì	-	2	0.0 %
³¤¹¤	-	1	0.0 %
³Å´¬	-	1	0.0 %
´òÌú	-	1	0.0 %
´òÓã	-	1	0.0 %
µØÏÂµ³Ô±	-	1	0.0 %
µØÏÂ¹²úµ³	-	1	0.0 %
µØÖ÷	-	1	0.0 %
¸öÌå	-	1	0.0 %

Value	Label	Unweighted Frequency	%
¸öÌå»§	-	3	0.0 %
º£ÔË	-	1	0.0 %
º¡¾ü	-	1	0.0 %
»ªÇÈ	-	1	0.0 %
¼Ç²»Çå	-	1	0.0 %
½º¼ÃÌúÂ·¹ÜÀíÈËÔ±	-	1	0.0 %
¾-ÉÌ	-	2	0.0 %
¾-Óª	-	1	0.0 %
ÀÏ°å	-	1	0.0 %
ÂòÂôÈË	-	1	0.0 %
Ä¾½³	-	1	0.0 %
ÉÌÈË	-	4	0.0 %
Éú²ú¶Ó»á¼Æ	-	1	0.0 %
ÉúÒâ	-	1	0.0 %
Ëµ²»Çå	-	1	0.0 %
Ë¾»ú	-	1	0.0 %
Ìô·ò	-	1	0.0 %
Î´´ð	-	1	0.0 %
ÎÄÔ±	-	1	0.0 %
ÎÞ	-	1	0.0 %
ÏÂº£ÍøÓã	-	1	0.0 %
ÏØÀïÃØÊé	-	1	0.0 %
Ïë²»Çå	-	1	0.0 %
Ð¡ÉÌÈË	-	1	0.0 %
Ð¡ÉúÒâ	-	1	0.0 %
ÓæÃñ	-	13	0.1 %
Öª¸®	-	1	0.0 %
×ö¶¹¸¯	-	1	0.0 %
×öÂòÂô	-	2	0.0 %
×öÉúÒâ	-	2	0.0 %
×öÐ¡ÂòÂô	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 1505-1520 (width: 16; decimal: 0)
Variable Type: character

RF86: rf86 proxy or not for f86

Value	Label	Unweighted Frequency	%
0	without proxy	6584	67.4 %
1	with proxy	969	9.9 %
9	missing	2	0.0 %
	Missing Data		
.	-	2210	22.6 %
	Total	**9,765**	**100%**

Based upon 7,555 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1521-1521 (width: 1; decimal: 0)
Variable Type: numeric

F86: f86 years of schooling your father received

Value	Label	Unweighted Frequency	%
0	-	6973	71.4 %
1	-	99	1.0 %
2	-	273	2.8 %
3	-	313	3.2 %
4	-	168	1.7 %
5	-	219	2.2 %
6	-	210	2.2 %
7	-	35	0.4 %
8	-	51	0.5 %
9	-	24	0.2 %
10	-	67	0.7 %
11	-	5	0.1 %
12	-	25	0.3 %
13	-	4	0.0 %
14	-	3	0.0 %
15	-	5	0.1 %
16	-	6	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	3	0.0 %
44	-	1	0.0 %
88	don't know	226	2.3 %
99	missing	4	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1049	10.7 %
	Total	**9,765**	**100%**

Based upon 8,716 valid cases out of 9,765 total cases.

- Mean: 3.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 14.17

Location: 1522-1523 (width: 2; decimal: 0)
Variable Type: numeric

RF9: rf9 proxy or not for f9

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6348	65.0 %
1	with proxy	1027	10.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2390	24.5 %
	Total	**9,765**	**100%**

Based upon 7,375 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1524-1525 (width: 2; decimal: 0)
Variable Type: numeric

F9: f9 number of biological siblings

Value	Label	Unweighted Frequency	%
0	-	573	5.9 %
1	-	932	9.5 %
2	-	1298	13.3 %
3	-	1477	15.1 %
4	-	1243	12.7 %
5	-	841	8.6 %
6	-	485	5.0 %
7	-	278	2.8 %
8	-	107	1.1 %

Value	Label	Unweighted Frequency	%
9	-	70	0.7 %
10	-	7	0.1 %
11	-	5	0.1 %
12	-	5	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
88	don't know	52	0.5 %
99	missing	0	0.0 %
	Missing Data		
.	-	2390	24.5 %
	Total	**9,765**	**100%**

Based upon 7,375 valid cases out of 9,765 total cases.

- Mean: 3.83
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 7.37

Location: 1526-1527 (width: 2; decimal: 0)
Variable Type: numeric

F9A: f9a number of biological siblings alive

Value	Label	Unweighted Frequency	%
0	-	3058	31.3 %
1	-	1617	16.6 %
2	-	1144	11.7 %
3	-	753	7.7 %
4	-	375	3.8 %
5	-	219	2.2 %
6	-	88	0.9 %
7	-	30	0.3 %
8	-	16	0.2 %
9	-	5	0.1 %
10	-	1	0.0 %
88	don't know	56	0.6 %
99	missing	13	0.1 %
	Missing Data		
.	-	2390	24.5 %
	Total	**9,765**	**100%**

Based upon 7,375 valid cases out of 9,765 total cases.

- Mean: 2.16
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 8.69

Location: 1528-1529 (width: 2; decimal: 0)
Variable Type: numeric

RF901: rf901 proxy or not for f901

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5548	56.8 %
1	with proxy	1668	17.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	2549	26.1 %
	Total	**9,765**	**100%**

Based upon 7,216 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1530-1531 (width: 2; decimal: 0)
Variable Type: numeric

F901: f901 number of biological brothers alive at present

Value	Label	Unweighted Frequency	%
0	-	4383	44.9 %
1	-	1567	16.0 %
2	-	695	7.1 %
3	-	328	3.4 %
4	-	125	1.3 %
5	-	38	0.4 %
6	-	17	0.2 %
7	-	4	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
30	-	2	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
52	-	1	0.0 %
60	-	1	0.0 %
69	-	1	0.0 %
76	-	1	0.0 %
88	do not know	20	0.2 %
99	missing	14	0.1 %
	Missing Data		
.	-	2558	26.2 %
	Total	**9,765**	**100%**

Based upon 7,207 valid cases out of 9,765 total cases.

- Mean: 1.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.64

Location: 1532-1533 (width: 2; decimal: 0)
Variable Type: numeric

RF901A: rf901a proxy or not for f901a-f901b3

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2624	26.9 %
1	with proxy	447	4.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	6694	68.6 %
	Total	**9,765**	**100%**

Based upon 3,071 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1534-1535 (width: 2; decimal: 0)
Variable Type: numeric

F901A: f901a are there any biological brothers aged 80+ alive at present?

Value	Label	Unweighted Frequency	%
1	yes	1022	10.5 %
2	no	2004	20.5 %
8	do not know	17	0.2 %
9	missing	16	0.2 %
	Missing Data		
.	-	6706	68.7 %
	Total	**9,765**	**100%**

Based upon 3,059 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1536-1536 (width: 1; decimal: 0)
Variable Type: numeric

F901B1: f901b1 age of the oldest biological brother alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
2	-	1	0.0 %
79	-	1	0.0 %
80	-	115	1.2 %
81	-	80	0.8 %
82	-	102	1.0 %
83	-	97	1.0 %
84	-	86	0.9 %
85	-	80	0.8 %
86	-	76	0.8 %
87	-	55	0.6 %
88	-	51	0.5 %
89	-	33	0.3 %
90	-	54	0.6 %
91	-	25	0.3 %
92	-	29	0.3 %
93	-	24	0.2 %
94	-	17	0.2 %
95	-	16	0.2 %
96	-	22	0.2 %
97	-	13	0.1 %

Value	Label	Unweighted Frequency	%
98	-	9	0.1 %
99	-	8	0.1 %
100	-	4	0.0 %
102	-	4	0.0 %
103	-	1	0.0 %
104	-	1	0.0 %
105	-	1	0.0 %
106	-	1	0.0 %
888	do not know	10	0.1 %
999	missing	36	0.4 %
	Missing Data		
.	-	8713	89.2 %
	Total	**9,765**	**100%**

Based upon 1,052 valid cases out of 9,765 total cases.

- Mean: 124.73
- Median: 85.00
- Mode: 80.00
- Minimum: 2.00
- Maximum: 999.00
- Standard Deviation: 182.21

Location: 1537-1539 (width: 3; decimal: 0)
Variable Type: numeric

F901B2: f901b2 age of the second oldest biological brother alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
76	-	3	0.0 %
77	-	2	0.0 %
78	-	4	0.0 %
79	-	4	0.0 %
80	-	32	0.3 %
81	-	16	0.2 %
82	-	20	0.2 %
83	-	16	0.2 %

Value	Label	Unweighted Frequency	%
84	-	11	0.1 %
85	-	15	0.2 %
86	-	8	0.1 %
87	-	7	0.1 %
88	-	7	0.1 %
89	-	6	0.1 %
90	-	6	0.1 %
91	-	7	0.1 %
92	-	3	0.0 %
94	-	2	0.0 %
102	-	1	0.0 %
888	do not know	11	0.1 %
999	missing	187	1.9 %
	Missing Data		
.	-	9390	96.2 %
	Total	**9,765**	**100%**

Based upon 375 valid cases out of 9,765 total cases.

- Mean: 562.90
- Median: 888.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 455.78

Location: 1540-1542 (width: 3; decimal: 0)
Variable Type: numeric

F901B3: f901b3 age of the third oldest biological brother alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
62	-	1	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
77	-	2	0.0 %
80	-	4	0.0 %
81	-	3	0.0 %
82	-	3	0.0 %

Value	Label	Unweighted Frequency	%
83	-	1	0.0 %
84	-	3	0.0 %
86	-	2	0.0 %
91	-	1	0.0 %
888	do not know	10	0.1 %
999	missing	219	2.2 %
	Missing Data		
.	-	9509	97.4 %
	Total	**9,765**	**100%**

Based upon 256 valid cases out of 9,765 total cases.

- Mean: 896.77
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 285.09

Location: 1543-1545 (width: 3; decimal: 0)
Variable Type: numeric

RF902: rf902 proxy or not for f902

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5566	57.0 %
1	with proxy	1585	16.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2614	26.8 %
	Total	**9,765**	**100%**

Based upon 7,151 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1546-1547 (width: 2; decimal: 0)
Variable Type: numeric

F902: f902 number of biological sisters alive at present

Value	Label	Unweighted Frequency	%
0	-	4404	45.1 %
1	-	1555	15.9 %

Value	Label	Unweighted Frequency	%
2	-	704	7.2 %
3	-	287	2.9 %
4	-	98	1.0 %
5	-	35	0.4 %
6	-	11	0.1 %
7	-	2	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
20	-	5	0.1 %
21	-	2	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
88	do not know	22	0.2 %
99	missing	17	0.2 %
	Missing Data		
.	-	2617	26.8 %
	Total	**9,765**	**100%**

Based upon 7,148 valid cases out of 9,765 total cases.

- Mean: 1.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.93

Location: 1548-1549 (width: 2; decimal: 0)
Variable Type: numeric

RF902A: rf902a proxy or not for f902a-f902b3

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2644	27.1 %
1	with proxy	403	4.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	6718	68.8 %
	Total	**9,765**	**100%**

Based upon 3,047 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1550-1551 (width: 2; decimal: 0)
Variable Type: numeric

F902A: f902a are there any biological sisters aged 80+ alive at present?

Value	Label	Unweighted Frequency	%
1	yes	1128	11.6 %
2	no	1881	19.3 %
8	do not know	18	0.2 %
9	missing	12	0.1 %
	Missing Data		
.	-	6726	68.9 %
	Total	**9,765**	**100%**

Based upon 3,039 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1552-1552 (width: 1; decimal: 0)
Variable Type: numeric

F902B1: f902b1 age of the oldest biological sister alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
79	-	1	0.0 %
80	-	130	1.3 %
81	-	75	0.8 %
82	-	121	1.2 %
83	-	95	1.0 %
84	-	78	0.8 %
85	-	85	0.9 %
86	-	74	0.8 %
87	-	63	0.6 %
88	-	54	0.6 %
89	-	35	0.4 %
90	-	78	0.8 %
91	-	24	0.2 %
92	-	49	0.5 %
93	-	29	0.3 %

Value	Label	Unweighted Frequency	%
94	-	17	0.2 %
95	-	27	0.3 %
96	-	13	0.1 %
97	-	15	0.2 %
98	-	12	0.1 %
99	-	6	0.1 %
100	-	8	0.1 %
101	-	3	0.0 %
102	-	4	0.0 %
103	-	3	0.0 %
104	-	2	0.0 %
105	-	1	0.0 %
106	-	2	0.0 %
110	-	1	0.0 %
112	-	1	0.0 %
888	do not know	18	0.2 %
999	missing	30	0.3 %
	Missing Data		
.	-	8610	88.2 %
	Total	**9,765**	**100%**

Based upon 1,155 valid cases out of 9,765 total cases.

- Mean: 122.44
- Median: 85.00
- Mode: 80.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 174.38

Location: 1553-1555 (width: 3; decimal: 0)
Variable Type: numeric

F902B2: f902b2 age of the second oldest biological sister alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
72	-	1	0.0 %
73	-	1	0.0 %
74	-	2	0.0 %
75	-	1	0.0 %
76	-	2	0.0 %

Value	Label	Unweighted Frequency	%
77	-	2	0.0 %
78	-	4	0.0 %
80	-	35	0.4 %
81	-	17	0.2 %
82	-	18	0.2 %
83	-	18	0.2 %
84	-	18	0.2 %
85	-	19	0.2 %
86	-	12	0.1 %
87	-	10	0.1 %
88	-	7	0.1 %
89	-	5	0.1 %
90	-	12	0.1 %
91	-	2	0.0 %
93	-	1	0.0 %
94	-	3	0.0 %
95	-	2	0.0 %
96	-	1	0.0 %
97	-	2	0.0 %
888	do not know	14	0.1 %
999	missing	225	2.3 %
	Missing Data		
.	-	9328	95.5 %
	Total	**9,765**	**100%**

Based upon 437 valid cases out of 9,765 total cases.

- Mean: 580.20
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 453.97

Location: 1556-1558 (width: 3; decimal: 0)
Variable Type: numeric

F902B3: f902b3 age of the third oldest biological sister alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	6	0.1 %
2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
63	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	1	0.0 %
73	-	1	0.0 %
80	-	6	0.1 %
81	-	2	0.0 %
82	-	4	0.0 %
83	-	1	0.0 %
84	-	2	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %
88	-	2	0.0 %
90	-	1	0.0 %
92	-	1	0.0 %
97	-	1	0.0 %
99	-	1	0.0 %
888	do not know	12	0.1 %
999	missing	258	2.6 %
	Missing Data		
.	-	9460	96.9 %
	Total	**9,765**	**100%**

Based upon 305 valid cases out of 9,765 total cases.

- Mean: 887.51
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 297.44

Location: 1559-1561 (width: 3; decimal: 0)
Variable Type: numeric

RF91: rf91 proxy or not for f91

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6351	65.0 %
1	with proxy	1185	12.1 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2229	22.8 %
	Total	**9,765**	**100%**

Based upon 7,536 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1562-1563 (width: 2; decimal: 0)
Variable Type: numeric

F91: f91 birth order of respondent

Value	Label	Unweighted Frequency	%
0	-	20	0.2 %
1	-	3361	34.4 %
2	-	2169	22.2 %
3	-	1520	15.6 %
4	-	864	8.8 %
5	-	518	5.3 %
6	-	255	2.6 %
7	-	134	1.4 %
8	-	63	0.6 %
9	-	22	0.2 %
10	-	7	0.1 %
11	-	1	0.0 %
13	-	1	0.0 %
88	don't know	55	0.6 %
99	missing	1	0.0 %
	Missing Data		
.	-	774	7.9 %
	Total	**9,765**	**100%**

Based upon 8,991 valid cases out of 9,765 total cases.

- Mean: 2.95
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.94

Location: 1564-1565 (width: 2; decimal: 0)
Variable Type: numeric

RF92A: rf92a proxy or not for f92a1 to f92a7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5591	57.3 %
1	with proxy	1337	13.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2837	29.1 %
	Total	**9,765**	**100%**

Based upon 6,928 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1566-1567 (width: 2; decimal: 0)
Variable Type: numeric

F92A1: f92a1 birth order of the 1st sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
1	-	6049	61.9 %
2	-	2160	22.1 %
3	-	8	0.1 %
4	-	2	0.0 %
88	don't know	3	0.0 %
99	missing	1	0.0 %
	Missing Data		
.	-	1539	15.8 %
	Total	**9,765**	**100%**

Based upon 8,226 valid cases out of 9,765 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 2.03

Location: 1568-1569 (width: 2; decimal: 0)
Variable Type: numeric

F92A2: f92a2 sex of the 1st sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	4583	46.9 %
2	female	3584	36.7 %
8	don't know	38	0.4 %
9	missing	1	0.0 %
	Missing Data		
.	-	1559	16.0 %
	Total	**9,765**	**100%**

Based upon 8,206 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1570-1571 (width: 2; decimal: 0)
Variable Type: numeric

F92A3: f92a3 the 1st sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2490	25.5 %
2	no	5666	58.0 %
8	don't know	45	0.5 %
9	missing	1	0.0 %
	Missing Data		
.	-	1563	16.0 %
	Total	**9,765**	**100%**

Based upon 8,202 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1572-1573 (width: 2; decimal: 0)
Variable Type: numeric

F92A4: f92a4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	10	0.1 %
1	-	43	0.4 %
2	-	38	0.4 %

Value	Label	Unweighted Frequency	%
3	-	18	0.2 %
4	-	9	0.1 %
5	-	13	0.1 %
6	-	16	0.2 %
7	-	10	0.1 %
8	-	12	0.1 %
9	-	8	0.1 %
10	-	17	0.2 %
11	-	3	0.0 %
12	-	19	0.2 %
13	-	6	0.1 %
14	-	4	0.0 %
15	-	16	0.2 %
16	-	8	0.1 %
17	-	12	0.1 %
18	-	27	0.3 %
19	-	16	0.2 %
20	-	49	0.5 %
21	-	17	0.2 %
22	-	28	0.3 %
23	-	21	0.2 %
24	-	15	0.2 %
25	-	38	0.4 %
26	-	17	0.2 %
27	-	18	0.2 %
28	-	26	0.3 %
29	-	18	0.2 %
30	-	70	0.7 %
31	-	7	0.1 %
32	-	24	0.2 %
33	-	9	0.1 %
34	-	10	0.1 %
35	-	44	0.5 %
36	-	28	0.3 %
37	-	17	0.2 %
38	-	24	0.2 %
39	-	16	0.2 %
40	-	62	0.6 %
41	-	10	0.1 %

Value	Label	Unweighted Frequency	%
42	-	26	0.3 %
43	-	15	0.2 %
44	-	4	0.0 %
45	-	57	0.6 %
46	-	32	0.3 %
47	-	24	0.2 %
48	-	21	0.2 %
	Missing Data		
.	-	1586	16.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,179 valid cases out of 9,765 total cases.

- Mean: 117.22
- Median: 75.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 193.12

Location: 1574-1576 (width: 3; decimal: 0)
Variable Type: numeric

F92A5: f92a5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	1934	19.8 %
2	same town/district	2091	21.4 %
3	same county/city	2342	24.0 %
4	county/city near by	623	6.4 %
5	elsewhere	821	8.4 %
8	don't know	158	1.6 %
9	missing	72	0.7 %
	Missing Data		
.	-	1724	17.7 %
	Total	**9,765**	**100%**

Based upon 8,041 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1577-1578 (width: 2; decimal: 0)
Variable Type: numeric

F92A6: f92a6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2089	21.4 %
2	no	1012	10.4 %
8	don't know	82	0.8 %
9	missing	4596	47.1 %
	Missing Data		
.	-	1986	20.3 %
	Total	**9,765**	**100%**

Based upon 7,779 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1579-1580 (width: 2; decimal: 0)
Variable Type: numeric

F92A7: f92a7 contact with the 1st sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	471	4.8 %
2	no	466	4.8 %
8	don't know	49	0.5 %
9	missing	81	0.8 %
	Missing Data		
.	-	8698	89.1 %
	Total	**9,765**	**100%**

Based upon 1,067 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1581-1582 (width: 2; decimal: 0)
Variable Type: numeric

RF92B: rf92b proxy or not for f92b1 to f92b7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	without proxy	4835	49.5 %
1	with proxy	1134	11.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	3796	38.9 %
	Total	**9,765**	**100%**

Based upon 5,969 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1583-1584 (width: 2; decimal: 0)
Variable Type: numeric

F92B1: f92b1 birth order of the 2nd sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	29	0.3 %
2	-	4220	43.2 %
3	-	3068	31.4 %
4	-	3	0.0 %
88	don't know	1	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	2444	25.0 %
	Total	**9,765**	**100%**

Based upon 7,321 valid cases out of 9,765 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 88.00
- Standard Deviation: 1.12

Location: 1585-1586 (width: 2; decimal: 0)
Variable Type: numeric

F92B2: f92b2 sex of the 2nd sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	3959	40.5 %

Value	Label	Unweighted Frequency	%
2	female	3309	33.9 %
8	don't know	40	0.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2457	25.2 %
	Total	**9,765**	**100%**

Based upon 7,308 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1587-1588 (width: 2; decimal: 0)
Variable Type: numeric

F92B3: f92b3 the 2nd sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2824	28.9 %
2	no	4440	45.5 %
8	don't know	44	0.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2457	25.2 %
	Total	**9,765**	**100%**

Based upon 7,308 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1589-1590 (width: 2; decimal: 0)
Variable Type: numeric

F92B4: f92b4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	11	0.1 %
1	-	48	0.5 %
2	-	32	0.3 %
3	-	24	0.2 %
4	-	7	0.1 %

Value	Label	Unweighted Frequency	%
5	-	13	0.1 %
6	-	7	0.1 %
7	-	12	0.1 %
8	-	15	0.2 %
9	-	4	0.0 %
10	-	10	0.1 %
12	-	5	0.1 %
13	-	9	0.1 %
14	-	2	0.0 %
15	-	15	0.2 %
16	-	14	0.1 %
17	-	15	0.2 %
18	-	16	0.2 %
19	-	7	0.1 %
20	-	29	0.3 %
21	-	11	0.1 %
22	-	24	0.2 %
23	-	7	0.1 %
24	-	7	0.1 %
25	-	31	0.3 %
26	-	11	0.1 %
27	-	19	0.2 %
28	-	21	0.2 %
29	-	7	0.1 %
30	-	53	0.5 %
31	-	6	0.1 %
32	-	13	0.1 %
33	-	10	0.1 %
34	-	8	0.1 %
35	-	29	0.3 %
36	-	17	0.2 %
37	-	6	0.1 %
38	-	16	0.2 %
39	-	5	0.1 %
40	-	42	0.4 %
41	-	9	0.1 %
42	-	24	0.2 %
43	-	15	0.2 %
44	-	7	0.1 %

Value	Label	Unweighted Frequency	%
45	-	42	0.4 %
46	-	26	0.3 %
47	-	23	0.2 %
48	-	23	0.2 %
49	-	24	0.2 %
	Missing Data		
.	-	2476	25.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,289 valid cases out of 9,765 total cases.

- Mean: 120.95
- Median: 73.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 202.24

Location: 1591-1593 (width: 3; decimal: 0)
Variable Type: numeric

F92B5: f92b5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	1662	17.0 %
2	same town/district	1888	19.3 %
3	same county/city	2115	21.7 %
4	county/city near by	577	5.9 %
5	elsewhere	736	7.5 %
8	don't know	146	1.5 %
9	missing	51	0.5 %
	Missing Data		
.	-	2590	26.5 %
	Total	**9,765**	**100%**

Based upon 7,175 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1594-1595 (width: 2; decimal: 0)
Variable Type: numeric

F92B6: f92b6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2303	23.6 %
2	no	1040	10.7 %
8	don't know	64	0.7 %
9	missing	3528	36.1 %
	Missing Data		
.	-	2830	29.0 %
	Total	**9,765**	**100%**

Based upon 6,935 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1596-1597 (width: 2; decimal: 0)
Variable Type: numeric

F92B7: f92b7 contact with the 2nd sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	587	6.0 %
2	no	469	4.8 %
8	don't know	33	0.3 %
9	missing	58	0.6 %
	Missing Data		
.	-	8618	88.3 %
	Total	**9,765**	**100%**

Based upon 1,147 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1598-1599 (width: 2; decimal: 0)
Variable Type: numeric

RF92C: rf92c proxy or not for f92c1 to f92c7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3758	38.5 %
1	with proxy	909	9.3 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	5098	52.2 %
	Total	**9,765**	**100%**

Based upon 4,667 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1600-1601 (width: 2; decimal: 0)
Variable Type: numeric

F92C1: f92c1 birth order of the 3rd sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	12	0.1 %
2	-	23	0.2 %
3	-	2590	26.5 %
4	-	3042	31.2 %
5	-	2	0.0 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	4096	41.9 %
	Total	**9,765**	**100%**

Based upon 5,669 valid cases out of 9,765 total cases.

- Mean: 3.53
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.52

Location: 1602-1603 (width: 2; decimal: 0)
Variable Type: numeric

F92C2: f92c2 sex of the 3rd sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	2973	30.4 %
2	female	2643	27.1 %

Value	Label	Unweighted Frequency	%
8	don't know	39	0.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	4110	42.1 %
	Total	**9,765**	**100%**

Based upon 5,655 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1604-1605 (width: 2; decimal: 0)
Variable Type: numeric

F92C3: f92c3 the 3rd sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2572	26.3 %
2	no	3038	31.1 %
8	don't know	45	0.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	4110	42.1 %
	Total	**9,765**	**100%**

Based upon 5,655 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1606-1607 (width: 2; decimal: 0)
Variable Type: numeric

F92C4: f92c4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	7	0.1 %
1	-	40	0.4 %
2	-	12	0.1 %
3	-	14	0.1 %
4	-	8	0.1 %
5	-	18	0.2 %

Value	Label	Unweighted Frequency	%
6	-	11	0.1 %
7	-	11	0.1 %
8	-	19	0.2 %
9	-	4	0.0 %
10	-	14	0.1 %
12	-	8	0.1 %
13	-	2	0.0 %
14	-	3	0.0 %
15	-	14	0.1 %
16	-	5	0.1 %
17	-	11	0.1 %
18	-	11	0.1 %
19	-	11	0.1 %
20	-	30	0.3 %
21	-	10	0.1 %
22	-	13	0.1 %
23	-	6	0.1 %
24	-	6	0.1 %
25	-	16	0.2 %
26	-	10	0.1 %
27	-	12	0.1 %
28	-	13	0.1 %
29	-	1	0.0 %
30	-	44	0.5 %
32	-	15	0.2 %
33	-	5	0.1 %
34	-	5	0.1 %
35	-	25	0.3 %
36	-	13	0.1 %
37	-	12	0.1 %
38	-	9	0.1 %
39	-	6	0.1 %
40	-	33	0.3 %
41	-	2	0.0 %
42	-	28	0.3 %
43	-	16	0.2 %
44	-	5	0.1 %
45	-	28	0.3 %
46	-	11	0.1 %

Value	Label	Unweighted Frequency	%
47	-	22	0.2 %
48	-	25	0.3 %
49	-	13	0.1 %
50	-	53	0.5 %
	Missing Data		
.	-	4127	42.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,638 valid cases out of 9,765 total cases.

- Mean: 117.46
- Median: 71.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 198.99

Location: 1608-1610 (width: 3; decimal: 0)
Variable Type: numeric

F92C5: f92c5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	1275	13.1 %
2	same town/district	1489	15.2 %
3	same county/city	1659	17.0 %
4	county/city near by	454	4.6 %
5	elsewhere	535	5.5 %
8	don't know	115	1.2 %
9	missing	33	0.3 %
	Missing Data		
.	-	4205	43.1 %
	Total	**9,765**	**100%**

Based upon 5,560 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1611-1612 (width: 2; decimal: 0)
Variable Type: numeric

F92C6: f92c6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2111	21.6 %
2	no	808	8.3 %
8	don't know	49	0.5 %
9	missing	2443	25.0 %
	Missing Data		
.	-	4354	44.6 %
	Total	**9,765**	**100%**

Based upon 5,411 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1613-1614 (width: 2; decimal: 0)
Variable Type: numeric

F92C7: f92c7 contact with the 3rd sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	511	5.2 %
2	no	336	3.4 %
8	don't know	25	0.3 %
9	missing	40	0.4 %
	Missing Data		
.	-	8853	90.7 %
	Total	**9,765**	**100%**

Based upon 912 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1615-1616 (width: 2; decimal: 0)
Variable Type: numeric

RF92D: rf92d proxy or not for f92d1 to f92d7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2536	26.0 %
1	with proxy	603	6.2 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	6626	67.9 %
	Total	**9,765**	**100%**

Based upon 3,139 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1617-1618 (width: 2; decimal: 0)
Variable Type: numeric

F92D1: f92d1 birth order of the 4th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
1	-	7	0.1 %
2	-	3	0.0 %
3	-	7	0.1 %
4	-	1575	16.1 %
5	-	2246	23.0 %
6	-	2	0.0 %
7	-	1	0.0 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	5923	60.7 %
	Total	**9,765**	**100%**

Based upon 3,842 valid cases out of 9,765 total cases.

- Mean: 4.58
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.53

Location: 1619-1620 (width: 2; decimal: 0)
Variable Type: numeric

F92D2: f92d2 sex of the 4th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	1978	20.3 %
2	female	1817	18.6 %
8	don't know	39	0.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	5931	60.7 %
	Total	**9,765**	**100%**

Based upon 3,834 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1621-1622 (width: 2; decimal: 0)
Variable Type: numeric

F92D3: f92d3 the 4th sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	1892	19.4 %
2	no	1907	19.5 %
8	don't know	35	0.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	5931	60.7 %
	Total	**9,765**	**100%**

Based upon 3,834 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1623-1624 (width: 2; decimal: 0)
Variable Type: numeric

F92D4: f92d4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	4	0.0 %
1	-	30	0.3 %
2	-	14	0.1 %

Value	Label	Unweighted Frequency	%
3	-	20	0.2 %
4	-	8	0.1 %
5	-	12	0.1 %
6	-	9	0.1 %
7	-	7	0.1 %
8	-	7	0.1 %
10	-	10	0.1 %
11	-	1	0.0 %
12	-	9	0.1 %
13	-	6	0.1 %
14	-	5	0.1 %
15	-	7	0.1 %
16	-	5	0.1 %
17	-	4	0.0 %
18	-	5	0.1 %
19	-	6	0.1 %
20	-	13	0.1 %
21	-	4	0.0 %
22	-	3	0.0 %
23	-	5	0.1 %
24	-	1	0.0 %
25	-	12	0.1 %
26	-	4	0.0 %
27	-	14	0.1 %
28	-	6	0.1 %
29	-	3	0.0 %
30	-	23	0.2 %
31	-	5	0.1 %
32	-	11	0.1 %
33	-	2	0.0 %
34	-	5	0.1 %
35	-	11	0.1 %
36	-	8	0.1 %
37	-	2	0.0 %
38	-	12	0.1 %
39	-	2	0.0 %
40	-	25	0.3 %
41	-	3	0.0 %
42	-	7	0.1 %

Value	Label	Unweighted Frequency	%
43	-	10	0.1 %
44	-	6	0.1 %
45	-	24	0.2 %
46	-	13	0.1 %
47	-	19	0.2 %
48	-	17	0.2 %
49	-	21	0.2 %
	Missing Data		
.	-	5939	60.8 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,826 valid cases out of 9,765 total cases.

- Mean: 118.36
- Median: 70.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 204.28

Location: 1625-1627 (width: 3; decimal: 0)
Variable Type: numeric

F92D5: f92d5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	872	8.9 %
2	same town/district	997	10.2 %
3	same county/city	1133	11.6 %
4	county/city near by	310	3.2 %
5	elsewhere	355	3.6 %
8	don't know	92	0.9 %
9	missing	23	0.2 %
	Missing Data		
.	-	5983	61.3 %
	Total	**9,765**	**100%**

Based upon 3,782 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1628-1629 (width: 2; decimal: 0)
Variable Type: numeric

F92D6: f92d6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	1527	15.6 %
2	no	565	5.8 %
8	don't know	35	0.4 %
9	missing	1552	15.9 %
	Missing Data		
.	-	6086	62.3 %
	Total	**9,765**	**100%**

Based upon 3,679 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1630-1631 (width: 2; decimal: 0)
Variable Type: numeric

F92D7: f92d7 contact with the 4th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	386	4.0 %
2	no	225	2.3 %
8	don't know	13	0.1 %
9	missing	23	0.2 %
	Missing Data		
.	-	9118	93.4 %
	Total	**9,765**	**100%**

Based upon 647 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1632-1633 (width: 2; decimal: 0)
Variable Type: numeric

RF92E: rf92e proxy or not for f92e1 to f92e7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	without proxy	1515	15.5 %
1	with proxy	338	3.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	7912	81.0 %
	Total	**9,765**	**100%**

Based upon 1,853 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1634-1635 (width: 2; decimal: 0)
Variable Type: numeric

F92E1: f92e1 birth order of the 5th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	2	0.0 %
2	-	1	0.0 %
3	-	2	0.0 %
4	-	7	0.1 %
5	-	862	8.8 %
6	-	1423	14.6 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	7468	76.5 %
	Total	**9,765**	**100%**

Based upon 2,297 valid cases out of 9,765 total cases.

- Mean: 5.61
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.52

Location: 1636-1637 (width: 2; decimal: 0)
Variable Type: numeric

F92E2: f92e2 sex of the 5th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	1184	12.1 %
2	female	1074	11.0 %
8	don't know	32	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	7475	76.5 %
	Total	**9,765**	**100%**

Based upon 2,290 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1638-1639 (width: 2; decimal: 0)
Variable Type: numeric

F92E3: f92e3 the 5th sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	1261	12.9 %
2	no	999	10.2 %
8	don't know	29	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	7476	76.6 %
	Total	**9,765**	**100%**

Based upon 2,289 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1640-1641 (width: 2; decimal: 0)
Variable Type: numeric

F92E4: f92e4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	5	0.1 %
1	-	21	0.2 %
2	-	14	0.1 %

Value	Label	Unweighted Frequency	%
3	-	10	0.1 %
4	-	6	0.1 %
5	-	8	0.1 %
6	-	6	0.1 %
7	-	6	0.1 %
8	-	4	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	4	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	3	0.0 %
16	-	4	0.0 %
17	-	8	0.1 %
18	-	6	0.1 %
19	-	1	0.0 %
20	-	11	0.1 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	8	0.1 %
26	-	4	0.0 %
27	-	3	0.0 %
28	-	3	0.0 %
30	-	5	0.1 %
31	-	3	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	7	0.1 %
36	-	3	0.0 %
37	-	1	0.0 %
38	-	8	0.1 %
39	-	1	0.0 %
40	-	13	0.1 %
41	-	3	0.0 %
42	-	7	0.1 %

Value	Label	Unweighted Frequency	%
43	-	8	0.1 %
44	-	4	0.0 %
45	-	10	0.1 %
46	-	15	0.2 %
47	-	12	0.1 %
48	-	18	0.2 %
49	-	14	0.1 %
	Missing Data		
.	-	7479	76.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,286 valid cases out of 9,765 total cases.

- Mean: 122.97
- Median: 67.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 215.09

Location: 1642-1644 (width: 3; decimal: 0)
Variable Type: numeric

F92E5: f92e5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	553	5.7 %
2	same town/district	583	6.0 %
3	same county/city	635	6.5 %
4	county/city near by	189	1.9 %
5	elsewhere	215	2.2 %
8	don't know	70	0.7 %
9	missing	14	0.1 %
	Missing Data		
.	-	7506	76.9 %
	Total	**9,765**	**100%**

Based upon 2,259 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1645-1646 (width: 2; decimal: 0)
Variable Type: numeric

F92E6: f92e6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	1015	10.4 %
2	no	346	3.5 %
8	don't know	26	0.3 %
9	missing	825	8.4 %
	Missing Data		
.	-	7553	77.3 %
	Total	**9,765**	**100%**

Based upon 2,212 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1647-1648 (width: 2; decimal: 0)
Variable Type: numeric

F92E7: f92e7 contact with the 5th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	274	2.8 %
2	no	128	1.3 %
8	don't know	6	0.1 %
9	missing	14	0.1 %
	Missing Data		
.	-	9343	95.7 %
	Total	**9,765**	**100%**

Based upon 422 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1649-1650 (width: 2; decimal: 0)
Variable Type: numeric

RF92F: rf92f proxy or not for f92f1 to f92f7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	without proxy	816	8.4 %
1	with proxy	167	1.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	8782	89.9 %
	Total	**9,765**	**100%**

Based upon 983 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1651-1652 (width: 2; decimal: 0)
Variable Type: numeric

F92F1: f92f1 birth order of the 6th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	404	4.1 %
7	-	770	7.9 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	8589	88.0 %
	Total	**9,765**	**100%**

Based upon 1,176 valid cases out of 9,765 total cases.

- Mean: 6.65
- Median: 7.00
- Mode: 7.00
- Minimum: 4.00
- Maximum: 7.00
- Standard Deviation: 0.48

Location: 1653-1654 (width: 2; decimal: 0)
Variable Type: numeric

F92F2: f92f2 sex of the 6th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	546	5.6 %

Value	Label	Unweighted Frequency	%
2	female	601	6.2 %
8	don't know	27	0.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	8591	88.0 %
	Total	**9,765**	**100%**

Based upon 1,174 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1655-1656 (width: 2; decimal: 0)
Variable Type: numeric

F92F3: f92f3 the 6th sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	652	6.7 %
2	no	497	5.1 %
8	don't know	23	0.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	8593	88.0 %
	Total	**9,765**	**100%**

Based upon 1,172 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1657-1658 (width: 2; decimal: 0)
Variable Type: numeric

F92F4: f92f4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	4	0.0 %
1	-	13	0.1 %
2	-	13	0.1 %
3	-	7	0.1 %
4	-	6	0.1 %

Value	Label	Unweighted Frequency	%
5	-	3	0.0 %
6	-	3	0.0 %
8	-	4	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	3	0.0 %
15	-	5	0.1 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	6	0.1 %
19	-	1	0.0 %
20	-	5	0.1 %
21	-	4	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	5	0.1 %
28	-	1	0.0 %
30	-	5	0.1 %
32	-	2	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
39	-	4	0.0 %
40	-	8	0.1 %
41	-	2	0.0 %
42	-	5	0.1 %
43	-	7	0.1 %
44	-	2	0.0 %
45	-	13	0.1 %
46	-	7	0.1 %
47	-	8	0.1 %
48	-	3	0.0 %
49	-	6	0.1 %
50	-	29	0.3 %
51	-	10	0.1 %
52	-	17	0.2 %
53	-	17	0.2 %
54	-	15	0.2 %

Value	Label	Unweighted Frequency	%
55	-	30	0.3 %
56	-	11	0.1 %
57	-	25	0.3 %
58	-	34	0.3 %
59	-	23	0.2 %
	Missing Data		
.	-	8596	88.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,169 valid cases out of 9,765 total cases.

- Mean: 132.44
- Median: 67.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 232.37

Location: 1659-1661 (width: 3; decimal: 0)
Variable Type: numeric

F92F5: f92f5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	299	3.1 %
2	same town/district	259	2.7 %
3	same county/city	340	3.5 %
4	county/city near by	93	1.0 %
5	elsewhere	113	1.2 %
8	don't know	52	0.5 %
9	missing	5	0.1 %
	Missing Data		
.	-	8604	88.1 %
	Total	**9,765**	**100%**

Based upon 1,161 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1662-1663 (width: 2; decimal: 0)
Variable Type: numeric

F92F6: f92f6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	541	5.5 %
2	no	163	1.7 %
8	don't know	23	0.2 %
9	missing	417	4.3 %
	Missing Data		
.	-	8621	88.3 %
	Total	**9,765**	**100%**

Based upon 1,144 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1664-1665 (width: 2; decimal: 0)
Variable Type: numeric

F92F7: f92f7 contact with the 6th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	125	1.3 %
2	no	55	0.6 %
8	don't know	6	0.1 %
9	missing	4	0.0 %
	Missing Data		
.	-	9575	98.1 %
	Total	**9,765**	**100%**

Based upon 190 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1666-1667 (width: 2; decimal: 0)
Variable Type: numeric

RF92G: rf92g proxy or not for f92g1 to f92g7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	411	4.2 %
1	with proxy	72	0.7 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	9282	95.1 %
	Total	**9,765**	**100%**

Based upon 483 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1668-1669 (width: 2; decimal: 0)
Variable Type: numeric

F92G1: f92g1 birth order of the 7th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
6	-	1	0.0 %
7	-	174	1.8 %
8	-	392	4.0 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	9198	94.2 %
	Total	**9,765**	**100%**

Based upon 567 valid cases out of 9,765 total cases.

- Mean: 7.69
- Median: 8.00
- Mode: 8.00
- Minimum: 6.00
- Maximum: 8.00
- Standard Deviation: 0.47

Location: 1670-1671 (width: 2; decimal: 0)
Variable Type: numeric

F92G2: f92g2 sex of the 7th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	275	2.8 %
2	female	272	2.8 %
8	don't know	18	0.2 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	9200	94.2 %
	Total	**9,765**	**100%**

Based upon 565 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1672-1673 (width: 2; decimal: 0)
Variable Type: numeric

F92G3: f92g3 the 7th sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	293	3.0 %
2	no	258	2.6 %
8	don't know	14	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9200	94.2 %
	Total	**9,765**	**100%**

Based upon 565 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1674-1675 (width: 2; decimal: 0)
Variable Type: numeric

F92G4: f92g4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
1	-	12	0.1 %
2	-	2	0.0 %
3	-	5	0.1 %
4	-	2	0.0 %
5	-	2	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
10	-	6	0.1 %
11	-	1	0.0 %
12	-	5	0.1 %
14	-	3	0.0 %
15	-	4	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
20	-	5	0.1 %
22	-	2	0.0 %
23	-	4	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	3	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
35	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	8	0.1 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	4	0.0 %
46	-	4	0.0 %
47	-	5	0.1 %
49	-	11	0.1 %
50	-	12	0.1 %
51	-	6	0.1 %
52	-	7	0.1 %
53	-	7	0.1 %
54	-	12	0.1 %
55	-	15	0.2 %
56	-	14	0.1 %
57	-	10	0.1 %
58	-	8	0.1 %

Value	Label	Unweighted Frequency	%
59	-	9	0.1 %
60	-	24	0.2 %
	Missing Data		
.	-	9203	94.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 562 valid cases out of 9,765 total cases.

- Mean: 137.51
- Median: 64.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 888.00
- Standard Deviation: 245.80

Location: 1676-1678 (width: 3; decimal: 0)
Variable Type: numeric

F92G5: f92g5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	132	1.4 %
2	same town/district	125	1.3 %
3	same county/city	170	1.7 %
4	county/city near by	44	0.5 %
5	elsewhere	61	0.6 %
8	don't know	24	0.2 %
9	missing	2	0.0 %
	Missing Data		
.	-	9207	94.3 %
	Total	**9,765**	**100%**

Based upon 558 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1679-1680 (width: 2; decimal: 0)
Variable Type: numeric

F92G6: f92g6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	237	2.4 %
2	no	74	0.8 %
8	don't know	15	0.2 %
9	missing	220	2.3 %
	Missing Data		
.	-	9219	94.4 %
	Total	**9,765**	**100%**

Based upon 546 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1681-1682 (width: 2; decimal: 0)
Variable Type: numeric

F92G7: f92g7 contact with the 7th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	50	0.5 %
2	no	15	0.2 %
8	don't know	9	0.1 %
9	missing	1	0.0 %
	Missing Data		
.	-	9690	99.2 %
	Total	**9,765**	**100%**

Based upon 75 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1683-1684 (width: 2; decimal: 0)
Variable Type: numeric

RF92H: rf92h proxy or not for f92h1 to f92h7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	171	1.8 %
1	with proxy	33	0.3 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	9561	97.9 %
	Total	**9,765**	**100%**

Based upon 204 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1685-1686 (width: 2; decimal: 0)
Variable Type: numeric

F92H1: f92h1 birth order of the 8th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
7	-	1	0.0 %
8	-	68	0.7 %
9	-	167	1.7 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	9529	97.6 %
	Total	**9,765**	**100%**

Based upon 236 valid cases out of 9,765 total cases.

- Mean: 8.70
- Median: 9.00
- Mode: 9.00
- Minimum: 7.00
- Maximum: 9.00
- Standard Deviation: 0.47

Location: 1687-1688 (width: 2; decimal: 0)
Variable Type: numeric

F92H2: f92h2 sex of the 8th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	100	1.0 %
2	female	125	1.3 %
8	don't know	11	0.1 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9529	97.6 %
	Total	**9,765**	**100%**

Based upon 236 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1689-1690 (width: 2; decimal: 0)
Variable Type: numeric

F92H3: f92h3 the 8th sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	126	1.3 %
2	no	102	1.0 %
8	don't know	8	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9529	97.6 %
	Total	**9,765**	**100%**

Based upon 236 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1691-1692 (width: 2; decimal: 0)
Variable Type: numeric

F92H4: f92h4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
1	-	7	0.1 %
3	-	3	0.0 %
4	-	4	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24	-	1	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
39	-	1	0.0 %
40	-	4	0.0 %
42	-	2	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	5	0.1 %
48	-	1	0.0 %
49	-	3	0.0 %
50	-	5	0.1 %
51	-	2	0.0 %
52	-	5	0.1 %
53	-	4	0.0 %
54	-	5	0.1 %
55	-	6	0.1 %
56	-	4	0.0 %
57	-	1	0.0 %
58	-	7	0.1 %
59	-	3	0.0 %
60	-	11	0.1 %
61	-	2	0.0 %
62	-	7	0.1 %
63	-	5	0.1 %
64	-	5	0.1 %
65	-	2	0.0 %
66	-	5	0.1 %
67	-	1	0.0 %
68	-	6	0.1 %
69	-	4	0.0 %
70	-	6	0.1 %
71	-	7	0.1 %
72	-	4	0.0 %
73	-	4	0.0 %
74	-	5	0.1 %
75	-	8	0.1 %
76	-	2	0.0 %
77	-	1	0.0 %

Value	Label	Unweighted Frequency	%
78	-	5	0.1 %
	Missing Data		
.	-	9531	97.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 234 valid cases out of 9,765 total cases.

- Mean: 153.79
- Median: 64.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 888.00
- Standard Deviation: 266.51

Location: 1693-1695 (width: 3; decimal: 0)
Variable Type: numeric

F92H5: f92h5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	50	0.5 %
2	same town/district	68	0.7 %
3	same county/city	56	0.6 %
4	county/city near by	17	0.2 %
5	elsewhere	25	0.3 %
8	don't know	14	0.1 %
9	missing	1	0.0 %
	Missing Data		
.	-	9534	97.6 %
	Total	**9,765**	**100%**

Based upon 231 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1696-1697 (width: 2; decimal: 0)
Variable Type: numeric

F92H6: f92h6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
1	yes	92	0.9 %
2	no	35	0.4 %
8	don't know	7	0.1 %
9	missing	91	0.9 %
	Missing Data		
.	-	9540	97.7 %
	Total	**9,765**	**100%**

Based upon 225 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1698-1699 (width: 2; decimal: 0)
Variable Type: numeric

F92H7: f92h7 contact with the 8th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	22	0.2 %
2	no	4	0.0 %
8	don't know	4	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9735	99.7 %
	Total	**9,765**	**100%**

Based upon 30 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1700-1701 (width: 2; decimal: 0)
Variable Type: numeric

RF92I: rf92i proxy or not for f92i1 to f92i7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	76	0.8 %
1	with proxy	16	0.2 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9673	99.1 %
	Total	**9,765**	**100%**

Based upon 92 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1702-1703 (width: 2; decimal: 0)
Variable Type: numeric

F92I1: f92i1 birth order of the 9th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
9	-	22	0.2 %
10	-	78	0.8 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	9665	99.0 %
	Total	**9,765**	**100%**

Based upon 100 valid cases out of 9,765 total cases.

- Minimum: 9.00
- Maximum: 10.00

Location: 1704-1705 (width: 2; decimal: 0)
Variable Type: numeric

F92I2: f92i2 sex of the 9th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	47	0.5 %
2	female	44	0.5 %
8	don't know	9	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9665	99.0 %
	Total	**9,765**	**100%**

Based upon 100 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1706-1707 (width: 2; decimal: 0)
Variable Type: numeric

F92I3: f92i3 the 9th sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	51	0.5 %
2	no	41	0.4 %
8	don't know	8	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9665	99.0 %
	Total	**9,765**	**100%**

Based upon 100 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1708-1709 (width: 2; decimal: 0)
Variable Type: numeric

F92I4: f92i4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
1	-	4	0.0 %
2	-	2	0.0 %
3	-	1	0.0 %
4	-	3	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
12	-	1	0.0 %
14	-	2	0.0 %
30	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
52	-	3	0.0 %

Value	Label	Unweighted Frequency	%
53	-	5	0.1 %
54	-	2	0.0 %
55	-	1	0.0 %
56	-	3	0.0 %
58	-	3	0.0 %
60	-	6	0.1 %
61	-	1	0.0 %
62	-	3	0.0 %
63	-	2	0.0 %
64	-	2	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	3	0.0 %
71	-	1	0.0 %
73	-	2	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	2	0.0 %
77	-	3	0.0 %
78	-	2	0.0 %
79	-	5	0.1 %
80	-	3	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
90	-	1	0.0 %
888	don't know	16	0.2 %
999	missing	0	0.0 %
	Missing Data		
.	-	9666	99.0 %
	Total	**9,765**	**100%**

Based upon 99 valid cases out of 9,765 total cases.

- Mean: 187.96
- Median: 62.00
- Mode: 888.00
- Minimum: 0.00
- Maximum: 888.00
- Standard Deviation: 309.85

Location: 1710-1712 (width: 3; decimal: 0)
Variable Type: numeric

F92I5: f92i5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	24	0.2 %
2	same town/district	27	0.3 %
3	same county/city	25	0.3 %
4	county/city near by	4	0.0 %
5	elsewhere	9	0.1 %
8	don't know	10	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9666	99.0 %
	Total	**9,765**	**100%**

Based upon 99 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1713-1714 (width: 2; decimal: 0)
Variable Type: numeric

F92I6: f92i6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	37	0.4 %
2	no	15	0.2 %
8	don't know	5	0.1 %
9	missing	41	0.4 %
	Missing Data		
.	-	9667	99.0 %
	Total	**9,765**	**100%**

Based upon 98 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1715-1716 (width: 2; decimal: 0)
Variable Type: numeric

F92I7: f92i7 contact with the 9th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	8	0.1 %
2	no	0	0.0 %
8	don't know	2	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9755	99.9 %
	Total	**9,765**	**100%**

Based upon 10 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1717-1718 (width: 2; decimal: 0)
Variable Type: numeric

RF92J: rf92j proxy or not for f92j1 to f92j7

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	17	0.2 %
1	with proxy	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9747	99.8 %
	Total	**9,765**	**100%**

Based upon 18 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1719-1720 (width: 2; decimal: 0)
Variable Type: numeric

F92J1: f92j1 birth order of the 10th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
10	-	7	0.1 %
11	-	11	0.1 %
12	-	2	0.0 %
13	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	9743	99.8 %
	Total	**9,765**	**100%**

Based upon 22 valid cases out of 9,765 total cases.

- Mean: 11.05
- Median: 11.00
- Mode: 11.00
- Minimum: 10.00
- Maximum: 15.00
- Standard Deviation: 1.17

Location: 1721-1722 (width: 2; decimal: 0)
Variable Type: numeric

F92J2: f92j2 sex of the 10th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	4	0.0 %
2	female	17	0.2 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9743	99.8 %
	Total	**9,765**	**100%**

Based upon 22 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1723-1724 (width: 2; decimal: 0)
Variable Type: numeric

F92J3: f92j3 the 10th sibling alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	8	0.1 %
2	no	12	0.1 %
8	don't know	2	0.0 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	9743	99.8 %
	Total	**9,765**	**100%**

Based upon 22 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1725-1726 (width: 2; decimal: 0)
Variable Type: numeric

F92J4: f92j4 sibling's age at present if alive, or age at death if died

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	3	0.0 %
10	-	1	0.0 %
40	-	2	0.0 %
48	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
63	-	1	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	1	0.0 %
81	-	1	0.0 %
85	-	1	0.0 %
888	don't know	4	0.0 %
999	missing	0	0.0 %
	Missing Data		
.	-	9743	99.8 %
	Total	**9,765**	**100%**

Based upon 22 valid cases out of 9,765 total cases.

- Mean: 201.05
- Median: 61.00
- Mode: 888.00

- Minimum: 1.00
- Maximum: 888.00
- Standard Deviation: 332.38

Location: 1727-1729 (width: 3; decimal: 0)
Variable Type: numeric

F92J5: f92j5 residence distance

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	same village	5	0.1 %
2	same town/district	6	0.1 %
3	same county/city	6	0.1 %
4	county/city near by	1	0.0 %
5	elsewhere	1	0.0 %
8	don't know	2	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9744	99.8 %
	Total	**9,765**	**100%**

Based upon 21 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1730-1731 (width: 2; decimal: 0)
Variable Type: numeric

F92J6: f92j6 frequent visits

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	6	0.1 %
2	no	2	0.0 %
8	don't know	1	0.0 %
9	missing	12	0.1 %
	Missing Data		
.	-	9744	99.8 %
	Total	**9,765**	**100%**

Based upon 21 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1732-1733 (width: 2; decimal: 0)

Variable Type: numeric

F92J7: f92j7 contact with the 10th sibling

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2	0.0 %
2	no	0	0.0 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9762	100.0 %
	Total	**9,765**	**100%**

Based upon 3 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1734-1735 (width: 2; decimal: 0)
Variable Type: numeric

JIGE: jige number of siblings alive who are 80+ years old

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 0 valid cases out of 9,765 total cases.

Location: 1736-1737 (width: 2; decimal: 0)
Variable Type: numeric

RF10: rf10 proxy or not for f10 and f10a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	6505	66.6 %
1	with proxy	1084	11.1 %
9	missing	24	0.2 %
	Missing Data		
.	-	2152	22.0 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 7,613 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1738-1739 (width: 2; decimal: 0)
Variable Type: numeric

F10: f10 number of children ever born

Value	Label	Unweighted Frequency	%
0	-	231	2.4 %
1	-	517	5.3 %
2	-	992	10.2 %
3	-	1436	14.7 %
4	-	1746	17.9 %
5	-	1619	16.6 %
6	-	1131	11.6 %
7	-	649	6.6 %
8	-	350	3.6 %
9	-	135	1.4 %
10	-	79	0.8 %
11	-	27	0.3 %
12	-	20	0.2 %
13	-	7	0.1 %
14	-	2	0.0 %
16	-	2	0.0 %
88	don't know	9	0.1 %
99	missing	40	0.4 %
	Missing Data		
.	-	773	7.9 %
	Total	**9,765**	**100%**

Based upon 8,992 valid cases out of 9,765 total cases.

- Mean: 4.83
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 7.15

Location: 1740-1741 (width: 2; decimal: 0)

Variable Type: numeric

F10A: f10a number of male children ever born

Value	Label	Unweighted Frequency	%
-1	not applicable	101	1.0 %
0	-	490	5.0 %
1	-	2085	21.4 %
2	-	2614	26.8 %
3	-	1906	19.5 %
4	-	965	9.9 %
5	-	422	4.3 %
6	-	148	1.5 %
7	-	42	0.4 %
8	-	16	0.2 %
9	-	12	0.1 %
10	-	2	0.0 %
11	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
88	don't know	8	0.1 %
99	missing	174	1.8 %
	Missing Data		
.	-	777	8.0 %
	Total	**9,765**	**100%**

Based upon 8,988 valid cases out of 9,765 total cases.

- Mean: 4.26
- Median: 2.00
- Mode: 2.00
- Minimum: -1.00
- Maximum: 99.00
- Standard Deviation: 13.63

Location: 1742-1743 (width: 2; decimal: 0)
Variable Type: numeric

RF101: rf101 proxy or not for f101

Value	Label	Unweighted Frequency	%
-1	not applicable	101	1.0 %
0	without proxy	6376	65.3 %
1	with proxy	1094	11.2 %
9	missing	31	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2163	22.2 %
	Total	**9,765**	**100%**

Based upon 7,602 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1744-1745 (width: 2; decimal: 0)
Variable Type: numeric

F101: f101 age at first birth

Value	Label	Unweighted Frequency	%
-1	not applicable	101	1.0 %
0	-	15	0.2 %
2	-	1	0.0 %
10	-	2	0.0 %
14	-	3	0.0 %
15	-	17	0.2 %
16	-	62	0.6 %
17	-	153	1.6 %
18	-	408	4.2 %
19	-	505	5.2 %
20	-	1024	10.5 %
21	-	802	8.2 %
22	-	833	8.5 %
23	-	734	7.5 %
24	-	656	6.7 %
25	-	629	6.4 %
26	-	561	5.7 %
27	-	414	4.2 %
28	-	360	3.7 %
29	-	268	2.7 %
30	-	295	3.0 %
31	-	148	1.5 %
32	-	127	1.3 %
33	-	96	1.0 %
34	-	80	0.8 %
35	-	66	0.7 %
36	-	53	0.5 %

Value	Label	Unweighted Frequency	%
37	-	43	0.4 %
38	-	36	0.4 %
39	-	22	0.2 %
40	-	21	0.2 %
41	-	13	0.1 %
42	-	23	0.2 %
43	-	13	0.1 %
44	-	7	0.1 %
45	-	5	0.1 %
46	-	5	0.1 %
47	-	4	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	3	0.0 %
52	-	1	0.0 %
56	-	1	0.0 %
58	-	2	0.0 %
59	-	2	0.0 %
60	-	2	0.0 %
67	-	2	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
	Missing Data		
.	-	899	9.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,866 valid cases out of 9,765 total cases.

- Mean: 25.65
- Median: 23.00
- Mode: 20.00
- Minimum: -1.00
- Maximum: 99.00
- Standard Deviation: 12.79

Location: 1746-1747 (width: 2; decimal: 0)
Variable Type: numeric

RF102: rf102 proxy or not for f102

Value	Label	Unweighted Frequency	%
-1	not applicable	298	3.1 %
0	without proxy	6185	63.3 %
1	with proxy	1073	11.0 %
9	missing	40	0.4 %
	Missing Data		
.	-	2169	22.2 %
	Total	**9,765**	**100%**

Based upon 7,596 valid cases out of 9,765 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 1748-1749 (width: 2; decimal: 0)
Variable Type: numeric

F102: f102 age at last birth

Value	Label	Unweighted Frequency	%
-1	not applicable	298	3.1 %
0	-	17	0.2 %
3	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	5	0.1 %
19	-	6	0.1 %
20	-	34	0.3 %
21	-	25	0.3 %
22	-	46	0.5 %
23	-	64	0.7 %
24	-	83	0.8 %
25	-	110	1.1 %
26	-	165	1.7 %
27	-	205	2.1 %
28	-	265	2.7 %
29	-	279	2.9 %
30	-	389	4.0 %
31	-	315	3.2 %
32	-	361	3.7 %
33	-	375	3.8 %
34	-	432	4.4 %
35	-	463	4.7 %

Value	Label	Unweighted Frequency	%
36	-	467	4.8 %
37	-	428	4.4 %
38	-	477	4.9 %
39	-	396	4.1 %
40	-	539	5.5 %
41	-	365	3.7 %
42	-	369	3.8 %
43	-	303	3.1 %
44	-	249	2.5 %
45	-	241	2.5 %
46	-	159	1.6 %
47	-	135	1.4 %
48	-	127	1.3 %
49	-	78	0.8 %
50	-	73	0.7 %
51	-	36	0.4 %
52	-	27	0.3 %
53	-	28	0.3 %
54	-	20	0.2 %
55	-	12	0.1 %
56	-	17	0.2 %
57	-	17	0.2 %
58	-	5	0.1 %
59	-	4	0.0 %
60	-	8	0.1 %
61	-	2	0.0 %
63	-	4	0.0 %
	Missing Data		
.	-	935	9.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,830 valid cases out of 9,765 total cases.

- Mean: 37.19
- Median: 37.00
- Mode: 40.00
- Minimum: -1.00
- Maximum: 99.00
- Standard Deviation: 14.35

Location: 1750-1751 (width: 2; decimal: 0)
Variable Type: numeric

F103: f103 number of children, including deceased and non-biological children

Value	Label	Unweighted Frequency	%
0	-	146	1.5 %
1	-	468	4.8 %
2	-	780	8.0 %
3	-	1246	12.8 %
4	-	1537	15.7 %
5	-	1356	13.9 %
6	-	924	9.5 %
7	-	475	4.9 %
8	-	254	2.6 %
9	-	97	1.0 %
10	-	56	0.6 %
11	-	15	0.2 %
12	-	14	0.1 %
13	-	6	0.1 %
14	-	1	0.0 %
88	don't know	0	0.0 %
99	missing	0	0.0 %
	Missing Data		
.	-	2390	24.5 %
	Total	**9,765**	**100%**

Based upon 7,375 valid cases out of 9,765 total cases.

- Mean: 4.26
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.03

Location: 1752-1753 (width: 2; decimal: 0)
Variable Type: numeric

RF1030: rf1030 proxy or not for f1030

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5557	56.9 %
1	with proxy	1708	17.5 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	2500	25.6 %
	Total	**9,765**	**100%**

Based upon 7,265 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1754-1755 (width: 2; decimal: 0)
Variable Type: numeric

F1030: f1030 number of sons alive at present

Value	Label	Unweighted Frequency	%
0	-	851	8.7 %
1	-	2093	21.4 %
2	-	2138	21.9 %
3	-	1339	13.7 %
4	-	574	5.9 %
5	-	178	1.8 %
6	-	57	0.6 %
7	-	17	0.2 %
8	-	2	0.0 %
9	-	2	0.0 %
14	-	1	0.0 %
20	-	3	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
88	do not know	8	0.1 %
99	missing	8	0.1 %
	Missing Data		
.	-	2492	25.5 %
	Total	**9,765**	**100%**

Based upon 7,273 valid cases out of 9,765 total cases.

- Mean: 2.16
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 4.54

Location: 1756-1757 (width: 2; decimal: 0)
Variable Type: numeric

RF1030A: rf1030a proxy or not for f1030a-f1030b3

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3019	30.9 %
1	with proxy	956	9.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	5790	59.3 %
	Total	**9,765**	**100%**

Based upon 3,975 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1758-1759 (width: 2; decimal: 0)
Variable Type: numeric

F1030A: f1030a are there any sons aged 80+ alive at present?

Value	Label	Unweighted Frequency	%
1	yes	171	1.8 %
2	no	3694	37.8 %
8	do not know	6	0.1 %
9	missing	48	0.5 %
	Missing Data		
.	-	5846	59.9 %
	Total	**9,765**	**100%**

Based upon 3,919 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1760-1760 (width: 1; decimal: 0)
Variable Type: numeric

F1030B1: f1030b1 age of the oldest son alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
80	-	51	0.5 %
81	-	21	0.2 %

Value	Label	Unweighted Frequency	%
82	-	24	0.2 %
83	-	24	0.2 %
84	-	8	0.1 %
85	-	8	0.1 %
86	-	7	0.1 %
87	-	4	0.0 %
88	-	3	0.0 %
89	-	1	0.0 %
90	-	3	0.0 %
888	do not know	5	0.1 %
999	missing	37	0.4 %
	Missing Data		
.	-	9569	98.0 %
	Total	**9,765**	**100%**

Based upon 196 valid cases out of 9,765 total cases.

- Mean: 275.86
- Median: 83.00
- Mode: 80.00
- Minimum: 80.00
- Maximum: 999.00
- Standard Deviation: 372.08

Location: 1761-1763 (width: 3; decimal: 0)
Variable Type: numeric

F1030B2: f1030b2 age of the second oldest son alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
71	-	1	0.0 %
72	-	1	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
79	-	1	0.0 %
80	-	12	0.1 %
81	-	2	0.0 %
82	-	1	0.0 %
83	-	3	0.0 %
84	-	3	0.0 %
85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
888	do not know	4	0.0 %
999	missing	70	0.7 %
	Missing Data		
.	-	9663	99.0 %
	Total	**9,765**	**100%**

Based upon 102 valid cases out of 9,765 total cases.

- Mean: 742.36
- Median: 999.00
- Mode: 999.00
- Minimum: 71.00
- Maximum: 999.00
- Standard Deviation: 410.04

Location: 1764-1766 (width: 3; decimal: 0)
Variable Type: numeric

F1030B3: f1030b3 age of the third oldest son alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
67	-	1	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
80	-	1	0.0 %
81	-	1	0.0 %
82	-	1	0.0 %
888	do not know	4	0.0 %
999	missing	74	0.8 %
	Missing Data		
.	-	9678	99.1 %
	Total	**9,765**	**100%**

Based upon 87 valid cases out of 9,765 total cases.

- Mean: 897.33
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 285.24

Location: 1767-1769 (width: 3; decimal: 0)
Variable Type: numeric

RF1031: rf1031 proxy or not for f1031

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5493	56.3 %
1	with proxy	1640	16.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	2632	27.0 %
	Total	**9,765**	**100%**

Based upon 7,133 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1770-1771 (width: 2; decimal: 0)
Variable Type: numeric

F1031: f1031 number of daughters alive at present

Value	Label	Unweighted Frequency	%
0	-	1295	13.3 %
1	-	2121	21.7 %
2	-	1818	18.6 %
3	-	1110	11.4 %
4	-	487	5.0 %
5	-	189	1.9 %
6	-	64	0.7 %
7	-	23	0.2 %
8	-	4	0.0 %
10	-	4	0.0 %
20	-	1	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
88	do not know	13	0.1 %
99	missing	11	0.1 %
	Missing Data		
.	-	2623	26.9 %
	Total	**9,765**	**100%**

Based upon 7,142 valid cases out of 9,765 total cases.

- Mean: 2.09
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 5.50

Location: 1772-1773 (width: 2; decimal: 0)
Variable Type: numeric

RF1031A: rf1031a proxy or not for f1031a-f1031b3

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2729	27.9 %
1	with proxy	892	9.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	6144	62.9 %
	Total	**9,765**	**100%**

Based upon 3,621 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1774-1775 (width: 2; decimal: 0)
Variable Type: numeric

F1031A: f1031a are there any daughters aged 80+ alive at present?

Value	Label	Unweighted Frequency	%
1	yes	173	1.8 %
2	no	3357	34.4 %
8	do not know	6	0.1 %
9	missing	39	0.4 %
	Missing Data		
.	-	6190	63.4 %
	Total	**9,765**	**100%**

Based upon 3,575 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1776-1776 (width: 1; decimal: 0)
Variable Type: numeric

F1031B1: f1031b1 age of the oldest daughter alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
80	-	44	0.5 %
81	-	36	0.4 %
82	-	20	0.2 %
83	-	18	0.2 %
84	-	11	0.1 %
85	-	19	0.2 %
86	-	7	0.1 %
87	-	1	0.0 %
88	-	2	0.0 %
91	-	1	0.0 %
93	-	1	0.0 %
96	-	1	0.0 %
888	do not know	5	0.1 %
999	missing	37	0.4 %
	Missing Data		
.	-	9562	97.9 %
	Total	**9,765**	**100%**

Based upon 203 valid cases out of 9,765 total cases.

- Mean: 269.25
- Median: 83.00
- Mode: 80.00
- Minimum: 80.00
- Maximum: 999.00
- Standard Deviation: 367.25

Location: 1777-1779 (width: 3; decimal: 0)
Variable Type: numeric

F1031B2: f1031b2 age of the second oldest daughter alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
77	-	1	0.0 %
80	-	14	0.1 %
81	-	3	0.0 %

Value	Label	Unweighted Frequency	%
82	-	1	0.0 %
84	-	1	0.0 %
86	-	2	0.0 %
888	do not know	5	0.1 %
999	missing	63	0.6 %
	Missing Data		
.	-	9670	99.0 %
	Total	**9,765**	**100%**

Based upon 95 valid cases out of 9,765 total cases.

- Mean: 729.37
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 418.10

Location: 1780-1782 (width: 3; decimal: 0)
Variable Type: numeric

F1031B3: f1031b3 age of the third oldest daughter alive at present

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	2	0.0 %
60	-	1	0.0 %
65	-	1	0.0 %
74	-	1	0.0 %
888	do not know	6	0.1 %
999	missing	64	0.7 %
	Missing Data		
.	-	9690	99.2 %
	Total	**9,765**	**100%**

Based upon 75 valid cases out of 9,765 total cases.

- Mean: 926.17
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 240.55

Location: 1783-1785 (width: 3; decimal: 0)
Variable Type: numeric

RF103A: rf103a proxy or not for f103a1 to f103a8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5525	56.6 %
1	with proxy	2108	21.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	2132	21.8 %
	Total	**9,765**	**100%**

Based upon 7,633 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1786-1787 (width: 2; decimal: 0)
Variable Type: numeric

F103A8: f103a8 1st child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	9260	94.8 %
2	no	225	2.3 %
8	don't know	3	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	277	2.8 %
	Total	**9,765**	**100%**

Based upon 9,488 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1788-1789 (width: 2; decimal: 0)
Variable Type: numeric

F103A1: f103a1 sex of the 1st child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	5294	54.2 %
2	female	4193	42.9 %
8	don't know	3	0.0 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	275	2.8 %
	Total	**9,765**	**100%**

Based upon 9,490 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1790-1791 (width: 2; decimal: 0)
Variable Type: numeric

F103A2: f103a2 the 1st child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	8016	82.1 %
2	no	1467	15.0 %
3	unknown	0	0.0 %
8	don't know	7	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	275	2.8 %
	Total	**9,765**	**100%**

Based upon 9,490 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1792-1793 (width: 2; decimal: 0)
Variable Type: numeric

F103A3: f103a3 the 1st child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	6	0.1 %
1	-	27	0.3 %
2	-	13	0.1 %
3	-	12	0.1 %
4	-	5	0.1 %
5	-	9	0.1 %

Value	Label	Unweighted Frequency	%
6	-	2	0.0 %
7	-	2	0.0 %
8	-	7	0.1 %
9	-	3	0.0 %
10	-	3	0.0 %
12	-	5	0.1 %
13	-	3	0.0 %
15	-	2	0.0 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	4	0.0 %
19	-	5	0.1 %
20	-	4	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	6	0.1 %
25	-	4	0.0 %
26	-	5	0.1 %
27	-	5	0.1 %
28	-	9	0.1 %
29	-	6	0.1 %
30	-	14	0.1 %
31	-	5	0.1 %
32	-	18	0.2 %
33	-	18	0.2 %
34	-	22	0.2 %
35	-	33	0.3 %
36	-	39	0.4 %
37	-	54	0.6 %
38	-	71	0.7 %
39	-	66	0.7 %
40	-	140	1.4 %
41	-	107	1.1 %
42	-	142	1.5 %
43	-	166	1.7 %
44	-	219	2.2 %
45	-	295	3.0 %
46	-	266	2.7 %

Value	Label	Unweighted Frequency	%
47	-	195	2.0 %
48	-	216	2.2 %
49	-	177	1.8 %
50	-	307	3.1 %
	Missing Data		
.	-	284	2.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,481 valid cases out of 9,765 total cases.

- Mean: 58.18
- Median: 59.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 93.00
- Standard Deviation: 13.37

Location: 1794-1796 (width: 3; decimal: 0)
Variable Type: numeric

F103A4: f103a4 frequent visits of the 1st child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	6472	66.3 %
2	no	905	9.3 %
8	don't know	39	0.4 %
9	missing	1960	20.1 %
	Missing Data		
.	-	389	4.0 %
	Total	**9,765**	**100%**

Based upon 9,376 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1797-1798 (width: 2; decimal: 0)
Variable Type: numeric

F103A7: f103a7 contact with the 1st child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
1	yes	6573	67.3 %
2	no	795	8.1 %
8	don't know	25	0.3 %
9	missing	1972	20.2 %
	Missing Data		
.	-	400	4.1 %
	Total	**9,765**	**100%**

Based upon 9,365 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1799-1800 (width: 2; decimal: 0)
Variable Type: numeric

F103A5: f103a5 residence distance of the 1st child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	1157	11.8 %
1	same village	3255	33.3 %
2	same town/district	1796	18.4 %
3	same county/city	2234	22.9 %
4	county/city near by	456	4.7 %
5	elsewhere	431	4.4 %
8	don't know	24	0.2 %
9	missing	41	0.4 %
	Missing Data		
.	-	371	3.8 %
	Total	**9,765**	**100%**

Based upon 9,394 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1801-1802 (width: 2; decimal: 0)
Variable Type: numeric

RF103B: rf103b proxy or not for f103b1 to f103b8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
0	without proxy	5183	53.1 %
1	with proxy	1956	20.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	2626	26.9 %
	Total	**9,765**	**100%**

Based upon 7,139 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1803-1804 (width: 2; decimal: 0)
Variable Type: numeric

F103B8: f103b8 2nd child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	8738	89.5 %
2	no	124	1.3 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	902	9.2 %
	Total	**9,765**	**100%**

Based upon 8,863 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1805-1806 (width: 2; decimal: 0)
Variable Type: numeric

F103B1: f103b1 sex of the 2nd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	4734	48.5 %
2	female	4129	42.3 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	901	9.2 %
	Total	**9,765**	**100%**

Based upon 8,864 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1807-1808 (width: 2; decimal: 0)
Variable Type: numeric

F103B2: f103b2 the 2nd child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	7792	79.8 %
2	no	1067	10.9 %
3	unknown	0	0.0 %
8	don't know	4	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	902	9.2 %
	Total	**9,765**	**100%**

Based upon 8,863 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1809-1810 (width: 2; decimal: 0)
Variable Type: numeric

F103B3: f103b3 the 2nd child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	5	0.1 %
1	-	20	0.2 %
2	-	5	0.1 %
3	-	10	0.1 %
4	-	6	0.1 %
5	-	3	0.0 %
6	-	3	0.0 %
7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8	-	5	0.1 %
10	-	1	0.0 %
12	-	3	0.0 %
13	-	2	0.0 %
15	-	1	0.0 %
16	-	2	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	6	0.1 %
21	-	2	0.0 %
22	-	4	0.0 %
23	-	2	0.0 %
24	-	6	0.1 %
25	-	11	0.1 %
26	-	11	0.1 %
27	-	6	0.1 %
28	-	9	0.1 %
29	-	6	0.1 %
30	-	30	0.3 %
31	-	12	0.1 %
32	-	37	0.4 %
33	-	39	0.4 %
34	-	33	0.3 %
35	-	70	0.7 %
36	-	75	0.8 %
37	-	112	1.1 %
38	-	127	1.3 %
39	-	112	1.1 %
40	-	219	2.2 %
41	-	145	1.5 %
42	-	224	2.3 %
43	-	256	2.6 %
44	-	245	2.5 %
45	-	289	3.0 %
46	-	262	2.7 %
47	-	198	2.0 %
48	-	263	2.7 %
49	-	169	1.7 %

Value	Label	Unweighted Frequency	%
50	-	303	3.1 %
51	-	194	2.0 %
	Missing Data		
.	-	910	9.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,855 valid cases out of 9,765 total cases.

- Mean: 54.85
- Median: 55.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 89.00
- Standard Deviation: 12.76

Location: 1811-1813 (width: 3; decimal: 0)
Variable Type: numeric

F103B4: f103b4 frequent visits of the 2nd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	6483	66.4 %
2	no	772	7.9 %
8	don't know	30	0.3 %
9	missing	1490	15.3 %
	Missing Data		
.	-	990	10.1 %
	Total	**9,765**	**100%**

Based upon 8,775 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1814-1815 (width: 2; decimal: 0)
Variable Type: numeric

F103B7: f103b7 contact with the 2nd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	6575	67.3 %
2	no	678	6.9 %

Value	Label	Unweighted Frequency	%
8	don't know	20	0.2 %
9	missing	1495	15.3 %
	Missing Data		
.	-	997	10.2 %
	Total	**9,765**	**100%**

Based upon 8,768 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1816-1817 (width: 2; decimal: 0)
Variable Type: numeric

F103B5: f103b5 residence distance of the 2nd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	857	8.8 %
1	same village	3022	30.9 %
2	same town/district	1837	18.8 %
3	same county/city	2224	22.8 %
4	county/city near by	402	4.1 %
5	elsewhere	387	4.0 %
8	don't know	21	0.2 %
9	missing	36	0.4 %
	Missing Data		
.	-	979	10.0 %
	Total	**9,765**	**100%**

Based upon 8,786 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1818-1819 (width: 2; decimal: 0)
Variable Type: numeric

RF103C: rf103c proxy or not for f103c1 to f103c8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	4562	46.7 %
1	with proxy	1743	17.8 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	3460	35.4 %
	Total	**9,765**	**100%**

Based upon 6,305 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1820-1821 (width: 2; decimal: 0)
Variable Type: numeric

F103C8: f103c8 3rd child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	7720	79.1 %
2	no	52	0.5 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	1992	20.4 %
	Total	**9,765**	**100%**

Based upon 7,773 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1822-1823 (width: 2; decimal: 0)
Variable Type: numeric

F103C1: f103c1 sex of the 3rd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	4139	42.4 %
2	female	3632	37.2 %
8	don't know	3	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	1991	20.4 %
	Total	**9,765**	**100%**

Based upon 7,774 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1824-1825 (width: 2; decimal: 0)
Variable Type: numeric

F103C2: f103c2 the 3rd child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	7023	71.9 %
2	no	745	7.6 %
3	unknown	0	0.0 %
8	don't know	6	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	1991	20.4 %
	Total	**9,765**	**100%**

Based upon 7,774 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1826-1827 (width: 2; decimal: 0)
Variable Type: numeric

F103C3: f103c3 the 3rd child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	2	0.0 %
1	-	20	0.2 %
2	-	2	0.0 %
3	-	2	0.0 %
4	-	4	0.0 %
5	-	6	0.1 %
6	-	3	0.0 %
7	-	4	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
12	-	4	0.0 %
15	-	3	0.0 %

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
17	-	1	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	4	0.0 %
24	-	2	0.0 %
25	-	3	0.0 %
26	-	5	0.1 %
27	-	5	0.1 %
28	-	10	0.1 %
29	-	14	0.1 %
30	-	34	0.3 %
31	-	20	0.2 %
32	-	50	0.5 %
33	-	38	0.4 %
34	-	60	0.6 %
35	-	106	1.1 %
36	-	96	1.0 %
37	-	122	1.2 %
38	-	199	2.0 %
39	-	141	1.4 %
40	-	294	3.0 %
41	-	175	1.8 %
42	-	244	2.5 %
43	-	266	2.7 %
44	-	232	2.4 %
45	-	250	2.6 %
46	-	261	2.7 %
47	-	192	2.0 %
48	-	237	2.4 %
49	-	150	1.5 %
50	-	314	3.2 %
51	-	203	2.1 %
	Missing Data		
.	-	2000	20.5 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,765 valid cases out of 9,765 total cases.

- Mean: 52.19
- Median: 52.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 12.11

Location: 1828-1830 (width: 3; decimal: 0)
Variable Type: numeric

F103C4: f103c4 frequent visits of the 3rd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	5820	59.6 %
2	no	663	6.8 %
8	don't know	23	0.2 %
9	missing	1218	12.5 %
	Missing Data		
.	-	2041	20.9 %
	Total	**9,765**	**100%**

Based upon 7,724 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1831-1832 (width: 2; decimal: 0)
Variable Type: numeric

F103C7: f103c7 contact with the 3rd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	5874	60.2 %
2	no	605	6.2 %
8	don't know	12	0.1 %
9	missing	1228	12.6 %
	Missing Data		
.	-	2046	21.0 %
	Total	**9,765**	**100%**

Based upon 7,719 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1833-1834 (width: 2; decimal: 0)
Variable Type: numeric

F103C5: f103c5 residence distance of the 3rd child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	783	8.0 %
1	same village	2740	28.1 %
2	same town/district	1596	16.3 %
3	same county/city	1878	19.2 %
4	county/city near by	347	3.6 %
5	elsewhere	340	3.5 %
8	don't know	20	0.2 %
9	missing	28	0.3 %
	Missing Data		
.	-	2033	20.8 %
	Total	**9,765**	**100%**

Based upon 7,732 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1835-1836 (width: 2; decimal: 0)
Variable Type: numeric

RF103D: rf103d proxy or not for f103d1 to f103d8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3577	36.6 %
1	with proxy	1433	14.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	4755	48.7 %
	Total	**9,765**	**100%**

Based upon 5,010 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1837-1838 (width: 2; decimal: 0)
Variable Type: numeric

F103D8: f103d8 4th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	6087	62.3 %
2	no	36	0.4 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	3641	37.3 %
	Total	**9,765**	**100%**

Based upon 6,124 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1839-1840 (width: 2; decimal: 0)
Variable Type: numeric

F103D1: f103d1 sex of the 4th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	3224	33.0 %
2	female	2899	29.7 %
8	don't know	3	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	3639	37.3 %
	Total	**9,765**	**100%**

Based upon 6,126 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1841-1842 (width: 2; decimal: 0)
Variable Type: numeric

F103D2: f103d2 the 4th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	5578	57.1 %
2	no	542	5.6 %

Value	Label	Unweighted Frequency	%
3	unknown	0	0.0 %
8	don't know	6	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	3639	37.3 %
	Total	**9,765**	**100%**

Based upon 6,126 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1843-1844 (width: 2; decimal: 0)
Variable Type: numeric

F103D3: f103d3 the 4th child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3	0.0 %
1	-	12	0.1 %
2	-	4	0.0 %
3	-	3	0.0 %
4	-	1	0.0 %
5	-	4	0.0 %
6	-	4	0.0 %
8	-	3	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
20	-	3	0.0 %
21	-	2	0.0 %
22	-	6	0.1 %
23	-	2	0.0 %
24	-	5	0.1 %
25	-	5	0.1 %

Value	Label	Unweighted Frequency	%
26	-	8	0.1 %
27	-	8	0.1 %
28	-	9	0.1 %
29	-	12	0.1 %
30	-	39	0.4 %
31	-	21	0.2 %
32	-	60	0.6 %
33	-	55	0.6 %
34	-	58	0.6 %
35	-	93	1.0 %
36	-	118	1.2 %
37	-	140	1.4 %
38	-	190	1.9 %
39	-	115	1.2 %
40	-	266	2.7 %
41	-	170	1.7 %
42	-	206	2.1 %
43	-	169	1.7 %
44	-	216	2.2 %
45	-	226	2.3 %
46	-	225	2.3 %
47	-	155	1.6 %
48	-	202	2.1 %
49	-	148	1.5 %
50	-	280	2.9 %
51	-	161	1.6 %
	Missing Data		
.	-	3646	37.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,119 valid cases out of 9,765 total cases.

- Mean: 50.15
- Median: 50.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 11.70

Location: 1845-1847 (width: 3; decimal: 0)
Variable Type: numeric

F103D4: f103d4 frequent visits of the 4th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	4676	47.9 %
2	no	507	5.2 %
8	don't know	19	0.2 %
9	missing	874	9.0 %
	Missing Data		
.	-	3689	37.8 %
	Total	**9,765**	**100%**

Based upon 6,076 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1848-1849 (width: 2; decimal: 0)
Variable Type: numeric

F103D7: f103d7 contact with the 4th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	4710	48.2 %
2	no	465	4.8 %
8	don't know	13	0.1 %
9	missing	884	9.1 %
	Missing Data		
.	-	3693	37.8 %
	Total	**9,765**	**100%**

Based upon 6,072 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1850-1851 (width: 2; decimal: 0)
Variable Type: numeric

F103D5: f103d5 residence distance of the 4th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	578	5.9 %
1	same village	2067	21.2 %

Value	Label	Unweighted Frequency	%
2	same town/district	1262	12.9 %
3	same county/city	1568	16.1 %
4	county/city near by	321	3.3 %
5	elsewhere	254	2.6 %
8	don't know	18	0.2 %
9	missing	13	0.1 %
	Missing Data		
.	-	3684	37.7 %
	Total	**9,765**	**100%**

Based upon 6,081 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1852-1853 (width: 2; decimal: 0)
Variable Type: numeric

RF103E: rf103e proxy or not for f103e1 to f103e8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2392	24.5 %
1	with proxy	1003	10.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	6370	65.2 %
	Total	**9,765**	**100%**

Based upon 3,395 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1854-1855 (width: 2; decimal: 0)
Variable Type: numeric

F103E8: f103e8 5th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	4058	41.6 %
2	no	19	0.2 %
8	don't know	0	0.0 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	5688	58.2 %
	Total	**9,765**	**100%**

Based upon 4,077 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1856-1857 (width: 2; decimal: 0)
Variable Type: numeric

F103E1: f103e1 sex of the 5th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	2149	22.0 %
2	female	1925	19.7 %
8	don't know	2	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	5689	58.3 %
	Total	**9,765**	**100%**

Based upon 4,076 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1858-1859 (width: 2; decimal: 0)
Variable Type: numeric

F103E2: f103e2 the 5th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	3717	38.1 %
2	no	352	3.6 %
3	unknown	0	0.0 %
8	don't know	7	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	5689	58.3 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 4,076 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1860-1861 (width: 2; decimal: 0)
Variable Type: numeric

F103E3: f103e3 the 5th child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	1	0.0 %
1	-	16	0.2 %
2	-	2	0.0 %
3	-	3	0.0 %
4	-	2	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
21	-	4	0.0 %
22	-	1	0.0 %
23	-	4	0.0 %
24	-	1	0.0 %
25	-	3	0.0 %
26	-	8	0.1 %
27	-	5	0.1 %
28	-	17	0.2 %
29	-	9	0.1 %
30	-	26	0.3 %
31	-	30	0.3 %
32	-	36	0.4 %
33	-	42	0.4 %
34	-	35	0.4 %
35	-	67	0.7 %
36	-	84	0.9 %

Value	Label	Unweighted Frequency	%
37	-	102	1.0 %
38	-	151	1.5 %
39	-	90	0.9 %
40	-	184	1.9 %
41	-	104	1.1 %
42	-	149	1.5 %
43	-	132	1.4 %
44	-	136	1.4 %
45	-	177	1.8 %
46	-	148	1.5 %
47	-	114	1.2 %
48	-	155	1.6 %
49	-	107	1.1 %
50	-	188	1.9 %
51	-	158	1.6 %
52	-	129	1.3 %
53	-	135	1.4 %
54	-	131	1.3 %
55	-	128	1.3 %
56	-	112	1.1 %
57	-	107	1.1 %
	Missing Data		
.	-	5692	58.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,073 valid cases out of 9,765 total cases.

- Mean: 48.91
- Median: 48.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 11.34

Location: 1862-1864 (width: 3; decimal: 0)
Variable Type: numeric

F103E4: f103e4 frequent visits of the 5th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
1	yes	3044	31.2 %
2	no	325	3.3 %
8	don't know	16	0.2 %
9	missing	666	6.8 %
	Missing Data		
.	-	5714	58.5 %
	Total	**9,765**	**100%**

Based upon 4,051 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1865-1866 (width: 2; decimal: 0)
Variable Type: numeric

F103E7: f103e7 contact with the 5th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	3057	31.3 %
2	no	314	3.2 %
8	don't know	9	0.1 %
9	missing	670	6.9 %
	Missing Data		
.	-	5715	58.5 %
	Total	**9,765**	**100%**

Based upon 4,050 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1867-1868 (width: 2; decimal: 0)
Variable Type: numeric

F103E5: f103e5 residence distance of the 5th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	449	4.6 %
1	same village	1422	14.6 %
2	same town/district	831	8.5 %
3	same county/city	989	10.1 %

Value	Label	Unweighted Frequency	%
4	county/city near by	179	1.8 %
5	elsewhere	150	1.5 %
8	don't know	16	0.2 %
9	missing	14	0.1 %
	Missing Data		
.	-	5715	58.5 %
	Total	**9,765**	**100%**

Based upon 4,050 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1869-1870 (width: 2; decimal: 0)
Variable Type: numeric

RF103F: rf103f proxy or not for f103f1 to f103f8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1372	14.1 %
1	with proxy	585	6.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	7808	80.0 %
	Total	**9,765**	**100%**

Based upon 1,957 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1871-1872 (width: 2; decimal: 0)
Variable Type: numeric

F103F8: f103f8 6th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2306	23.6 %
2	no	10	0.1 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	7449	76.3 %
	Total	**9,765**	**100%**

Based upon 2,316 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1873-1874 (width: 2; decimal: 0)
Variable Type: numeric

F103F1: f103f1 sex of the 6th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	1191	12.2 %
2	female	1125	11.5 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	7448	76.3 %
	Total	**9,765**	**100%**

Based upon 2,317 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1875-1876 (width: 2; decimal: 0)
Variable Type: numeric

F103F2: f103f2 the 6th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	2062	21.1 %
2	no	252	2.6 %
3	unknown	0	0.0 %
8	don't know	3	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	7448	76.3 %
	Total	**9,765**	**100%**

Based upon 2,317 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1877-1878 (width: 2; decimal: 0)
Variable Type: numeric

F103F3: f103f3 the 6th child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1.0	not applicable	0	0.0 %
0.0	-	2	0.0 %
0.5	-	1	0.0 %
1.0	-	4	0.0 %
2.0	-	4	0.0 %
3.0	-	5	0.1 %
6.0	-	1	0.0 %
8.0	-	4	0.0 %
9.0	-	1	0.0 %
10.0	-	1	0.0 %
12.0	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	1	0.0 %
16.0	-	1	0.0 %
17.0	-	2	0.0 %
18.0	-	1	0.0 %
21.0	-	1	0.0 %
22.0	-	1	0.0 %
23.0	-	1	0.0 %
24.0	-	1	0.0 %
25.0	-	4	0.0 %
26.0	-	8	0.1 %
27.0	-	8	0.1 %
28.0	-	7	0.1 %
29.0	-	2	0.0 %
30.0	-	27	0.3 %
31.0	-	14	0.1 %
32.0	-	22	0.2 %
33.0	-	22	0.2 %
34.0	-	34	0.3 %
35.0	-	52	0.5 %
36.0	-	43	0.4 %
37.0	-	61	0.6 %

Value	Label	Unweighted Frequency	%
38.0	-	78	0.8 %
39.0	-	53	0.5 %
40.0	-	125	1.3 %
41.0	-	61	0.6 %
42.0	-	94	1.0 %
43.0	-	70	0.7 %
44.0	-	87	0.9 %
45.0	-	95	1.0 %
46.0	-	88	0.9 %
47.0	-	61	0.6 %
48.0	-	86	0.9 %
49.0	-	70	0.7 %
50.0	-	123	1.3 %
51.0	-	73	0.7 %
52.0	-	71	0.7 %
53.0	-	70	0.7 %
54.0	-	70	0.7 %
	Missing Data		
.	-	7450	76.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,315 valid cases out of 9,765 total cases.

- Mean: 47.86
- Median: 48.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 11.48

Location: 1879-1883 (width: 5; decimal: 1)
Variable Type: numeric

F103F4: f103f4 frequent visits of the 6th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	1663	17.0 %
2	no	203	2.1 %
8	don't know	4	0.0 %
9	missing	423	4.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	7472	76.5 %
	Total	**9,765**	**100%**

Based upon 2,293 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1884-1885 (width: 2; decimal: 0)
Variable Type: numeric

F103F7: f103f7 contact with the 6th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	1669	17.1 %
2	no	194	2.0 %
8	don't know	1	0.0 %
9	missing	428	4.4 %
	Missing Data		
.	-	7473	76.5 %
	Total	**9,765**	**100%**

Based upon 2,292 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1886-1887 (width: 2; decimal: 0)
Variable Type: numeric

F103F5: f103f5 residence distance of the 6th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	249	2.5 %
1	same village	797	8.2 %
2	same town/district	442	4.5 %
3	same county/city	594	6.1 %
4	county/city near by	107	1.1 %
5	elsewhere	88	0.9 %
8	don't know	5	0.1 %
9	missing	7	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	7476	76.6 %
	Total	**9,765**	**100%**

Based upon 2,289 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1888-1889 (width: 2; decimal: 0)
Variable Type: numeric

RF103G: rf103g proxy or not for f103g1 to f103g8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	673	6.9 %
1	with proxy	294	3.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	8798	90.1 %
	Total	**9,765**	**100%**

Based upon 967 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1890-1891 (width: 2; decimal: 0)
Variable Type: numeric

F103G8: f103g8 7th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	1136	11.6 %
2	no	5	0.1 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	8624	88.3 %
	Total	**9,765**	**100%**

Based upon 1,141 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1892-1893 (width: 2; decimal: 0)
Variable Type: numeric

F103G1: f103g1 sex of the 7th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	578	5.9 %
2	female	560	5.7 %
8	don't know	3	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	8624	88.3 %
	Total	**9,765**	**100%**

Based upon 1,141 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1894-1895 (width: 2; decimal: 0)
Variable Type: numeric

F103G2: f103g2 the 7th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	988	10.1 %
2	no	152	1.6 %
3	unknown	0	0.0 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	8624	88.3 %
	Total	**9,765**	**100%**

Based upon 1,141 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1896-1897 (width: 2; decimal: 0)
Variable Type: numeric

F103G3: f103g3 the 7th child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1.0	not applicable	0	0.0 %
0.0	-	1	0.0 %
0.5	-	1	0.0 %
1.0	-	1	0.0 %
3.0	-	1	0.0 %
4.0	-	1	0.0 %
7.0	-	1	0.0 %
8.0	-	1	0.0 %
9.0	-	1	0.0 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
15.0	-	2	0.0 %
19.0	-	1	0.0 %
20.0	-	1	0.0 %
22.0	-	2	0.0 %
24.0	-	1	0.0 %
25.0	-	2	0.0 %
26.0	-	1	0.0 %
27.0	-	3	0.0 %
28.0	-	5	0.1 %
29.0	-	7	0.1 %
30.0	-	9	0.1 %
31.0	-	6	0.1 %
32.0	-	14	0.1 %
33.0	-	15	0.2 %
34.0	-	14	0.1 %
35.0	-	27	0.3 %
36.0	-	16	0.2 %
37.0	-	24	0.2 %
38.0	-	39	0.4 %
39.0	-	30	0.3 %
40.0	-	57	0.6 %
41.0	-	39	0.4 %
42.0	-	32	0.3 %
43.0	-	38	0.4 %
44.0	-	39	0.4 %
45.0	-	49	0.5 %

Value	Label	Unweighted Frequency	%
46.0	-	45	0.5 %
47.0	-	34	0.3 %
48.0	-	54	0.6 %
49.0	-	32	0.3 %
50.0	-	56	0.6 %
51.0	-	30	0.3 %
52.0	-	35	0.4 %
53.0	-	41	0.4 %
54.0	-	33	0.3 %
55.0	-	43	0.4 %
56.0	-	31	0.3 %
57.0	-	27	0.3 %
58.0	-	32	0.3 %
	Missing Data		
.	-	8624	88.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,141 valid cases out of 9,765 total cases.

- Mean: 47.96
- Median: 48.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 11.41

Location: 1898-1902 (width: 5; decimal: 1)
Variable Type: numeric

F103G4: f103g4 frequent visits of the 7th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	798	8.2 %
2	no	95	1.0 %
8	don't know	2	0.0 %
9	missing	234	2.4 %
	Missing Data		
.	-	8636	88.4 %
	Total	**9,765**	**100%**

Based upon 1,129 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1903-1904 (width: 2; decimal: 0)
Variable Type: numeric

F103G7: f103g7 contact with the 7th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	789	8.1 %
2	no	102	1.0 %
8	don't know	1	0.0 %
9	missing	236	2.4 %
	Missing Data		
.	-	8637	88.4 %
	Total	**9,765**	**100%**

Based upon 1,128 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1905-1906 (width: 2; decimal: 0)
Variable Type: numeric

F103G5: f103g5 residence distance of the 7th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	124	1.3 %
1	same village	403	4.1 %
2	same town/district	216	2.2 %
3	same county/city	281	2.9 %
4	county/city near by	49	0.5 %
5	elsewhere	49	0.5 %
8	don't know	3	0.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	8635	88.4 %
	Total	**9,765**	**100%**

Based upon 1,130 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1907-1908 (width: 2; decimal: 0)
Variable Type: numeric

RF103H: rf103h proxy or not for f103h1 to f103h8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	307	3.1 %
1	with proxy	156	1.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	9302	95.3 %
	Total	**9,765**	**100%**

Based upon 463 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1909-1910 (width: 2; decimal: 0)
Variable Type: numeric

F103H8: f103h8 8th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	527	5.4 %
2	no	3	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9235	94.6 %
	Total	**9,765**	**100%**

Based upon 530 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1911-1912 (width: 2; decimal: 0)
Variable Type: numeric

F103H1: f103h1 sex of the 8th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	274	2.8 %
2	female	253	2.6 %
8	don't know	3	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9235	94.6 %
	Total	**9,765**	**100%**

Based upon 530 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1913-1914 (width: 2; decimal: 0)
Variable Type: numeric

F103H2: f103h2 the 8th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	447	4.6 %
2	no	81	0.8 %
3	unknown	0	0.0 %
8	don't know	2	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9235	94.6 %
	Total	**9,765**	**100%**

Based upon 530 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1915-1916 (width: 2; decimal: 0)
Variable Type: numeric

F103H3: f103h3 the 8th child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1.00000000000	not applicable	0	0.0 %
0.10000000149	-	1	0.0 %
1.00000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.00000000000	-	1	0.0 %
14.00000000000	-	1	0.0 %
23.00000000000	-	2	0.0 %
25.00000000000	-	2	0.0 %
26.00000000000	-	1	0.0 %
27.00000000000	-	1	0.0 %
28.00000000000	-	1	0.0 %
29.00000000000	-	2	0.0 %
30.00000000000	-	5	0.1 %
31.00000000000	-	3	0.0 %
32.00000000000	-	5	0.1 %
33.00000000000	-	6	0.1 %
34.00000000000	-	7	0.1 %
35.00000000000	-	12	0.1 %
36.00000000000	-	7	0.1 %
37.00000000000	-	10	0.1 %
38.00000000000	-	19	0.2 %
39.00000000000	-	13	0.1 %
40.00000000000	-	24	0.2 %
41.00000000000	-	14	0.1 %
42.00000000000	-	19	0.2 %
43.00000000000	-	17	0.2 %
44.00000000000	-	15	0.2 %
45.00000000000	-	37	0.4 %
46.00000000000	-	21	0.2 %
47.00000000000	-	19	0.2 %
48.00000000000	-	18	0.2 %
49.00000000000	-	15	0.2 %
50.00000000000	-	29	0.3 %
51.00000000000	-	8	0.1 %
52.00000000000	-	16	0.2 %
53.00000000000	-	25	0.3 %
54.00000000000	-	17	0.2 %
55.00000000000	-	19	0.2 %
56.00000000000	-	18	0.2 %
57.00000000000	-	10	0.1 %
58.00000000000	-	14	0.1 %
59.00000000000	-	7	0.1 %
60.00000000000	-	14	0.1 %

Value	Label	Unweighted Frequency	%
61.00000000000	-	7	0.1 %
62.00000000000	-	9	0.1 %
63.00000000000	-	7	0.1 %
64.00000000000	-	7	0.1 %
65.00000000000	-	5	0.1 %
66.00000000000	-	4	0.0 %
67.00000000000	-	1	0.0 %
68.00000000000	-	1	0.0 %
	Missing Data		
.	-	9235	94.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 530 valid cases out of 9,765 total cases.

- Mean: 48.03415094340
- Median: 47.00000000000
- Mode: 45.00000000000
- Minimum: 0.10000000149
- Maximum: 88.00000000000
- Standard Deviation: 10.82894949652

Location: 1917-1931 (width: 15; decimal: 11)
Variable Type: numeric

F103H4: f103h4 frequent visits of the 8th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	341	3.5 %
2	no	44	0.5 %
8	don't know	0	0.0 %
9	missing	143	1.5 %
	Missing Data		
.	-	9237	94.6 %
	Total	**9,765**	**100%**

Based upon 528 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1932-1933 (width: 2; decimal: 0)
Variable Type: numeric

F103H7: f103h7 contact with the 8th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	346	3.5 %
2	no	39	0.4 %
8	don't know	0	0.0 %
9	missing	143	1.5 %
	Missing Data		
.	-	9237	94.6 %
	Total	**9,765**	**100%**

Based upon 528 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1934-1935 (width: 2; decimal: 0)
Variable Type: numeric

F103H5: f103h5 residence distance of the 8th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	85	0.9 %
1	same village	166	1.7 %
2	same town/district	98	1.0 %
3	same county/city	118	1.2 %
4	county/city near by	30	0.3 %
5	elsewhere	23	0.2 %
8	don't know	3	0.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	9237	94.6 %
	Total	**9,765**	**100%**

Based upon 528 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1936-1937 (width: 2; decimal: 0)
Variable Type: numeric

RF103I: rf103i proxy or not for f103i1 to f103i8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	126	1.3 %
1	with proxy	66	0.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	9573	98.0 %
	Total	**9,765**	**100%**

Based upon 192 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1938-1939 (width: 2; decimal: 0)
Variable Type: numeric

F103I8: f103i8 9th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	217	2.2 %
2	no	2	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9546	97.8 %
	Total	**9,765**	**100%**

Based upon 219 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1940-1941 (width: 2; decimal: 0)
Variable Type: numeric

F103I1: f103i1 sex of the 9th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	103	1.1 %
2	female	114	1.2 %
8	don't know	2	0.0 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	9546	97.8 %
	Total	**9,765**	**100%**

Based upon 219 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1942-1943 (width: 2; decimal: 0)
Variable Type: numeric

F103I2: f103i2 the 9th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	167	1.7 %
2	no	51	0.5 %
3	unknown	0	0.0 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9546	97.8 %
	Total	**9,765**	**100%**

Based upon 219 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1944-1945 (width: 2; decimal: 0)
Variable Type: numeric

F103I3: f103i3 the 9th child's age at present if alive, or age the child would be if s/he alive

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	1	0.0 %
2	-	2	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
31	-	3	0.0 %

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	7	0.1 %
36	-	6	0.1 %
37	-	2	0.0 %
38	-	5	0.1 %
39	-	6	0.1 %
40	-	4	0.0 %
41	-	3	0.0 %
42	-	8	0.1 %
43	-	10	0.1 %
44	-	9	0.1 %
45	-	12	0.1 %
46	-	14	0.1 %
47	-	2	0.0 %
48	-	5	0.1 %
49	-	3	0.0 %
50	-	18	0.2 %
51	-	7	0.1 %
52	-	11	0.1 %
53	-	1	0.0 %
54	-	7	0.1 %
55	-	7	0.1 %
56	-	8	0.1 %
57	-	12	0.1 %
58	-	6	0.1 %
59	-	3	0.0 %
60	-	6	0.1 %
61	-	7	0.1 %
62	-	1	0.0 %
63	-	3	0.0 %
64	-	3	0.0 %
67	-	1	0.0 %
68	-	2	0.0 %
76	-	1	0.0 %
88	-	3	0.0 %
98	-	1	0.0 %
888	don't know	0	0.0 %

Value	Label	Unweighted Frequency	%
999	missing	0	0.0 %
	Missing Data		
.	-	9546	97.8 %
	Total	**9,765**	**100%**

Based upon 219 valid cases out of 9,765 total cases.

- Mean: 48.39
- Median: 49.00
- Mode: 50.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 12.06

Location: 1946-1948 (width: 3; decimal: 0)
Variable Type: numeric

F103I4: f103i4 frequent visits of the 9th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	134	1.4 %
2	no	15	0.2 %
5	UNDOCUMENTED CODE	1	0.0 %
8	don't know	0	0.0 %
9	missing	66	0.7 %
	Missing Data		
.	-	9549	97.8 %
	Total	**9,765**	**100%**

Based upon 216 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1949-1950 (width: 2; decimal: 0)
Variable Type: numeric

F103I7: f103i7 contact with the 9th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	133	1.4 %
2	no	16	0.2 %
8	don't know	0	0.0 %
9	missing	67	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	9549	97.8 %
	Total	**9,765**	**100%**

Based upon 216 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1951-1952 (width: 2; decimal: 0)
Variable Type: numeric

F103I5: f103i5 residence distance of the 9th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	26	0.3 %
1	same village	75	0.8 %
2	same town/district	30	0.3 %
3	same county/city	56	0.6 %
4	county/city near by	13	0.1 %
5	elsewhere	14	0.1 %
8	don't know	0	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	9548	97.8 %
	Total	**9,765**	**100%**

Based upon 217 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1953-1954 (width: 2; decimal: 0)
Variable Type: numeric

RF103J: rf103j proxy or not for f103j1 to f103j8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	62	0.6 %
1	with proxy	32	0.3 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9671	99.0 %
	Total	**9,765**	**100%**

Based upon 94 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1955-1956 (width: 2; decimal: 0)
Variable Type: numeric

F103J8: f103j8 10th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	103	1.1 %
2	no	1	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9661	98.9 %
	Total	**9,765**	**100%**

Based upon 104 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1957-1958 (width: 2; decimal: 0)
Variable Type: numeric

F103J1: f103j1 sex of the 10th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	49	0.5 %
2	female	54	0.6 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9661	98.9 %
	Total	**9,765**	**100%**

Based upon 104 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1959-1960 (width: 2; decimal: 0)
Variable Type: numeric

F103J2: f103j2 the 10th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	75	0.8 %
2	no	28	0.3 %
3	unknown	0	0.0 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9661	98.9 %
	Total	**9,765**	**100%**

Based upon 104 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1961-1962 (width: 2; decimal: 0)
Variable Type: numeric

F103J3: f103j3 the 10th child's age at present if alive, or age the child would be if s/he aliv

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	2	0.0 %
8	-	1	0.0 %
11	-	1	0.0 %
21	-	1	0.0 %
29	-	3	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
34	-	3	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
40	-	7	0.1 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	4	0.0 %
43	-	5	0.1 %
44	-	4	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	8	0.1 %
49	-	3	0.0 %
50	-	1	0.0 %
51	-	4	0.0 %
53	-	2	0.0 %
54	-	6	0.1 %
55	-	5	0.1 %
56	-	4	0.0 %
57	-	1	0.0 %
58	-	6	0.1 %
59	-	6	0.1 %
61	-	1	0.0 %
62	-	2	0.0 %
64	-	2	0.0 %
66	-	1	0.0 %
71	-	1	0.0 %
88	-	2	0.0 %
888	don't know	0	0.0 %
999	missing	0	0.0 %
	Missing Data		
.	-	9661	98.9 %
	Total	**9,765**	**100%**

Based upon 104 valid cases out of 9,765 total cases.

- Mean: 46.80
- Median: 48.00
- Mode: 48.00
- Minimum: 1.00
- Maximum: 88.00
- Standard Deviation: 13.88

Location: 1963-1965 (width: 3; decimal: 0)
Variable Type: numeric

F103J4: f103j4 frequent visits of the 10th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	58	0.6 %
2	no	8	0.1 %
8	don't know	1	0.0 %
9	missing	37	0.4 %
	Missing Data		
.	-	9661	98.9 %
	Total	**9,765**	**100%**

Based upon 104 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1966-1967 (width: 2; decimal: 0)
Variable Type: numeric

F103J7: f103j7 contact with the 10th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	54	0.6 %
2	no	12	0.1 %
8	don't know	0	0.0 %
9	missing	38	0.4 %
	Missing Data		
.	-	9661	98.9 %
	Total	**9,765**	**100%**

Based upon 104 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1968-1969 (width: 2; decimal: 0)
Variable Type: numeric

F103J5: f103j5 residence distance of the 10th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	14	0.1 %
1	same village	42	0.4 %

Value	Label	Unweighted Frequency	%
2	same town/district	12	0.1 %
3	same county/city	28	0.3 %
4	county/city near by	2	0.0 %
5	elsewhere	4	0.0 %
8	don't know	0	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	9661	98.9 %
	Total	**9,765**	**100%**

Based upon 104 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1970-1971 (width: 2; decimal: 0)
Variable Type: numeric

RF103K: rf103k proxy or not for f103k1 to f103k8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	23	0.2 %
1	with proxy	13	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9729	99.6 %
	Total	**9,765**	**100%**

Based upon 36 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1972-1973 (width: 2; decimal: 0)
Variable Type: numeric

F103K8: f103k8 11th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	42	0.4 %
2	no	0	0.0 %
8	don't know	0	0.0 %

Value	Label	Unweighted Frequency	%
9	missing	0	0.0 %
	Missing Data		
.	-	9723	99.6 %
	Total	**9,765**	**100%**

Based upon 42 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1974-1975 (width: 2; decimal: 0)
Variable Type: numeric

F103K1: f103k1 sex of the 11th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	18	0.2 %
2	female	23	0.2 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9723	99.6 %
	Total	**9,765**	**100%**

Based upon 42 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1976-1977 (width: 2; decimal: 0)
Variable Type: numeric

F103K2: f103k2 the 11th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	23	0.2 %
2	no	18	0.2 %
3	unknown	0	0.0 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9723	99.6 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 42 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1978-1979 (width: 2; decimal: 0)
Variable Type: numeric

F103K3: f103k3 the 11th child's age at present if alive, or age the child would be if s/he aliv

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	-	1	0.0 %
9	-	1	0.0 %
31	-	2	0.0 %
34	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %
51	-	4	0.0 %
52	-	2	0.0 %
53	-	3	0.0 %
56	-	1	0.0 %
57	-	4	0.0 %
58	-	1	0.0 %
60	-	2	0.0 %
62	-	2	0.0 %
65	-	1	0.0 %
88	-	2	0.0 %
888	don't know	0	0.0 %
999	missing	0	0.0 %
	Missing Data		
.	-	9723	99.6 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 42 valid cases out of 9,765 total cases.

- Mean: 49.14
- Median: 51.00
- Minimum: 1.00
- Maximum: 88.00
- Standard Deviation: 15.38

Location: 1980-1982 (width: 3; decimal: 0)
Variable Type: numeric

F103K4: f103k4 frequent visits of the 11th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	18	0.2 %
2	no	4	0.0 %
8	don't know	0	0.0 %
9	missing	18	0.2 %
	Missing Data		
.	-	9725	99.6 %
	Total	**9,765**	**100%**

Based upon 40 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1983-1984 (width: 2; decimal: 0)
Variable Type: numeric

F103K7: f103k7 contact with the 11th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	18	0.2 %
2	no	3	0.0 %
8	don't know	0	0.0 %
9	missing	19	0.2 %
	Missing Data		
.	-	9725	99.6 %
	Total	**9,765**	**100%**

Based upon 40 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1985-1986 (width: 2; decimal: 0)
Variable Type: numeric

F103K5: f103k5 residence distance of the 11th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	3	0.0 %
1	same village	15	0.2 %
2	same town/district	5	0.1 %
3	same county/city	15	0.2 %
4	county/city near by	1	0.0 %
5	elsewhere	0	0.0 %
8	don't know	0	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	9724	99.6 %
	Total	**9,765**	**100%**

Based upon 41 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1987-1988 (width: 2; decimal: 0)
Variable Type: numeric

RF103L: rf103l proxy or not for f103l1 to f103l8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	15	0.2 %
1	with proxy	6	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9744	99.8 %
	Total	**9,765**	**100%**

Based upon 21 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1989-1990 (width: 2; decimal: 0)
Variable Type: numeric

F103L8: f103l8 12th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	23	0.2 %
2	no	0	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9742	99.8 %
	Total	**9,765**	**100%**

Based upon 23 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1991-1992 (width: 2; decimal: 0)
Variable Type: numeric

F103L1: f103l1 sex of the 12th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	12	0.1 %
2	female	10	0.1 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9742	99.8 %
	Total	**9,765**	**100%**

Based upon 23 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1993-1994 (width: 2; decimal: 0)
Variable Type: numeric

F103L2: f103l2 the 12th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	15	0.2 %
2	no	7	0.1 %

Value	Label	Unweighted Frequency	%
3	unknown	0	0.0 %
8	don't know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9742	99.8 %
	Total	**9,765**	**100%**

Based upon 23 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1995-1996 (width: 2; decimal: 0)
Variable Type: numeric

F103L3: f103l3 the 12th child's age at present if alive, or age the child would be if s/he aliv

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
31	-	1	0.0 %
36	-	1	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	2	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %
64	-	1	0.0 %
88	-	1	0.0 %
888	don't know	0	0.0 %
999	missing	0	0.0 %
	Missing Data		
.	-	9742	99.8 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 23 valid cases out of 9,765 total cases.

- Mean: 51.35
- Median: 51.00
- Minimum: 31.00
- Maximum: 88.00
- Standard Deviation: 12.02

Location: 1997-1999 (width: 3; decimal: 0)
Variable Type: numeric

F103L4: f103l4 frequent visits of the 12th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	10	0.1 %
2	no	1	0.0 %
8	don't know	0	0.0 %
9	missing	12	0.1 %
	Missing Data		
.	-	9742	99.8 %
	Total	**9,765**	**100%**

Based upon 23 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2000-2001 (width: 2; decimal: 0)
Variable Type: numeric

F103L7: f103l7 contact with the 12th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	11	0.1 %
2	no	0	0.0 %
8	don't know	0	0.0 %
9	missing	12	0.1 %
	Missing Data		
.	-	9742	99.8 %
	Total	**9,765**	**100%**

Based upon 23 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2002-2003 (width: 2; decimal: 0)
Variable Type: numeric

F103L5: f103l5 residence distance of the 12th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	4	0.0 %
1	same village	12	0.1 %
2	same town/district	2	0.0 %
3	same county/city	4	0.0 %
4	county/city near by	0	0.0 %
5	elsewhere	0	0.0 %
8	don't know	0	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	9742	99.8 %
	Total	**9,765**	**100%**

Based upon 23 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 2004-2005 (width: 2; decimal: 0)
Variable Type: numeric

RF103M: rf103m proxy or not for f103m1 to f103m8

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	3	0.0 %
1	with proxy	5	0.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2006-2007 (width: 2; decimal: 0)
Variable Type: numeric

F103M8: f103m8 13th child is biological or not?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	8	0.1 %
2	no	0	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2008-2009 (width: 2; decimal: 0)
Variable Type: numeric

F103M1: f103m1 sex of the 13th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	male	6	0.1 %
2	female	2	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2010-2011 (width: 2; decimal: 0)
Variable Type: numeric

F103M2: f103m2 the 13th child alive or not

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	8	0.1 %
2	no	0	0.0 %

Value	Label	Unweighted Frequency	%
3	unknown	0	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2012-2013 (width: 2; decimal: 0)
Variable Type: numeric

F103M3: f103m3 the 13th child's age at present if alive, or age the child would be if s/he aliv

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
52	-	2	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
888	don't know	0	0.0 %
999	missing	0	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Mean: 51.88
- Median: 52.50
- Mode: 52.00
- Minimum: 42.00
- Maximum: 58.00
- Standard Deviation: 5.69

Location: 2014-2016 (width: 3; decimal: 0)
Variable Type: numeric

F103M4: f103m4 frequent visits of the 13th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	4	0.0 %
2	no	1	0.0 %
8	don't know	0	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2017-2018 (width: 2; decimal: 0)
Variable Type: numeric

F103M7: f103m7 contact with the 13th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	yes	4	0.0 %
2	no	1	0.0 %
8	don't know	0	0.0 %
9	missing	3	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2019-2020 (width: 2; decimal: 0)
Variable Type: numeric

F103M5: f103m5 residence distance of the 13th child

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	co-residence	3	0.0 %
1	same village	2	0.0 %
2	same town/district	2	0.0 %

Value	Label	Unweighted Frequency	%
3	same county/city	0	0.0 %
4	county/city near by	0	0.0 %
5	elsewhere	1	0.0 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9757	99.9 %
	Total	**9,765**	**100%**

Based upon 8 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 2021-2022 (width: 2; decimal: 0)
Variable Type: numeric

RF1032: rf1032 proxy or not for f1032

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5583	57.2 %
1	with proxy	1706	17.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2476	25.4 %
	Total	**9,765**	**100%**

Based upon 7,289 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2023-2024 (width: 2; decimal: 0)
Variable Type: numeric

F1032: f1032 do children who live in same village but not in coresidence frequently visit you

Value	Label	Unweighted Frequency	%
1	yes	5638	57.7 %
2	no	707	7.2 %
3	no child who is not in corsidence with me but live in the sa	741	7.6 %
8	not able to answer	134	1.4 %
9	missing	72	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2473	25.3 %
	Total	**9,765**	**100%**

Based upon 7,292 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2025-2025 (width: 1; decimal: 0)
Variable Type: numeric

RF1033: rf1033 proxy or not for f1033

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5542	56.8 %
1	with proxy	1687	17.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	2536	26.0 %
	Total	**9,765**	**100%**

Based upon 7,229 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2026-2027 (width: 2; decimal: 0)
Variable Type: numeric

F1033: f1033 do your children who live in other village/district/city frequently visit you?

Value	Label	Unweighted Frequency	%
1	yes	3549	36.3 %
2	no	1176	12.0 %
3	no child who live in other village/district/city	2201	22.5 %
8	not able to answer	200	2.0 %
9	missing	97	1.0 %
	Missing Data		
.	-	2542	26.0 %
	Total	**9,765**	**100%**

Based upon 7,223 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2028-2028 (width: 1; decimal: 0)
Variable Type: numeric

F111A: f111a the first person to whom you usually talk frequently in daily life

Value	Label	Unweighted Frequency	%
0	spouse	2952	30.2 %
1	son	2624	26.9 %
2	daughter	796	8.2 %
3	daughter-in-law	505	5.2 %
4	son-in-law	21	0.2 %
5	grandchildren and their spouses	298	3.1 %
6	other relatives	141	1.4 %
7	friends/neighbors	1543	15.8 %
8	social workers	45	0.5 %
9	housekeeper	81	0.8 %
10	nobody	435	4.5 %
88	not able to answer	136	1.4 %
99	missing	55	0.6 %
	Missing Data		
.	-	133	1.4 %
	Total	**9,765**	**100%**

Based upon 9,632 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2029-2030 (width: 2; decimal: 0)
Variable Type: numeric

F111B: f111b the second person to whom you usually talk frequently in daily life

Value	Label	Unweighted Frequency	%
0	spouse	163	1.7 %
1	son	1896	19.4 %
2	daughter	1255	12.9 %
3	daughter-in-law	1165	11.9 %
4	son-in-law	179	1.8 %
5	grandchildren and their spouses	472	4.8 %
6	other relatives	186	1.9 %
7	friends/neighbors	1067	10.9 %

Value	Label	Unweighted Frequency	%
8	social workers	64	0.7 %
9	housekeeper	62	0.6 %
10	nobody	29	0.3 %
88	not able to answer	167	1.7 %
99	missing	925	9.5 %
	Missing Data		
.	-	2135	21.9 %
	Total	**9,765**	**100%**

Based upon 7,630 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2031-2032 (width: 2; decimal: 0)
Variable Type: numeric

F111C: f111c the third person to whom you usually talk frequently in daily life

Value	Label	Unweighted Frequency	%
0	spouse	81	0.8 %
1	son	500	5.1 %
2	daughter	801	8.2 %
3	daughter-in-law	774	7.9 %
4	son-in-law	95	1.0 %
5	grandchildren and their spouses	826	8.5 %
6	other relatives	204	2.1 %
7	friends/neighbors	1133	11.6 %
8	social workers	92	0.9 %
9	housekeeper	35	0.4 %
10	nobody	45	0.5 %
88	not able to answer	186	1.9 %
99	missing	1621	16.6 %
	Missing Data		
.	-	3372	34.5 %
	Total	**9,765**	**100%**

Based upon 6,393 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2033-2034 (width: 2; decimal: 0)
Variable Type: numeric

F112A: f112a 1st person to whom you talk first when you need to share your thoughts

Value	Label	Unweighted Frequency	%
0	spouse	2958	30.3 %
1	son	3392	34.7 %
2	daughter	1120	11.5 %
3	daughter-in-law	430	4.4 %
4	son-in-law	21	0.2 %
5	grandchildren and their spouses	270	2.8 %
6	other relatives	134	1.4 %
7	friends/neighbors	463	4.7 %
8	social workers	38	0.4 %
9	housekeeper	56	0.6 %
10	nobody	465	4.8 %
88	not able to answer	168	1.7 %
99	missing	94	1.0 %
	Missing Data		
.	-	156	1.6 %
	Total	**9,765**	**100%**

Based upon 9,609 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2035-2036 (width: 2; decimal: 0)
Variable Type: numeric

F112B: f112b 2nd person to whom you talk first when you need to share your thoughts

Value	Label	Unweighted Frequency	%
0	spouse	131	1.3 %
1	son	2020	20.7 %
2	daughter	1650	16.9 %
3	daughter-in-law	1055	10.8 %
4	son-in-law	154	1.6 %
5	grandchildren and their spouses	298	3.1 %
6	other relatives	131	1.3 %
7	friends/neighbors	388	4.0 %
8	social workers	42	0.4 %
9	housekeeper	32	0.3 %
10	nobody	36	0.4 %
88	not able to answer	198	2.0 %

Value	Label	Unweighted Frequency	%
99	missing	1179	12.1 %
	Missing Data		
.	-	2451	25.1 %
	Total	**9,765**	**100%**

Based upon 7,314 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2037-2038 (width: 2; decimal: 0)
Variable Type: numeric

F112C: f112c 3rd person to whom you talk first when you need to share your thoughts

Value	Label	Unweighted Frequency	%
0	spouse	92	0.9 %
1	son	367	3.8 %
2	daughter	934	9.6 %
3	daughter-in-law	884	9.1 %
4	son-in-law	99	1.0 %
5	grandchildren and their spouses	646	6.6 %
6	other relatives	203	2.1 %
7	friends/neighbors	686	7.0 %
8	social workers	64	0.7 %
9	housekeeper	31	0.3 %
10	nobody	52	0.5 %
88	not able to answer	216	2.2 %
99	missing	1830	18.7 %
	Missing Data		
.	-	3661	37.5 %
	Total	**9,765**	**100%**

Based upon 6,104 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2039-2040 (width: 2; decimal: 0)
Variable Type: numeric

F113A: f113a 1st person you ask for help when you have problem/difficulties

Value	Label	Unweighted Frequency	%
0	spouse	2198	22.5 %
1	son	4810	49.3 %
2	daughter	1028	10.5 %
3	daughter-in-law	398	4.1 %
4	son-in-law	35	0.4 %
5	grandchildren and their spouses	282	2.9 %
6	other relatives	144	1.5 %
7	friends/neighbors	152	1.6 %
8	social workers	88	0.9 %
9	housekeeper	52	0.5 %
10	nobody	175	1.8 %
88	not able to answer	163	1.7 %
99	missing	84	0.9 %
	Missing Data		
.	-	156	1.6 %
	Total	**9,765**	**100%**

Based upon 9,609 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2041-2042 (width: 2; decimal: 0)
Variable Type: numeric

F113B: f113b 2nd person you ask for help when you have problem/difficulties

Value	Label	Unweighted Frequency	%
0	spouse	215	2.2 %
1	son	1751	17.9 %
2	daughter	2059	21.1 %
3	daughter-in-law	1162	11.9 %
4	son-in-law	183	1.9 %
5	grandchildren and their spouses	277	2.8 %
6	other relatives	105	1.1 %
7	friends/neighbors	231	2.4 %
8	social workers	46	0.5 %
9	housekeeper	36	0.4 %
10	nobody	32	0.3 %
88	not able to answer	198	2.0 %
99	missing	1127	11.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2343	24.0 %
	Total	**9,765**	**100%**

Based upon 7,422 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2043-2044 (width: 2; decimal: 0)
Variable Type: numeric

F113C: f113c 3rd person you ask for help when you have problem/difficulties

Value	Label	Unweighted Frequency	%
0	spouse	171	1.8 %
1	son	205	2.1 %
2	daughter	973	10.0 %
3	daughter-in-law	988	10.1 %
4	son-in-law	136	1.4 %
5	grandchildren and their spouses	667	6.8 %
6	other relatives	221	2.3 %
7	friends/neighbors	527	5.4 %
8	social workers	83	0.8 %
9	housekeeper	42	0.4 %
10	nobody	44	0.5 %
88	not able to answer	219	2.2 %
99	missing	1835	18.8 %
	Missing Data		
.	-	3654	37.4 %
	Total	**9,765**	**100%**

Based upon 6,111 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 2045-2046 (width: 2; decimal: 0)
Variable Type: numeric

RF12: rf12 proxy or not for f12a to f12c

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5635	57.7 %

Value	Label	Unweighted Frequency	%
1	with proxy	1897	19.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2233	22.9 %
	Total	**9,765**	**100%**

Based upon 7,532 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2047-2048 (width: 2; decimal: 0)
Variable Type: numeric

F12A: f12a how much did you receive from your son(s) or daughter(s)-in-law last year?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3047	31.2 %
7	-	1	0.0 %
8	-	2	0.0 %
13	-	1	0.0 %
20	-	8	0.1 %
30	-	2	0.0 %
50	-	21	0.2 %
60	-	3	0.0 %
80	-	2	0.0 %
88	-	1	0.0 %
100	-	178	1.8 %
105	-	1	0.0 %
120	-	3	0.0 %
130	-	1	0.0 %
140	-	1	0.0 %
150	-	14	0.1 %
200	-	404	4.1 %
240	-	1	0.0 %
250	-	1	0.0 %
260	-	1	0.0 %
270	-	3	0.0 %
300	-	328	3.4 %
350	-	6	0.1 %
360	-	5	0.1 %

Value	Label	Unweighted Frequency	%
400	-	191	2.0 %
450	-	3	0.0 %
480	-	1	0.0 %
500	-	721	7.4 %
530	-	1	0.0 %
550	-	1	0.0 %
560	-	3	0.0 %
570	-	1	0.0 %
600	-	253	2.6 %
640	-	1	0.0 %
650	-	2	0.0 %
700	-	52	0.5 %
720	-	1	0.0 %
750	-	4	0.0 %
780	-	1	0.0 %
800	-	200	2.0 %
820	-	1	0.0 %
850	-	3	0.0 %
890	-	1	0.0 %
900	-	18	0.2 %
950	-	1	0.0 %
960	-	1	0.0 %
1000	-	1101	11.3 %
1011	-	1	0.0 %
1050	-	1	0.0 %
	Missing Data		
.	-	460	4.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,305 valid cases out of 9,765 total cases.

- Mean: 5032.98
- Median: 500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 18259.29

Location: 2049-2053 (width: 5; decimal: 0)
Variable Type: numeric

F12B: f12b how much did you receive from your daughter(s) or son(s)-in-law last year?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	3359	34.4 %
1	-	1	0.0 %
8	-	2	0.0 %
20	-	6	0.1 %
30	-	1	0.0 %
50	-	30	0.3 %
60	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
99	-	1	0.0 %
100	-	261	2.7 %
120	-	1	0.0 %
140	-	1	0.0 %
150	-	15	0.2 %
160	-	4	0.0 %
200	-	568	5.8 %
220	-	1	0.0 %
240	-	1	0.0 %
250	-	2	0.0 %
260	-	2	0.0 %
280	-	2	0.0 %
300	-	433	4.4 %
320	-	1	0.0 %
340	-	1	0.0 %
350	-	5	0.1 %
360	-	3	0.0 %
400	-	255	2.6 %
450	-	7	0.1 %
500	-	862	8.8 %
600	-	277	2.8 %
700	-	52	0.5 %
800	-	166	1.7 %
850	-	1	0.0 %
880	-	1	0.0 %
900	-	25	0.3 %
960	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1000	-	992	10.2 %
1100	-	2	0.0 %
1200	-	87	0.9 %
1300	-	14	0.1 %
1400	-	5	0.1 %
1440	-	1	0.0 %
1500	-	129	1.3 %
1600	-	14	0.1 %
1700	-	2	0.0 %
1800	-	24	0.2 %
1900	-	1	0.0 %
2000	-	483	4.9 %
2200	-	3	0.0 %
	Missing Data		
.	-	571	5.8 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,194 valid cases out of 9,765 total cases.

- Mean: 4821.68
- Median: 300.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 18733.95

Location: 2054-2058 (width: 5; decimal: 0)
Variable Type: numeric

F12C: f12c how much did you receive from your grandchild(ren) last year?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	5657	57.9 %
1	-	4	0.0 %
4	-	1	0.0 %
8	-	2	0.0 %
10	-	3	0.0 %
20	-	3	0.0 %
30	-	4	0.0 %
40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	38	0.4 %
70	-	1	0.0 %
80	-	3	0.0 %
88	-	1	0.0 %
100	-	313	3.2 %
120	-	2	0.0 %
150	-	15	0.2 %
160	-	2	0.0 %
190	-	1	0.0 %
200	-	558	5.7 %
240	-	1	0.0 %
250	-	6	0.1 %
300	-	301	3.1 %
320	-	2	0.0 %
350	-	1	0.0 %
400	-	132	1.4 %
450	-	1	0.0 %
480	-	1	0.0 %
500	-	522	5.3 %
560	-	1	0.0 %
600	-	114	1.2 %
700	-	16	0.2 %
750	-	1	0.0 %
752	-	1	0.0 %
800	-	77	0.8 %
830	-	1	0.0 %
850	-	1	0.0 %
900	-	1	0.0 %
1000	-	510	5.2 %
1100	-	2	0.0 %
1200	-	22	0.2 %
1300	-	1	0.0 %
1400	-	3	0.0 %
1500	-	33	0.3 %
1600	-	2	0.0 %
1800	-	3	0.0 %
2000	-	174	1.8 %
2100	-	1	0.0 %
2160	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2400	-	1	0.0 %
2500	-	7	0.1 %
	Missing Data		
.	-	727	7.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,038 valid cases out of 9,765 total cases.

- Mean: 3594.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 16979.25

Location: 2059-2063 (width: 5; decimal: 0)
Variable Type: numeric

RF13: rf13 proxy or not for f13a to f13c

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5703	58.4 %
1	with proxy	1747	17.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	2315	23.7 %
	Total	**9,765**	**100%**

Based upon 7,450 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2064-2065 (width: 2; decimal: 0)
Variable Type: numeric

F13A: f13a how much did you give to your son(s) or daughter(s)-in-law last year?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	7992	81.8 %
2	-	1	0.0 %
5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8	-	2	0.0 %
9	-	1	0.0 %
10	-	6	0.1 %
20	-	2	0.0 %
30	-	2	0.0 %
40	-	1	0.0 %
50	-	14	0.1 %
60	-	1	0.0 %
88	-	1	0.0 %
100	-	59	0.6 %
105	-	1	0.0 %
150	-	1	0.0 %
200	-	68	0.7 %
250	-	1	0.0 %
300	-	39	0.4 %
400	-	14	0.1 %
450	-	1	0.0 %
500	-	88	0.9 %
560	-	1	0.0 %
564	-	1	0.0 %
600	-	16	0.2 %
660	-	1	0.0 %
700	-	2	0.0 %
800	-	17	0.2 %
888	-	1	0.0 %
900	-	1	0.0 %
1000	-	101	1.0 %
1080	-	1	0.0 %
1100	-	3	0.0 %
1104	-	1	0.0 %
1200	-	9	0.1 %
1240	-	1	0.0 %
1500	-	13	0.1 %
1700	-	1	0.0 %
1800	-	3	0.0 %
2000	-	64	0.7 %
2160	-	1	0.0 %
2200	-	1	0.0 %
2400	-	4	0.0 %

Value	Label	Unweighted Frequency	%
2500	-	3	0.0 %
2600	-	1	0.0 %
3000	-	23	0.2 %
3500	-	3	0.0 %
3600	-	5	0.1 %
4000	-	16	0.2 %
4200	-	2	0.0 %
	Missing Data		
.	-	751	7.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,014 valid cases out of 9,765 total cases.

- Mean: 3120.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 16172.39

Location: 2066-2070 (width: 5; decimal: 0)
Variable Type: numeric

F13B: f13b how much did you give to your daughter(s) or son(s)-in-law last year?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	8148	83.4 %
1	-	2	0.0 %
2	-	1	0.0 %
5	-	1	0.0 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	5	0.1 %
20	-	1	0.0 %
30	-	3	0.0 %
50	-	8	0.1 %
60	-	1	0.0 %
88	-	1	0.0 %
100	-	69	0.7 %
150	-	2	0.0 %

Value	Label	Unweighted Frequency	%
200	-	68	0.7 %
250	-	2	0.0 %
300	-	41	0.4 %
400	-	16	0.2 %
500	-	64	0.7 %
600	-	17	0.2 %
700	-	1	0.0 %
800	-	1	0.0 %
888	-	1	0.0 %
900	-	1	0.0 %
1000	-	88	0.9 %
1200	-	7	0.1 %
1300	-	1	0.0 %
1500	-	1	0.0 %
1800	-	2	0.0 %
2000	-	44	0.5 %
2400	-	1	0.0 %
2500	-	2	0.0 %
2800	-	1	0.0 %
3000	-	21	0.2 %
3500	-	1	0.0 %
3600	-	1	0.0 %
4000	-	4	0.0 %
4800	-	2	0.0 %
5000	-	13	0.1 %
6000	-	7	0.1 %
8000	-	2	0.0 %
9120	-	1	0.0 %
10000	-	14	0.1 %
12000	-	1	0.0 %
15000	-	1	0.0 %
20000	-	3	0.0 %
22800	-	1	0.0 %
24000	-	1	0.0 %
30000	-	2	0.0 %
	Missing Data		
.	-	797	8.2 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,968 valid cases out of 9,765 total cases.

- Mean: 3093.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 16504.20

Location: 2071-2075 (width: 5; decimal: 0)
Variable Type: numeric

F13C: f13c how much did you give to your grandchild(ren)in last year?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	6943	71.1 %
2	-	2	0.0 %
5	-	2	0.0 %
8	-	3	0.0 %
10	-	16	0.2 %
15	-	1	0.0 %
20	-	19	0.2 %
30	-	10	0.1 %
40	-	2	0.0 %
50	-	55	0.6 %
60	-	6	0.1 %
70	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
90	-	1	0.0 %
100	-	251	2.6 %
120	-	3	0.0 %
130	-	2	0.0 %
150	-	14	0.1 %
160	-	1	0.0 %
170	-	1	0.0 %
180	-	1	0.0 %
200	-	288	2.9 %
250	-	4	0.0 %
260	-	1	0.0 %
300	-	155	1.6 %

Value	Label	Unweighted Frequency	%
340	-	2	0.0 %
400	-	94	1.0 %
460	-	1	0.0 %
500	-	217	2.2 %
600	-	60	0.6 %
700	-	9	0.1 %
750	-	1	0.0 %
800	-	44	0.5 %
900	-	1	0.0 %
1000	-	229	2.3 %
1100	-	2	0.0 %
1120	-	1	0.0 %
1200	-	13	0.1 %
1300	-	1	0.0 %
1500	-	23	0.2 %
1600	-	3	0.0 %
1700	-	1	0.0 %
1800	-	3	0.0 %
2000	-	119	1.2 %
2100	-	1	0.0 %
2300	-	1	0.0 %
2400	-	4	0.0 %
2500	-	7	0.1 %
	Missing Data		
.	-	715	7.3 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,050 valid cases out of 9,765 total cases.

- Mean: 2698.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 14840.30

Location: 2076-2080 (width: 5; decimal: 0)
Variable Type: numeric

RF14: rf14 proxy or not for f14

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5540	56.7 %
1	with proxy	2155	22.1 %
9	missing	0	0.0 %
	Missing Data		
.	-	2070	21.2 %
	Total	**9,765**	**100%**

Based upon 7,695 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2081-2082 (width: 2; decimal: 0)
Variable Type: numeric

F141: f141 are personal care services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	407	4.2 %
2	no	9181	94.0 %
8	don't know	13	0.1 %
9	missing	14	0.1 %
	Missing Data		
.	-	150	1.5 %
	Total	**9,765**	**100%**

Based upon 9,615 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2083-2083 (width: 1; decimal: 0)
Variable Type: numeric

F142: f142 are home visit services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	2709	27.7 %
2	no	6920	70.9 %
8	don't know	13	0.1 %
9	missing	14	0.1 %
	Missing Data		
.	-	109	1.1 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 9,656 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2084-2084 (width: 1; decimal: 0)
Variable Type: numeric

F143: f143 are psychological consulting services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	665	6.8 %
2	no	8918	91.3 %
8	don't know	14	0.1 %
9	missing	14	0.1 %
	Missing Data		
.	-	154	1.6 %
	Total	**9,765**	**100%**

Based upon 9,611 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2085-2085 (width: 1; decimal: 0)
Variable Type: numeric

F144: f144 are daily shopping services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	682	7.0 %
2	no	8905	91.2 %
8	don't know	13	0.1 %
9	missing	14	0.1 %
	Missing Data		
.	-	151	1.5 %
	Total	**9,765**	**100%**

Based upon 9,614 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2086-2086 (width: 1; decimal: 0)
Variable Type: numeric

F145: f145 are social and recreation services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	1314	13.5 %
2	no	8275	84.7 %
8	don't know	13	0.1 %
9	missing	14	0.1 %
	Missing Data		
.	-	149	1.5 %
	Total	**9,765**	**100%**

Based upon 9,616 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2087-2087 (width: 1; decimal: 0)
Variable Type: numeric

F146: f146 are legal aid services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	1030	10.5 %
2	no	8545	87.5 %
8	don't know	16	0.2 %
9	missing	14	0.1 %
	Missing Data		
.	-	160	1.6 %
	Total	**9,765**	**100%**

Based upon 9,605 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2088-2088 (width: 1; decimal: 0)
Variable Type: numeric

F147: f147 are healthcare education services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	3009	30.8 %
2	no	6616	67.8 %
8	don't know	13	0.1 %
9	missing	14	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	113	1.2 %
	Total	**9,765**	**100%**

Based upon 9,652 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2089-2089 (width: 1; decimal: 0)
Variable Type: numeric

F148: f148 are neighborhood-relation services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	2066	21.2 %
2	no	7521	77.0 %
8	don't know	15	0.2 %
9	missing	15	0.2 %
	Missing Data		
.	-	148	1.5 %
	Total	**9,765**	**100%**

Based upon 9,617 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2090-2090 (width: 1; decimal: 0)
Variable Type: numeric

F149: f149 are any other social services available in your community?

Value	Label	Unweighted Frequency	%
1	yes	163	1.7 %
2	no	8492	87.0 %
8	don't know	33	0.3 %
9	missing	49	0.5 %
	Missing Data		
.	-	1028	10.5 %
	Total	**9,765**	**100%**

Based upon 8,737 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2091-2091 (width: 1; decimal: 0)

Variable Type: numeric

F1491: f1491 describe the services mentioned in f149

Value	Label	Unweighted Frequency	%
	-	9695	99.3 %
°²È«·ÀµÁ	-	1	0.0 %
°ìµÍ±£	-	1	0.0 %
°ìÀí¸÷ÖÖÖ¤¼þ	-	2	0.0 %
²¹Ìù£¨Öú²Ð·Ñ£©	-	1	0.0 %
²¹Öú	-	1	0.0 %
²âÑªÑ¹	-	1	0.0 %
²âÑªÑ¹¡£	-	1	0.0 %
´åÎ¯¹ËÎÊ	-	1	0.0 %
µ¥ÉíÀÏÈË²ÍÒû	-	1	0.0 %
¹ý½Ú´åÎ¯¿´Íû	-	1	0.0 %
¹ý½ÚËÍÀñ	-	1	0.0 %
¹ýÄê´åÀïÂòµ°¸â	-	1	0.0 %
¹ýÄê¸øÃæ·Û	-	1	0.0 %
¹ýÄê»áÅ¼¶û	-	1	0.0 %
ºÏ×÷Ò½ÁÆ	-	1	0.0 %
¼ÒÕþÈ¯	-	1	0.0 %
½¡¿µ²éÌå	-	1	0.0 %
½¡¿µÌå¼ì	-	18	0.2 %
½¡ÉÍ	-	1	0.0 %
½Ú¼ÙÈÕËÍÎï	-	1	0.0 %
¾-¼Ã°ïÖú	-	1	0.0 %
ÀÏÈËÓªÑø·Ñ60Ôª	-	1	0.0 %
Ã¿Äê¸øÇ®100Ôª¡£	-	1	0.0 %
Ãâ·Ñ²éÌå	-	1	0.0 %
Å©´åÎÞ·þÎñ	-	1	0.0 %
Å©´åÎÞÉç»á·þÎñ	-	1	0.0 %
Å©´åÎÞÉçÇø·þÎñ¡£	-	3	0.0 %
ÇÈÁªÔ±	-	1	0.0 %
ÉÏÃÅ¼ì²éÉíÌå	-	3	0.0 %
ÉçÇøÎÀÉú·þÎñÕ¾	-	1	0.0 %
ÉçÇøÎÀÉú·þÎñÕ¾¡£	-	1	0.0 %
ÉçÇøÎÀÉúÕ¾¸÷Õ¾¡£	-	1	0.0 %
Éú»îÓÃÆ·¡¢Ç®	-	1	0.0 %
Ê³ÌÃ	-	1	0.0 %
ËÍ¼¦µ°£¬ËÍÏ´¢Ë®¡£ÉúÈÕÀñÎï¡£	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ËÍÀñÆ·	-	1	0.0 %
ËÍÎ¿ÎÊÆ·	-	1	0.0 %
ËÍÖúÌýÆ÷	-	1	0.0 %
Ìá¹©Å£ÄÌ	-	1	0.0 %
Ìå¼ì	-	2	0.0 %
Î¬ÐÞ×¡·¿	-	1	0.0 %
Î´½Ó´¥¡£	-	1	0.0 %
Î¿ÎÊ	-	1	0.0 %
Î¿ÎÊ·Ñ	-	1	0.0 %
ÑøÀÏ²¹Öú	-	1	0.0 %
ÖØÑô½Ú£¬¹ý´º½ÚÎ¿ÎÊ¡£	-	1	0.0 %
×£ºØÉúÈÕ	-	1	0.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 2092-2119 (width: 28; decimal: 0)
Variable Type: character

F14T: f14t other service beyond f141-f149

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 2120-2120 (width: 1; decimal: 0)
Variable Type: character

RF15: rf15 proxy or not for f15

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5701	58.4 %
1	with proxy	1981	20.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	2083	21.3 %
	Total	**9,765**	**100%**

Based upon 7,682 valid cases out of 9,765 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 2121-2122 (width: 2; decimal: 0)
Variable Type: numeric

F151: f151 do you expect your community to provide personal care services?

Value	Label	Unweighted Frequency	%
1	yes	6119	62.7 %
2	no	3435	35.2 %
8	not able to answer	26	0.3 %
9	missing	29	0.3 %
	Missing Data		
.	-	156	1.6 %
	Total	**9,765**	**100%**

Based upon 9,609 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2123-2123 (width: 1; decimal: 0)
Variable Type: numeric

F152: f152 do you expect your community to provide home visit services?

Value	Label	Unweighted Frequency	%
1	yes	8074	82.7 %
2	no	1499	15.4 %
8	not able to answer	24	0.2 %
9	missing	29	0.3 %
	Missing Data		
.	-	139	1.4 %
	Total	**9,765**	**100%**

Based upon 9,626 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2124-2124 (width: 1; decimal: 0)
Variable Type: numeric

F153: f153 do you expect your community to provide psychological consulting services?

Value	Label	Unweighted Frequency	%
1	yes	6693	68.5 %
2	no	2864	29.3 %

Value	Label	Unweighted Frequency	%
8	not able to answer	25	0.3 %
9	missing	29	0.3 %
	Missing Data		
.	-	154	1.6 %
	Total	**9,765**	**100%**

Based upon 9,611 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2125-2125 (width: 1; decimal: 0)
Variable Type: numeric

F154: f154 do you expect your community to provide daily shopping services?

Value	Label	Unweighted Frequency	%
1	yes	5863	60.0 %
2	no	3673	37.6 %
8	not able to answer	25	0.3 %
9	missing	29	0.3 %
	Missing Data		
.	-	175	1.8 %
	Total	**9,765**	**100%**

Based upon 9,590 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2126-2126 (width: 1; decimal: 0)
Variable Type: numeric

F155: f155 do you expect your community to provide social and recreation activities?

Value	Label	Unweighted Frequency	%
1	yes	6520	66.8 %
2	no	3023	31.0 %
8	not able to answer	25	0.3 %
9	missing	29	0.3 %
	Missing Data		
.	-	168	1.7 %
	Total	**9,765**	**100%**

Based upon 9,597 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2127-2127 (width: 1; decimal: 0)
Variable Type: numeric

F156: f156 do you expect your community provide legal aid services?

Value	Label	Unweighted Frequency	%
1	yes	6141	62.9 %
2	no	3390	34.7 %
8	not able to answer	26	0.3 %
9	missing	29	0.3 %
	Missing Data		
.	-	179	1.8 %
	Total	**9,765**	**100%**

Based upon 9,586 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2128-2128 (width: 1; decimal: 0)
Variable Type: numeric

F157: f157 do you expect your community to provide healthcare education service?

Value	Label	Unweighted Frequency	%
1	yes	7465	76.4 %
2	no	2103	21.5 %
8	not able to answer	25	0.3 %
9	missing	29	0.3 %
	Missing Data		
.	-	143	1.5 %
	Total	**9,765**	**100%**

Based upon 9,622 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2129-2129 (width: 1; decimal: 0)
Variable Type: numeric

F158: f158 do you expect your community to provide neighborhood-relation services?

Value	Label	Unweighted Frequency	%
1	yes	6372	65.3 %

Value	Label	Unweighted Frequency	%
2	no	3150	32.3 %
8	not able to answer	27	0.3 %
9	missing	29	0.3 %
	Missing Data		
.	-	187	1.9 %
	Total	**9,765**	**100%**

Based upon 9,578 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2130-2130 (width: 1; decimal: 0)
Variable Type: numeric

F159: f159 do you expect your community to provide other social services?

Value	Label	Unweighted Frequency	%
1	yes	2430	24.9 %
2	no	5719	58.6 %
8	not able to answer	64	0.7 %
9	missing	77	0.8 %
	Missing Data		
.	-	1475	15.1 %
	Total	**9,765**	**100%**

Based upon 8,290 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2131-2131 (width: 1; decimal: 0)
Variable Type: numeric

F1591: f1591 describe the services mentioned in f149

Value	Label	Unweighted Frequency	%
	-	9660	98.9 %
²¥·ÅÏ·Çú	-	1	0.0 %
²¹Öú	-	3	0.0 %
²»»Ø´ðÎÊÌâ	-	1	0.0 %
²»Çå³þ	-	1	0.0 %
²Ë³¡	-	1	0.0 %
´¦Àí¾Ó×¡»·¾³	-	1	0.0 %

Value	Label	Unweighted Frequency	%
¶¼¿É	-	1	0.0 %
¶¼ÄÜ×ÔÀí	-	1	0.0 %
¶ÍÁ¶³¡ËùÓÎÓ¾¡£	-	1	0.0 %
¶à¸øÐ©²¹Öú	-	2	0.0 %
¶à¸øÐ©²¹Öú.	-	1	0.0 %
¶à¸øÐ©ÕÕ¹Ë	-	1	0.0 %
·ÀµÁ¡£	-	1	0.0 %
¸ø½ÚÈÕÀñÎï	-	1	0.0 %
¸øÒÅÖö²¹Öú¶àÐ©	-	1	0.0 %
¹ØÐÄ£¬ËÍ´ú½ðÈ¯	-	1	0.0 %
¹ÜÀíÉçÇøÖÈÐò	-	1	0.0 %
ºÏ×÷Ò½ÁÆ	-	1	0.0 %
¼ÓÇ¿µÀµÂ½ÌÓý¡£	-	1	0.0 %
½¡¿µ¼ì²é	-	1	0.0 %
½¡¿µÌå¼ì	-	15	0.2 %
½â¾ö¸÷ÖÖÀ§ÄÑ	-	15	0.2 %
½â¾öÈÎºÎÀ§ÄÑ	-	1	0.0 %
½ðÇ®°ïÖú	-	1	0.0 %
¾¡¿ìµÄ½¨ºÃ²ðÇ¨º²ÖÃ·¿£¬ÄÜ¾¡ÔçµØ°á»Ø	-	1	0.0 %
¾-¼Ã	-	1	0.0 %
¾-¼Ã²¹Öú	-	1	0.0 %
¾-¼ÃÔ®Öú¡£	-	1	0.0 %
ÀÏÄê·¹×À	-	1	0.0 %
ÀÏÄêÊ³ÌÃ	-	1	0.0 %
ÂÃÓÎ	-	1	0.0 %
Ã»ÓÐÕâÐ©·þÎñÏ£ÍûÃ»ÓÐÓÃ¡£	-	1	0.0 %
Å©´åÎÞ´Ë·þÎñ	-	1	0.0 %
Å©´åÎÞ´Ë·þÎñ¡£	-	1	0.0 %
Å©´åÎÞÉç»á·þÎñ	-	2	0.0 %
Å©´åÎÞÉç»á·þÎñ¡£	-	1	0.0 %
Å©´åÎÞÉçÇø·þÎñ¡£	-	6	0.1 %
Å®¶ù	-	1	0.0 %
È±	-	1	0.0 %
ÈÕ³£²ÍÒû	-	1	0.0 %
ÉÏÃÅ¼ì²éÉíÌå	-	2	0.0 %
ÉÏÃÅÌå¼ì	-	1	0.0 %
Éú»î²¹Öú	-	1	0.0 %
Éú»î×îµÍ±£ÕÏ	-	1	0.0 %
ËÍÎ¿ÎÊÆ·	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Ìá¹©¸£Àû	-	1	0.0 %
Ìå¼ì	-	1	0.0 %
Ìå¼ìÌá¸ßÆµÂÊ	-	1	0.0 %
Ìý²»¶®	-	1	0.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 2132-2171 (width: 40; decimal: 0)
Variable Type: character

F15T: f15t other service beyond f151-f159

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 2172-2172 (width: 1; decimal: 0)
Variable Type: character

F16: f16 what kind of living arrangement do you like best?

Value	Label	Unweighted Frequency	%
1	living alone regardless residential distance with children	1207	12.4 %
2	living alone (or with spouse) and children living nearby	2666	27.3 %
3	coresidence with children	4827	49.4 %
4	institutions	204	2.1 %
5	don't know	0	0.0 %
8	do not know	605	6.2 %
9	missing	38	0.4 %
	Missing Data		
.	-	218	2.2 %
	Total	**9,765**	**100%**

Based upon 9,547 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2173-2173 (width: 1; decimal: 0)
Variable Type: numeric

RG01: rg01 proxy or not for g01

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5777	59.2 %
1	with proxy	1935	19.8 %
9	missing	0	0.0 %
	Missing Data		
.	-	2053	21.0 %
	Total	**9,765**	**100%**

Based upon 7,712 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2174-2175 (width: 2; decimal: 0)
Variable Type: numeric

G01: g01 how about the quality of your sleep?

Value	Label	Unweighted Frequency	%
1	very good	1747	17.9 %
2	good	4220	43.2 %
3	so so	2518	25.8 %
4	bad	1116	11.4 %
5	very bad	135	1.4 %
8	not able to answer	3	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	24	0.2 %
	Total	**9,765**	**100%**

Based upon 9,741 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2176-2176 (width: 1; decimal: 0)
Variable Type: numeric

RG02: rg02 proxy or not for g02

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5627	57.6 %

Value	Label	Unweighted Frequency	%
1	with proxy	2074	21.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2064	21.1 %
	Total	**9,765**	**100%**

Based upon 7,701 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2177-2178 (width: 2; decimal: 0)
Variable Type: numeric

G02: g02 how long do you sleep normally?

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.0 %
1.000000000000	-	15	0.2 %
2.000000000000	-	71	0.7 %
2.500000000000	-	1	0.0 %
3.000000000000	-	187	1.9 %
3.099999904633	-	1	0.0 %
3.500000000000	-	1	0.0 %
4.000000000000	-	426	4.4 %
5.000000000000	-	805	8.2 %
5.010000228882	-	1	0.0 %
5.099999904633	-	1	0.0 %
5.110000133514	-	1	0.0 %
5.199999809265	-	1	0.0 %
6.000000000000	-	1440	14.7 %
6.199999809265	-	1	0.0 %
6.300000190735	-	1	0.0 %
6.500000000000	-	1	0.0 %
7.000000000000	-	1190	12.2 %
7.019999980927	-	1	0.0 %
7.300000190735	-	1	0.0 %
7.500000000000	-	1	0.0 %
8.000000000000	-	2277	23.3 %
8.100000381470	-	6	0.1 %
8.109999656677	-	1	0.0 %
8.500000000000	-	2	0.0 %

Value	Label	Unweighted Frequency	%
9.000000000000	-	687	7.0 %
9.600000381470	-	1	0.0 %
10.000000000000	-	1569	16.1 %
10.100000381470	-	2	0.0 %
10.199999809265	-	2	0.0 %
10.310000419617	-	1	0.0 %
11.000000000000	-	166	1.7 %
12.000000000000	-	451	4.6 %
12.199999809265	-	1	0.0 %
13.000000000000	-	60	0.6 %
14.000000000000	-	84	0.9 %
14.300000190735	-	1	0.0 %
15.000000000000	-	95	1.0 %
16.000000000000	-	40	0.4 %
16.129999160767	-	1	0.0 %
16.309999465942	-	1	0.0 %
17.000000000000	-	6	0.1 %
18.000000000000	-	29	0.3 %
20.000000000000	-	25	0.3 %
23.000000000000	-	2	0.0 %
24.000000000000	-	4	0.0 %
30.000000000000	-	1	0.0 %
88.000000000000	don't know	47	0.5 %
99.000000000000	missing	3	0.0 %
	Missing Data		
.	-	51	0.5 %
	Total	**9,765**	**100%**

Based upon 9,714 valid cases out of 9,765 total cases.

- Mean: 8.313516574213
- Median: 8.000000000000
- Mode: 8.000000000000
- Minimum: 0.000000000000
- Maximum: 99.000000000000
- Standard Deviation: 6.340543219663

Location: 2179-2193 (width: 15; decimal: 12)
Variable Type: numeric

RG1: rg1 proxy or not for g1

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	347	3.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	9418	96.4 %
	Total	**9,765**	**100%**

Based upon 347 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2194-2195 (width: 2; decimal: 0)
Variable Type: numeric

G1: g1 visual function: can you see the break in the circle?

Value	Label	Unweighted Frequency	%
1	can see and distinguish	5888	60.3 %
2	can see only	1343	13.8 %
3	can't see	2166	22.2 %
4	blind	161	1.6 %
8	don't know	60	0.6 %
9	missing	41	0.4 %
	Missing Data		
.	-	106	1.1 %
	Total	**9,765**	**100%**

Based upon 9,659 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2196-2196 (width: 1; decimal: 0)
Variable Type: numeric

G1A: g1a if so, where is the break located?

Value	Label	Unweighted Frequency	%
	-	9765	100.0 %
	Total	**9,765**	**100%**

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 2197-2197 (width: 1; decimal: 0)

Variable Type: character

RG21: rg21 proxy or not for g21

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5851	59.9 %
1	with proxy	1788	18.3 %
9	missing	0	0.0 %
	Missing Data		
.	-	2126	21.8 %
	Total	**9,765**	**100%**

Based upon 7,639 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2198-2199 (width: 2; decimal: 0)
Variable Type: numeric

G21: g21 number of natural teeth

Value	Label	Unweighted Frequency	%
0	-	3351	34.3 %
1	-	332	3.4 %
2	-	412	4.2 %
3	-	353	3.6 %
4	-	399	4.1 %
5	-	313	3.2 %
6	-	375	3.8 %
7	-	173	1.8 %
8	-	301	3.1 %
9	-	89	0.9 %
10	-	365	3.7 %
11	-	66	0.7 %
12	-	260	2.7 %
13	-	82	0.8 %
14	-	154	1.6 %
15	-	148	1.5 %
16	-	206	2.1 %
17	-	44	0.5 %
18	-	161	1.6 %
19	-	47	0.5 %

Value	Label	Unweighted Frequency	%
20	-	355	3.6 %
21	-	60	0.6 %
22	-	129	1.3 %
23	-	83	0.8 %
24	-	199	2.0 %
25	-	116	1.2 %
26	-	211	2.2 %
27	-	106	1.1 %
28	-	302	3.1 %
29	-	58	0.6 %
30	-	154	1.6 %
31	-	61	0.6 %
32	-	153	1.6 %
33	-	3	0.0 %
34	-	3	0.0 %
36	-	6	0.1 %
70	-	1	0.0 %
88	don't know	67	0.7 %
99	missing	10	0.1 %
	Missing Data		
.	-	57	0.6 %
	Total	**9,765**	**100%**

Based upon 9,708 valid cases out of 9,765 total cases.

- Mean: 9.36
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 12.30

Location: 2200-2201 (width: 2; decimal: 0)
Variable Type: numeric

RG22: rg22 proxy or not for g22

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5872	60.1 %
1	with proxy	1789	18.3 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2104	21.5 %
	Total	**9,765**	**100%**

Based upon 7,661 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2202-2203 (width: 2; decimal: 0)
Variable Type: numeric

G22: g22 have false teeth?

Value	Label	Unweighted Frequency	%
1	yes	3255	33.3 %
2	no	6439	65.9 %
8	don't know	5	0.1 %
9	missing	2	0.0 %
	Missing Data		
.	-	64	0.7 %
	Total	**9,765**	**100%**

Based upon 9,701 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2204-2204 (width: 1; decimal: 0)
Variable Type: numeric

RG23: rg23 proxy or not for g23

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5756	58.9 %
1	with proxy	1877	19.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	2132	21.8 %
	Total	**9,765**	**100%**

Based upon 7,633 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2205-2206 (width: 2; decimal: 0)

Variable Type: numeric

G23: g23 how often do you brush your teeth every day?

Value	Label	Unweighted Frequency	%
0	do not brush	2087	21.4 %
1	occasionally	984	10.1 %
2	once a day	2908	29.8 %
3	twice a day	903	9.2 %
4	three or more times a day	282	2.9 %
8	do not know	57	0.6 %
9	not applicable (no teeth)	2492	25.5 %
	Missing Data		
.	-	52	0.5 %
	Total	**9,765**	**100%**

Based upon 9,713 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 2207-2207 (width: 1; decimal: 0)
Variable Type: numeric

RG24: rg24 proxy or not for g24

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5784	59.2 %
1	with proxy	1792	18.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	2189	22.4 %
	Total	**9,765**	**100%**

Based upon 7,576 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2208-2209 (width: 2; decimal: 0)
Variable Type: numeric

G24: g24 during the past 6 months, did you have a toothache more than once?

Value	Label	Unweighted Frequency	%
1	yes	1466	15.0 %

Value	Label	Unweighted Frequency	%
2	no	8104	83.0 %
8	do not know	2	0.0 %
9	missing	11	0.1 %
	Missing Data		
.	-	182	1.9 %
	Total	**9,765**	**100%**

Based upon 9,583 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2210-2210 (width: 1; decimal: 0)
Variable Type: numeric

RG24A: rg24a proxy or not for g24a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1263	12.9 %
1	with proxy	190	1.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	8312	85.1 %
	Total	**9,765**	**100%**

Based upon 1,453 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2211-2212 (width: 2; decimal: 0)
Variable Type: numeric

G24A: g24a on a scale of 1-10, 1 mild and 10 severe, how would you rate this pain?

Value	Label	Unweighted Frequency	%
0	-	11	0.1 %
1	-	87	0.9 %
2	-	191	2.0 %
3	-	238	2.4 %
4	-	176	1.8 %
5	-	270	2.8 %
6	-	125	1.3 %

Value	Label	Unweighted Frequency	%
7	-	123	1.3 %
8	-	150	1.5 %
9	-	69	0.7 %
10	-	56	0.6 %
88	do not know	17	0.2 %
99	missing	77	0.8 %
	Missing Data		
.	-	8175	83.7 %
	Total	**9,765**	**100%**

Based upon 1,590 valid cases out of 9,765 total cases.

- Mean: 10.28
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 21.90

Location: 2213-2214 (width: 2; decimal: 0)
Variable Type: numeric

RG25: rg25 proxy or not for g25

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5800	59.4 %
1	with proxy	1759	18.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	2206	22.6 %
	Total	**9,765**	**100%**

Based upon 7,559 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2215-2216 (width: 2; decimal: 0)
Variable Type: numeric

G25: g25 during the past 6 months, did you have pain in jaw joint or so more than once?

Value	Label	Unweighted Frequency	%
1	yes	745	7.6 %
2	no	8812	90.2 %

Value	Label	Unweighted Frequency	%
8	do not know	3	0.0 %
9	missing	2	0.0 %
	Missing Data		
.	-	203	2.1 %
	Total	**9,765**	**100%**

Based upon 9,562 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2217-2217 (width: 1; decimal: 0)
Variable Type: numeric

RG25A: rg25a proxy or not for g25a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	659	6.7 %
1	with proxy	120	1.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	8986	92.0 %
	Total	**9,765**	**100%**

Based upon 779 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2218-2219 (width: 2; decimal: 0)
Variable Type: numeric

G25A: g25a on a scale of 1-10, 1 mild and 10 severe, how would you rate this pain?

Value	Label	Unweighted Frequency	%
0	-	6	0.1 %
1	-	49	0.5 %
2	-	104	1.1 %
3	-	90	0.9 %
4	-	90	0.9 %
5	-	122	1.2 %
6	-	85	0.9 %
7	-	58	0.6 %

Value	Label	Unweighted Frequency	%
8	-	77	0.8 %
9	-	45	0.5 %
10	-	36	0.4 %
88	do not know	21	0.2 %
99	missing	34	0.3 %
	Missing Data		
.	-	8948	91.6 %
	Total	**9,765**	**100%**

Based upon 817 valid cases out of 9,765 total cases.

- Mean: 11.03
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 22.70

Location: 2220-2221 (width: 2; decimal: 0)
Variable Type: numeric

RG3: rg3 proxy or not for g3

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5828	59.7 %
1	with proxy	1827	18.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2110	21.6 %
	Total	**9,765**	**100%**

Based upon 7,655 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2222-2223 (width: 2; decimal: 0)
Variable Type: numeric

G3: g3 able to use chopsticks to eat?

Value	Label	Unweighted Frequency	%
1	yes	9148	93.7 %
2	no	572	5.9 %
8	don't know	2	0.0 %

Value	Label	Unweighted Frequency	%
9	missing	6	0.1 %
	Missing Data		
.	-	37	0.4 %
	Total	**9,765**	**100%**

Based upon 9,728 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2224-2224 (width: 1; decimal: 0)
Variable Type: numeric

RG4: rg4 proxy or not for g4

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5842	59.8 %
1	with proxy	1803	18.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2120	21.7 %
	Total	**9,765**	**100%**

Based upon 7,645 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2225-2226 (width: 2; decimal: 0)
Variable Type: numeric

G4: g4 which hand do you normally use for eating?

Value	Label	Unweighted Frequency	%
1	right-handed	9309	95.3 %
2	left-handed	378	3.9 %
8	don't know	7	0.1 %
9	missing	23	0.2 %
	Missing Data		
.	-	48	0.5 %
	Total	**9,765**	**100%**

Based upon 9,717 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2227-2227 (width: 1; decimal: 0)
Variable Type: numeric

RG4A: rg4a proxy or not for g4a

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5830	59.7 %
1	with proxy	1826	18.7 %
9	missing	0	0.0 %
	Missing Data		
.	-	2109	21.6 %
	Total	**9,765**	**100%**

Based upon 7,656 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2228-2229 (width: 2; decimal: 0)
Variable Type: numeric

G4A: g4a which hand do you normally use for writing?

Value	Label	Unweighted Frequency	%
1	right-handed	5071	51.9 %
2	left-handed	73	0.7 %
3	never writing	4556	46.7 %
8	don't know	3	0.0 %
9	missing	17	0.2 %
	Missing Data		
.	-	45	0.5 %
	Total	**9,765**	**100%**

Based upon 9,720 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2230-2230 (width: 1; decimal: 0)
Variable Type: numeric

RG4B: rg4b proxy or not for g4b

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5818	59.6 %
1	with proxy	1821	18.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	2126	21.8 %
	Total	**9,765**	**100%**

Based upon 7,639 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2231-2232 (width: 2; decimal: 0)
Variable Type: numeric

G4B: g4b which hand do you normally use for brushing your teeth?

Value	Label	Unweighted Frequency	%
1	right-handed	6342	64.9 %
2	left-handed	182	1.9 %
3	never brushing teeth	3109	31.8 %
8	don't know	9	0.1 %
9	missing	62	0.6 %
	Missing Data		
.	-	61	0.6 %
	Total	**9,765**	**100%**

Based upon 9,704 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2233-2233 (width: 1; decimal: 0)
Variable Type: numeric

RG5: rg5 proxy or not for g5

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	0	0.0 %
1	with proxy	78	0.8 %
9	missing	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9687	99.2 %
	Total	**9,765**	**100%**

Based upon 78 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2234-2235 (width: 2; decimal: 0)
Variable Type: numeric

G511: g511 blood pressure test for the 1st time: systolic

Value	Label	Unweighted Frequency	%
70	-	2	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
80	-	5	0.1 %
82	-	5	0.1 %
84	-	1	0.0 %
85	-	3	0.0 %
86	-	3	0.0 %
87	-	2	0.0 %
88	-	5	0.1 %
89	-	2	0.0 %
90	-	92	0.9 %
91	-	2	0.0 %
92	-	8	0.1 %
94	-	2	0.0 %
95	-	25	0.3 %
96	-	18	0.2 %
97	-	2	0.0 %
98	-	22	0.2 %
100	-	243	2.5 %
101	-	8	0.1 %
102	-	19	0.2 %
103	-	6	0.1 %
104	-	21	0.2 %
105	-	41	0.4 %
106	-	28	0.3 %
107	-	5	0.1 %
108	-	55	0.6 %

Value	Label	Unweighted Frequency	%
109	-	10	0.1 %
110	-	514	5.3 %
111	-	10	0.1 %
112	-	31	0.3 %
113	-	10	0.1 %
114	-	34	0.3 %
115	-	65	0.7 %
116	-	67	0.7 %
117	-	12	0.1 %
118	-	106	1.1 %
119	-	8	0.1 %
120	-	1021	10.5 %
121	-	18	0.2 %
122	-	60	0.6 %
123	-	22	0.2 %
124	-	94	1.0 %
125	-	175	1.8 %
126	-	114	1.2 %
127	-	31	0.3 %
128	-	140	1.4 %
129	-	26	0.3 %
130	-	1283	13.1 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,677 valid cases out of 9,765 total cases.

- Mean: 142.27
- Median: 135.00
- Mode: 130.00
- Minimum: 70.00
- Maximum: 999.00
- Standard Deviation: 68.39

Location: 2236-2238 (width: 3; decimal: 0)
Variable Type: numeric

G512: g512 blood pressure test for the 1st time: diastolic

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
28	-	1	0.0 %
35	-	1	0.0 %
40	-	6	0.1 %
42	-	2	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
48	-	3	0.0 %
49	-	4	0.0 %
50	-	53	0.5 %
51	-	4	0.0 %
52	-	12	0.1 %
53	-	7	0.1 %
54	-	18	0.2 %
55	-	16	0.2 %
56	-	23	0.2 %
57	-	7	0.1 %
58	-	56	0.6 %
59	-	8	0.1 %
60	-	447	4.6 %
61	-	6	0.1 %
62	-	59	0.6 %
63	-	11	0.1 %
64	-	70	0.7 %
65	-	142	1.5 %
66	-	84	0.9 %
67	-	28	0.3 %
68	-	142	1.5 %
69	-	38	0.4 %
70	-	1278	13.1 %
71	-	34	0.3 %
72	-	149	1.5 %
73	-	25	0.3 %
74	-	127	1.3 %
75	-	243	2.5 %
76	-	182	1.9 %

Value	Label	Unweighted Frequency	%
77	-	34	0.3 %
78	-	283	2.9 %
79	-	45	0.5 %
80	-	2156	22.1 %
81	-	40	0.4 %
82	-	211	2.2 %
83	-	57	0.6 %
84	-	165	1.7 %
85	-	447	4.6 %
86	-	199	2.0 %
87	-	50	0.5 %
	Missing Data		
.	-	88	0.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,677 valid cases out of 9,765 total cases.

- Mean: 86.24
- Median: 80.00
- Mode: 80.00
- Minimum: 8.00
- Maximum: 999.00
- Standard Deviation: 70.78

Location: 2239-2241 (width: 3; decimal: 0)
Variable Type: numeric

G521: g521 blood pressure test for the 2nd time: systolic

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
16	-	1	0.0 %
35	-	1	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
64	-	1	0.0 %
70	-	2	0.0 %
74	-	3	0.0 %
75	-	1	0.0 %
78	-	1	0.0 %

Value	Label	Unweighted Frequency	%
80	-	6	0.1 %
84	-	1	0.0 %
85	-	8	0.1 %
86	-	4	0.0 %
87	-	6	0.1 %
88	-	6	0.1 %
89	-	3	0.0 %
90	-	68	0.7 %
91	-	1	0.0 %
92	-	17	0.2 %
93	-	2	0.0 %
94	-	9	0.1 %
95	-	25	0.3 %
96	-	23	0.2 %
97	-	2	0.0 %
98	-	30	0.3 %
99	-	3	0.0 %
100	-	177	1.8 %
101	-	5	0.1 %
102	-	33	0.3 %
103	-	11	0.1 %
104	-	26	0.3 %
105	-	66	0.7 %
106	-	39	0.4 %
107	-	10	0.1 %
108	-	63	0.6 %
109	-	11	0.1 %
110	-	413	4.2 %
111	-	8	0.1 %
112	-	87	0.9 %
113	-	12	0.1 %
114	-	35	0.4 %
115	-	131	1.3 %
116	-	95	1.0 %
117	-	21	0.2 %
118	-	142	1.5 %
119	-	13	0.1 %
120	-	844	8.6 %
121	-	32	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	200	2.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,565 valid cases out of 9,765 total cases.

- Mean: 141.79
- Median: 135.00
- Mode: 130.00
- Minimum: 12.00
- Maximum: 999.00
- Standard Deviation: 70.06

Location: 2242-2244 (width: 3; decimal: 0)
Variable Type: numeric

G522: g522 blood pressure test for the 2nd time: diastolic

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
12	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	2	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	5	0.1 %
46	-	9	0.1 %
48	-	4	0.0 %
49	-	2	0.0 %
50	-	44	0.5 %
51	-	4	0.0 %
52	-	12	0.1 %
53	-	3	0.0 %
54	-	18	0.2 %
55	-	28	0.3 %
56	-	30	0.3 %
57	-	8	0.1 %
58	-	62	0.6 %
59	-	7	0.1 %
60	-	378	3.9 %

Value	Label	Unweighted Frequency	%
61	-	16	0.2 %
62	-	73	0.7 %
63	-	25	0.3 %
64	-	95	1.0 %
65	-	159	1.6 %
66	-	84	0.9 %
67	-	33	0.3 %
68	-	185	1.9 %
69	-	30	0.3 %
70	-	1082	11.1 %
71	-	37	0.4 %
72	-	221	2.3 %
73	-	42	0.4 %
74	-	151	1.5 %
75	-	377	3.9 %
76	-	214	2.2 %
77	-	36	0.4 %
78	-	360	3.7 %
79	-	45	0.5 %
80	-	1876	19.2 %
81	-	57	0.6 %
82	-	296	3.0 %
83	-	55	0.6 %
84	-	196	2.0 %
85	-	486	5.0 %
86	-	212	2.2 %
87	-	53	0.5 %
88	-	195	2.0 %
	Missing Data		
.	-	202	2.1 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,563 valid cases out of 9,765 total cases.

- Mean: 86.43
- Median: 80.00
- Mode: 80.00
- Minimum: 4.00
- Maximum: 999.00

- Standard Deviation: 72.98

Location: 2245-2247 (width: 3; decimal: 0)
Variable Type: numeric

G6: g6 rhythm of heart

Value	Label	Unweighted Frequency	%
1	regular	8762	89.7 %
2	irregular	852	8.7 %
8	do not know	45	0.5 %
9	missing	11	0.1 %
	Missing Data		
.	-	95	1.0 %
	Total	**9,765**	**100%**

Based upon 9,670 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2248-2248 (width: 1; decimal: 0)
Variable Type: numeric

G7: g7 heart rate (in beats/min)

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
12	-	1	0.0 %
16	-	4	0.0 %
17	-	3	0.0 %
18	-	10	0.1 %
19	-	1	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
30	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	4	0.0 %
46	-	4	0.0 %
47	-	1	0.0 %
48	-	5	0.1 %
49	-	6	0.1 %
50	-	29	0.3 %
51	-	9	0.1 %
52	-	25	0.3 %
53	-	12	0.1 %
54	-	27	0.3 %
55	-	32	0.3 %
56	-	57	0.6 %
57	-	33	0.3 %
58	-	60	0.6 %
59	-	34	0.3 %
60	-	402	4.1 %
61	-	57	0.6 %
62	-	205	2.1 %
63	-	91	0.9 %
64	-	209	2.1 %
65	-	308	3.2 %
66	-	209	2.1 %
67	-	130	1.3 %
68	-	525	5.4 %
69	-	132	1.4 %
70	-	947	9.7 %
71	-	138	1.4 %
72	-	727	7.4 %
73	-	153	1.6 %
	Missing Data		
.	-	154	1.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,611 valid cases out of 9,765 total cases.

- Mean: 79.18
- Median: 74.00
- Mode: 70.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 64.05

Location: 2249-2251 (width: 3; decimal: 0)
Variable Type: numeric

G81: g81 hand behind neck

Value	Label	Unweighted Frequency	%
1	right hand	307	3.1 %
2	left hand	172	1.8 %
3	both hands	8668	88.8 %
4	neither hand	535	5.5 %
8	don't know	16	0.2 %
9	missing	8	0.1 %
	Missing Data		
.	-	59	0.6 %
	Total	**9,765**	**100%**

Based upon 9,706 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2252-2252 (width: 1; decimal: 0)
Variable Type: numeric

G82: g82 hand behind lower back

Value	Label	Unweighted Frequency	%
1	right hand	305	3.1 %
2	left hand	157	1.6 %
3	both hands	8607	88.1 %
4	neither hand	606	6.2 %
8	don't know	18	0.2 %
9	missing	8	0.1 %
	Missing Data		
.	-	64	0.7 %
	Total	**9,765**	**100%**

Based upon 9,701 valid cases out of 9,765 total cases.

- Minimum: 1.00

- Maximum: 9.00

Location: 2253-2253 (width: 1; decimal: 0)
Variable Type: numeric

G83: g83 hold-up arms

Value	Label	Unweighted Frequency	%
1	right hand	299	3.1 %
2	left hand	156	1.6 %
3	both hands	8630	88.4 %
4	neither hand	594	6.1 %
8	don't know	17	0.2 %
9	missing	8	0.1 %
	Missing Data		
.	-	61	0.6 %
	Total	**9,765**	**100%**

Based upon 9,704 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2254-2254 (width: 1; decimal: 0)
Variable Type: numeric

G9: g9 able to stand up from sitting in a chair?

Value	Label	Unweighted Frequency	%
1	yes, without using hands	6676	68.4 %
2	yes, using hands	2165	22.2 %
3	no	834	8.5 %
8	don't know	13	0.1 %
9	missing	4	0.0 %
	Missing Data		
.	-	73	0.7 %
	Total	**9,765**	**100%**

Based upon 9,692 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2255-2255 (width: 1; decimal: 0)
Variable Type: numeric

G101: g101 weight (kilograms)

Value	Label	Unweighted Frequency	%
6.00000000000	-	1	0.0 %
10.00000000000	-	1	0.0 %
11.00000000000	-	1	0.0 %
20.00000000000	-	2	0.0 %
22.00000000000	-	1	0.0 %
23.00000000000	-	3	0.0 %
24.00000000000	-	5	0.1 %
25.00000000000	-	8	0.1 %
26.00000000000	-	8	0.1 %
27.00000000000	-	17	0.2 %
28.00000000000	-	23	0.2 %
29.00000000000	-	20	0.2 %
30.00000000000	-	94	1.0 %
31.00000000000	-	45	0.5 %
32.00000000000	-	75	0.8 %
33.00000000000	-	83	0.8 %
34.00000000000	-	89	0.9 %
34.50000000000	-	2	0.0 %
34.79999923707	-	1	0.0 %
35.00000000000	-	324	3.3 %
36.00000000000	-	150	1.5 %
37.00000000000	-	163	1.7 %
38.00000000000	-	163	1.7 %
39.00000000000	-	124	1.3 %
40.00000000000	-	661	6.8 %
40.09999847413	-	1	0.0 %
41.00000000000	-	166	1.7 %
42.00000000000	-	283	2.9 %
42.59999847413	-	1	0.0 %
43.00000000000	-	231	2.4 %
44.00000000000	-	150	1.5 %
44.29999923707	-	1	0.0 %
45.00000000000	-	658	6.7 %
46.00000000000	-	246	2.5 %
46.50000000000	-	1	0.0 %
47.00000000000	-	201	2.1 %
48.00000000000	-	261	2.7 %
49.00000000000	-	175	1.8 %
50.00000000000	-	603	6.2 %

Value	Label	Unweighted Frequency	%
51.00000000000	-	212	2.2 %
52.00000000000	-	260	2.7 %
53.00000000000	-	190	1.9 %
54.00000000000	-	187	1.9 %
55.00000000000	-	487	5.0 %
56.00000000000	-	179	1.8 %
57.00000000000	-	149	1.5 %
58.00000000000	-	160	1.6 %
58.50000000000	-	1	0.0 %
59.00000000000	-	109	1.1 %
60.00000000000	-	545	5.6 %
	Missing Data		
.	-	62	0.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,703 valid cases out of 9,765 total cases.

- Mean: 74.53368030459
- Median: 50.00000000000
- Mode: 40.00000000000
- Minimum: 6.00000000000
- Maximum: 999.00000000000
- Standard Deviation: 143.84851453652

Location: 2256-2270 (width: 15; decimal: 11)
Variable Type: numeric

G1011: g1011 calf curcumference (cm)

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
10	-	2	0.0 %
12	-	4	0.0 %
13	-	10	0.1 %
14	-	4	0.0 %
15	-	9	0.1 %
16	-	6	0.1 %
17	-	8	0.1 %
18	-	20	0.2 %
19	-	18	0.2 %
20	-	75	0.8 %

Value	Label	Unweighted Frequency	%
21	-	44	0.5 %
22	-	70	0.7 %
23	-	109	1.1 %
24	-	113	1.2 %
25	-	140	1.4 %
26	-	164	1.7 %
27	-	158	1.6 %
28	-	162	1.7 %
29	-	144	1.5 %
30	-	218	2.2 %
31	-	147	1.5 %
32	-	176	1.8 %
33	-	141	1.4 %
34	-	120	1.2 %
35	-	100	1.0 %
36	-	70	0.7 %
37	-	55	0.6 %
38	-	37	0.4 %
39	-	22	0.2 %
40	-	24	0.2 %
41	-	4	0.0 %
42	-	3	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
47	-	3	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	2	0.0 %
58	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
70	-	1	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
88	don't know	0	0.0 %
99	missing	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	7362	75.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,403 valid cases out of 9,765 total cases.

- Mean: 28.98
- Median: 29.00
- Mode: 30.00
- Minimum: 4.00
- Maximum: 99.00
- Standard Deviation: 5.95

Location: 2271-2272 (width: 2; decimal: 0)
Variable Type: numeric

G102: g102 is the participant hunchbacked?

Value	Label	Unweighted Frequency	%
1	yes	3664	37.5 %
2	no	5986	61.3 %
8	don't know	0	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	115	1.2 %
	Total	**9,765**	**100%**

Based upon 9,650 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2273-2273 (width: 1; decimal: 0)
Variable Type: numeric

G1021: g1021 directly measured height of the interviewee

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
34	-	2	0.0 %
38	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	3	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
64	-	1	0.0 %
65	-	3	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
70	-	2	0.0 %
72	-	1	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
100	-	1	0.0 %
107	-	1	0.0 %
108	-	1	0.0 %
110	-	2	0.0 %
113	-	2	0.0 %
114	-	1	0.0 %
115	-	7	0.1 %
117	-	1	0.0 %
118	-	5	0.1 %
120	-	24	0.2 %
121	-	1	0.0 %
122	-	9	0.1 %
123	-	2	0.0 %
124	-	5	0.1 %
125	-	8	0.1 %
126	-	8	0.1 %
127	-	7	0.1 %
128	-	8	0.1 %
129	-	8	0.1 %
130	-	46	0.5 %
131	-	19	0.2 %

Value	Label	Unweighted Frequency	%
132	-	31	0.3 %
133	-	16	0.2 %
134	-	41	0.4 %
135	-	95	1.0 %
136	-	59	0.6 %
	Missing Data		
.	-	66	0.7 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,699 valid cases out of 9,765 total cases.

- Mean: 211.60
- Median: 156.00
- Mode: 150.00
- Minimum: 16.00
- Maximum: 999.00
- Standard Deviation: 211.68

Location: 2274-2276 (width: 3; decimal: 0)
Variable Type: numeric

G122: g122 height measured from top of the right arm bone to top of the right shoulder

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
13	-	1	0.0 %
14	-	5	0.1 %
15	-	6	0.1 %
16	-	5	0.1 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	5	0.1 %
21	-	5	0.1 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	7	0.1 %
25	-	11	0.1 %
26	-	6	0.1 %
27	-	6	0.1 %
28	-	7	0.1 %
29	-	5	0.1 %

Value	Label	Unweighted Frequency	%
30	-	24	0.2 %
31	-	6	0.1 %
32	-	14	0.1 %
33	-	2	0.0 %
34	-	14	0.1 %
35	-	20	0.2 %
36	-	10	0.1 %
37	-	20	0.2 %
38	-	25	0.3 %
39	-	34	0.3 %
40	-	131	1.3 %
41	-	73	0.7 %
42	-	204	2.1 %
43	-	196	2.0 %
44	-	259	2.7 %
45	-	536	5.5 %
46	-	482	4.9 %
47	-	577	5.9 %
48	-	757	7.8 %
49	-	620	6.3 %
50	-	1129	11.6 %
51	-	629	6.4 %
52	-	722	7.4 %
53	-	581	5.9 %
54	-	560	5.7 %
55	-	480	4.9 %
56	-	346	3.5 %
57	-	257	2.6 %
58	-	195	2.0 %
59	-	105	1.1 %
60	-	157	1.6 %
61	-	50	0.5 %
62	-	41	0.4 %
	Missing Data		
.	-	100	1.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,665 valid cases out of 9,765 total cases.

- Mean: 50.71
- Median: 50.00
- Mode: 50.00
- Minimum: 5.00
- Maximum: 99.00
- Standard Deviation: 7.75

Location: 2277-2278 (width: 2; decimal: 0)
Variable Type: numeric

G123: g123 height measured from the right knee joint to the ground

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
12	-	2	0.0 %
13	-	8	0.1 %
14	-	8	0.1 %
15	-	5	0.1 %
16	-	5	0.1 %
17	-	3	0.0 %
18	-	5	0.1 %
19	-	3	0.0 %
20	-	2	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	3	0.0 %
25	-	4	0.0 %
26	-	4	0.0 %
27	-	2	0.0 %
28	-	6	0.1 %
29	-	3	0.0 %
30	-	22	0.2 %
31	-	6	0.1 %
32	-	23	0.2 %
33	-	20	0.2 %
34	-	26	0.3 %
35	-	57	0.6 %
36	-	63	0.6 %
37	-	51	0.5 %
38	-	111	1.1 %
39	-	104	1.1 %

Value	Label	Unweighted Frequency	%
40	-	328	3.4 %
41	-	222	2.3 %
42	-	468	4.8 %
43	-	511	5.2 %
44	-	598	6.1 %
45	-	872	8.9 %
46	-	825	8.4 %
47	-	848	8.7 %
48	-	943	9.7 %
49	-	626	6.4 %
50	-	920	9.4 %
51	-	459	4.7 %
52	-	400	4.1 %
53	-	254	2.6 %
54	-	199	2.0 %
55	-	167	1.7 %
56	-	94	1.0 %
57	-	52	0.5 %
58	-	34	0.3 %
59	-	11	0.1 %
60	-	52	0.5 %
	Missing Data		
.	-	104	1.1 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,661 valid cases out of 9,765 total cases.

- Mean: 47.49
- Median: 47.00
- Mode: 48.00
- Minimum: 10.00
- Maximum: 99.00
- Standard Deviation: 7.96

Location: 2279-2280 (width: 2; decimal: 0)
Variable Type: numeric

G102B: g102b self-reported height

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
58	-	2	0.0 %
61	-	1	0.0 %
67	-	1	0.0 %
80	-	1	0.0 %
88	-	10	0.1 %
100	-	1	0.0 %
115	-	1	0.0 %
118	-	1	0.0 %
120	-	12	0.1 %
122	-	1	0.0 %
123	-	1	0.0 %
125	-	3	0.0 %
126	-	1	0.0 %
128	-	2	0.0 %
130	-	32	0.3 %
131	-	1	0.0 %
132	-	6	0.1 %
133	-	2	0.0 %
134	-	3	0.0 %
135	-	30	0.3 %
136	-	5	0.1 %
137	-	7	0.1 %
138	-	8	0.1 %
139	-	5	0.1 %
140	-	195	2.0 %
141	-	8	0.1 %
142	-	41	0.4 %
143	-	18	0.2 %
144	-	16	0.2 %
145	-	182	1.9 %
146	-	45	0.5 %
147	-	34	0.3 %
148	-	76	0.8 %
149	-	27	0.3 %
150	-	965	9.9 %
151	-	65	0.7 %

Value	Label	Unweighted Frequency	%
152	-	160	1.6 %
153	-	118	1.2 %
154	-	82	0.8 %
155	-	447	4.6 %
156	-	168	1.7 %
157	-	96	1.0 %
158	-	252	2.6 %
159	-	41	0.4 %
160	-	810	8.3 %
161	-	43	0.4 %
	Missing Data		
.	-	2488	25.5 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,277 valid cases out of 9,765 total cases.

- Mean: 260.96
- Median: 160.00
- Mode: 150.00
- Minimum: 16.00
- Maximum: 999.00
- Standard Deviation: 256.62

Location: 2281-2283 (width: 3; decimal: 0)
Variable Type: numeric

G102C: g102c waist circumference

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
16	-	1	0.0 %
18	-	3	0.0 %
19	-	2	0.0 %
20	-	3	0.0 %
21	-	2	0.0 %
22	-	4	0.0 %
23	-	9	0.1 %
24	-	6	0.1 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %

Value	Label	Unweighted Frequency	%
28	-	2	0.0 %
29	-	1	0.0 %
30	-	5	0.1 %
32	-	4	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	3	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	5	0.1 %
41	-	1	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	8	0.1 %
46	-	7	0.1 %
47	-	2	0.0 %
48	-	10	0.1 %
49	-	1	0.0 %
50	-	28	0.3 %
51	-	5	0.1 %
52	-	14	0.1 %
53	-	12	0.1 %
54	-	8	0.1 %
55	-	19	0.2 %
56	-	18	0.2 %
57	-	13	0.1 %
58	-	38	0.4 %
59	-	18	0.2 %
60	-	132	1.4 %
61	-	36	0.4 %
62	-	97	1.0 %
63	-	77	0.8 %
64	-	81	0.8 %
65	-	152	1.6 %
66	-	112	1.1 %
67	-	149	1.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	106	1.1 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,659 valid cases out of 9,765 total cases.

- Mean: 97.18
- Median: 80.00
- Mode: 80.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 119.28

Location: 2284-2286 (width: 3; decimal: 0)
Variable Type: numeric

RG106: rg106 proxy or not for g106

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5710	58.5 %
1	with proxy	1914	19.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	2141	21.9 %
	Total	**9,765**	**100%**

Based upon 7,624 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2287-2288 (width: 2; decimal: 0)
Variable Type: numeric

G106: g106 do you have any difficulty with your hearing?

Value	Label	Unweighted Frequency	%
1	yes	4608	47.2 %
2	no	5102	52.2 %
8	don't know	2	0.0 %
9	missing	1	0.0 %
	Missing Data		
.	-	52	0.5 %
	Total	**9,765**	**100%**

Based upon 9,713 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2289-2289 (width: 1; decimal: 0)
Variable Type: numeric

RG1061: rg1061 proxy or not for g1061

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2254	23.1 %
1	with proxy	1610	16.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	5901	60.4 %
	Total	**9,765**	**100%**

Based upon 3,864 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2290-2291 (width: 2; decimal: 0)
Variable Type: numeric

G1061: g1061 in which ear(s) do you have a hearing difficulty?

Value	Label	Unweighted Frequency	%
1	left	329	3.4 %
2	right	318	3.3 %
3	both	3923	40.2 %
8	do not know	7	0.1 %
9	missing	39	0.4 %
	Missing Data		
.	-	5149	52.7 %
	Total	**9,765**	**100%**

Based upon 4,616 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2292-2292 (width: 1; decimal: 0)
Variable Type: numeric

RG1062: rg1062 proxy or not for g1062

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2231	22.8 %
1	with proxy	1649	16.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	5885	60.3 %
	Total	**9,765**	**100%**

Based upon 3,880 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2293-2294 (width: 2; decimal: 0)
Variable Type: numeric

G1062: g1062 at what age did you first notice a hearing difficulty?

Value	Label	Unweighted Frequency	%
1	since i was born	17	0.2 %
2	during my childhood (before the age of 15)	24	0.2 %
3	between the ages of 15 and 40	52	0.5 %
4	after the age of 40	4467	45.7 %
8	do not know	22	0.2 %
9	missing	43	0.4 %
	Missing Data		
.	-	5140	52.6 %
	Total	**9,765**	**100%**

Based upon 4,625 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2295-2295 (width: 1; decimal: 0)
Variable Type: numeric

RG1063: rg1063 proxy or not for g1063

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	2232	22.9 %
1	with proxy	1642	16.8 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	5891	60.3 %
	Total	**9,765**	**100%**

Based upon 3,874 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2296-2297 (width: 2; decimal: 0)
Variable Type: numeric

G1063: g1063 how quickly did your hearing difficulty develop?

Value	Label	Unweighted Frequency	%
1	suddenly (over a few days)	121	1.2 %
2	over a few months	410	4.2 %
3	over a few years	4018	41.1 %
8	do not know	27	0.3 %
9	missing	44	0.5 %
	Missing Data		
.	-	5145	52.7 %
	Total	**9,765**	**100%**

Based upon 4,620 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2298-2298 (width: 1; decimal: 0)
Variable Type: numeric

G11: g11 able to pick up a book from the floor?

Value	Label	Unweighted Frequency	%
1	yes, standing	6369	65.2 %
2	yes, sitting	2012	20.6 %
3	no	1223	12.5 %
8	don't know	8	0.1 %
9	missing	13	0.1 %
	Missing Data		
.	-	140	1.4 %
	Total	**9,765**	**100%**

Based upon 9,625 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2299-2299 (width: 1; decimal: 0)
Variable Type: numeric

G12: g12 steps used to turn around 360 with help?

Value	Label	Unweighted Frequency	%
0	-	15	0.2 %
1	-	21	0.2 %
2	-	165	1.7 %
3	-	894	9.2 %
4	-	1608	16.5 %
5	-	1213	12.4 %
6	-	1089	11.2 %
7	-	479	4.9 %
8	-	644	6.6 %
9	-	194	2.0 %
10	-	397	4.1 %
11	-	68	0.7 %
12	-	116	1.2 %
13	-	30	0.3 %
14	-	29	0.3 %
15	-	28	0.3 %
16	-	16	0.2 %
17	-	7	0.1 %
18	-	17	0.2 %
19	-	4	0.0 %
20	-	35	0.4 %
22	-	5	0.1 %
23	-	3	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
27	-	1	0.0 %
30	-	7	0.1 %
32	-	2	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
47	-	1	0.0 %
50	-	2	0.0 %
55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
66	-	1	0.0 %
80	-	1	0.0 %
88	can't turn around	2541	26.0 %
89	-	1	0.0 %
95	-	1	0.0 %
99	missing	11	0.1 %
	Missing Data		
.	-	110	1.1 %
	Total	**9,765**	**100%**

Based upon 9,655 valid cases out of 9,765 total cases.

- Mean: 27.66
- Median: 6.00
- Mode: 88.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 36.34

Location: 2300-2301 (width: 2; decimal: 0)
Variable Type: numeric

RG130: rg130 proxy or not for g130

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5875	60.2 %
1	with proxy	1713	17.5 %
9	missing	0	0.0 %
	Missing Data		
.	-	2177	22.3 %
	Total	**9,765**	**100%**

Based upon 7,588 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2302-2303 (width: 2; decimal: 0)
Variable Type: numeric

G130: g130 feel not-well within the past two weeks?

Value	Label	Unweighted Frequency	%
1	yes	1971	20.2 %
2	no	7690	78.8 %

Value	Label	Unweighted Frequency	%
8	don't know	15	0.2 %
9	missing	6	0.1 %
	Missing Data		
.	-	83	0.8 %
	Total	**9,765**	**100%**

Based upon 9,682 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2304-2304 (width: 1; decimal: 0)
Variable Type: numeric

RG13: rg13 with proxy or not for g131

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	5695	58.3 %
1	with proxy	1812	18.6 %
9	missing	0	0.0 %
	Missing Data		
.	-	2258	23.1 %
	Total	**9,765**	**100%**

Based upon 7,507 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2305-2306 (width: 2; decimal: 0)
Variable Type: numeric

G131: g131 # of times suffering from serious illness within the past two years

Value	Label	Unweighted Frequency	%
0	no serious illness	7446	76.3 %
1	-	1358	13.9 %
2	-	387	4.0 %
3	-	131	1.3 %
4	-	53	0.5 %
5	-	23	0.2 %
6	-	4	0.0 %
7	-	5	0.1 %

Value	Label	Unweighted Frequency	%
8	-	3	0.0 %
9	-	2	0.0 %
10	-	13	0.1 %
11	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	4	0.0 %
22	-	1	0.0 %
30	-	1	0.0 %
88	bedridden all the year around	137	1.4 %
99	missing	7	0.1 %
	Missing Data		
.	-	185	1.9 %
	Total	**9,765**	**100%**

Based upon 9,580 valid cases out of 9,765 total cases.

- Mean: 1.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 10.79

Location: 2307-2308 (width: 2; decimal: 0)
Variable Type: numeric

G132: g132 # of times in hospitals

Value	Label	Unweighted Frequency	%
0	-	1380	14.1 %
1	-	1086	11.1 %
2	-	343	3.5 %
3	-	121	1.2 %
4	-	45	0.5 %
5	-	19	0.2 %
6	-	4	0.0 %
7	-	3	0.0 %
8	-	1	0.0 %
9	-	2	0.0 %
10	-	3	0.0 %

Value	Label	Unweighted Frequency	%
11	-	3	0.0 %
12	-	3	0.0 %
14	-	1	0.0 %
15	-	5	0.1 %
18	-	1	0.0 %
20	-	2	0.0 %
25	-	4	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
60	-	1	0.0 %
80	-	1	0.0 %
88	bedridden all the year around	25	0.3 %
99	missing	55	0.6 %
	Missing Data		
.	-	6655	68.2 %
	Total	**9,765**	**100%**

Based upon 3,110 valid cases out of 9,765 total cases.

- Mean: 3.43
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 15.21

Location: 2309-2310 (width: 2; decimal: 0)
Variable Type: numeric

RG14A: rg14a with proxy or not for g14a1 and g14a2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	1403	14.4 %
1	with proxy	528	5.4 %
9	missing	0	0.0 %
	Missing Data		
.	-	7834	80.2 %
	Total	**9,765**	**100%**

Based upon 1,931 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2311-2312 (width: 2; decimal: 0)
Variable Type: numeric

G14A1: g14a1 name of disease suffered at 1st hospital visit

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	hypertension	168	1.7 %
2	diabetes	47	0.5 %
3	heart diseases	246	2.5 %
4	stroke, cvd	278	2.8 %
5	bronchitis, emphysema, asthma, pneumonia	269	2.8 %
6	pulmonary tuberculosis	15	0.2 %
7	cataract	48	0.5 %
8	glaucoma	9	0.1 %
9	cancer	37	0.4 %
10	prostate tumor	45	0.5 %
11	gastric or duodenal ulcer	59	0.6 %
12	parkinson's disease	6	0.1 %
13	bedsore	1	0.0 %
14	arthritis	30	0.3 %
15	dementia	15	0.2 %
16	epilepsy	0	0.0 %
17	cholecystitis, cholelith disease	61	0.6 %
18	blood disease	9	0.1 %
19	chronic nephritis	16	0.2 %
20	galactophore disease	13	0.1 %
21	galactophore disease	1	0.0 %
22	uterine tumor	5	0.1 %
23	hyperplasia of prostate gland	12	0.1 %
24	hepatitis	0	0.0 %
25	other	617	6.3 %
66	natural senescence without reporting any disease	0	0.0 %
88	don't know	29	0.3 %
99	missing	122	1.2 %
	Missing Data		
.	-	7607	77.9 %
	Total	**9,765**	**100%**

Based upon 2,158 valid cases out of 9,765 total cases.

- Minimum: 1.00

- Maximum: 99.00

Location: 2313-2314 (width: 2; decimal: 0)
Variable Type: numeric

G14A2: g14a2 1st time, number of days in hospital or bedridden

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	36	0.4 %
1	-	15	0.2 %
2	-	26	0.3 %
3	-	76	0.8 %
4	-	56	0.6 %
5	-	94	1.0 %
6	-	42	0.4 %
7	-	289	3.0 %
8	-	48	0.5 %
9	-	33	0.3 %
10	-	226	2.3 %
11	-	23	0.2 %
12	-	60	0.6 %
13	-	23	0.2 %
14	-	58	0.6 %
15	-	246	2.5 %
16	-	21	0.2 %
17	-	15	0.2 %
18	-	24	0.2 %
19	-	3	0.0 %
20	-	131	1.3 %
21	-	13	0.1 %
22	-	8	0.1 %
23	-	5	0.1 %
24	-	6	0.1 %
25	-	20	0.2 %
27	-	2	0.0 %
28	-	10	0.1 %
30	-	143	1.5 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %

Value	Label	Unweighted Frequency	%
35	-	16	0.2 %
38	-	1	0.0 %
40	-	25	0.3 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	9	0.1 %
48	-	1	0.0 %
50	-	8	0.1 %
56	-	1	0.0 %
60	-	43	0.4 %
61	-	2	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %
70	-	5	0.1 %
90	-	11	0.1 %
	Missing Data		
.	-	7614	78.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,151 valid cases out of 9,765 total cases.

- Mean: 101.67
- Median: 14.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 5980.00
- Standard Deviation: 286.00

Location: 2315-2318 (width: 4; decimal: 0)
Variable Type: numeric

RG14B: rg14b with proxy or not for g14b1 and g14b2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	709	7.3 %
1	with proxy	184	1.9 %
9	missing	0	0.0 %
	Missing Data		
.	-	8872	90.9 %

Value	Label	Unweighted Frequency	%
	Total	**9,765**	**100%**

Based upon 893 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2319-2320 (width: 2; decimal: 0)
Variable Type: numeric

G14B1: g14b1 name of disease suffered at 2nd hospital visit

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	hypertension	54	0.6 %
2	diabetes	16	0.2 %
3	heart diseases	101	1.0 %
4	stroke, cvd	66	0.7 %
5	bronchitis, emphysema, asthma, pneumonia	110	1.1 %
6	pulmonary tuberculosis	3	0.0 %
7	cataract	12	0.1 %
8	glaucoma	2	0.0 %
9	cancer	9	0.1 %
10	prostate tumor	13	0.1 %
11	gastric or duodenal ulcer	26	0.3 %
12	parkinson's disease	3	0.0 %
13	bedsore	2	0.0 %
14	arthritis	18	0.2 %
15	dementia	6	0.1 %
16	epilepsy	0	0.0 %
17	cholecystitis, cholelith disease	16	0.2 %
18	blood disease	3	0.0 %
19	chronic nephritis	5	0.1 %
20	galactophore disease	5	0.1 %
21	galactophore disease	0	0.0 %
22	uterine tumor	0	0.0 %
23	hyperplasia of prostate gland	2	0.0 %
24	hepatitis	1	0.0 %
25	other	151	1.5 %
66	natural senescence without reporting any disease	0	0.0 %
88	don't know	15	0.2 %
99	missing	270	2.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	8856	90.7 %
	Total	**9,765**	**100%**

Based upon 909 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 2321-2322 (width: 2; decimal: 0)
Variable Type: numeric

G14B2: g14b2 2nd time, number of days in hospital or bedridden

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	38	0.4 %
1	-	2	0.0 %
2	-	7	0.1 %
3	-	18	0.2 %
4	-	15	0.2 %
5	-	33	0.3 %
6	-	16	0.2 %
7	-	84	0.9 %
8	-	30	0.3 %
9	-	17	0.2 %
10	-	94	1.0 %
11	-	7	0.1 %
12	-	16	0.2 %
13	-	10	0.1 %
14	-	19	0.2 %
15	-	91	0.9 %
16	-	6	0.1 %
17	-	7	0.1 %
18	-	9	0.1 %
19	-	1	0.0 %
20	-	40	0.4 %
21	-	5	0.1 %
22	-	7	0.1 %
23	-	3	0.0 %
25	-	6	0.1 %
26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	36	0.4 %
33	-	2	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	5	0.1 %
42	-	1	0.0 %
46	-	1	0.0 %
60	-	6	0.1 %
74	-	1	0.0 %
80	-	2	0.0 %
85	-	1	0.0 %
90	-	5	0.1 %
100	-	2	0.0 %
105	-	1	0.0 %
127	-	1	0.0 %
150	-	2	0.0 %
223	-	1	0.0 %
299	-	1	0.0 %
365	-	1	0.0 %
	Missing Data		
.	-	8827	90.4 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 938 valid cases out of 9,765 total cases.

- Mean: 304.01
- Median: 15.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 445.98

Location: 2323-2325 (width: 3; decimal: 0)
Variable Type: numeric

RG14C: rg14c with proxy or not for g14c1 and g14c2

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	without proxy	488	5.0 %
1	with proxy	94	1.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	9183	94.0 %
	Total	**9,765**	**100%**

Based upon 582 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2326-2327 (width: 2; decimal: 0)
Variable Type: numeric

G14C1: g14c1 name of disease suffered at the last hospital visit

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	hypertension	16	0.2 %
2	diabetes	7	0.1 %
3	heart diseases	44	0.5 %
4	stroke, cvd	30	0.3 %
5	bronchitis, emphysema, asthma, pneumonia	37	0.4 %
6	pulmonary tuberculosis	0	0.0 %
7	cataract	2	0.0 %
8	glaucoma	1	0.0 %
9	cancer	2	0.0 %
10	prostate tumor	7	0.1 %
11	gastric or duodenal ulcer	10	0.1 %
12	parkinson's disease	2	0.0 %
13	bedsore	0	0.0 %
14	arthritis	7	0.1 %
15	dementia	2	0.0 %
16	epilepsy	0	0.0 %
17	cholecystitis, cholelith disease	2	0.0 %
18	blood disease	3	0.0 %
19	chronic nephritis	5	0.1 %
20	galactophore disease	5	0.1 %
21	galactophore disease	0	0.0 %
22	uterine tumor	0	0.0 %

Value	Label	Unweighted Frequency	%
23	hyperplasia of prostate gland	3	0.0 %
24	hepatitis	1	0.0 %
25	other	45	0.5 %
66	natural senescence without reporting any disease	0	0.0 %
88	don't know	13	0.1 %
99	missing	331	3.4 %
	Missing Data		
.	-	9190	94.1 %
	Total	**9,765**	**100%**

Based upon 575 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 2328-2329 (width: 2; decimal: 0)
Variable Type: numeric

G14C2: g14c2 last time, days in hospital or bedridden

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	-	35	0.4 %
1	-	3	0.0 %
2	-	1	0.0 %
3	-	9	0.1 %
4	-	2	0.0 %
5	-	14	0.1 %
6	-	3	0.0 %
7	-	30	0.3 %
8	-	12	0.1 %
9	-	5	0.1 %
10	-	38	0.4 %
11	-	3	0.0 %
12	-	7	0.1 %
13	-	2	0.0 %
14	-	4	0.0 %
15	-	31	0.3 %
16	-	4	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	20	0.2 %

Value	Label	Unweighted Frequency	%
21	-	4	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
28	-	2	0.0 %
30	-	14	0.1 %
34	-	1	0.0 %
40	-	1	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
90	-	1	0.0 %
180	-	1	0.0 %
223	-	2	0.0 %
299	-	1	0.0 %
888	bedridden all the year around	15	0.2 %
999	missing	322	3.3 %
	Missing Data		
.	-	9164	93.8 %
	Total	**9,765**	**100%**

Based upon 601 valid cases out of 9,765 total cases.

- Mean: 564.35
- Median: 999.00
- Mode: 999.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 486.61

Location: 2330-2332 (width: 3; decimal: 0)
Variable Type: numeric

G15A1: g15a1 suffering from hypertension?

Value	Label	Unweighted Frequency	%
1	yes	2752	28.2 %
2	no	6573	67.3 %
8	do not know	360	3.7 %
9	missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	80	0.8 %
	Total	**9,765**	**100%**

Based upon 9,685 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2333-2333 (width: 1; decimal: 0)
Variable Type: numeric

G15A2: g15a2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	3336	34.2 %
2	no	3336	34.2 %
8	do not know	38	0.4 %
9	missing	293	3.0 %
	Missing Data		
.	-	2762	28.3 %
	Total	**9,765**	**100%**

Based upon 7,003 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2334-2334 (width: 1; decimal: 0)
Variable Type: numeric

G15A3: g15a3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	396	4.1 %
2	more or less	1653	16.9 %
3	no	4401	45.1 %
8	do not know	38	0.4 %
9	missing	400	4.1 %
	Missing Data		
.	-	2877	29.5 %
	Total	**9,765**	**100%**

Based upon 6,888 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2335-2336 (width: 2; decimal: 0)
Variable Type: numeric

G15B1: g15b1 suffering from diabetes?

Value	Label	Unweighted Frequency	%
1	yes	400	4.1 %
2	no	8839	90.5 %
8	do not know	419	4.3 %
9	missing	7	0.1 %
	Missing Data		
.	-	100	1.0 %
	Total	**9,765**	**100%**

Based upon 9,665 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2337-2337 (width: 1; decimal: 0)
Variable Type: numeric

G15B2: g15b2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	1187	12.2 %
2	no	4399	45.0 %
8	do not know	50	0.5 %
9	missing	414	4.2 %
	Missing Data		
.	-	3715	38.0 %
	Total	**9,765**	**100%**

Based upon 6,050 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2338-2338 (width: 1; decimal: 0)
Variable Type: numeric

G15B3: g15b3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
1	rather serious	89	0.9 %
2	more or less	280	2.9 %
3	no	4931	50.5 %
8	do not know	51	0.5 %
9	missing	556	5.7 %
	Missing Data		
.	-	3858	39.5 %
	Total	**9,765**	**100%**

Based upon 5,907 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2339-2340 (width: 2; decimal: 0)
Variable Type: numeric

G15C1: g15c1 suffering from heart disease?

Value	Label	Unweighted Frequency	%
1	yes	1175	12.0 %
2	no	8087	82.8 %
8	do not know	403	4.1 %
9	missing	6	0.1 %
	Missing Data		
.	-	94	1.0 %
	Total	**9,765**	**100%**

Based upon 9,671 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2341-2341 (width: 1; decimal: 0)
Variable Type: numeric

G15C2: g15c2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	1691	17.3 %
2	no	4201	43.0 %
8	do not know	58	0.6 %
9	missing	387	4.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	3428	35.1 %
	Total	**9,765**	**100%**

Based upon 6,337 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2342-2342 (width: 1; decimal: 0)
Variable Type: numeric

G15C3: g15c3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	290	3.0 %
2	more or less	749	7.7 %
3	no	4611	47.2 %
8	do not know	57	0.6 %
9	missing	510	5.2 %
	Missing Data		
.	-	3548	36.3 %
	Total	**9,765**	**100%**

Based upon 6,217 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2343-2344 (width: 2; decimal: 0)
Variable Type: numeric

G15D1: g15d1 suffering from stroke or cvd?

Value	Label	Unweighted Frequency	%
1	yes	802	8.2 %
2	no	8497	87.0 %
8	do not know	351	3.6 %
9	missing	9	0.1 %
	Missing Data		
.	-	106	1.1 %
	Total	**9,765**	**100%**

Based upon 9,659 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2345-2345 (width: 1; decimal: 0)
Variable Type: numeric

G15D2: g15d2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	1313	13.4 %
2	no	4396	45.0 %
8	do not know	54	0.6 %
9	missing	393	4.0 %
	Missing Data		
.	-	3609	37.0 %
	Total	**9,765**	**100%**

Based upon 6,156 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2346-2346 (width: 1; decimal: 0)
Variable Type: numeric

G15D3: g15d3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	347	3.6 %
2	more or less	406	4.2 %
3	no	4710	48.2 %
8	do not know	50	0.5 %
9	missing	526	5.4 %
	Missing Data		
.	-	3726	38.2 %
	Total	**9,765**	**100%**

Based upon 6,039 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2347-2348 (width: 2; decimal: 0)
Variable Type: numeric

G15E1: g15e1 suffering from bronchitis, emphysema, pneumonia, asthma?

Value	Label	Unweighted Frequency	%
1	yes	1135	11.6 %
2	no	8195	83.9 %
8	do not know	326	3.3 %
9	missing	6	0.1 %
	Missing Data		
.	-	103	1.1 %
	Total	**9,765**	**100%**

Based upon 9,662 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2349-2349 (width: 1; decimal: 0)
Variable Type: numeric

G15E2: g15e2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	1490	15.3 %
2	no	4378	44.8 %
8	do not know	54	0.6 %
9	missing	373	3.8 %
	Missing Data		
.	-	3470	35.5 %
	Total	**9,765**	**100%**

Based upon 6,295 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2350-2350 (width: 1; decimal: 0)
Variable Type: numeric

G15E3: g15e3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	287	2.9 %
2	more or less	747	7.6 %
3	no	4579	46.9 %
8	do not know	49	0.5 %
9	missing	514	5.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	3589	36.8 %
	Total	**9,765**	**100%**

Based upon 6,176 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2351-2352 (width: 2; decimal: 0)
Variable Type: numeric

G15F1: g15f1 suffering from tuberculosis?

Value	Label	Unweighted Frequency	%
1	yes	102	1.0 %
2	no	9185	94.1 %
8	do not know	360	3.7 %
9	missing	7	0.1 %
	Missing Data		
.	-	111	1.1 %
	Total	**9,765**	**100%**

Based upon 9,654 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2353-2353 (width: 1; decimal: 0)
Variable Type: numeric

G15F2: g15f2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	652	6.7 %
2	no	4767	48.8 %
8	do not know	61	0.6 %
9	missing	422	4.3 %
	Missing Data		
.	-	3863	39.6 %
	Total	**9,765**	**100%**

Based upon 5,902 valid cases out of 9,765 total cases.

- Minimum: 1.00

- Maximum: 9.00

Location: 2354-2354 (width: 1; decimal: 0)
Variable Type: numeric

G15F3: g15f3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	27	0.3 %
2	more or less	100	1.0 %
3	no	5001	51.2 %
8	do not know	56	0.6 %
9	missing	578	5.9 %
	Missing Data		
.	-	4003	41.0 %
	Total	**9,765**	**100%**

Based upon 5,762 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2355-2356 (width: 2; decimal: 0)
Variable Type: numeric

G15G1: g15g1 suffering from cataract?

Value	Label	Unweighted Frequency	%
1	yes	1156	11.8 %
2	no	8088	82.8 %
8	do not know	398	4.1 %
9	missing	7	0.1 %
	Missing Data		
.	-	116	1.2 %
	Total	**9,765**	**100%**

Based upon 9,649 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2357-2357 (width: 1; decimal: 0)
Variable Type: numeric

G15G2: g15g2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	1415	14.5 %
2	no	4404	45.1 %
8	do not know	64	0.7 %
9	missing	379	3.9 %
	Missing Data		
.	-	3503	35.9 %
	Total	**9,765**	**100%**

Based upon 6,262 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2358-2358 (width: 1; decimal: 0)
Variable Type: numeric

G15G3: g15g3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	461	4.7 %
2	more or less	611	6.3 %
3	no	4509	46.2 %
8	do not know	58	0.6 %
9	missing	505	5.2 %
	Missing Data		
.	-	3621	37.1 %
	Total	**9,765**	**100%**

Based upon 6,144 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2359-2360 (width: 2; decimal: 0)
Variable Type: numeric

G15H1: g15h1 suffering from glaucoma?

Value	Label	Unweighted Frequency	%
1	yes	155	1.6 %
2	no	6735	69.0 %
8	do not know	393	4.0 %
9	missing	9	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2473	25.3 %
	Total	**9,765**	**100%**

Based upon 7,292 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2361-2361 (width: 1; decimal: 0)
Variable Type: numeric

G15H2: g15h2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	528	5.4 %
2	no	3364	34.4 %
8	do not know	53	0.5 %
9	missing	337	3.5 %
	Missing Data		
.	-	5483	56.1 %
	Total	**9,765**	**100%**

Based upon 4,282 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2362-2362 (width: 1; decimal: 0)
Variable Type: numeric

G15H3: g15h3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	78	0.8 %
2	more or less	112	1.1 %
3	no	3433	35.2 %
8	do not know	46	0.5 %
9	missing	486	5.0 %
	Missing Data		
.	-	5610	57.5 %
	Total	**9,765**	**100%**

Based upon 4,155 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2363-2364 (width: 2; decimal: 0)
Variable Type: numeric

G15I1: g15i1 suffering from cancer?

Value	Label	Unweighted Frequency	%
1	yes	83	0.8 %
2	no	9107	93.3 %
8	do not know	416	4.3 %
9	missing	37	0.4 %
	Missing Data		
.	-	122	1.2 %
	Total	**9,765**	**100%**

Based upon 9,643 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2365-2365 (width: 1; decimal: 0)
Variable Type: numeric

G15I2: g15i2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	552	5.7 %
2	no	4808	49.2 %
8	do not know	64	0.7 %
9	missing	433	4.4 %
	Missing Data		
.	-	3908	40.0 %
	Total	**9,765**	**100%**

Based upon 5,857 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2366-2366 (width: 1; decimal: 0)
Variable Type: numeric

G15I3: g15i3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
1	rather serious	45	0.5 %
2	more or less	76	0.8 %
3	no	4953	50.7 %
8	do not know	57	0.6 %
9	missing	591	6.1 %
	Missing Data		
.	-	4043	41.4 %
	Total	**9,765**	**100%**

Based upon 5,722 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2367-2368 (width: 2; decimal: 0)
Variable Type: numeric

G15J1: g15j1 suffering from prostate tumor?

Value	Label	Unweighted Frequency	%
1	yes	437	4.5 %
2	no	3446	35.3 %
8	do not know	238	2.4 %
9	missing	2958	30.3 %
	Missing Data		
.	-	2686	27.5 %
	Total	**9,765**	**100%**

Based upon 7,079 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2369-2369 (width: 1; decimal: 0)
Variable Type: numeric

G15J2: g15j2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	585	6.0 %
2	no	1938	19.8 %
8	do not know	44	0.5 %
9	missing	2021	20.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	5177	53.0 %
	Total	**9,765**	**100%**

Based upon 4,588 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2370-2370 (width: 1; decimal: 0)
Variable Type: numeric

G15J3: g15j3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	113	1.2 %
2	more or less	259	2.7 %
3	no	2023	20.7 %
8	do not know	42	0.4 %
9	missing	2073	21.2 %
	Missing Data		
.	-	5255	53.8 %
	Total	**9,765**	**100%**

Based upon 4,510 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2371-2372 (width: 2; decimal: 0)
Variable Type: numeric

G15K1: g15k1 suffering from gastric or duodenal ulcer?

Value	Label	Unweighted Frequency	%
1	yes	381	3.9 %
2	no	6500	66.6 %
8	do not know	370	3.8 %
9	missing	40	0.4 %
	Missing Data		
.	-	2474	25.3 %
	Total	**9,765**	**100%**

Based upon 7,291 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2373-2373 (width: 1; decimal: 0)
Variable Type: numeric

G15K2: g15k2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	695	7.1 %
2	no	3298	33.8 %
8	do not know	48	0.5 %
9	missing	342	3.5 %
	Missing Data		
.	-	5382	55.1 %
	Total	**9,765**	**100%**

Based upon 4,383 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2374-2374 (width: 1; decimal: 0)
Variable Type: numeric

G15K3: g15k3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	90	0.9 %
2	more or less	275	2.8 %
3	no	3363	34.4 %
8	do not know	42	0.4 %
9	missing	485	5.0 %
	Missing Data		
.	-	5510	56.4 %
	Total	**9,765**	**100%**

Based upon 4,255 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2375-2376 (width: 2; decimal: 0)
Variable Type: numeric

G15L1: g15l1 suffering from parkinson's disease?

Value	Label	Unweighted Frequency	%
1	yes	75	0.8 %
2	no	9095	93.1 %
3	UNDOCUMENTED CODE	1	0.0 %
8	do not know	455	4.7 %
9	missing	11	0.1 %
	Missing Data		
.	-	128	1.3 %
	Total	**9,765**	**100%**

Based upon 9,637 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2377-2377 (width: 1; decimal: 0)
Variable Type: numeric

G15L2: g15l2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	504	5.2 %
2	no	4855	49.7 %
8	do not know	67	0.7 %
9	missing	423	4.3 %
	Missing Data		
.	-	3916	40.1 %
	Total	**9,765**	**100%**

Based upon 5,849 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2378-2378 (width: 1; decimal: 0)
Variable Type: numeric

G15L3: g15l3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	37	0.4 %
2	more or less	83	0.8 %
3	no	4943	50.6 %
8	do not know	60	0.6 %

Value	Label	Unweighted Frequency	%
9	missing	583	6.0 %
	Missing Data		
.	-	4059	41.6 %
	Total	**9,765**	**100%**

Based upon 5,706 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2379-2380 (width: 2; decimal: 0)
Variable Type: numeric

G15M1: g15m1 suffering from bedsore?

Value	Label	Unweighted Frequency	%
1	yes	55	0.6 %
2	no	6907	70.7 %
8	do not know	313	3.2 %
9	missing	12	0.1 %
	Missing Data		
.	-	2478	25.4 %
	Total	**9,765**	**100%**

Based upon 7,287 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2381-2381 (width: 1; decimal: 0)
Variable Type: numeric

G15M2: g15m2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	412	4.2 %
2	no	3435	35.2 %
8	do not know	47	0.5 %
9	missing	339	3.5 %
	Missing Data		
.	-	5532	56.7 %
	Total	**9,765**	**100%**

Based upon 4,233 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2382-2382 (width: 1; decimal: 0)
Variable Type: numeric

G15M3: g15m3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	20	0.2 %
2	more or less	68	0.7 %
3	no	3476	35.6 %
8	do not know	43	0.4 %
9	missing	493	5.0 %
	Missing Data		
.	-	5665	58.0 %
	Total	**9,765**	**100%**

Based upon 4,100 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2383-2384 (width: 2; decimal: 0)
Variable Type: numeric

G15N1: g15n1 suffering from arthritis?

Value	Label	Unweighted Frequency	%
1	yes	1337	13.7 %
2	no	7977	81.7 %
8	do not know	311	3.2 %
9	missing	11	0.1 %
	Missing Data		
.	-	129	1.3 %
	Total	**9,765**	**100%**

Based upon 9,636 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2385-2385 (width: 1; decimal: 0)
Variable Type: numeric

G15N2: g15n2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	1327	13.6 %
2	no	4555	46.6 %
8	do not know	54	0.6 %
9	missing	361	3.7 %
	Missing Data		
.	-	3468	35.5 %
	Total	**9,765**	**100%**

Based upon 6,297 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2386-2386 (width: 1; decimal: 0)
Variable Type: numeric

G15N3: g15n3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	343	3.5 %
2	more or less	883	9.0 %
3	no	4397	45.0 %
8	do not know	50	0.5 %
9	missing	500	5.1 %
	Missing Data		
.	-	3592	36.8 %
	Total	**9,765**	**100%**

Based upon 6,173 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2387-2388 (width: 2; decimal: 0)
Variable Type: numeric

G15O1: g15o1 suffering from dementia?

Value	Label	Unweighted Frequency	%
1	yes	315	3.2 %
2	no	9022	92.4 %
8	do not know	287	2.9 %
9	missing	12	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	129	1.3 %
	Total	**9,765**	**100%**

Based upon 9,636 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2389-2389 (width: 1; decimal: 0)
Variable Type: numeric

G15O2: g15o2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	610	6.2 %
2	no	4848	49.6 %
8	do not know	57	0.6 %
9	missing	419	4.3 %
	Missing Data		
.	-	3831	39.2 %
	Total	**9,765**	**100%**

Based upon 5,934 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2390-2390 (width: 1; decimal: 0)
Variable Type: numeric

G15O3: g15o3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
0	UNDOCUMENTED CODE	1	0.0 %
1	rather serious	195	2.0 %
2	more or less	143	1.5 %
3	no	4834	49.5 %
8	do not know	51	0.5 %
9	missing	570	5.8 %
	Missing Data		
.	-	3971	40.7 %
	Total	**9,765**	**100%**

Based upon 5,794 valid cases out of 9,765 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 2391-2392 (width: 2; decimal: 0)
Variable Type: numeric

G15P1: g15p1 suffering from epilepsy?

Value	Label	Unweighted Frequency	%
1	yes	21	0.2 %
2	no	6964	71.3 %
8	do not know	286	2.9 %
9	missing	11	0.1 %
	Missing Data		
.	-	2483	25.4 %
	Total	**9,765**	**100%**

Based upon 7,282 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2393-2393 (width: 1; decimal: 0)
Variable Type: numeric

G15P2: g15p2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	379	3.9 %
2	no	3463	35.5 %
8	do not know	48	0.5 %
9	missing	341	3.5 %
	Missing Data		
.	-	5534	56.7 %
	Total	**9,765**	**100%**

Based upon 4,231 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2394-2394 (width: 1; decimal: 0)
Variable Type: numeric

G15P3: g15p3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	14	0.1 %
2	more or less	45	0.5 %
3	no	3493	35.8 %
8	do not know	43	0.4 %
9	missing	500	5.1 %
	Missing Data		
.	-	5670	58.1 %
	Total	**9,765**	**100%**

Based upon 4,095 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2395-2396 (width: 2; decimal: 0)
Variable Type: numeric

G15Q1: g15q1 suffering from cholecystitis, cholelith disease?

Value	Label	Unweighted Frequency	%
1	yes	303	3.1 %
2	no	6595	67.5 %
8	do not know	369	3.8 %
9	missing	10	0.1 %
	Missing Data		
.	-	2488	25.5 %
	Total	**9,765**	**100%**

Based upon 7,277 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2397-2397 (width: 1; decimal: 0)
Variable Type: numeric

G15Q2: g15q2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	652	6.7 %
2	no	3321	34.0 %
8	do not know	50	0.5 %
9	missing	328	3.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	5414	55.4 %
	Total	**9,765**	**100%**

Based upon 4,351 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2398-2398 (width: 1; decimal: 0)
Variable Type: numeric

G15Q3: g15q3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	60	0.6 %
2	more or less	196	2.0 %
3	no	3446	35.3 %
8	do not know	44	0.5 %
9	missing	476	4.9 %
	Missing Data		
.	-	5543	56.8 %
	Total	**9,765**	**100%**

Based upon 4,222 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2399-2400 (width: 2; decimal: 0)
Variable Type: numeric

G15R1: g15r1 suffering from blood disease?

Value	Label	Unweighted Frequency	%
1	yes	309	3.2 %
2	no	8487	86.9 %
8	do not know	817	8.4 %
9	missing	13	0.1 %
	Missing Data		
.	-	139	1.4 %
	Total	**9,765**	**100%**

Based upon 9,626 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2401-2401 (width: 1; decimal: 0)
Variable Type: numeric

G15R2: g15r2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	797	8.2 %
2	no	4664	47.8 %
8	do not know	83	0.8 %
9	missing	424	4.3 %
	Missing Data		
.	-	3797	38.9 %
	Total	**9,765**	**100%**

Based upon 5,968 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2402-2402 (width: 1; decimal: 0)
Variable Type: numeric

G15R3: g15r3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	33	0.3 %
2	more or less	207	2.1 %
3	no	4942	50.6 %
8	do not know	72	0.7 %
9	missing	575	5.9 %
	Missing Data		
.	-	3936	40.3 %
	Total	**9,765**	**100%**

Based upon 5,829 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2403-2404 (width: 2; decimal: 0)
Variable Type: numeric

G15N1A: g15n1a suffering from rheumatism or rheumatoid disease?

Value	Label	Unweighted Frequency	%
1	yes	698	7.1 %
2	no	6242	63.9 %
8	do not know	322	3.3 %
9	missing	14	0.1 %
	Missing Data		
.	-	2489	25.5 %
	Total	**9,765**	**100%**

Based upon 7,276 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2405-2405 (width: 1; decimal: 0)
Variable Type: numeric

G15N2A: g15n2a diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	827	8.5 %
2	no	3304	33.8 %
8	do not know	37	0.4 %
9	missing	292	3.0 %
	Missing Data		
.	-	5305	54.3 %
	Total	**9,765**	**100%**

Based upon 4,460 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2406-2406 (width: 1; decimal: 0)
Variable Type: numeric

G15N3A: g15n3a disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	252	2.6 %
2	more or less	399	4.1 %
3	no	3193	32.7 %
8	do not know	30	0.3 %
9	missing	445	4.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	5446	55.8 %
	Total	**9,765**	**100%**

Based upon 4,319 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2407-2408 (width: 2; decimal: 0)
Variable Type: numeric

G15S1: g15s1 suffering from chronic nephritis?

Value	Label	Unweighted Frequency	%
1	yes	79	0.8 %
2	no	9111	93.3 %
8	do not know	401	4.1 %
9	missing	18	0.2 %
	Missing Data		
.	-	156	1.6 %
	Total	**9,765**	**100%**

Based upon 9,609 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2409-2409 (width: 1; decimal: 0)
Variable Type: numeric

G15S2: g15s2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	524	5.4 %
2	no	4824	49.4 %
8	do not know	62	0.6 %
9	missing	432	4.4 %
	Missing Data		
.	-	3923	40.2 %
	Total	**9,765**	**100%**

Based upon 5,842 valid cases out of 9,765 total cases.

- Minimum: 1.00

- Maximum: 9.00

Location: 2410-2410 (width: 1; decimal: 0)
Variable Type: numeric

G15S3: g15s3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	21	0.2 %
2	more or less	105	1.1 %
3	no	4924	50.4 %
8	do not know	57	0.6 %
9	missing	588	6.0 %
	Missing Data		
.	-	4070	41.7 %
	Total	**9,765**	**100%**

Based upon 5,695 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2411-2412 (width: 2; decimal: 0)
Variable Type: numeric

G15T1: g15t1 suffering from galactophore disease?

Value	Label	Unweighted Frequency	%
1	yes	33	0.3 %
2	no	4879	50.0 %
8	do not know	281	2.9 %
9	missing	1913	19.6 %
	Missing Data		
.	-	2659	27.2 %
	Total	**9,765**	**100%**

Based upon 7,106 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2413-2413 (width: 1; decimal: 0)
Variable Type: numeric

G15T2: g15t2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	247	2.5 %
2	no	2473	25.3 %
8	do not know	52	0.5 %
9	missing	1579	16.2 %
	Missing Data		
.	-	5414	55.4 %
	Total	**9,765**	**100%**

Based upon 4,351 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2414-2414 (width: 1; decimal: 0)
Variable Type: numeric

G15T3: g15t3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	11	0.1 %
2	more or less	38	0.4 %
3	no	2501	25.6 %
8	do not know	48	0.5 %
9	missing	1659	17.0 %
	Missing Data		
.	-	5508	56.4 %
	Total	**9,765**	**100%**

Based upon 4,257 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2415-2416 (width: 2; decimal: 0)
Variable Type: numeric

G15U1: g15u1 suffering from uterine tumor?

Value	Label	Unweighted Frequency	%
1	yes	50	0.5 %
2	no	4260	43.6 %
8	do not know	282	2.9 %
9	missing	2495	25.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2678	27.4 %
	Total	**9,765**	**100%**

Based upon 7,087 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2417-2417 (width: 1; decimal: 0)
Variable Type: numeric

G15U2: g15u2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	251	2.6 %
2	no	2272	23.3 %
8	do not know	51	0.5 %
9	missing	1833	18.8 %
	Missing Data		
.	-	5358	54.9 %
	Total	**9,765**	**100%**

Based upon 4,407 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2418-2418 (width: 1; decimal: 0)
Variable Type: numeric

G15U3: g15u3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	13	0.1 %
2	more or less	45	0.5 %
3	no	2300	23.6 %
8	do not know	46	0.5 %
9	missing	1912	19.6 %
	Missing Data		
.	-	5449	55.8 %
	Total	**9,765**	**100%**

Based upon 4,316 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2419-2420 (width: 2; decimal: 0)
Variable Type: numeric

G15J1A: g15j1a suffering from hyperplasia of prostate gland?

Value	Label	Unweighted Frequency	%
1	yes	324	3.3 %
2	no	3379	34.6 %
8	do not know	226	2.3 %
9	missing	3121	32.0 %
	Missing Data		
.	-	2715	27.8 %
	Total	**9,765**	**100%**

Based upon 7,050 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2421-2421 (width: 1; decimal: 0)
Variable Type: numeric

G15J2A: g15j2a diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	465	4.8 %
2	no	1926	19.7 %
8	do not know	43	0.4 %
9	missing	2117	21.7 %
	Missing Data		
.	-	5214	53.4 %
	Total	**9,765**	**100%**

Based upon 4,551 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2422-2422 (width: 1; decimal: 0)
Variable Type: numeric

G15J3A: g15j3a disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %

Value	Label	Unweighted Frequency	%
1	rather serious	82	0.8 %
2	more or less	198	2.0 %
3	no	1978	20.3 %
8	do not know	39	0.4 %
9	missing	2164	22.2 %
	Missing Data		
.	-	5304	54.3 %
	Total	**9,765**	**100%**

Based upon 4,461 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2423-2424 (width: 2; decimal: 0)
Variable Type: numeric

G15V1: g15v1 suffering from hepatitis?

Value	Label	Unweighted Frequency	%
1	yes	41	0.4 %
2	no	6847	70.1 %
8	do not know	364	3.7 %
9	missing	24	0.2 %
	Missing Data		
.	-	2489	25.5 %
	Total	**9,765**	**100%**

Based upon 7,276 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2425-2425 (width: 1; decimal: 0)
Variable Type: numeric

G15V2: g15v2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	415	4.2 %
2	no	3422	35.0 %
8	do not know	46	0.5 %
9	missing	346	3.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	5536	56.7 %
	Total	**9,765**	**100%**

Based upon 4,229 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2426-2426 (width: 1; decimal: 0)
Variable Type: numeric

G15V3: g15v3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	13	0.1 %
2	more or less	70	0.7 %
3	no	3460	35.4 %
8	do not know	42	0.4 %
9	missing	505	5.2 %
	Missing Data		
.	-	5675	58.1 %
	Total	**9,765**	**100%**

Based upon 4,090 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2427-2428 (width: 2; decimal: 0)
Variable Type: numeric

G15Y2: g15y2 diagnosed by hospital?

Value	Label	Unweighted Frequency	%
1	yes	969	9.9 %
2	no	2563	26.2 %
8	do not know	125	1.3 %
9	missing	526	5.4 %
	Missing Data		
.	-	5582	57.2 %
	Total	**9,765**	**100%**

Based upon 4,183 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2429-2429 (width: 1; decimal: 0)
Variable Type: numeric

G15Y3: g15y3 disability in daily life

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	rather serious	474	4.9 %
2	more or less	357	3.7 %
3	no	2550	26.1 %
8	do not know	117	1.2 %
9	missing	596	6.1 %
	Missing Data		
.	-	5671	58.1 %
	Total	**9,765**	**100%**

Based upon 4,094 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2430-2431 (width: 2; decimal: 0)
Variable Type: numeric

H1: h1 was interviewee able to hear?

Value	Label	Unweighted Frequency	%
1	yes, without hearing aid	6853	70.2 %
2	yes, but needs hearing aid	544	5.6 %
3	partly, despite hearing aid	1294	13.3 %
4	no	1009	10.3 %
8	-	8	0.1 %
9	missing	9	0.1 %
	Missing Data		
.	-	48	0.5 %
	Total	**9,765**	**100%**

Based upon 9,717 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2432-2432 (width: 1; decimal: 0)
Variable Type: numeric

H21: h21 did interviewee able to participate in physical check?

Value	Label	Unweighted Frequency	%
1	yes	8086	82.8 %
2	no	387	4.0 %
3	partially able to	1182	12.1 %
8	do not know	2	0.0 %
9	missing	5	0.1 %
	Missing Data		
.	-	103	1.1 %
	Total	**9,765**	**100%**

Based upon 9,662 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2433-2433 (width: 1; decimal: 0)
Variable Type: numeric

H22: h22 the reason for inability to participate in physical check

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	visually impaired, but can hear	186	1.9 %
2	hearing impaired, but can see	748	7.7 %
3	visually and hearing impaired	465	4.8 %
4	paralyzed	197	2.0 %
5	did not wish to participate	79	0.8 %
6	could not understand due to cognitive impairment	179	1.8 %
7	suffering from illness at moment	103	1.1 %
8	others	215	2.2 %
9	missing	55	0.6 %
	Missing Data		
.	-	7538	77.2 %
	Total	**9,765**	**100%**

Based upon 2,227 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2434-2435 (width: 2; decimal: 0)
Variable Type: numeric

H3: h3 the health of interviewee rated by interviewer

Value	Label	Unweighted Frequency	%
1	surprisingly healthy	2055	21.0 %
2	relatively healthy	5797	59.4 %
3	moderately ill	1574	16.1 %
4	very ill	249	2.5 %
8	do not know	6	0.1 %
9	missing	22	0.2 %
	Missing Data		
.	-	62	0.6 %
	Total	**9,765**	**100%**

Based upon 9,703 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2436-2436 (width: 1; decimal: 0)
Variable Type: numeric

H5: h5 confirm the age and copy to the 1st page

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	9	0.1 %
59	-	5	0.1 %
60	-	15	0.2 %
61	-	10	0.1 %
62	-	23	0.2 %
63	-	19	0.2 %
64	-	20	0.2 %
65	-	76	0.8 %
66	-	76	0.8 %
67	-	98	1.0 %
68	-	175	1.8 %
69	-	213	2.2 %
70	-	250	2.6 %
71	-	241	2.5 %
72	-	261	2.7 %

Value	Label	Unweighted Frequency	%
73	-	269	2.8 %
74	-	283	2.9 %
75	-	272	2.8 %
76	-	264	2.7 %
77	-	252	2.6 %
78	-	241	2.5 %
79	-	224	2.3 %
80	-	251	2.6 %
81	-	265	2.7 %
82	-	264	2.7 %
83	-	301	3.1 %
84	-	310	3.2 %
85	-	276	2.8 %
86	-	263	2.7 %
87	-	281	2.9 %
88	-	249	2.5 %
89	-	261	2.7 %
90	-	250	2.6 %
91	-	279	2.9 %
92	-	305	3.1 %
93	-	317	3.2 %
94	-	272	2.8 %
95	-	261	2.7 %
96	-	224	2.3 %
97	-	194	2.0 %
98	-	133	1.4 %
99	-	109	1.1 %
100	-	208	2.1 %
101	-	195	2.0 %
	Missing Data		
.	-	62	0.6 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,703 valid cases out of 9,765 total cases.

- Mean: 85.80
- Median: 85.00
- Mode: 93.00
- Minimum: 48.00

- Maximum: 888.00
- Standard Deviation: 22.93

Location: 2437-2439 (width: 3; decimal: 0)
Variable Type: numeric

H6: h6 has interviewer checked for failure to ask a question?

Value	Label	Unweighted Frequency	%
1	yes	9202	94.2 %
2	no	506	5.2 %
9	missing	0	0.0 %
	Missing Data		
.	-	57	0.6 %
	Total	**9,765**	**100%**

Based upon 9,708 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2440-2440 (width: 1; decimal: 0)
Variable Type: numeric

H7: h7 did anyone help the interviewee to answer question

Value	Label	Unweighted Frequency	%
1	yes	3805	39.0 %
2	no	5869	60.1 %
8	do not know	1	0.0 %
9	missing	0	0.0 %
	Missing Data		
.	-	90	0.9 %
	Total	**9,765**	**100%**

Based upon 9,675 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2441-2441 (width: 1; decimal: 0)
Variable Type: numeric

H71: h71 who helped the interviewee to answer questions?

Value	Label	Unweighted Frequency	%
-1	not applicable	0	0.0 %
1	spouse	353	3.6 %

Value	Label	Unweighted Frequency	%
2	child or spouse of child	2758	28.2 %
3	grandchild or spouse of grandchild	423	4.3 %
4	great grandchild or spouse of great grandchild	16	0.2 %
5	sibling	14	0.1 %
6	parent or parent-in-law	0	0.0 %
7	caregiver or institutional staff	134	1.4 %
8	others	167	1.7 %
9	missing	202	2.1 %
	Missing Data		
.	-	5698	58.4 %
	Total	**9,765**	**100%**

Based upon 4,067 valid cases out of 9,765 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2442-2443 (width: 2; decimal: 0)
Variable Type: numeric

H71T: h71t other people beyond h71

Value	Label	Unweighted Frequency	%
	-	9564	97.9 %
1Ï²»¶³Ô·äÃÛ³åµÄ¿ªË®2ÐÄÌ¬ºÃ¡¢´óÐ¡ÊÂ¾ù´Ó²»²ÙÐÄ3¼ÒÈË¹Ø»³Ï¸ÖÂ	-	1	0.0 %
3	-	1	0.0 %
81ºóÎÞÉú¹ý²¡£¬¿ªÐÄ	-	1	0.0 %
±£Ä·	-	1	0.0 %
±»·ÃÀÏÈË¾«Éñ×´Ì¬Á¼ºÃ£¬Ë¼Î¬ÇåÎú£¬±í´ïÄÜÁ¦ºÃ£¬ÉíÌå½ïÏ½¡¿µ	-	1	0.0 %
±»·ÃÀÏÈË¿´ÉÏÈ¥ÉíÌå·Ç³£½¡¿µ£¬Ë¼Î¬ÇåÎú£¬±í´ïÄÜÁ¦½ïÇ¿	-	1	0.0 %
±»·ÃÀÏÈËÒåÊ¶ÇåÐÑ£¬ÌýÁ¦ÓÐÕÏ°-£¬ÐèÒª´óÉù½»Á÷¡£±»·ÃÀÏÈËÉíÌåÐéÈõ	-	1	0.0 %
±íÐÖ	-	1	0.0 %
±íÖ¶	-	1	0.0 %
²¿·ÖÎÊÌåÓÉ¶ùÏ±´ú´ð¡£	-	1	0.0 %
³¤×Ó¡£	-	1	0.0 %
³ÂÈÙ·¼ÀÏÈËÆ½Ê±Éú»î¹æÂÉ£¬ÐÔ¸ñ¿ªÀÊ£¬½¡Ì¸£¬ÄÜ¶ÀÁ¢×ö¼ÒÎñ£¬ÉÅ©»î	-	1	0.0 %
´Ë±»·ÃÀÏÈËÉíÌå»¹¿ÉÒÔ	-	1	0.0 %
´ËÈËÏÖ½×¶Î³¤ÆÚÎÔ²¡ÔÚ´²£¬ÉíÌåÐéÈõ£¬ÒÑ¶àÌìÑáÊ³£¬ÌýÁ¦ÕÏ°-£¬ÓÉ¶ù	-	1	0.0 %
´å³¤	-	1	0.0 %
´å¸¾Å®Ö÷ÈÎ	-	1	0.0 %
´åÎ¯³ÉÔ±	-	1	0.0 %
´åÎ¯É²¿	-	3	0.0 %

Value	Label	Unweighted Frequency	%
´åÒ½	-	10	0.1 %
´åÒ½´ú´ðÒ»Ð©ÎÊÌâ	-	1	0.0 %
´åÒ½¼°ÆäËïÅ®	-	1	0.0 %
´åÒ½Éú	-	1	0.0 %
´åÒ½Éú,Ö£ÕÂÖÇ	-	1	0.0 %
´åÓÐÄêÐ-»áÈËÔ±£¬¸¾Å®	-	1	0.0 %
´å×¯ÓÅÃÀ¡¢ÐÄË¼Çå¾»¡¢ÎÞ²»Á¼ÊÈºÃ£¬²»³Ô¸ßÖ¬·¾¡¢ÒûÊ³¹æÂÉ	-	1	0.0 %
´óÅ®Ðö°Í¶þÅ®¶ù	-	1	0.0 %
µÜµÜµÄÅ®¶ù	-	1	0.0 %
µÜÏ±	-	1	0.0 %
¶Ô´ð»¹ÐÐ ÉíÌå½¡¿µ	-	1	0.0 %
¶ùÏ±	-	6	0.1 %
¶ù×Ó	-	2	0.0 %
¶ù×Ó¼°ÑøÀÏÔº¹¤×÷ÈËÔ±	-	1	0.0 %
¶ù×ÓËä²»ÊÇÇ×ÉúµÄ£¬µ«±ÈÇ×ÉúµÄ»¹ºÃ£¬»¹Ð¢Ë³¡£	-	1	0.0 %
·Ç³£Åäº Ï ¼ÒÍ¥ºÍÄÀ	-	1	0.0 %
¸Ã±»·ÃÈËÉíÌå½¡¿µ£¬Ë¼Â·ÇåÎú£¬ÔÚÆä¼ÒÇ×·ÃÊÐ£¬ÈÈÇéÖÜµ½£¬µ¹²è×°Ë®	-	1	0.0 %
¸Ã´å´å³¤	-	1	0.0 %
¸ÃÀÏÈËÉíÌå½¡¿µ£¬·ÃÎÊË³Àû£¡	-	1	0.0 %
¸ÃÀÏÈËË¼Â·½ÏÇåÎú£¬ÄÜ¶ÀÁ¢»Ø´ðËùÌáÎÊÌâ¡£¶ÔÒªÇóµÄ¶¯×÷¡¡-	-	1	0.0 %
¸ÃÀÏÈËÒâÊ¶Çå³þ£¬ÄÜ»Ø´ðËùÓÐÎÊÌâ	-	1	0.0 %
¸ÃÀÏÈËÔÚ·ÃÎÊÊ±£¬¾«ÉñÃæÃ²Á¼ºÃ£¬½²»°Ë¼Â·ÇåÎúÉíÌå½¡¿µ£¬Éú»î½ÐÐÒ	-	1	0.0 %
¸ù¾ÝÎÒÃÇÈë»§ÏÖ³¡µ÷²éÑ¯ÎÊ½á¹ûÀ´¿´£¬¸ÃÀÏÈËËÉú»îÓÐ¹æÂÉ£¬ÐÄÌ¬Æ½ºÍ	-	1	0.0 %
¼Ì×Ó	-	1	0.0 %
½Ö·»ÁÚ¾Ó¡£	-	1	0.0 %
¾´ÀÏÔº¹¤×÷ÈËÔ±¡£	-	1	0.0 %
¾ùÎªÀÏÈËë×Ô¼º»Ø´ð	-	1	0.0 %
ÀÏÈË¿¿Ëï×ÓÅ®ÕÕÁÏ£¬¶ùÏ±ÓÐ¾«Éñ²¡¡£ÀÏÈËËÍÈ¼²¡£×Ô¼º»Ø´ðÎÊÌâ	-	1	0.0 %
ÀÏÈËËÉíÌå½¡¿µ£¬Éú»îÕý³£¡£ÕÕ¹ËÎÔ²¡ÆÞ×Ó	-	1	0.0 %
ÀÏÈËËÉíÌå½¡¿µÄÜ×ö·¹´øÐ¡º¢£¬ÎÞÉú»îÀ´Ô´¡£½¨Òé¹ú¼Ò°ïÖú½â¾ö	-	1	0.0 %
ÀÏÈËËÉú»î×ÔÂÉ ÒûÊ³×Ô½Ú ÐÄÇéÊæ³© Ï²ÔçÍâ³ö	-	1	0.0 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,765 valid cases out of 9,765 total cases.

Location: 2444-2503 (width: 60; decimal: 0)
Variable Type: character

W_2011: w_2011 weight variable, based on age-sex-residence-specific distrib of 2010 census

Value	Label	Unweighted Frequency	%
0.000289036252	-	33	0.3 %
0.000495490734	-	4	0.0 %
0.000557427062	-	9	0.1 %
0.000567749783	-	91	0.9 %
0.000691622437	-	65	0.7 %
0.000743236102	-	80	0.8 %
0.000794849708	-	95	1.0 %
0.000856786035	-	9	0.1 %
0.000867108756	-	12	0.1 %
0.000949690584	-	24	0.2 %
0.000970336027	-	47	0.5 %
0.000980658690	-	2	0.0 %
0.001083885902	-	10	0.1 %
0.001104531460	-	23	0.2 %
0.001176790451	-	15	0.2 %
0.001238726894	-	54	0.6 %
0.001310985885	-	8	0.1 %
0.001362599549	-	17	0.2 %
0.001424535876	-	46	0.5 %
0.001465826761	-	89	0.9 %
0.001496794866	-	14	0.1 %
0.001527763088	-	33	0.3 %
0.001569053973	-	18	0.2 %
0.001682603848	-	3	0.0 %
0.001703249407	-	55	0.6 %
0.001785831177	-	23	0.2 %
0.001878735726	-	26	0.3 %
0.001950994716	-	9	0.1 %
0.003251657821	-	4	0.0 %
0.003840052988	-	14	0.1 %
0.003963925876	-	13	0.1 %
0.004449094180	-	22	0.2 %
0.005791047588	-	27	0.3 %
0.005863307044	-	20	0.2 %
0.006172988564	-	25	0.3 %
0.006338152569	-	13	0.1 %
0.006441379432	-	6	0.1 %
0.007783333771	-	11	0.1 %
0.008640119806	-	5	0.1 %

Value	Label	Unweighted Frequency	%
0.009042705409	-	21	0.2 %
0.009156255983	-	15	0.2 %
0.009445291944	-	11	0.1 %
0.010250464082	-	2	0.0 %
0.011458222754	-	15	0.2 %
0.012707272545	-	30	0.3 %
0.012862113304	-	36	0.4 %
0.013615672477	-	17	0.2 %
0.014482781291	-	4	0.0 %
0.014575686306	-	36	0.4 %
0.015133112669	-	24	0.2 %
	Missing Data		
.	-	383	3.9 %
	Total	**9,765**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,382 valid cases out of 9,765 total cases.

- Mean: 0.999999979434
- Minimum: 0.000289036252
- Maximum: 64.810485839844
- Standard Deviation: 2.705848767245

Location: 2504-2518 (width: 15; decimal: 12)
Variable Type: numeric