

AI Quiz

Multiple Choice Questions

****1. What does LFI stand for in the context of web security?****

- A) Local File Inclusion
- B) Logical Framework Integration
- C) Link Forwarding Interface
- D) Local Folder Inspection

****Answer: A****

****2. In an LFI attack, what character sequence is typically used to traverse directories?****

- A) //
- B) ../
- C) \$\$
- D) ##

****Answer: B****

****3. Which file is commonly targeted in LFI attacks on Linux systems to verify the vulnerability?****

- A) /etc/hosts
- B) /etc/passwd
- C) /bin/bash
- D) /etc/shadow

****Answer: B****

****4. What is the primary method to check for HTML Injection in a website?****

- A) Running a brute force attack
- B) Scanning for open ports
- C) Injecting HTML tags into input fields
- D) Inspecting the server hardware

****Answer: C****

****5. Which of the following is an example of an HTML tag used to test for injection?****

- A) `<h1>hello</h1>`
- B) `[SQL_Inject]`
- C) `<script>alert(1)</script>` (in this specific exercise)
- D) `http://target.com/`

****Answer: A****

****6. Which of the following is a common file used to identify hidden directories?****

- A) config.json
- B) robots.txt
- C) style.css
- D) readme.md

****Answer: B****

****7. Access Control Vulnerability testing often involves searching for which of the following?****

- A) Hidden configuration or metadata files
- B) Broken images
- C) Slow loading speeds
- D) Outdated browser plugins

****Answer: A****

****8. If a website returns no hidden files when checking standard metadata paths, what does the assignment suggest?****

- A) The site is highly vulnerable.
- B) The site is not vulnerable to access control issues in that specific test.
- C) The server is down.
- D) You should try a SQL injection attack instead.

****Answer: B****

****9. Where should you look to find input fields for HTML injection?****

- A) The browser's title bar
- B) The server's root directory
- C) Search boxes and login pages
- D) The website's footer link

****Answer: C****

****10. What is the purpose of accessing `security.txt` on a target website?****

- A) To change the administrator password.
- B) To check for hidden directories or security policy information.
- C) To bypass the firewall.
- D) To gain root access to the server.

****Answer: B****

True / False

1. ****True/False:**** LFI vulnerability allows an attacker to execute malicious files on the server.

****Answer: True****

2. ****True/False:**** HTML Injection is tested by checking input fields like search boxes. ****Answer: True****

3. ****True/False:**** The directory traversal sequence `../` is used to move forward into subdirectories.

****Answer: False****

4. ****True/False:**** Access Control Vulnerability can be checked by appending files like `sitemap.xml` to the URL. ****Answer: True****

5. ****True/False:**** If `robots.txt` does not exist on a website, it is automatically confirmed to be vulnerable to LFI. ****Answer: False****

Fill in the Blanks

1. To test for LFI, you change the end part of the URL to include _____.
2. In HTML injection, you can use the _____ tag to test for vulnerability.
3. Access Control Vulnerability can be tested by searching for _____ files.
4. The target website for the Access Control check was _____.
5. When testing for LFI, if the first attempt fails, you should add _____ at the beginning of the path.

****Answers:****

1. ``../etc/passwd``
2. ``<h1>`` (or ``<p>``)
3. Metadata
4. ``https://dmcc.org.pk/``
5. ``../``

Short Answer Questions

****1. Define Local File Inclusion (LFI).****

LFI is a web security vulnerability that allows an attacker to include files on a server, often resulting in unauthorized access to sensitive files or the execution of malicious scripts.

****2. How do you confirm a website is vulnerable to HTML Injection?****

By entering HTML tags (such as ``<h1>`` or ``<p>``) into input fields like search boxes or login forms and observing if the browser renders the injected code as formatted text.

****3. Why are files like ``robots.txt`` and ``sitemap.xml`` used in security testing?****

These files are often intended for search engine crawlers but can inadvertently reveal hidden directory structures or sensitive paths that the developer did not intend for the public to access.

****4. What is the procedure for testing LFI if the initial URL modification does not work?****

If the initial attempt fails, the tester should add ``../`` (dot-dot-slash) sequences to the beginning of the file path to attempt directory traversal and observe if the server output changes.

****5. What is the goal of checking Access Control on a website?****

The goal is to determine if a website allows unauthorized users to access restricted or hidden directories, files, or administrative configuration paths that should be protected from public viewing.