The while Statement Recap

```
while (condition) {
    // statements
}
```

Curly braces to define loop code block (body)

The while Statement Recap



The while Statement Recap

```
int count = 1;
while (count <= 5) {
    System.out.println("count = " + count);
    count++;
}
```

init

condition

increment

```
for (int i = 0; i <= 5; i++) {
    System.out.println("i = " + 1);
}
```

init

condition

increment

The while Statement Recap

```
int number = 0;
while (number < 15) {
    number++;

    if (number <= 5) {
        System.out.println("Skipping number " + number);
        continue;
    }

    System.out.println("number = " + number);

    if (number >= 10) {
        System.out.println("Breaking at " + number);
        break;
    }
}
```



The while Statement Recap

```
int number = 0;
while (number < 15) {
    number++;

    if (number <= 5) {
        System.out.println("Skipping number " + number);
        continue;
    }

    System.out.println("number = " + number);

    if (number >= 10) {
        System.out.println("Breaking at " + number);
        break;
    }
}
```

4 check condition 1 < 15 is **true**

1 check condition 1 <= 5 is **true**

2 execute code block

3 Continue with a loop (bypass all other code in the block/body)

The while Statement Recap

```
int number = 0;
while (number < 15) {
    number++;

    if (number <= 5) {
        System.out.println("Skipping number " + number);
        continue;
    }

    System.out.println("number = " + number);

    if (number >= 10) {
        System.out.println("Breaking at " + number);
        break;
    }
}
```



The while Statement Recap

```
int number = 0;
while (number < 15) {
    number++;

    if (number <= 5) {
        System.out.println("Skipping number " + number);
        continue;
    }

    System.out.println("number = " + number);

    if (number >= 10) {
        System.out.println("Breaking at " + number);
        break;
    }
}
```

number = 9

1. check condition 9 < 15 is **true**
2. **number = 10**
3. check condition 10 <= 5 is **false**
4. execute code block
5. check condition 10 >= 10 is **true**
6. execute code then break exits the loop

The while and the do while

Now firstly, the while loop checks the condition at the start, before executing the block.

Compare that to the do while loop, where the code is executed at least once, and then the condition is checked.

Examine loop conditions carefully

When using loops, you want to carefully examine the conditions for terminating, or continuing a loop.

Check for endless, or infinite loops.

Check for conditions where a loop will never execute.

Continue and Break

The continue and break statements both interrupt normal loop processing.

The continue statement starts a new iteration, but continues to iterate through the loop.

The break statement exits the loop, at the point it's executed, and no longer completes any code in the loop, and won't continue iterating any longer.