

- **Coast:**

the area where land meets the ocean, or as a line that forms the boundary between the land and the coastline. The Earth has around 620,000 kilometers (390,000 mi) of coastline.




- **Continental shelf:**

that part of the continental margin which is between the shoreline and the shelf break or, where there is no noticeable slope, between the shoreline and the point where the depth of the superjacent water is approximately between 100 and 200 meters.




- **Volcanic island:**

They are large volcanoes erupted on the seafloor whose tops have emerged above sea level. Volcanic islands occur in ocean basins (such as the Hawaiian Islands) or on or near ocean ridges.




- **Deep sea fan:**

A deep-sea fan is a fan- or delta-shaped sedimentary deposit found along the base of the continental slopes, commonly at the mouth of submarine canyons. Deep sea fans form from sediments carried by turbidity flows (density currents) that pour into the deep ocean basin from the continental shelf and slope regions and then gradually settle to form graded beds of sediment on the sea floor.



- **oceanic ridges:**

An oceanic ridge is any elongate elevation of the deep seafloor that has steep slopes and irregular topography. Oceanic ridges are the topographic expression of linear or curvilinear zones along which the Earth's oceanic crust is created or modified.



- **abyssal plains:**

flat seafloor area at an abyssal depth (3,000 to 6,000 m [10,000 to 20,000 feet]), generally adjacent to a continent. These submarine surfaces vary in depth only from 10 to 100 cm per kilometer of horizontal distance. Irregular in outline but generally elongate along continental margins, the larger planes are hundreds of kilometers wide and thousands of kilometers long.

