Fitting models on Haddix2011SSSJA

Mina Azizi-Rad

6/21/2021

Dataset Haddix2011SSSJA

A dataset with 37 variables of 6 different sites each two levels of vegetation (Native grassland and cultivated). and three levels of temperature (15, 25, 35)

** Note: ** the units of variable reported in the metadata are wrong. The CO2 measeured as microG/gsoil/day. Therefore the inicial carbon should be multiplied by 1000.


The unit of initial carbon is g/kg and the CO_2 measured as mgC/gSoil/d, Therefore there is no need to convert initial carbon units

Variable C_SasNG_15:

Decomposition rates over time at 15 degrees for Saskatchewan, native grassland

```
## [1] "Best fit parameter:  0.000156985508299531"
```

```
## [1] "AIC =  -1.38141484929936"
## [1] "k1= 0.0108759360483505"
## [2] "k2= 0.000109698978720763"
## [3] "proportion of C0 in pool 1= 0.0232110141134461"
```



```
## [1] "AIC =  11.1789851748443"
## [1] "k1= 0.0108698602612996"
## [2] "k2= 0.000115815652167372"
## [3] "a21= 0.0522807547058667"
## [4] "a12= 0.999985442972757"
## [5] "Proportion of C0 in pool 1= 0.0349065907295694"
```

```
## [1] "AIC =  15.1789851752493"
## [1] "k1= 0.010875969534837"
## [2] "k2= 0.000109699075758487"
## [3] "a21= 0.0142122129913261"
## [4] "Proportion of C0 in pool 1= 0.0235490183605074"
```



```
## [1] "AIC =  13.1789851748568"

## Warning: `funs()` was deprecated in dplyr 0.8.0.
## Please use a list of either functions or lambdas:
##
##   # Simple named list:
```

```
##    list(mean = mean, median = median)
##
##    # Auto named with `tibble::lst()`:
##    tibble::lst(mean, median)
##
##    # Using lambdas
##    list(~ mean(., trim = .2), ~ median(., na.rm = TRUE))
```

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-1.38	0.000157	NA	NA	NA	NA	-1.02	0.999	NA	NA
Two-pool parallel	11.2	0.0109	0.00011	0.0232	NA	NA	13.8	0.000592	8910	6100
Two-pool feedback	15.2	0.0109	0.000116	0.0349	0.0523	1	23.8	4.18e-06	573	69
Two-pool series	13.2	0.0109	0.00011	0.0235	0.0142	NA	18.2	6.78e-05	222	65.1

Variable C_SasNG_25:

Decomposition rates over time at 25 degrees for Saskatchewan, native grassland

```
## [1] "Best fit parameter:  0.000260371376999679"
```

```
## [1] "AIC =  -5.02769875741199"
## [1] "k1= 0.0122851864197905"
## [2] "k2= 0.000143473723683854"
## [3] "proportion of C0 in pool 1= 0.0527734130333887"
```



```
## [1] "AIC =  6.37307126856991"
## [1] "k1= 0.0122852161486884"
## [2] "k2= 0.000143473913877578"
## [3] "a21= 0.00791884640164781"
## [4] "a12= 1.13117089893811e-05"
## [5] "Proportion of C0 in pool 1= 0.0531996096883863"
```

```
## [1] "AIC =  10.3730712686158"
## [1] "k1= 0.00513112780506305"
## [2] "k2= 1.65806060975542e-13"
## [3] "a21= 0.0669921258237178"
## [4] "Proportion of C0 in pool 1= 0.134629724466359"
```



```
## [1] "AIC =  4.16410606906099"
```

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-5.03	0.00026	NA	NA	NA	NA	-4.66	0.999	NA	NA
Two-pool parallel	6.37	0.0123	0.000143	0.0528	NA	NA	9.04	0.00106	6610	4450
Two-pool feedback	10.4	0.0123	0.000143	0.0532	0.00792	1.13e-05	18.9	7.46e-06	137	57.1
Two-pool series	4.16	0.00513	1.66e-13	0.135	0.067	NA	9.16	0.000993	4.04e+11	150

Variable C_SasNG_35:

Decomposition rates over time at 35 degrees for Saskatchewan, native grassland

## [1] "Best fit parameter: 0.000378058704140272"

```
## [1] "AIC =  -6.53686212076624"
## [1] "k1= 0.0218307377709731"
## [2] "k2= 0.000240967071829424"
## [3] "proportion of C0 in pool 1= 0.0513494181760356"
```



```
## [1] "AIC =   4.30752712905755"
## [1] "k1= 0.0218308989448447"
## [2] "k2= 0.000240967788952214"
## [3] "a21= 0.0481523086802677"
## [4] "a12= 2.07185149225242e-05"
## [5] "Proportion of C0 in pool 1= 0.053977388165395"
```

```
## [1] "AIC =  8.30752713022654"
## [1] "k1= 0.0218315945522854"
## [2] "k2= 0.000240969508044774"
## [3] "a21= 0.0185960571186744"
## [4] "Proportion of C0 in pool 1= 0.0523317484484626"
```



```
## [1] "AIC =  6.30752712670357"
```

One-pool

Two-pool parallel

Two-pool feedback

Two-pool series

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-6.54	0.000378	NA	NA	NA	NA	-6.17	0.999	NA	NA
Two-pool parallel	4.31	0.0218	0.000241	0.0513	NA	NA	6.97	0.00139	3940	2660
Two-pool feedback	8.31	0.0218	0.000241	0.054	0.0482	2.07e-05	16.9	9.86e-06	246	34.1
Two-pool series	6.31	0.0218	0.000241	0.0523	0.0186	NA	11.3	0.00016	123	32.6

Variable C_SasCul_15:

Decomposition rates over time at 15 degrees for Saskatchewan, cultivated

## [1] "Best fit parameter: 0.000124136491867248"

```
## [1] "AIC =  4.71416643502636"
## [1] "k1= 0.162837143289535"
## [2] "k2= 0.000118290312123012"
## [3] "proportion of C0 in pool 1= 0.00396610442608097"
```



```
## [1] "AIC =  10.9543720120756"
## [1] "k1= 0.162887434772843"
## [2] "k2= 0.000118296819104117"
## [3] "a21= 0.735634613709555"
## [4] "a12= 7.21766810716784e-05"
## [5] "Proportion of C0 in pool 1= 0.0150387214156912"
```

```
## [1] "AIC =   14.9543720131467"
## [1] "k1= 0.163156442525127"
## [2] "k2= 0.000118291597659329"
## [3] "a21= 0.532093598269348"
## [4] "Proportion of C0 in pool 1= 0.00850453183935174"
```



```
## [1] "AIC =   12.9543719991697"
```

One-pool

Two-pool parallel

Two-pool feedback

Two-pool series

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	4.71	0.000124	NA	NA	NA	NA	5.08	0.986	NA	NA
Two-pool parallel	11	0.163	0.000118	0.00397	NA	NA	13.6	0.0138	8420	5830
Two-pool feedback	15	0.163	0.000118	0.015	0.736	7.22e-05	23.5	9.73e-05	6230	3270
Two-pool series	13	0.163	0.000118	0.0085	0.532	NA	18	0.00158	4500	532

Variable C_SasCul_25:

Decomposition rates over time at 25 degrees for Saskatchewan, cultivated

```
## [1] "Best fit parameter:  0.000198527180099488"
```

```
## [1] "AIC =  0.435509838073628"
## [1] "k1= 0.0149662374771514"
## [2] "k2= 0.000160787434306856"
## [3] "proportion of C0 in pool 1= 0.0173516632113351"
```



```
## [1] "AIC =  8.11111055662607"
## [1] "k1= 1.73090030763999e-68"
## [2] "k2= 0.00155769145885422"
## [3] "a21= 0.999513183741944"
## [4] "a12= 4.03320016273412e-08"
## [5] "Proportion of C0 in pool 1= 0.821217054681731"
```

```
## [1] "AIC =  9.31266844130949"
## [1] "k1= 0.00155763682231579"
## [2] "k2= 5216876.53199468"
## [3] "a21= 0.99592538817391"
## [4] "Proportion of C0 in pool 1= 0.178787256387406"
```



```
## [1] "AIC =  7.31266844293328"
```

```
## Error in solve.default(A): system is computationally singular: reciprocal condition number = 1.1112e-
```

One-pool (top left), **Two-pool parallel** (top right), **Two-pool feedback** (bottom left), **Two-pool series** (bottom right)

Variable C_SasCul_35:

Decomposition rates over time at 35 degrees for Saskatchewan, cultivated

## [1] "Best fit parameter: 0.000348758785932543"

[1] "AIC = -2.65643664093591"

```
## [1] "k1= 0.017503615796145"
## [2] "k2= 0.000257818233480007"
## [3] "proportion of C0 in pool 1= 0.0367578831308495"
```



```
## [1] "AIC =  8.53865693801675"
## [1] "k1= 0.0175027126373689"
## [2] "k2= 0.000258745965653752"
## [3] "a21= 0.00353307165434685"
## [4] "a12= 0.999993874347432"
## [5] "Proportion of C0 in pool 1= 0.0511290270041705"
```



```
## [1] "AIC =  12.5386569366843"
```

```
## [1] "k1= 0.002834240451094"
## [2] "k2= 2812.35848173639"
## [3] "a21= 0.999325082187302"
## [4] "Proportion of C0 in pool 1= 0.210683767373062"
```



```
## [1] "AIC =  5.20958741655214"
```


18

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-2.66	0.000349	NA	NA	NA	NA	-2.29	0.999	NA	NA
Two-pool parallel	8.54	0.0175	0.000258	0.0368	NA	NA	11.2	0.00117	3740	2540
Two-pool feedback	12.5	0.0175	0.000259	0.0511	0.00353	1	21.1	8.27e-06	71	39.8
Two-pool series	5.21	0.00283	2810	0.211	0.999	NA	10.2	0.00193	353	245

Variable C_NDakNG_15:

Decomposition rates over time at 15 degrees for North Dakota, native grassland

[1] "Best fit parameter: 0.000111555612660654"


[1] "AIC = 2.93392342164057"
[1] "k1= 0.00675272733933466"
[2] "k2= 9.1465386098949e-05"
## [3] "proportion of C0 in pool 1= 0.00903203643315326"

```
## [1] "AIC =  8.69803975026444"
## [1] "k1= 0.0067527323762455"
## [2] "k2= 9.14654276597295e-05"
## [3] "a21= 0.0205556267605256"
## [4] "a12= 1.63079088671969e-05"
## [5] "Proportion of C0 in pool 1= 0.00922435805279503"
```



```
## [1] "AIC =  12.698039749497"
## [1] "k1= 0.00675274589707736"
## [2] "k2= 9.14654247682503e-05"
## [3] "a21= 0.0414550124295443"
```

## [4] "Proportion of C0 in pool 1= 0.00942813835748502"


[1] "AIC = 10.6980397497904"

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	2.93	0.000112	NA	NA	NA	NA	3.3	0.982	NA	NA

21

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
Two-pool parallel	8.7	0.00675	9.15e-05	0.00903	NA	NA	11.4	0.0174	10800	7480
Two-pool feedback	12.7	0.00675	9.15e-05	0.00922	0.0206	1.63e-05	21.3	0.000123	373	106
Two-pool series	10.7	0.00675	9.15e-05	0.00943	0.0415	NA	15.7	0.00199	601	109

Variable C_NDakNG_25:

Decomposition rates over time at 25 degrees for North Dakota, native grassland

```
## [1] "Best fit parameter:  0.000223359795028319"
```



```
## [1] "AIC =  -2.56816407382005"
## [1] "k1= 0.0129129868583919"
## [2] "k2= 0.000147735453369449"
## [3] "proportion of C0 in pool 1= 0.0248592763848007"
```

```
## [1] "AIC =  7.82083419510115"
## [1] "k1= 0.0129127535432183"
## [2] "k2= 0.000147734808528961"
## [3] "a21= 0.00114027548958989"
## [4] "a12= 1.93955772492815e-06"
## [5] "Proportion of C0 in pool 1= 0.0248883800033479"
```



```
## [1] "AIC =  11.8208341967465"
## [1] "k1= 0.0129127364555614"
## [2] "k2= 0.000147734760568466"
## [3] "a21= 0.0204218621010851"
```

## [4] "Proportion of C0 in pool 1= 0.0253840084884139"

[1] "AIC = 9.82083419591209"

One-pool


Two-pool parallel

Two-pool feedback

Two-pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-2.57	0.000223	NA	NA	NA	NA	-2.2	0.998	NA	NA

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
Two-pool parallel	7.82	0.0129	0.000148	0.0249	NA	NA	10.5	0.00175	6600	4520
Two-pool feedback	11.8	0.0129	0.000148	0.0249	0.00114	1.94e-06	20.4	1.24e-05	85.2	53.8
Two-pool series	9.82	0.0129	0.000148	0.0254	0.0204	NA	14.8	0.000201	216	55.3

Variable C_NDakNG_35:

Decomposition rates over time at 35 degrees for North Dakota, native grassland

[1] "Best fit parameter: 0.000402494172857553"

[1] "AIC = -4.25125581202022"
[1] "k1= 0.0121191191996962"
[2] "k2= 0.000267081563849643"
## [3] "proportion of C0 in pool 1= 0.0407459126701971"

```
## [1] "AIC =  4.77523146231234"
## [1] "k1= 0.0121194651646375"
## [2] "k2= 0.00026708346354229"
## [3] "a21= 0.0237666644817987"
## [4] "a12= 1.27583926729513e-05"
## [5] "Proportion of C0 in pool 1= 0.0417599642352562"
```



```
## [1] "AIC =  8.77523146901393"
## [1] "k1= 0.00223938693489029"
## [2] "k2= 0.90725126908986"
## [3] "a21= 0.969897013418476"
```

[4] "Proportion of C0 in pool 1= 0.242882529775299"

[1] "AIC = 6.57128572238861"

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-4.25	0.000402	NA	NA	NA	NA	-3.89	0.997	NA	NA

27

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
Two-pool parallel	4.78	0.0121	0.000267	0.0407	NA	NA	7.44	0.00345	3590	2440
Two-pool feedback	8.78	0.0121	0.000267	0.0418	0.0238	1.28e-05	17.3	2.44e-05	171	59.2
Two-pool series	6.57	0.00224	0.907	0.243	0.97	NA	11.6	0.000438	448	311

Variable C_NDakCul_15:

Decomposition rates over time at 15 degrees for North Dakota, cultivated

```
## [1] "Best fit parameter:  0.000157420450302529"
```



```
## [1] "AIC =  0.554344492961572"
## [1] "k1= 0.0274378507509077"
## [2] "k2= 0.000129220460705702"
## [3] "proportion of C0 in pool 1= 0.00693922246776335"
```

```
## [1] "AIC =  9.29165703575109"
## [1] "k1= 0.0274412348835136"
## [2] "k2= 0.000129601177570295"
## [3] "a21= 0.52741854064206"
## [4] "a12= 0.00553288435091509"
## [5] "Proportion of C0 in pool 1= 0.014786223309002"
```



```
## [1] "AIC =  13.2916570601596"
## [1] "k1= 0.0274560997631157"
## [2] "k2= 0.000129225270129127"
## [3] "a21= 0.0885983226214762"
```

## [4] "Proportion of C0 in pool 1= 0.00761365420873417"

[1] "AIC = 11.2916570420593"

One-pool


Two-pool parallel

Two-pool feedback

Two-pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	0.554	0.000157	NA	NA	NA	NA	0.918	0.996	NA	NA
Two-pool parallel	9.29	0.0274	0.000129	0.00694	NA	NA	12	0.00399	7690	5310

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
Two-pool feedback	13.3	0.0274	0.00013	0.0148	0.527	0.00553	21.9	2.82e-05	4120	450
Two-pool series	11.3	0.0275	0.000129	0.00761	0.0886	NA	16.3	0.000457	722	29

Variable C_NDakCul_25:

Decomposition rates over time at 25 degrees for North Dakota, cultivated

[1] "Best fit parameter: 0.000255517989690426"

[1] "AIC = -2.03725025307528"
[1] "k1= 0.0124480022198193"
[2] "k2= 0.000174934540951056"
## [3] "proportion of C0 in pool 1= 0.0263160386472306"

```
## [1] "AIC =  8.69801771314558"
## [1] "k1= 0.0124480020772887"
## [2] "k2= 0.000174934556274991"
## [3] "a21= 0.0137663097373321"
## [4] "a12= 6.55965091639343e-06"
## [5] "Proportion of C0 in pool 1= 0.0266887361181246"
```



```
## [1] "AIC =  12.6980177129947"
## [1] "k1= 0.0124480024288041"
## [2] "k2= 0.000174934541709274"
## [3] "a21= 0.0138031988713757"
```

## [4] "Proportion of C0 in pool 1= 0.0266896736664461"

[1] "AIC = 10.698017713103"

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-2.04	0.000256	NA	NA	NA	NA	-1.67	0.999	NA	NA

33

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
Two-pool parallel	8.7	0.0124	0.000175	0.0263	NA	NA	11.4	0.00147	5570	3810
Two-pool feedback	12.7	0.0124	0.000175	0.0267	0.0138	6.56e-06	21.3	1.04e-05	159	56.8
Two-pool series	10.7	0.0124	0.000175	0.0267	0.0138	NA	15.7	0.000169	159	56.8

Variable C_NDakCul_35:

Decomposition rates over time at 35 degrees for North Dakota, cultivated

[1] "Best fit parameter: 0.000336874418255596"

[1] "AIC = -4.29619169816153"
[1] "k1= 0.0193181365260118"
[2] "k2= 0.000212027796075767"
[3] "proportion of C0 in pool 1= 0.0316845211063979"

```
## [1] "AIC =  5.33358207362989"
## [1] "k1= 4327.2457232571"
## [2] "k2= 3.18555116194677e+111"
## [3] "a21= 4.32566565731762e-05"
## [4] "a12= 0.99999995879684"
## [5] "Proportion of C0 in pool 1= 0.999956074407686"
```



```
## [1] "AIC =  1.51890947389248"
## [1] "k1= 0.105964310440441"
## [2] "k2= 0.000243983610057107"
## [3] "a21= 0.00188851681725777"
```

## [4] "Proportion of C0 in pool 1= 0.0138906413567065"

## [1] "AIC = 6.36792576308179"

Error in solve.default(A): system is computationally singular: reciprocal condition number = 6.7917e-

One-pool

Two-pool parallel

Two-pool feedback

**Two-pool series**

Variable C_ColoNG_15:

Decomposition rates over time at 35 degrees for Colorado, native grassland

[1] "Best fit parameter: 0.000287647413769647"

[1] "AIC = 6.67433215385109"
[1] "k1= 0.00773072008015992"
[2] "k2= 0.000277558691865426"
[3] "proportion of C0 in pool 1= 0.00399421381542259"

[1] "AIC = 10.912846535893"
[1] "k1= 0.000378215858342597"

```
## [2] "k2= 16.1392960471983"
## [3] "a21= 0.00578736121765178"
## [4] "a12= 8.49051641227394e-06"
## [5] "Proportion of C0 in pool 1= 0.777184960635229"
```



```
## [1] "AIC =  14.7288254569761"
## [1] "k1= 0.00772799959615926"
## [2] "k2= 0.000277557408323434"
## [3] "a21= 0.0202246330653506"
## [4] "Proportion of C0 in pool 1= 0.00408092803165905"
```



```
## [1] "AIC =  12.912846531935"
```

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	6.67	0.000288	NA	NA	NA	NA	7.04	0.963	NA	NA
Two-pool parallel	10.9	0.00773	0.000278	0.00399	NA	NA	13.6	0.0366	3590	2480
Two-pool feedback	14.7	0.000378	16.1	0.777	0.00579	8.49e-06	23.3	0.000283	2640	1830
Two-pool series	12.9	0.00773	0.000278	0.00408	0.0202	NA	17.9	0.00419	202	92.4

Variable C_ColoNG_25:

Decomposition rates over time at 25 degrees for Colorado, native grassland

```
## [1] "Best fit parameter:  0.000554626996600668"
```

```
## [1] "AIC =  -0.119837017311081"
## [1] "k1= 0.0110484288472834"
## [2] "k2= 0.00040130494956922"
## [3] "proportion of C0 in pool 1= 0.0445655107588148"
```



```
## [1] "AIC =   7.9009436749448"
## [1] "k1= 119.947606528934"
## [2] "k2= 569304415.859975"
## [3] "a21= 0.998461844069039"
## [4] "a12= 6.69894392824055e-06"
## [5] "Proportion of C0 in pool 1= 0.00340730290829555"
```

```
## [1] "AIC =  3.75394019684208"
## DLSODA-  Warning..Internal T (=R1) and H (=R2) are
##        such that in the machine, T + H = T on the next step
##       (H = step size). Solver will continue anyway.
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 1.17836
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 2.35671
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DLSODA-  Trouble in DINTDY.  ITASK = I1, TOUT = R1
## In above message, I1 = 1
##
## In above message, R1 = 2.35671
##

## Error in lsoda(startValues, t, lsexamp): illegal input detected before taking any integration steps
```


Variable C_ColoNG_35:

Decomposition rates over time at 35 degrees for Colorado, native grassland

```
## [1] "Best fit parameter:  0.00103105559565381"
```

```
## [1] "AIC =  -3.13784783212158"
## [1] "k1= 0.00810975326377227"
## [2] "k2= 0.000560392942518031"
## [3] "proportion of C0 in pool 1= 0.12798091748664"
```



```
## [1] "AIC =  2.99150299140956"
## [1] "k1= 0.00811080592165592"
## [2] "k2= 0.000560427991186837"
## [3] "a21= 0.00700403328752247"
## [4] "a12= 9.30073518756735e-07"
## [5] "Proportion of C0 in pool 1= 0.128930218750709"
```

```
## [1] "AIC =  6.99150299270355"
## [1] "k1= 0.00811007425799429"
## [2] "k2= 0.000560403635568647"
## [3] "a21= 0.0151740379872132"
## [4] "Proportion of C0 in pool 1= 0.130094702402452"
```



```
## [1] "AIC =  4.99150299541701"
```

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-3.14	0.00103	NA	NA	NA	NA	-2.77	0.985	NA	NA
Two-pool parallel	2.99	0.00811	0.00056	0.128	NA	NA	5.66	0.0145	1570	993
Two-pool feedback	6.99	0.00811	0.00056	0.129	0.007	9.3e-07	15.6	0.000103	136	86.3
Two-pool series	4.99	0.00811	0.00056	0.13	0.0152	NA	9.99	0.00167	150	87.3

Variable C_ColoCul_15:

Decomposition rates over time at 15 degrees for Colorado, cultivated

```
## [1] "Best fit parameter:  0.000303038022569663"
```

```
[1] "AIC = 6.32936197078777"
[1] "k1= 0.000303139820428794"
[2] "k2= 0.00030303777184114"
[3] "proportion of C0 in pool 1= 0.00210272757469177"
```



```
[1] "AIC = 10.3293619706047"
[1] "k1= 0.000706743947973432"
[2] "k2= 0.000706504807424257"
[3] "a21= 0.998337200950842"
[4] "a12= 2.03406175894871e-05"
[5] "Proportion of C0 in pool 1= 0.630515617594582"
```

```
[1] "AIC = 15.1119671938966"
[1] "k1= 1.68126917052507"
[2] "k2= 0.000303123630010785"
[3] "a21= 0.957046215173041"
[4] "Proportion of C0 in pool 1= 0.00630754975963027"
```



```
## [1] "AIC =  12.3291299946693"
```

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	6.33	0.000303	NA	NA	NA	NA	6.69	0.959	NA	NA
Two-pool parallel	10.3	0.000303	0.000303	0.0021	NA	NA	13	0.041	3300	2290
Two-pool feedback	15.1	0.000707	0.000707	0.631	0.998	2.03e-05	23.7	0.000196	2830	2370
Two-pool series	12.3	1.68	0.000303	0.00631	0.957	NA	17.3	0.0047	3160	2140

Variable C_ColoCul_25:

Decomposition rates over time at 25 degrees for Colorado, cultivated

```
## [1] "Best fit parameter:  0.000485644743234867"
```

47

```
## [1] "AIC =  2.84093890467455"
## [1] "k1= 0.116289565657951"
## [2] "k2= 0.00042285844818926"
## [3] "proportion of C0 in pool 1= 0.00875898020777455"

## [1] "AIC =  9.52261576058365"

## Error in approx(xMod, yMod, xout = xDat): need at least two non-NA values to interpolate
```

Variable C_ColoCul_35:

Decomposition rates over time at 35 degrees for Colorado, cultivated

```
## [1] "Best fit parameter:  0.000907791893168688"
```



```
## [1] "AIC =  -0.624051813221348"
## [1] "k1= 0.0824911694451877"
## [2] "k2= 0.00066945460620053"
## [3] "proportion of C0 in pool 1= 0.0239264593524692"

## [1] "AIC =  7.75157526969221"

## Warning in newf - reff: longer object length is not a multiple of shorter object
## length

## Warning in del - (newf - reff)/delt[j]: longer object length is not a multiple
## of shorter object length

## Error in jacob[, j] <- del: number of items to replace is not a multiple of replacement length
```

Variable C_TexNG_15:

Decomposition rates over time at 15 degrees for Texas, native grassland

```
## [1] "Best fit parameter:  0.000311589352807685"
```



```
## [1] "AIC =  3.14064440136959"
## [1] "k1= 0.0109235658824398"
## [2] "k2= 0.000252326300203678"
## [3] "proportion of C0 in pool 1= 0.0198749776548512"
```

```
## [1] "AIC =   11.5714915955265"
## [1] "k1= 62608048426265.2"
## [2] "k2= 0.00141041706285223"
## [3] "a21= 0.28057244256102"
## [4] "a12= 5.28233978391857e-07"
## [5] "Proportion of C0 in pool 1= 0.999496501287448"
```



```
## [1] "AIC =   13.0871287284826"
## [1] "k1= 0.0109238426450497"
## [2] "k2= 0.000252327081974748"
## [3] "a21= 0.029307427717929"
```

[4] "Proportion of C0 in pool 1= 0.0204890530636272"

[1] "AIC = 13.5714915931979"

Error in solve.default(A): system is computationally singular: reciprocal condition number = 1.759196

One−pool

Two−pool parallel

Two−pool feedback

Two−pool series

Variable C_TexNG_25:

Decomposition rates over time at 25 degrees for Texas, native grassland

```
## [1] "Best fit parameter:  0.000531393009539733"
```



```
## [1] "AIC =  -1.5275523477051"
## [1] "k1= 0.013898086971357"
## [2] "k2= 0.00032383213151785"
## [3] "proportion of C0 in pool 1= 0.0547583113320833"
```



```
## [1] "AIC =  8.90926028396223"
## [1] "k1= 855.675893533662"
```

```
## [2] "k2= 21463710.4811115"
## [3] "a21= 0.0763637893052257"
## [4] "a12= 9.8585892685521e-06"
## [5] "Proportion of C0 in pool 1= 0.00983992211117579"

## [1] "AIC =  3.54524392015214"
## DLSODA-  Warning..Internal T (=R1) and H (=R2) are
##       such that in the machine, T + H = T on the next step
##      (H = step size). Solver will continue anyway.
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 1.17836
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 2.35671
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DLSODA-  Trouble in DINTDY.  ITASK = I1, TOUT = R1
## In above message, I1 = 1
##
## In above message, R1 = 2.35671
##

## Error in lsoda(startValues, t, lsexamp): illegal input detected before taking any integration steps
```

Variable C_TexNG_35:

Decomposition rates over time at 35 degrees for Texas, native grassland

[1] "Best fit parameter: 0.000980323307398862"

[1] "AIC = -3.5761002188197"
[1] "k1= 0.0165547888080658"
[2] "k2= 0.00052572120148346"
[3] "proportion of C0 in pool 1= 0.0852507225141954"

[1] "AIC = 9.1794471762795"
[1] "k1= 0.0165547911875066"

```
## [2] "k2= 0.000525721232325189"
## [3] "a21= 0.000266869032065797"
## [4] "a12= 6.35281500560581e-06"
## [5] "Proportion of C0 in pool 1= 0.0852744041729441"

## [1] "AIC =  13.1794471762791"
## DLSODA-  Warning..Internal T (=R1) and H (=R2) are
##        such that in the machine, T + H = T on the next step
##       (H = step size). Solver will continue anyway.
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 1.17836
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 2.35671
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DLSODA-  Trouble in DINTDY.  ITASK = I1, TOUT = R1
## In above message, I1 = 1
##
## In above message, R1 = 2.35671
##

## Error in lsoda(startValues, t, lsexamp): illegal input detected before taking any integration steps
```

Variable C_TexCul_15:

Decomposition rates over time at 15 degrees for Texas, cultivated

```
## [1] "Best fit parameter:  0.00030184456874486"
```



```
## [1] "AIC =  3.13309175643399"
## [1] "k1= 0.0108682187912208"
## [2] "k2= 0.000238439484423563"
## [3] "proportion of C0 in pool 1= 0.0214556005662826"
```



```
## [1] "AIC =  11.0062672018932"
## [1] "k1= 0.010867399914054"
```

```
## [2] "k2= 0.000238437805845783"
## [3] "a21= 0.130046651983797"
## [4] "a12= 2.56859422649858e-05"
## [5] "Proportion of C0 in pool 1= 0.02474823317186"
```



```
## [1] "AIC =  15.0062672033025"
## [1] "k1= 0.0108681153557867"
## [2] "k2= 0.000238439170683113"
## [3] "a21= 0.0169831080993729"
## [4] "Proportion of C0 in pool 1= 0.0218348754438633"
```



```
## [1] "AIC =  13.0062672036328"
```

One-pool

Two-pool parallel

Two-pool feedback

Two-pool series

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	3.13	0.000302	NA	NA	NA	NA	3.5	0.994	NA	NA
Two-pool parallel	11	0.0109	0.000238	0.0215	NA	NA	13.7	0.00613	4110	2820
Two-pool feedback	15	0.0109	0.000238	0.0247	0.13	2.57e-05	23.6	4.33e-05	637	78.5
Two-pool series	13	0.0109	0.000238	0.0218	0.017	NA	18	0.000702	163	65.4

Variable C_TexCul_25:

Decomposition rates over time at 25 degrees for Texas, cultivated

```
## [1] "Best fit parameter:  0.000589523010684013"
```

```
## [1] "AIC =  -2.44600819778359"
## [1] "k1= 0.0225525832980549"
## [2] "k2= 0.000335762254653917"
## [3] "proportion of C0 in pool 1= 0.0511035472328521"
```



```
## [1] "AIC =   10.0398976161173"
## [1] "k1= 3851.08921725181"
## [2] "k2= 288397.129187789"
## [3] "a21= 0.00774448842668884"
## [4] "a12= 7.59683298384717e-06"
## [5] "Proportion of C0 in pool 1= 0.960207296172717"
```

```
## [1] "AIC =  3.38728745737054"
## [1] "k1= 0.0225525649344258"
## [2] "k2= 0.00033576219798996"
## [3] "a21= 0.0128447490362844"
## [4] "Proportion of C0 in pool 1= 0.0517785056632304"
```



```
## [1] "AIC =  12.0398976129471"
```

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-2.45	0.00059	NA	NA	NA	NA	-2.08	0.998	NA	NA
Two-pool parallel	10	0.0226	0.000336	0.0511	NA	NA	12.7	0.000614	2830	1910
Two-pool feedback	3.39	3850	288000	0.96	0.00774	7.6e-06	12	0.000892	0.00026	2e-04
Two-pool series	12	0.0226	0.000336	0.0518	0.0128	NA	17	7.03e-05	82.6	31.3

Variable C_TexCul_35:

Decomposition rates over time at 35 degrees for Texas, cultivated

[1] "Best fit parameter: 0.00101041339519676"

```
## [1] "AIC =  -3.80639125809738"
## [1] "k1= 0.018681392201747"
## [2] "k2= 0.000494740138349315"
## [3] "proportion of C0 in pool 1= 0.088779261446795"
```



```
## [1] "AIC =   8.09015034031196"
## [1] "k1= 0.0186812779951944"
## [2] "k2= 0.000494739286189622"
## [3] "a21= 0.00159074763603906"
## [4] "a12= 3.57983030879749e-06"
## [5] "Proportion of C0 in pool 1= 0.0889250557053753"
```

```
## [1] "AIC =  12.0901503402849"
## [1] "k1= 0.0186815043129255"
## [2] "k2= 0.000494740979362756"
## [3] "a21= 0.00322524718034745"
## [4] "Proportion of C0 in pool 1= 0.0890738302339126"
```



```
## [1] "AIC =  10.0901503393654"
```

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-3.81	0.00101	NA	NA	NA	NA	-3.44	0.999	NA	NA
Two-pool parallel	8.09	0.0187	0.000495	0.0888	NA	NA	10.8	0.000825	1850	1210
Two-pool feedback	12.1	0.0187	0.000495	0.0889	0.00159	3.58e-06	20.7	5.83e-06	56.7	37.2
Two-pool series	10.1	0.0187	0.000495	0.0891	0.00323	NA	15.1	9.45e-05	60	37.3

Variable C_CostaNF_15:

Decomposition rates over time at 15 degrees for Costa Rica, native forest

[1] "Best fit parameter: 6.30594657212335e-05"

```
## [1] "AIC =  -8.33315629282967"
## [1] "k1= 0.462709470815219"
## [2] "k2= 4.2426169626114e-05"
## [3] "proportion of C0 in pool 1= 0.0329009673425088"
```



```
## [1] "AIC =  2.28946845376702"
## [1] "k1= 0.462704195689329"
## [2] "k2= 4.70368845964724e-05"
## [3] "a21= 0.0980174000541074"
## [4] "a12= 0.999992279969306"
## [5] "Proportion of C0 in pool 1= 0.0365747616535738"
```

```
## [1] "AIC =  6.28946847089284"
## [1] "k1= 0.46270963323025"
## [2] "k2= 4.24261728166187e-05"
## [3] "a21= 0.202459924909887"
## [4] "Proportion of C0 in pool 1= 0.0412540074445475"
```



```
## [1] "AIC =  4.28946845084232"
```

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-8.33	6.31e-05	NA	NA	NA	NA	-7.97	0.998	NA	NA
Two-pool parallel	2.29	0.463	4.24e-05	0.0329	NA	NA	4.96	0.00156	22800	15500
Two-pool feedback	6.29	0.463	4.7e-05	0.0366	0.098	1	14.9	1.1e-05	2310	1.75
Two-pool series	4.29	0.463	4.24e-05	0.0413	0.202	NA	9.29	0.000178	4770	2.13

Variable C_CostaNF_25:

Decomposition rates over time at 25 degrees for Costa Rica, native forest

```
## [1] "Best fit parameter:  0.000135283234395372"
```

```
## [1] "AIC =  -11.2124154834161"
## [1] "k1= 0.13400069762539"
## [2] "k2= 7.40775475674368e-05"
## [3] "proportion of C0 in pool 1= 0.0116708022323239"
```



```
## [1] "AIC =  0.488075015896563"
## [1] "k1= 0.134000574584823"
## [2] "k2= 7.40777186414053e-05"
## [3] "a21= 0.565983880521044"
## [4] "a12= 4.24379527480534e-06"
## [5] "Proportion of C0 in pool 1= 0.0269096867375668"
```

69

```
## [1] "AIC =  4.48807501578714"
## [1] "k1= 0.134000576432362"
## [2] "k2= 7.40775409879961e-05"
## [3] "a21= 0.0190202170171531"
## [4] "Proportion of C0 in pool 1= 0.0118971714337324"
```



```
## [1] "AIC =  2.48807501467178"
```

70

One-pool

Two-pool parallel

Two-pool feedback

Two-pool series

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-11.2	0.000135	NA	NA	NA	NA	-10.8	0.999	NA	NA
Two-pool parallel	0.488	0.134	7.41e-05	0.0117	NA	NA	3.15	0.000909	13300	9200
Two-pool feedback	4.49	0.134	7.41e-05	0.0269	0.566	4.24e-06	13.1	6.43e-06	7650	1680
Two-pool series	2.49	0.134	7.41e-05	0.0119	0.019	NA	7.49	0.000104	264	5.32

Variable C_CostaNF_35:

Decomposition rates over time at 35 degrees for Costa Rica, native forest

[1] "Best fit parameter: 0.000242941415608324"

```
## [1] "AIC =  -11.9273692758489"
## [1] "k1= 0.0195025261703798"
## [2] "k2= 0.000136790204397538"
## [3] "proportion of C0 in pool 1= 0.0285491401496474"
```



```
## [1] "AIC =  -3.36243639797887"
## [1] "k1= 0.0195034609697065"
## [2] "k2= 0.000136791926053142"
## [3] "a21= 0.00174404819966706"
## [4] "a12= 4.77364316729401e-05"
## [5] "Proportion of C0 in pool 1= 0.0285985684870529"
```

```
## [1] "AIC =  0.637563607562221"
## [1] "k1= 0.141130598593293"
## [2] "k2= 0.00016492717548664"
## [3] "a21= 0.0206563542700414"
## [4] "Proportion of C0 in pool 1= 0.0140977708876839"
```



```
## [1] "AIC =  -1.22505899516107"
```

One–pool   **Two–pool parallel**

Two–pool feedback   **Two–pool series**

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrTq05	
One-pool	-11.9	0.000243	NA	NA	NA	NA	-11.6	0.996	NA	NA
Two-pool parallel	-3.36	0.0195	0.000137	0.0285	NA	NA	-0.696	0.00435	7100	4860
Two-pool feedback	0.638	0.0195	0.000137	0.0286	0.00174	4.77e-05	9.21	3.07e-05	64	35.6
Two-pool series	-1.23	0.141	0.000165	0.0141	0.0207	NA	3.77	0.000465	132	5.06

Variable C_CostaPas_15:

Decomposition rates over time at 15 degrees for Costa Rica, Pasture

```
## [1] "Best fit parameter:  3.6987225655807e-05"
```

```
## [1] "AIC =  -2.32549580122039"
## [1] "k1= 0.141193391791066"
## [2] "k2= 2.85980855879331e-05"
## [3] "proportion of C0 in pool 1= 0.00177959270203198"
```



```
## [1] "AIC =   7.49434425578148"
## [1] "k1= 0.14119349423699"
## [2] "k2= 2.85983145342833e-05"
## [3] "a21= 0.403875117169345"
## [4] "a12= 1.970811000096e-05"
## [5] "Proportion of C0 in pool 1= 0.00298567329464022"
```

```
## [1] "AIC =   11.4943442541589"
## [1] "k1= 0.141193557776422"
## [2] "k2= 2.8598086272021e-05"
## [3] "a21= 0.087367546147258"
## [4] "Proportion of C0 in pool 1= 0.00194998166394678"
```



```
## [1] "AIC =   9.49434425374707"
```

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-2.33	3.7e-05	NA	NA	NA	NA	-1.96	0.998	NA	NA
Two-pool parallel	7.49	0.141	2.86e-05	0.00178	NA	NA	10.2	0.00233	34900	24200
Two-pool feedback	11.5	0.141	2.86e-05	0.00299	0.404	1.97e-05	20.1	1.64e-05	14100	12.9
Two-pool series	9.49	0.141	2.86e-05	0.00195	0.0874	NA	14.5	0.000266	3060	5.62

Variable C_CostaPas_25:

Decomposition rates over time at 25 degrees for Costa Rica, Pasture

```
## [1] "Best fit parameter:  7.79635225660693e-05"
```

```
## [1] "AIC =  -6.98420306507251"
## [1] "k1= 0.116778889951504"
## [2] "k2= 4.88669992553495e-05"
## [3] "proportion of C0 in pool 1= 0.0055498113461851"

## [1] "AIC =  5.99788309038935"
## DLSODA-  Warning..Internal T (=R1) and H (=R2) are
##       such that in the machine, T + H = T on the next step
##      (H = step size). Solver will continue anyway.
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 1.17836
##
##       T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 2.35671
##
##       T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DLSODA-  Trouble in DINTDY.  ITASK = I1, TOUT = R1
## In above message, I1 = 1
##
## In above message, R1 = 2.35671
##

## Error in lsoda(startValues, t, lsexamp): illegal input detected before taking any integration steps
```

Variable C_CostaPas_35:

Decomposition rates over time at 35 degrees for Costa Rica, Pasture

```
## [1] "Best fit parameter:  0.000158202466724091"
```



```
## [1] "AIC =  -9.56120536559137"
## [1] "k1= 0.0121338297353242"
## [2] "k2= 5.91034357649428e-05"
## [3] "proportion of C0 in pool 1= 0.0345919447460946"
```

```
## [1] "AIC =  4.51806103003168"
## [1] "k1= 0.0121336103100437"
## [2] "k2= 5.9322211340427e-05"
## [3] "a21= 0.00367033630890656"
## [4] "a12= 0.999931366841848"
## [5] "Proportion of C0 in pool 1= 0.0394395579299986"
```



```
## [1] "AIC =  8.51806103003064"
## [1] "k1= 0.0121338296703742"
## [2] "k2= 5.91034354576989e-05"
## [3] "a21= 0.0122731849707754"
```

## [4] "Proportion of C0 in pool 1= 0.0350238799763052"


[1] "AIC = 6.51806102981526"

One–pool

Two–pool parallel

Two–pool feedback

Two–pool series

model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	-9.56	0.000158	NA	NA	NA	NA	-9.2	1	NA	NA
Two-pool parallel	4.52	0.0121	5.91e-05	0.0346	NA	NA	7.18	0.000277	16300	11100

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
Two-pool feedback	8.52	0.0121	5.93e-05	0.0394	0.00367	1	17.1	1.96e-06	145	57.4
Two-pool series	6.52	0.0121	5.91e-05	0.035	0.0123	NA	11.5	3.17e-05	290	58.2

Variable C_BrazilNF_15:

Decomposition rates over time at 15 degrees for Brazil, native forest

[1] "Best fit parameter: 0.000269188066035735"

[1] "AIC = 0.245097581958049"
[1] "k1= 0.165753562764115"
[2] "k2= 0.000199390952075759"
## [3] "proportion of C0 in pool 1= 0.0137212636189568"

```
## [1] "AIC =  9.93083682933522"
## [1] "k1= 132.467096409886"
## [2] "k2= 1450043.24434175"
## [3] "a21= 0.994324381776729"
## [4] "a12= 0.999766435661135"
## [5] "Proportion of C0 in pool 1= 0.00364504372143371"
```



```
## [1] "AIC =  6.83886007113847"
## [1] "k1= 0.165753548283152"
## [2] "k2= 0.000199390950578424"
## [3] "a21= 0.0282132888598952"
```

## [4] "Proportion of C0 in pool 1= 0.0141200801398711"

[1] "AIC = 11.9308368290605"

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
One-pool	0.245	0.000269	NA	NA	NA	NA	0.609	0.997	NA	NA
Two-pool parallel	9.93	0.166	0.000199	0.0137	NA	NA	12.6	0.00248	4950	3410

| model	AIC	k1	k2	C0Inp1	a21	a12	AICc	wi	MeanTrT	q05
Two-pool feedback	6.84	132	1450000	0.00365	0.994	1	15.4	0.000609	1.28	0.886
Two-pool series	11.9	0.166	0.000199	0.0141	0.0282	NA	16.9	0.000285	148	4.36

Variable C_BrazilNF_25:

Decomposition rates over time at 25 degrees for Brazil, native forest

[1] "Best fit parameter: 0.000397306368218982"

[1] "AIC = -0.193836069481878"
[1] "k1= 0.173261052004621"
[2] "k2= 0.000314344739659319"
[3] "proportion of C0 in pool 1= 0.0153974955852097"

```
## [1] "AIC =  8.07792314307083"
## [1] "k1= 11.0899311733361"
## [2] "k2= 14852888.5747362"
## [3] "a21= 0.988841611865125"
## [4] "a12= 1.65864640833124e-05"
## [5] "Proportion of C0 in pool 1= 0.0047078409768907"

## [1] "AIC =  4.85182058933032"
## DLSODA-  Warning..Internal T (=R1) and H (=R2) are
##        such that in the machine, T + H = T on the next step
##      (H = step size). Solver will continue anyway.
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 1.17836
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DINTDY-  T (=R1) illegal
## In above message, R1 = 2.35671
##
##        T not in interval TCUR - HU (= R1) to TCUR (=R2)
## In above message, R1 = 0, R2 = 0
##
## DLSODA-  Trouble in DINTDY.  ITASK = I1, TOUT = R1
## In above message, I1 = 1
##
## In above message, R1 = 2.35671
##
## Error in lsoda(startValues, t, lsexamp): illegal input detected before taking any integration steps
```

Variable C_BrazilNF_35:

Decomposition rates over time at 35 degrees for Brazil, native forest

```
## [1] "Best fit parameter:  0.000691311089567852"
```



```
## [1] "AIC =  -2.24193216136035"
## [1] "k1= 0.0842914142089285"
## [2] "k2= 0.000492027972111373"
## [3] "proportion of C0 in pool 1= 0.0230590498265432"
```

```
## [1] "AIC =   6.80096477261502"
```

```
## Error in approx(xMod, yMod, xout = xDat): need at least two non-NA values to interpolate
```


Variable C_BrazilPas_15:

Decomposition rates over time at 15 degrees for Brazil, Pasture

```
[1] "Best fit parameter: 0.000296643113217529"
```


```
## [1] "AIC =   -2.02430469404338"
## [1] "k1= 0.0405199219093405"
```

```
## [2] "k2= 0.000183149120622935"
## [3] "proportion of C0 in pool 1= 0.0213839362190317"
```



```
## [1] "AIC =   9.23737818396233"
## [1] "k1= 0.0405203195463524"
## [2] "k2= 0.000183150601366434"
## [3] "a21= 0.193472463638234"
## [4] "a12= 3.66013695320411e-05"
## [5] "Proportion of C0 in pool 1= 0.0265424990105955"
```



```
## [1] "AIC =   13.2373781843218"
## [1] "k1= 0.00252243249490236"
```

```
## [2] "k2= 0.832728166352242"
## [3] "a21= 0.999994693336582"
## [4] "Proportion of C0 in pool 1= 0.155246447259717"
```


```
[1] "AIC = 6.64775790877218"
```

**One−pool**



**Two−pool parallel**



**Two−pool feedback**



**Two−pool series**

| model | AIC | k1 | k2 | C0Inp1 | a21 | a12 | AICc | wi | MeanTrT | q05 |
|-------|-----|-----|-----|--------|-----|-----|------|-----|---------|-----|
| One-pool | -2.02 | 0.000297 | NA | NA | NA | NA | -1.66 | 0.999 | NA | NA |
| Two-pool parallel | 9.24 | 0.0405 | 0.000183 | 0.0214 | NA | NA | 11.9 | 0.00113 | 5340 | 3670 |
| Two-pool feedback | 13.2 | 0.0405 | 0.000183 | 0.0265 | 0.193 | 3.66e-05 | 21.8 | 8e-06 | 1080 | 23.9 |
| Two-pool series | 6.65 | 0.00252 | 0.833 | 0.155 | 1 | NA | 11.6 | 0.00129 | 398 | 276 |

# Variable C_BrazilPas_25:

Decomposition rates over time at 25 degrees for Brazil, Pasture

## [1] "Best fit parameter:  0.000418439210045636"



## [1] "AIC =  -3.26164296985283"
## [1] "k1= 0.03557438811851"
## [2] "k2= 0.000242077445181125"
## [3] "proportion of C0 in pool 1= 0.0320359100284035"

```
[1] "AIC = 8.69141584514738"
[1] "k1= 0.0355746553282603"
[2] "k2= 0.000242079671239813"
[3] "a21= 0.11918613867809"
[4] "a12= 6.9878295858139e-05"
[5] "Proportion of C0 in pool 1= 0.0364046294835234"

[1] "AIC = 12.691415841263"
DLSODA- Warning..Internal T (=R1) and H (=R2) are
such that in the machine, T + H = T on the next step
(H = step size). Solver will continue anyway.
In above message, R1 = 0, R2 = 0
##
DINTDY- T (=R1) illegal
In above message, R1 = 1.17836
##
T not in interval TCUR - HU (= R1) to TCUR (=R2)
In above message, R1 = 0, R2 = 0
##
DINTDY- T (=R1) illegal
In above message, R1 = 2.35671
##
T not in interval TCUR - HU (= R1) to TCUR (=R2)
In above message, R1 = 0, R2 = 0
##
DLSODA- Trouble in DINTDY. ITASK = I1, TOUT = R1
In above message, I1 = 1
##
In above message, R1 = 2.35671
##
Error in lsoda(startValues, t, lsexamp): illegal input detected before taking any integration steps
```

## Variable C_BrazilPas_35:

Decomposition rates over time at 35 degrees for Brazil, Pasture

```
## [1] "Best fit parameter:  0.000985513977433452"
```



```
## [1] "AIC =  -6.08006576311655"
## [1] "k1= 0.0513732756163521"
## [2] "k2= 0.00047327952011995"
## [3] "proportion of C0 in pool 1= 0.0558923866056459"
```

```
## [1] "AIC =  7.02010249611864"
```

```
## Warning in newf - reff: longer object length is not a multiple of shorter object
## length
```

```
## Warning in del - (newf - reff)/delt[j]: longer object length is not a multiple
## of shorter object length
```

```
## Error in jacob[, j] <- del: number of items to replace is not a multiple of replacement length
```