

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <http://todolistme.net/>

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [address](#)

<http://todolistme.net/>

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 2, column 16; to line 3, column 6

TYPE `html` `<html>` `<html>` `<head`

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Bad value `///fonts.googleapis.com/css?family=Abel|Architects+Daughter` for attribute `href` on element `link`: Illegal character in query: `|` is not allowed.

From line 11, column 2; to line 11, column 106

```
</title><link href='///fonts.googleapis.com/css?family=Abel|Architects+Daughter' rel='stylesheet' type='text/css'>
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 19, column 2; to line 19, column 32

```
cript><script type="text/javascript"> va
```

4. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 44, column 64; to line 44, column 106

```
span</h1><img src='./images/tick.png' id='logotick'><span
```

5. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 47, column 419; to line 47, column 457

```
w.'"><span><img src='./images/top_new_window.png'></span>
```

6. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 112, column 10; to line 112, column 38

```
<p><img src='./images/info.png'></p>
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 126, column 6; to line 126, column 36

```
rt'><script type="text/javascript"><!-- eg
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 134, column 1; to line 135, column 62

```
</script><script type="text/javascript" src="http://pagead2.googlesyndication.com/pagead/show_ads.js"></scr
```

9. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 147, column 7; to line 147, column 59

```
iv><img id='sortbutton' src='./images/sort_order.png' />
```

10. **Error** Element `div` not allowed as child of element `h3` in this context. (Suppressing further errors from this subtree.)

From line 156, column 98; to line 156, column 120

```
e'></span><div id='todoproggress'></div>
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

11. **Error** Element `div` not allowed as child of element `h3` in this context. (Suppressing further errors from this subtree.)

From line 166, column 60; to line 166, column 82

```
e :</span><div id='doneprogress'></div>
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

12. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 173, column 83; to line 173, column 112

```
e items.'><img src='../images/purge.png'></a>
```

13. **Error** Element `div` not allowed as child of element `h3` in this context. (Suppressing further errors from this subtree.)

From line 179, column 127; to line 179, column 148

```
r'></span><div id='laterdialog'><div i
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

14. **Error** Duplicate ID `later_number`.

From line 179, column 257; to line 179, column 280

```
</p></div><span id='later_number'></span>
```

15. **Warning** The first occurrence of ID `later_number` was here.

From line 179, column 96; to line 179, column 119

```
w.'>Later <span id='later_number'></span>
```

16. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 202, column 244; to line 202, column 319

```
>Tweet</a><script type="text/javascript" src="http://platform.twitter.com/widgets.js"></scri
```

17. **Error** Element `div` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 202, column 342; to line 202, column 359

```
pan><span><div id="fb-root"></div>
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element `span`:

[Phrasing content](#).

18. **Warning** Element name `fb:like` cannot be represented as XML 1.0.

From line 202, column 438; to line 202, column 550

```
></script><fb:like href="http://todolistme.net" send="false" layout="button_count" show_faces="false" font="lucida grande"></fb:l
```

19. **Error** Element `fb:like` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 202, column 438; to line 202, column 550

```
<</script><fb:like href="http://todolistme.net" send="false" layout="button_count" show_faces="false" font="lucida grande"></fb:l
```

Content model for element `span`:

[Phrasing content](#).

20. **Warning** Element name `g:plusone` cannot be represented as XML 1.0.

From line 202, column 589; to line 202, column 642

```
plusspan'><g:plusone size="medium" href="http://todolistme.net"></g:pl
```

21. **Error** Element `g:plusone` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 202, column 589; to line 202, column 642

```
plusspan'><g:plusone size="medium" href="http://todolistme.net"></g:pl
```

Content model for element `span`:

[Phrasing content](#).

22. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 235, column 86; to line 235, column 116

```
undo();' ><img src='../images/undo.png' /></div>
```

23. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 251, column 1; to line 251, column 65

```
</script><script src='/javascript/javascript_e.js' type='text/javascript'></scri
```

24. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 257, column 1; to line 257, column 31

```
/script><script type="text/javascript"> (fu
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.
Total execution time 307 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.4.8