

Blockchain Security | Smart Contract Audits | KYC Development | Marketing

MADE IN GERMANY

VetMe

Audit

Security Assessment 04. April, 2023

For







Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	22
Source Units in Scope	23
Critical issues	24
High issues	24
Medium issues	24
Low issues	24
Informational issues	24
Commented Code exist	24
Audit Comments	25
SWC Attacks	26

Disclaimer

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	01. April 2023	Layout projectAutomated-/Manual-Security TestingSummary
1.1	04. April 2023	· Reaudit

Network

Ethereum

Website

vetmeblock.com

Telegram

https://t.me/vetmeportal

Twitter

twitter.com/VetmeToken

Description

VetMe has created a platform that is anchored on four (4) utilities to ensure that people go about commercial activities in the crypto space and on the internet generally. These four (4) utilities are p2p escrow, vetting, over-the-counter (OTC) trading and know-your-client (KYC).

Project Engagement

During the Date of 01 April 2023, **Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.

Logo



Contract Link

v1.0

- https://github.com/makerzy/Escrow-smart-contract/blob/main/ contracts/VetMe.sol
- · Commit: e36c275

V1.1

- https://github.com/makerzy/Escrow-smart-contract/blob/main/ contracts/VetMe.sol
- · Commit: ce8991e

Note for Investors: We only Audited one contract for **VetMe** (mentioned above). However, If the project has other contracts (for example, a Presale contract etc), and they were not provided to us in the audit scope then we cannot comment on its security and we are not responsible for it in any way.

Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon aspossible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	O – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.


Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
 - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
 - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
 - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:



Tested Contract Files

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

v1.0

File Name	SHA-1 Hash
contracts/VetMe.sol	19fa680b1807edb7a6cc410d4956948dfafb29a6

Metrics

Source Lines v1.0



Capabilities

Components



Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.




External	Internal	Private	Pure	View
16	62	3	11	16

StateVariables




Capabilities



Inheritance Graph v1.0



CallGraph v1.0



Scope of Work/Verify Claims

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

- 1. Is contract an upgradeable
- 2. Correct implementation of Token standard
- 3. Deployer cannot lock user funds
- 4. Deployer cannot pause the contract
- 5. Deployer cannot set fees
- 6. Deployer cannot blacklist/antisnipe addresses
- 7. Overall checkup (Smart Contract Security)

Is contract an upgradeable

Name	
Is contract an upgradeable?	No



Correct implementation of Token standard

ERC20				
Function	Description	Exist	Tested	Verified
TotalSupply	Provides information about the total token supply	√	√	✓
BalanceOf	Provides account balance of the owner's account	\checkmark	√	\checkmark
Transfer	Executes transfers of a specified number of tokens to a specified address	√	√	✓
TransferFrom	Executes transfers of a specified number of tokens from a specified address	√	√	√
Approve	Allow a spender to withdraw a set number of tokens from a specified account	√	√	√
Allowance	Returns a set number of tokens from a spender to the owner	√	1	√

Deployer cannot lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	-	_	-



Deployer cannot pause the contract

Name	Exist	Tested	Status
Deployer cannot pause	-	_	-



Deployer cannot set fees

Name	Exist	Tested	Status
Deployer can set fees over 25%	\checkmark	√	\checkmark
Deployer can set fees to nearly 100% or to 100%	√	√	\checkmark

Comments:

v1.1

• The maximum fees can be 25%

Deployer can blacklist/antisnipe addresses

Name	Exist	Tested	Status
Deployer cannot blacklist/antisnipe addresses	-	-	-



Overall checkup (Smart Contract Security)



Legend

Attribute	Symbol
Verified / Checked	\checkmark
Partly Verified	P
Unverified / Not checked	X
Not available	-

Modifiers and public functions v1.1

changeAdmin rejectPendingAdmin setFeeReceiver acceptPendingAdmin

setFees withdrawFunds matchSupportFraction

Ownership Privileges

- · Change admin (owner) address
- Set fee receiver address
- Withdraw any type of tokens from the contract to the fee receiver address

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

Source Units in Scope v1.0

File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score
contracts/VetMe.sol	7	2	862	652	478	187	297
Totals	7	2	862	652	478	187	297

Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalised lines of the source unit (e.g. normalises functions spanning multiple lines)
nSLOC	normalised source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)

Audit Results

Critical issues

No critical issues

High issues

No high issues

Medium issues

No medium issues

Low issues

Issue	File	Type	Line	Description
#1	Main	Contract doesn't import npm packages from source (like OpenZeppelin etc.)		We recommend to import all packages from npm directly without flatten the contract. Functions could be modified or can be susceptible to vulnerabilities
#2	Main	A floating pragma is set	-	The current pragma Solidity directive is ""^0.8.12".

Informational issues

Issue	File	Type	Line	Description
#1	Main	Dead Code	159-291	Remove unused functions.
				Before removing check the function, it could be possible, that you forget to implement it into the contract
#2	Main	Wrong Natspec Documentation	817	The comment says "make sure these is greater than 0" But there are no checks in the code to ensure it.

Commented Code exist

There are some instances of code being commented out in the following files that should be removed:

File	Line	Comment
Main	796	// require((isSupportedPairToken[sellOrder.tokenOutSwapPair] && isSupportedPairToken[buyOrder.tokenOutSwapPair]) ! swapping, "Not supported swap pair");

Recommendation

Remove the commented code, or address them properly.

Audit Comments

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information https://docs.soliditylang.org/en/latest/natspec-format.html) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

04. April 2023:

- There is still an owner (Owner still has not renounced ownership.
- Owner can deploy a new version of the contract which can change any limit and give owner new privileges
- · Read whole report and modifiers section for more information

SWC Attacks

ID	Title	Relationships	Status
<u>SW</u> <u>C-1</u> <u>36</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SW</u> <u>C-1</u> <u>35</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>34</u>	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SW</u> <u>C-1</u> <u>33</u>	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SW</u> <u>C-1</u> <u>32</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SW</u> <u>C-1</u> <u>31</u>	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>30</u>	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
<u>SW</u> <u>C-1</u> <u>29</u>	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SW</u> <u>C-1</u> <u>28</u>	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

<u>SW</u> <u>C-1</u> <u>27</u>	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SW</u> <u>C-1</u> <u>24</u>	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SW C-1 23	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SW</u> <u>C-1</u> <u>22</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
SW C-1 21	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SW C-1 20	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SW</u> <u>C-11</u> <u>9</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
<u>SW</u> <u>C-11</u> <u>8</u>	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SW</u> <u>C-11</u> <u>7</u>	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SW</u> <u>C-11</u> <u>6</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>5</u>	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>4</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SW</u> <u>C-11</u> <u>3</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SW</u> <u>C-11</u> <u>2</u>	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>1</u>	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>O</u>	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
<u>SW</u> <u>C-1</u> <u>08</u>	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
<u>SW</u> <u>C-1</u> <u>06</u>	Unprotected SELFDESTRUC T Instruction	CWE-284: Improper Access Control	PASSED

Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	NOT PASSED
Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
	Ether Withdrawal Unchecked Call Return Value Floating Pragma Outdated Compiler Version Integer Overflow and Underflow Function Default	Ether Withdrawal Unchecked Call Return Value Floating Pragma Outdated Compiler Version Integer Overflow and Underflow Function Default Visibility CWE-252: Unchecked Return Value CWE-664: Improper Control of a Resource Through its Lifetime CWE-937: Using Components with Known Vulnerabilities CWE-682: Incorrect Calculation CWE-710: Improper Adherence to Coding Standards







Blockchain Security | Smart Contract Audits | KYC Development | Marketing

