

Blockchain Security | Smart Contract Audits | KYC



Super World DApp

Audit

Security Assessment 28. February, 2022

For

SUPERWORLD

Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	17
Source Units in Scope	19
Critical issues	20
High issues	20
Medium issues	20
Low issues	20
Informational issues	21
Commented Code exist	21
Audit Comments	21
SWC Attacks	22

Disclaimer

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	28. February 2022	Layout projectAutomated-/Manual-Security TestingSummary

Network

Binance Smart Chain (BEP20)

Website

https://www.superworldapp.com/

Telegram

https://t.me/superworldtoken

Twitter

https://twitter.com/superworldapp

Facebook

https://m.facebook.com/superworldapp/

Instagram

https://www.instagram.com/superworldapp

Discord

https://discord.com/invite/ZUMJjrg4nx

Youtube

https://www.youtube.com/channel/UCqkWtBF9d5Xtj11cCtUiBiw

TikTok

https://vm.tiktok.com/ZMJH13mHH/

LinkedIn

https://www.linkedin.com/company/superworldapp/

Description

TBA

Project Engagement

During the 23rd of February 2022, **SuperWorld DApp Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.

Logo



Contract Link

- Github
 - https://github.com/superworldapp/nftsalonv2_contracts
 - Commit: 0bcle83ce5a32d53bc9204b8bcl324ccca0c9d0b

Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon aspossible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
 - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
 - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
 - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:

Dependency / Import Path	Count
@openzeppelin/contracts-upgradeable/access/OwnableUpgradeable.sol	1
@openzeppelin/contracts-upgradeable/security/ReentrancyGuardUpgradeable.sol	1
@openzeppelin/contracts/access/Ownable.sol	3
@openzeppelin/contracts/interfaces/IERC165.sol	1
@openzeppelin/contracts/interfaces/IERC2981.sol	3
@openzeppelin/contracts/security/ReentrancyGuard.sol	3
@openzeppelin/contracts/token/ERC1155/IERC1155.sol	3
@openzeppelin/contracts/token/ERC721/ERC721.sol	1
@openzeppelin/contracts/token/ERC721/IERC721.sol	3
@openzeppelin/contracts/token/ERC721/extensions/ERC721Enumerable.sol	1
@openzeppelin/contracts/utils/Strings.sol	1
@openzeppelin/contracts/utils/cryptography/ECDSA.sol	1
@openzeppelin/contracts/utils/introspection/ERC165Storage.sol	1
@openzeppelin/contracts/utils/structs/EnumerableSet.sol	1

Tested Contract Files

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

v1.0

File Name	SHA-1 Hash
contracts/interfaces/IMultiRoyalty.sol	d477345c5d8a89eaeed6e41ab8438fab2b492dfe
contracts/interfaces/ISuperAssetV2.sol	8db004f9571687302e3864d186d07fb7ec6a2c63
contracts/PerTokenRoyalties.sol	0a1be46f5cb068bec5548b9c3e4472720a59e7ec
contracts/SuperAssetV2ERC721.sol	033f3ef085305e0d318596057b60ee41764c1982
contracts/structs/TokenMintData.sol	cbab9521f29d1adb42c82a78472c18787d48ae06
contracts/PlaceOfferERC1155.sol	28891399981e7005bd8517049ff6030f1fe203dc
contracts/PlaceOfferERC721.sol	5f65d21c1f89b2069fbadb0672a5a9b3e9c99c74
contracts/library/CompactArray.sol	05b152e1682facb7945e1c6ff3c608cdb7f13a12
contracts/library/SignatureValidator.sol	c68e3c8641fac20e81d39286f6cad23909e2d8a5
contracts/library/TokenType.sol	cdc935c62f97730e2423169abe10806dabc40814
contracts/NFTSalonV2.sol	ca747b2bcd954634a2eb2bf7b3b338fac3c5e3d7

Metrics

Source Lines v1.0



Capabilities

Components

Version	Contracts	Libraries	Interfaces	Abstract
1.0	4	3	2	1

Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Ve	rsion	Public Payable	
1.0		58	12

Version	External	Internal	Private	Pure	View
1.0	20	47	4	2	23

State Variables

Version	Total	Public
1.0	26	14

Capabilities


Version	Solidity Versions observed	Experim ental Features	Can Receive Funds	Uses Assembl Y	Has Destroya ble Contract s
1.0	^0.8.0 >=0.8. 0 <0.9.0		yes		

Version	Transfer s ETH	Low- Level Calls	Deleg ateCa II	Uses Hash Function s	EC Rec ove r	New/ Create/ Create2
1.0				yes		


Inheritance Graph

v1.0


NFTSalonV2




PerTokenRoyalties




PlaceOfferERC721



PlaceOfferERC1155




SuperAssetV2ERC721



CallGraph

v1.0



Scope of Work/Verify Claims

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).


We will verify the following claims:


1. Overall checkup (Smart Contract Security)



Write functions of contract v1.0










Overall checkup (Smart Contract Security)



Legend

Attribute	Symbol
Verfified / Checked	\checkmark
Partly Verified	P
Unverified / Not checked	X
Not available	-

Modifiers and public functions v1.0



Comments

Information: Not listed functions are from libraries and don't have to be listed here

- Deployer can set following state variables without any limitations
 - NFTSalonV2
 - systemRoyaltyPercentage
 - PlaceOfferERC721
 - percentageCut
- Deployer can enable/disable following state variables
- Deployer can set following addresses
 - NFTSalonV2
 - _signer
 - SuperAssetV2ERC721
 - _marketplaceAddress
 - _signer

- · metaUrl
- Everybody can set
 - PerTokenRoyalties
- Everybody can
 - mintTokenBath
 - Mint
- Marketplace can
 - set tokendetails location
 - Set token royalties

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

Source Units in Scope

v1.0

Туре	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
Q	contracts/interfaces/IMultiRoyalty.sol		1	22	18	4	11	5	
Q	contracts/interfaces/ISuperAssetV2.sol		1	57	8	5	1	29	. <u>Š</u> .
%	contracts/PerTokenRoyalties.sol	1		82	68	54	1	58	
9	contracts/SuperAssetV2ERC721.sol	1		276	234	185	5	130	<u>&</u>
	contracts/structs/TokenMintData.sol			13	13	10	2		
9	contracts/PlaceOfferERC1155.sol	1		159	151	126	9	88	. <u>Š</u> .
9	contracts/PlaceOfferERC721.sol	1		159	151	126	9	88	. <u>Š</u> .
\equiv 	contracts/library/CompactArray.sol	1		19	19	17	1	9	
\(\rightarrow\)	contracts/library/SignatureValidator.sol	1		19	15	10	1	4	
\equiv 	contracts/library/TokenType.sol	1		30	30	23	1	16	
9	contracts/NFTSalonV2.sol	1		577	476	407	1	266	.š.##
⊘ \& Q \&	Totals	8	2	1413	1183	967	42	693	.š.

Legend

Attribute	Description			
Lines	total lines of the source unit			
nLines	normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)			
nSLOC	normalized source lines of code (only source-code lines; no comments, no blank lines)			
Comment Lines	lines containing single or block comments			
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)			

Audit Results

AUDIT PASSED

Critical issues

No critical issues

High issues

No high issues

Medium issues

No medium issues

Low issues

Issue	File	Type	Line	Description
#1	All	A floating pragma is set	At the top of the source files	Modify pragma Solidity directives
#2	NFTSalo nV2	Missing Zero Address Validation (missing- zero-check)	59	Check that the address is not zero
#3	SuperAs setV2ER C721	Missing Zero Address Validation (missing- zero-check)	86, 50, 51	Check that the address is not zero
#4	SuperAs setV2ER C721	Local variables shadowing	244	Rename the local variables that shadow another component
#5	NFTSalo nV2	Missing Events Arithmetic	63	Emit an event for critical parameter changes
#6	PlaceOf ferERC11 55	Missing Events Arithmetic	60, 153, 156	Emit an event for critical parameter changes

#7	NFTSalo	Tautology	138	Uint cannot be negative
	nV2			

Informational issues

No informational issues

Commented Code exist

There are some instances of code being commented out in the following files that should be removed:

File	Line	Comment
PlaceOffe rERC721	3-5	//import "https://github.com/OpenZeppelin/openzeppelin-contracts/contracts/access/Ownable.sol"; //import "https://github.com/OpenZeppelin/openzeppelin-contracts/contracts/security/ReentrancyGuard.sol"; //import "https://github.com/OpenZeppelin/openzeppelin-contracts/contracts/token/ERC721/IERC721.sol";
PlaceOffe rERC1155	3-5	//import "https://github.com/OpenZeppelin/openzeppelin-contracts/contracts/access/Ownable.sol"; //import "https://github.com/OpenZeppelin/openzeppelin-contracts/contracts/security/ReentrancyGuard.sol"; //import "https://github.com/OpenZeppelin/openzeppelin-contracts/contracts/token/ERC721/IERC721.sol";

Recommendation

Remove the commented code, or address them properly.

Audit Comments

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information https://docs.soliditylang.org/en/v0.5.10/natspec-format.html) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

28. February 2022:

Read whole report for more information

SWC Attacks

ID	Title	Relationships	Status
<u>SW</u> <u>C-1</u> <u>36</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SW</u> <u>C-1</u> <u>35</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>34</u>	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SW</u> <u>C-1</u> <u>33</u>	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SW</u> <u>C-1</u> <u>32</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SW</u> <u>C-1</u> <u>31</u>	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>30</u>	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
<u>SW</u> <u>C-1</u> <u>29</u>	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SW</u> <u>C-1</u> <u>28</u>	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

<u>SW</u> <u>C-1</u> <u>27</u>	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
<u>SW</u> <u>C-1</u> <u>25</u>	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SW</u> C-1 24	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SW C-1 23	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SW</u> <u>C-1</u> <u>22</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
<u>SW</u> <u>C-1</u> <u>21</u>	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
<u>SW</u> <u>C-1</u> <u>20</u>	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SW</u> <u>C-11</u> <u>9</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	NOT PASSED
<u>SW</u> <u>C-11</u> <u>8</u>	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SW</u> <u>C-11</u> <u>7</u>	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SW</u> <u>C-11</u> <u>6</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>5</u>	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>4</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SW</u> <u>C-11</u> <u>3</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SW</u> <u>C-11</u> <u>2</u>	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>1</u>	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>O</u>	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
<u>SW</u> <u>C-1</u> <u>08</u>	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
<u>SW</u> <u>C-1</u> <u>06</u>	Unprotected SELFDESTRUC T Instruction	CWE-284: Improper Access Control	PASSED

<u>SW</u> <u>C-1</u> <u>05</u>	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
SW C-1 04	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
SW C-1 03	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	NOT PASSED
<u>SW</u> <u>C-1</u> <u>02</u>	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
<u>SW</u> <u>C-1</u> <u>01</u>	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
<u>SW</u> <u>C-1</u> <u>00</u>	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED



Blockchain Security | Smart Contract Audits | KYC

MADE IN GERMANY