




Liceivi

The Strongest Force to Lift

Licellvi PDO



Molding



Lifting ▲▲▲▲▲	Used Area : Mid Cheeks, Forehead, Jowls, Double Chins, Body Contour					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi PDO Molding	19G	100mm	W/L	185mm	90mm	2-0
	18G	100mm	W/L	185mm	90mm	1-0
	19G	80mm	W/L	162mm	67mm	2-0
	18G	80mm	W/L	162mm	67mm	1-0




Molding Fixation



Lifting ▲▲▲▲▲	Used Area : Mid Cheeks, Forehead, Jowls, Double Chins, Body Contour					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi PDO Molding F	18G	100mm	W/L	185mm	90mm	1-0




Cavern



Volume ▲▲▲▲▲	Used Area : Nasolabial, Neck Lines, Indian Band, Mid Cheeks					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	USP Size	
Licellvi PDO Cavern	23G	60mm	L	410mm	4-0	
	27G	50mm	L	270mm	5-0	



Double Needles



Lifting ▲▲▲▲▲	Used Area : Double Chins, Body Contour, Jowls					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi PDO Molding Double Needle	21G	120mm	N	300mm	193mm	1-0

Licellvi PCL / PLCL



Molding



Lifting ▲▲▲▲	Used Area : Mid Cheeks, Forehead, Jowls, Double Chins, Body Contour					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi PCL Molding	19G	100mm	W/L	185mm	90mm	2-0
	18G	100mm	W/L	185mm	90mm	1-0
	19G	80mm	W/L	162mm	67mm	2-0
	18G	80mm	W/L	162mm	67mm	1-0



Molding Fixation



Lifting ▲▲▲▲	Used Area : Mid Cheeks, Forehead, Jowls, Double Chins, Body Contour					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi PCL Molding F	18G	100mm	W/L	185mm	90mm	1-0



Double Needles



Lifting ▲▲▲▲	Used Area : Double Chins, Body Contour, Jowls					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi PCL Molding Double Needle	21G	120mm	N	300mm	193mm	1-0



Licellvi PLCL



Lifting ▲▲▲▲	Used Area : Mid Cheeks, Forehead, Jowls, Double Chins, Body Contour					
Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi PLCL Molding	19G	100mm	W/L	185mm	90mm	2-0
	18G	100mm	W/L	185mm	90mm	1-0





JWORLD

Your Favourite Thread Manufacturer

by



HUGEL

Jworld Co., Ltd.

Head Office 6F, 17, Samseong-ro 133-gil, Gangnam-gu, Seoul, Korea, 06068

Tel. +82 2 6900 9118 Fax. +82 2 6966 1694 E-mail Sales@jwcosmetic.com

Plant 101, 106, GMP 101, 79, Uiryodanji-gil, Okcheon-eup, Okcheon-gun, Chungcheongbuk-do, Republic of Korea


Test data



Tensile Strength

Total 4 pieces of brands were conducted by the test of tensile strength. Since Each samples has different diameters, we calculate figure by following formula to make exact figures as testing 10 times. As a result, 'Licellvi' by J world show the highest figures in terms of the tensile strength.

$$\text{Tensile Strength(MPa)} = \frac{\text{Tensile Load(N)}}{\text{Diameter(mm}^2\text{)}}$$



Packing Details


Hub Cap

Sutures with needles without a fixed cap were very difficult for doctors to modify or remove when inserting the cannula into the patient. To solve these problems, we fixed the needle and thread ends to a high quality fixed cap so that even if the doctors inserts the cannula in the wrong position, it can be easily changed.



Blister Packing by each

Each thread is sterilized and packed by blister to prevent entering moisture.



J-Press Technology




J-Press Technology



- Manufacturing a preform in a flat shape by rolling thread (Pre-process).
- Putting the preform on a mold with a cog-shaped cutting line and pressing it with patented Press Sculpt method.
- Maintaining the original property of thread by using Press Sculpt method which conducts a minimum heat treatment without causing chemical changes.

Types of Molding Cogs





Specifications



Model name	Cannula			Thread		
	Gauge	Length	Type	Length	Cog Length	USP Size
Licellvi Mono (PDO)	27G	50mm	N	70mm	-	5-0
	29G	38mm	N	50mm	-	6-0
	30G	25mm	N	30mm	-	6-0
Licellvi Molding (PDO/PCL) 	19G	100mm	W/L	185mm	90mm	2-0
	18G	100mm	W/L	185mm	90mm	1-0
	19G	80mm	W/L	162mm	67mm	2-0
	18G	80mm	W/L	162mm	67mm	1-0
Licellvi Molding Fixation (PDO/PCL) 	18G	100mm	W/L	185mm	90mm	1-0
Licellvi PDO Cavern 	23G	60mm	L	410mm		4-0
	27G	50mm	L	270mm		5-0
Licellvi Modling Dobule Needles (PDO/PCL) 	21G	120mm	N	300mm	193mm	1-0

Introduction of J World




JWORLD a specialized manufacturer in aesthetic medical device that pursue the beauty and healthy life.
We have developed molding sutures as medical device with excellent and guaranteed quality.
We consistently make efforts to contribute making safer, more beautiful and healthier life for better future.
To move further steps, we are cooperating with leading partners aggressively and actively.
We will keep continuing to grow markets both domestic and overseas.
We are focusing on needs by client's side and keep developing technology forward.



HUGEL will take a bold leap forward to become a global top-tier company that provides health and beauty to humanity and create value to realize a happy life.

Hugel is a global leader in the aesthetics and therapeutics market dedicated to providing proven, high quality products such as botulinum toxin, HA filler, thread and derma cosmetics.



Patent and Certificates

