

Advanced Location Detection

Detect the country and language of your visitors and configure redirects, default customer language, currency and carrier, besides other actions.

Requirements

- [PrestaShop 1.5.x - 1.7.x](#)
- [Free account in IP2Location](#)
- [PHP 5.4+](#)
- [PHP cURL extension](#)

Installation PrestaShop 1.5.x - 1.6.x

1. Within your Back Office, go to the tab "**Modules > Modules**"
2. Click on the button "**Add new module**"
3. Click the "**Choose a file**" button and load the zip file of the module
4. Click the "**Upload this module**" button and wait for the load to finish
5. Finally, in the list of modules, click the "**Install**" button
6. For more help on this process, visit the link: <https://addons.prestashop.com/en/content/21-how-to>

Installation PrestaShop 1.7.x

1. Within your Back Office, go to the tab "**Modules > Modules & Services**"
2. Press the button "**UPLOAD A MODULE**"
3. Drop the zip archive to the marked area or click the link "**select file**" and upload the zip file of the module
4. For more help on this process, visit the link: <https://addons.prestashop.com/en/content/21-how-to>


Getting Started

Before starting, it is important that you have an account in IP2Location, since the module works with IP databases of this provider. The service is completely free and you can sign up or login in the following link:

<https://lite.ip2location.com/login>


Configuration

Once you have correctly installed the module, you will see a first configuration form, which is intended to make the first download of the default IP database.



The screenshot shows a configuration window titled "GLOBAL SETTINGS". It contains a label "* API token" followed by a text input field. Below the input field is a hint text: "Enter the API token to download the default IP database. You can get it from your account at: <https://lite.ip2location.com/login>". In the bottom right corner, there is a "Save" button with a floppy disk icon.

You must enter the API token which you can obtain from your IP2Location account (<https://lite.ip2location.com/login>).




The screenshot shows a configuration window titled "Download Token". It contains a text input field with the value "G1UGIBKxNCD1ffXS2kKxj4n6WCU240dh14eXK0hG3ccS6dDBWCMnSuYkQNSen5r5a". Below the input field is a hint text: "Use your unique download token to download IP2Location databases."

Once you have entered the API token, you can proceed to save. In case you have problems with the automatic download, go to the section "**Help > Problems with Automatic Download**" of this document to get more details.

Global Settings

Once you have correctly entered your API token and the module detects a correct IP database, then you can configure the module's global options.

Options



The screenshot shows a configuration window titled "Options". It contains two sections:

- Exclude list, IP addresses:** A text input field containing a list of IP addresses: 127, 209.185.108, 209.185.253, 209.85.238, 209.85.238.11, 209.85.238.4, 216.239.33.96. Below the input field is a hint text: "You can add many IP addresses as you need (one per line), the detection will be excluded for these IP addresses, this is needed for a good SEO."
- Exclude list, User agents:** A text input field containing a list of user agents: Googlebot, Bingbot, Yahoo! Slurp, %google%, %bing%, %yahoo%. Below the input field is a hint text: "You can add many User Agents as you need, you can use the wildcard \"%\" at start and end of the word to exclude all agents that match with this word (one per line) (eg. %google%, bingbot), the detection will be excluded for these user agents, this is suggested for a good SEO."

- **Exclude list, IP addresses and Exclude list, User agents:** Options that allow you to exclude detection of all IPs or user agents entered. This allows to maintain a good SEO in your store, since otherwise your site could

be penalized by the most important search engines.

CloudFlare ☐ YES ☒ NO
Turn on this option if you are using CloudFlare on this shop.

Detect currency ☐ YES ☒ NO
Set the currency based on the country of the customer, the country should be defined previously in the Countries list.

Detect language ☒ No
☐ Yes, based on the country, if doesn't exists, then detect by the browser (Recommended)
☐ Yes, based on the country
☐ Yes, based on the browser language
The country should be defined previously in the Countries list (Only for the 2nd and 3rd option)

- **CloudFlare:** This option must be activated only when you are using CloudFlare on your website.
- **Detect currency:** It will allow you to establish the currency related to the detected country, in case a currency is not the one indicated for a country, you can change it by the correct one in the list of countries that you will find at the end of the configurator. It's important that the country is active in the list of countries, otherwise it will be omitted.
- **Detect language:** It will allow you to establish the language related to the detected country, and like the currency, in case a language is not the one indicated for a country, you can change it by the correct one in the list of countries that you will find at the end of the configurator. It's important that the country is active in the list of countries, otherwise it will be omitted.

Set the carrier ☐ YES ☒ NO
Set the carrier based on the country, the country with the carrier should be defined previously in the Countries list.

Enable redirections ☒ YES ☐ NO
When this option is deactivated, no redirection of the "Redirections List" will be executed.

Enable infobars ☐ YES ☒ NO
When this option is deactivated, no infobar of the "Infobars List" will be displayed.

- **Set the carrier:** It will allow you to establish default carriers to the countries, for this you must associate it manually in the list of countries, where it will allow you to indicate a default carrier for each country. It's important that the country is active in the list of countries, otherwise it will be omitted.
- **Enable redirections:** With this option you can deactivate or activate the redirections, so that if you keep it disabled, no redirection created in the redirections list will be executed.
- **Enable infobars:** With this option you can deactivate or activate the infobars, so that if you keep it disabled, no infobar created in the infobars list will be executed.

* Lifetime of the cookie Hrs
 Enter the hours of life that will have the cookie, put to "0" to expire until the browser is closed.

* API token
 Enter the API token to download the default IP database.

* IP Database
 Select the database you want to use for detection.
 NOTE: This module use a free database from ip2location.com, if you need a better accuracy in detection, then you could think in buy the full database [here](#).
 The database should be uploaded to: /modules/rg_locationdetection/libraries/databases/

- **Lifetime of the cookie:** Option that will allow you to enter the lifetime of the cookie, during which time all actions made by the user will be saved and will be reset once the time indicated has been exceeded. It has the option to indicate "0" so that the values are automatically re-established when closing the browser tab, but it is important to note that some browsers only perform this action when closing the browser completely.
- **API token:** Mandatory field in which you must enter the API token which you can obtain from your IP2Location account (<https://lite.ip2location.com/login>).
- **IP Database:** Selector that lists all the databases loaded in the module, which should be hosted in the path `/modules/rg_locationdetection/libraries/databases/`. By default the module operates with the version DB3LITEBINIPV6 which is completely free, but if you require more precision you can choose to acquire a payment database. You will only have to load the file `.BIN` in the aforementioned route.

Other Options

- **Debug:** The module has a unique link where you can perform the corresponding tests. By default the link is generated with the IP of your connection, but you can change this IP for one belonging to another country. There are different proxy sites on the web where you can obtain IPs from different countries.
- **Cron Job:** The module will provide you with a URL that will allow you to update the default IP database automatically, you just need to make sure to add this URL to your cron tasks with an execution interval of at least 2 weeks. IP2Location regularly updates their databases once a month.
- **Update Default Database:** Button that will allow you to update the default IP database manually whenever you want. It is an alternative option in case you do not want to configure a cron task. In case you have problems with the automatic download, go to the section "**Help > Problems with Automatic Download**" of this document to get more details.

Redirections List

Section that shows a list with all the redirections created.

The redirections will allow you to move users to the right stores, ideal if you manage a multi-store that is directed to public from different countries. They also allow you to display a pop-up with content you like, but your main goal is to give the user the option of staying in the store or being redirected to another.

Options

* Countries

☐	Name
☐	Afghanistan
☐	Aland Islands
☐	Albania
☐	Algeria
☐	American Samoa
☐	Andorra
☐	Angola
☐	Anguilla
☐	Antarctica

Select the countries that will be redirected.

* URL

Type the URL to which the visitor will be redirected, eg: <http://www.example.com/>

* Quantity of redirects

Enter the number of redirections that you want allow, use "0" to redirect all the time.

- **Countries:** Mandatory option in which you must select the country or countries for which you want to generate the redirection. You can add or remove countries from the list of countries of the module. It should also be noted that it is not allowed to create 2 or more redirects within the same store with the same country, so, will be available only those who have not been selected in another redirection within the same store, and that are active in the list of countries in the module.
- **URL:** Mandatory option in which you must enter the URL to which the redirection will be performed. The URL must be entered including the protocol (<http://> or <https://>).
- **Quantity of redirects:** Field in which you must specify the number of times you want to redirect the user. In case the redirection has a pop-up window, it will also be the number of times it will be displayed. You can create an infinite redirection by leaving the field at "0".

Use full path

YES

NO

Redirect using the full path of the URL where it comes from.

Here an example about how full path option works.

URL to which the visitor will be redirected: <http://redirection.store.com/>

URL from which the visitor accessed our store: <http://www.my-store.com/en/blouses/2-blouse.html>

With "full path" option enabled, the visitor will be redirected to: <http://redirection.store.com/en/blouses/2-blouse.html>

With "full path" option disabled, the visitor will be redirected to: <http://redirection.store.com/>

Show a popup

YES

NO

Display a popup giving the option to be redirected.

Active

YES

NO

Activate/deactivate this redirection.

- **Use full path:** Very useful option that tries, in a redirection, to keep the user in a page of the same type. For example: if the customer is on the page of a product of a store and a redirection is executed, it will try to

redirect it to the page of the same product in the other store, whenever possible. In a similar way it would happen with the pages of categories, cms, etc. Inside the module you will find a detailed example of its use.

- **Show a popup:** By activating this option will show a text area that will allow you to create personalized multi-language content of a pop-up that will be shown when the redirect is activated. This would be an alternative option to execute the redirection immediately, since its purpose is to give the option to the user to be redirected or not.
- **Active:** Option to explicitly activate or deactivate the redirection you are adding or editing.

Infobars List

Section that shows a list with all those infobars created.

The infobars allow you to display very particular content for one or several countries.

Options

- **Countries:** Mandatory option in which you must select the country or countries for which you want to display the infobar. You can add or remove countries from the list of countries of the module. It should also be noted that it is not allowed to create 2 or more infobars within the same store with the same country, so, will be available only those who have not been selected in another infobar within the same store, and that are active in the list of countries in the module.
- **Infobar content:** Mandatory option where you should enter the content of the infobar. It has tags that will allow you to display the name of the country as well as the image of the flag belonging to the country.

Width
Insert the width of the infobar including the unit type, eg. 100%, 100px, 100em, etc. (Leave in blank to discard)

Height
Insert the height of the infobar including the unit type, eg. 100%, 100px, 100em, etc. (Leave in blank to discard)

Background 
Select the background color. (Leave in blank to discard)

Border size
Insert the border size of the infobar including the unit type, eg. 100%, 100px, 100em, etc. (Leave in blank to discard)

Border color 
Select the border color. (Leave in blank to discard)

Close button color 
Select the color of the close button. (Required when you use the Border size)

Position
Select the position where the infobar will be displayed in the screen.

It has a variety of CSS options that will allow you to style the infobar. For the width, height and border size options, you must enter the unit type.

Static position ☐ YES ☒ NO
The infobar will be visible all the time although scroll the page.

Custom CSS

```
#rg_infobar {
border-bottom: 1px solid #d6d27c; }
.rg_demo-infobar-content {
padding-top: 20px; }
```


Insert your custom CSS for this infobar. (Leave in blank to discard)

Active ☒ YES ☐ NO
Activate/deactivate this infobar.

- **Static position:** Option that will allow you to make your infobar remain anchored to the chosen position, so that it will remain floating even when you scroll on the page.
- **Custom CSS:** In this text area you can enter a custom CSS code to your infobar. You must have knowledge of web design before using this option, otherwise you could alter the design of other elements of your website.
- **Active:** Option to explicitly activate or deactivate the infobar you are adding or editing.

Countries List

Section that shows the list of countries with which the module will operate. By default the information of 244 countries is included, which you can add or edit according to your need.

Options to Highlight

- **Currency ISO Code:** You must specify the ISO code of the currency (in three digits). This would be the currency that the module would establish in the store, as long as the main option of "Detect currency" is activated. It must also be available in your currencies list.
- **Language ISO Code (first option):** You must specify the ISO code of the language (in two digits). This would be the language that the module would establish in the store, as long as the main option of "Detect language" is activated. It must also be available in your languages list. It also has two additional language options which would be considered when establishing the language in the store.
- **Carrier:** Option that will allow you to select the default carrier to the country you are editing.

Help

Problems with Automatic Download

Some servers do not allow local download of files for security reasons. In case this is your problem, you can choose to manually download the IP database from your IP2Location account, and then upload it directly to your server.

How to download it?

- Go to: <https://lite.ip2location.com/login>
- Log in with your account. If you do not have one you can create it, it's free.
- Go to: Account > File Download
- A little further down in the list of databases, click on tab: IP2Location IPv6 Database
- Download the corresponding BIN file to the code "DB3LITEBINIPV6"

How to upload the IP database manually?

- Extract the downloaded ZIP file.
- Using any file manager (such as FileZilla), upload the extracted file "IP2LOCATION-LITE-DB3.IPV6.BIN" to the path: `/modules/rg_locationdetection/libraries/databases/`