

README

Soleil98

2023-01-26

PIPS2023

About

This repository contains three R functions that have been created as part of an assignment for the Programming in Psychological Science course at the UvA in 2023.

The Functions

remind_me()

The remind_me() function returns some things that are useful for myself to remember. It does not take any arguments.

```
source("remind_me_function.R")
remind_me()

## [[1]]
## [1] "Brush teeth"
##
## [[2]]
## [1] "Wash hands after visiting the toilet"
##
## [[3]]
## [1] "Take out trash"
##
## [[4]]
## [1] "Call back God"
##
## [[5]]
## [1] "Print out notes for exam"
```

cheat()

The cheat() function tells the user the correct solution to questions from the third assignment of the course by printing to the console. It currently works for Q3.1.3, Q3.1.7 and Q3.1.11 of the assignment.

The exercise number must be entered as a string.

```
source("cheat_function.R")
cheat("Q3.1.3")

## The correct solution to Q3.1.3 is:
##
##   library(ggplot2)
##   library(titanic)
##   ggplot(titanic_train, aes(x = Sex, fill = factor(Survived, labels =
c('dead', 'alive')))) +
##   geom_bar() +
##   labs(fill = 'How did it go?'))
## }
```

make_art()

The `make_art()` function produces random artworks in R. It takes an optional argument which sets the seed for the randomly generated artwork to ensure its reproducibility. As in the `set.seed()` function, `make_art()` can take any integer numeric value.

```
source("make_art_function.R")
make_art(seed = 13)
```

Your Art



Usage

To use the functions in RStudio, you can copy and run the code from the files in this repository (<https://github.com/Soleil98/PIPS2023/tree/main>) in RStudio. All three functions run without any argument, but you can specify optional arguments for `cheat()` and `make_art()` as explained above.