



Technical Report: 96241160310
Date Received: APRIL 25, 2024

JUNE 03, 2024
Page 1 of 15

DAI VIET CO., LTD
NO. 276/19/13 TRAN HUNG DAO STREET, DONG B QUARTER, DONG HOA WARD, DI AN CITY, BINH DUONG
PROVINCE, VIETNAM.

Sample Description:	TWIN BED	Sample Size:	/
Vendor:	DAI VIET CO., LTD	VPN:	/
Manufacturer:	DAI VIET CO., LTD	SKN/SKU No.:	WF297685/86
Buyer:	/		/
Agent:	/	PO No.:	V159VDY20240327LE
Labeled Age Grade:	/	Ref #:	/
Appropriate Age Grade:	/	Country of Origin:	VIETNAM
Client Specified Age Grade:	/	Assortment No.:	/
Tested Age Grade:	/	Department No.:	/
UPC Code:	/	Item#:	2100X1062X1760
Phase of Production:	/	Date of Production:	/
Color:	WHITE/GREY/ ESPRESSO	Model/Style#:	/
Program:	/	Country of Destination:	USA
Previous No:	/		

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a-Children Product Containing Lead	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
ASTM F1427-21e1 Bunk Beds	X				

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.
- The Chemical test following reports listed:

No.	Tested component:	Chemical test	Reference report	Report issued date
1	Grey Coating/ Wood	Lead	96241160326	May 10, 2024
2	Espresso Coating/ Wood	Lead	96241160313	June 03, 2024



DAI VIET CO., LTD
Technical Report: **96241160310**
JUNE 03, 2024
Page 2 of 15

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com

Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com

Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	White Coating/ Wood	Coating	-
I002	No Coating/ Slat	Coating	-
I003	Yellow/ Black Coating/ Warning Label	Coating	-
I004	Yellow/ Red/ White Coating/ Maximum Weight Label	Coating	-
I005	White/ Black/ Yellow Coating/ Caprop65 Warning Label	Coating	-
I006	Black/ White Coating/ Tracking Label	Coating	-
I007	Black/ White Coating/ Coo Label	Coating	-
I008	Plywood	Wood	-
I009	MDF	Wood	-
I010	Silver Bolt	Metal	-
I011	Silver Barrel Nut	Metal	-
I012	Yellow Round Head Screw	Metal	-
I013	Yellow Flat Head Screw	Metal	-
I014	Silver Screw	Metal	-
I015	No Coating/ Front Panel	Coating	-



TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	90 mg/kg
----------------------------------	-----------------

-	Unit	Result			
Test Item(s)	-	I001	I002	I003	I004
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	-	ND	ND
Conclusion	-	PASS	NA	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I005	I006	I007	I015
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	-
Conclusion	-	PASS	PASS	PASS	NA

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Detection Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.

TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result			
Test Item(s)	-	I008	I009	I010	I011
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result		
Test Item(s)	-	I012	I013	I014
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND
Conclusion	-	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
 Detection Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
 - According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead weight.
-



TEST RESULT

Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result			
Test Item(s)	-	I001	I002	I003	I004
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	-	ND	ND
Conclusion	-	PASS	NA	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I005	I006	I007	I015
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	-
Conclusion	-	PASS	PASS	PASS	NA

-	Unit	Result			
Test Item(s)	-	I008	I009	I010	I011
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I012	I013	I014	
Parameter	-	-	-	-	
Total Lead (Pb)	mg/kg	ND	ND	ND	
Conclusion	-	PASS	PASS	PASS	

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- Tested per client's request



REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	NA
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	NA
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M



REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	NA
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	NA
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	NA
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section






GREY



ESPRESSO



CA PROP 65 WARNING LABEL



COUNTRY OF ORIGIN LABEL



SAFETY MAXIMUM WEIGHT LABEL



TRACKING LABEL





