

**Technical Report:****96232550286**

SEPTEMBER 19, 2023

Date Received:

SEPTEMBER 12, 2023

Page 1 of 23

VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED
LAND LOT NO 246, MAP NO 4, CAY CHAM QUARTER, THANH PHUOC WARD, TAN UYEN CITY, BINH DUONG
PROVINCE, VIET NAM

Sample Description:	LOFT BED WITH SLIDE+ SHELVES + DRAWERS	Sample Size:	/
Vendor:	VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED		
Manufacturer:	VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED	VPN:	/
Buyer:	GIGACLOUD TECHNOLOGY(USA) INC	SKN/SKU No.:	WF286704AAK/ WF286705AAK/ WF286706AAK, WF286704AAE/ WF286705AAE/ WF286706AAE, WF286704AAP/ WF286705AAP/ WF286706AAP
Agent:	/		/
Labeled Age Grade:	/	PO No.:	ALL PO
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	PRODUCTION	Item#:	/
Color:	WHITE/ GREY / ESPRESSO	Date of Production:	/
Program:	/	Model/Style#:	WF286704AAK/ WF286705AAK/ WF286706AAK, WF286704AAE/ WF286705AAE/ WF286706AAE, WF286704AAP/ WF286705AAP/ WF286706AAP
Previous No:	N/A	Country of Destination:	USA

**Bureau Veritas
Consumer Products Services (VN) Ltd.**

Lot C7-C9, Conurbation 2, Cat Lai Industrial Zone,
Thanh My Loi Ward, Thu Duc City, HCMC, Vietnam
Tel: 84-028-37421604~6 Fax: 84-028-37421603
website:www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
ASTM F1148-22 Home Playground Equipment	X				
ASTM F1427-21e1 Bunk Beds	X				

Note(s):

- The Chemical test following reports listed:

No.	Tested component:	Chemical test	Reference report	Report issued date
(1)	White Coating/ Wood	CPSIA Lead	96231370375	June 01, 2023
(2)	Grey Coating/ Color Panel			
(3)	No Coating/ Slats			
(4)	No Coating/ Yellow & Silver Hardware			
(5)	Coating/ Warning Label (Bunk Bed)			
(6)	Coating/ CA Prop.65 Label			
(7)	Coating/ Maximum Weight Label			
(8)	Coating/ White Glide			
(9)	Coating/ Warning Label (Slide)	CPSIA Lead	96231370374	June 01, 2023
(10)	Coating/ Tracking Label			
(11)	Yellow Flat Head Screw			
(12)	MDF	CPSIA Lead	96231370375	June 01, 2023
(13)	Plywood			
(14)	Yellow Bolt			
(15)	Yellow Round Head Screw			
(16)	Yellow Barrel Nut			
(17)	Silver Screw			
(18)	White Glide			
(19)	Handle Bolt			
(20)	Espresso Coating/ Color Panel	CPSIA Lead	96231770163	July 12, 2023
(21)	Yellow Hook Ladder/Yellow Slide Hook	CPSIA Lead	96231370374	June 01, 2023
(22)	Yellow Corner Bracket	CPSIA Lead	96232070649	June 01, 2023
(23)	Handle	CPSIA Lead	Actual Test	
(24)	Shelf Support	CPSIA Lead	Actual Test	

- This report includes the test result(s) which was conducted & reviewed by Analytical department.



VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED

Technical Report: **96232550286**

SEPTEMBER 19, 2023

Page 3 of 23

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com

Back-up Contact: Alvest Nguyen, Tel: 848-37421-604 ~ 6, Ext: 841; email: alvest.nguyen@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com

Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN

AUTHORIZED REPORT APPROVER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED

Technical Report: **96232550286**

SEPTEMBER 19, 2023

Page 4 of 23

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	Transparent Coating/ Handle	Coating	-
I002	Handle	Metal	-
I003	Off White Plastic Shelf Support	Hard Plastic	-
I004	Yellow Corner Bracket	Metal	-

TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit:	90 mg/kg
---------------------------------	-----------------

-	Unit	Result
Test Item(s)	-	I001
Parameter	-	-
Total Lead (Pb)	mg/kg	ND
Conclusion	-	PASS

Note / Key :

ND = Not detected

NA = Not applicable

">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.



VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED

Technical Report: **96232550286**

SEPTEMBER 19, 2023

Page 5 of 23

TEST RESULT

Total Lead Content in Substrate:

- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :		100 mg/kg		
-	Unit	Result		
Test Item(s)	-	I002	I003	I004
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	25	ND	ND
Conclusion	-	PASS	PASS	PASS

Note / Key :

ND = Not detected

NA = Not applicable

">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

10000 mg/kg = 1 %

% = percent

Detection Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead weight.



RESULT(S):

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	NA
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	NA
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M



VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED
Technical Report: **96232550286**
SEPTEMBER 19, 2023
Page 7 of 23

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable NR = Not Required R = Refer to Comment Section



RESULTS:

Standard Consumer Safety Performance Specification for Home Playground Equipment (ASTM F1148-22)

Section	Requirements	Result
4	Materials and Manufacture	-
4.1	General	NT
4.1.1	Metal, wood, plastic	NT
4.1.2	Ingestion, inhalation, or absorb of substance	NT
4.1.3	Lead in Paint	M
5	General Requirements	-
5.1	Applicable to All Home Playground Equipment	NA
5.1.1&5.1.2	Statement of conformance	NA
5.2	Small Parts	NA
6	Performance Requirements	-
6.1	Head and Neck Entrapment	-
6.1.1	Accessible Openings	NA
6.1.2	Completely bounded openings	NA
6.1.3	Nonrigid Completely Bounded Openings	NA
6.2	Acute Angles	NA
6.3	Protrusions	M
6.4	Edges, Points, and Surfaces	M
6.5	Open Tubing	NA
6.6	Crush and Shear Points	NA
6.7	Holes and Slots	M
6.8	Hardware	M
6.9	Hooks	NA
6.10	Hand Support: Hand Gripping/Grasping Components	NA
7	Requirements for Access	-
7.1	Rung Ladders, Stepladders, and Stairways	NA
7.2	Handrails	NA
7.3	Guardrails and Protective Barriers	NA
8	Equipment	-
8.1	Swings	NA
8.2	Slides	M
8.3	Merry-Go-Rounds	NA
8.4	Ropes	NA
9	Equipment Layout	-
9.1	Play Structure Use Zone	NA
10	Installation	M
10.1	Installation Instructions and Information	M
11	Structural Integrity	M
11.1	General	NA
11.1.1	Handholds, Footholds, and Horizontal Supporting Members	NA
11.1.2	Top Support Bar	NA
11.1.3	Individual Suspended Units	NA
11.1.4	Slides	M
11.1.5	Rockers	NA
11.1.6	Merry-Go-Rounds	NA
11.1.7	Climbing Towers/Jungle Gyms	NA
11.1.8	Platforms	NA
11.1.9	Climbing Components	NA
12	Maintenance Instructions	M



VIETNAM GOLDEN LAND FURNITURE COMPANY LIMITED

Technical Report: **96232550286**

SEPTEMBER 19, 2023

Page 9 of 23

Standard Consumer Safety Performance Specification for Home Playground Equipment (ASTM F1148-22)

Section	Requirements	Result
13	Labeling and Signage	M
14	Information	M

M = Meet NM = Not Meet NA = Not Applicable NR = Not Required R = Refer to Comment Section


RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	NA
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	NA
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	NA
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labelling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section






ESPRESSO



GREY

HANDLE



WARNING LABEL (BUNK BED)



CA PROP.65 LABEL



COUNTRY OF ORIGIN LABEL



MAXIMUM WEIGHT LABEL





TRACKING & TSCA LABEL

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY(USA) INC.
18961 Arenth Ave, City of Industry,
CA 91748
Made in Binhduong, Vietnam
08/2023
WF286704/WF286705/WF286706
TSCA Title VI Compliant
California 93120 Phase 2 Compliant
for Formaldehyde



CARTON - WF286704AAK



CARTON - WF286705AAK

[illegible]



CARTON - WF286706AAK

	WF286706AAK P.O.NO.: V349YJL20230616LE LOFT BED WITH SLIDE + SHELVES + DRAWERS- WHITE KUR: 84x8 LBS G.W: 86.74 LBS QTY: 1 SET MEAS: 83.52"x19"x11 INCH 	
	Important Please open carefully. Returns will only be accepted in original package. Do not open with knife ITEM: LOFT BED WITH SLIDE + SHELVES + DRAWERS- WHITE WF286706AAK  BOX: 3 OF 3 MADE IN VIETNAM 	
	WF286706AAK P.O.NO.: V349YJL20230616LE  LOFT BED WITH SLIDE + SHELVES + DRAWERS- WHITE KUR: 84x8 LBS G.W: 86.74 LBS QTY: 1 SET MEAS: 83.52"x19"x11 INCH 	

