



Technical Report: 96242980345
Date Received: OCTOBER 24, 2024

OCTOBER 31, 2024
Page 1 of 9

GIGACLOUD TECHNOLOGY(USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731

Sample Description:	TWIN SIZE CAR BED	Sample Size:	/
Vendor:	GIGACLOUD TECHNOLOGY (USA) INC.		
Manufacturer:	GIGACLOUD TECHNOLOGY (USA) INC.	VPN:	/
Buyer:	GIGACLOUD TECHNOLOGY (USA) INC.	SKN/SKU No.:	/
Agent:	/		/
Labeled Age Grade:	/	PO No.:	ALL PO
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIET NAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	PRODUCTION	Item#:	WF311752
Color:	/	Date of Production:	/
Program:	/	Model/Style#:	/
Previous No:	N/A	Country of Destination:	USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C. § 1278a Total Lead Content	X				
ASTM F1427-21e1 Bunk Beds				X	
16 CFR 1213 Bunk Beds				X	
16 CFR 1513 Requirements for Bunk Beds				X	
16 CFR 1500.48 16 CFR 1500.49, Sharp points and Sharp edges	X				
15 U.S.C. § 2063(a)(5), Tracking label for children's products	X				

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.



GIGACLOUD TECHNOLOGY (USA) INC.
Technical Report: **96242980345**
OCTOBER 31, 2024
Page 2 of 9

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com

Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com

Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	Blue Coating/ Wooden Frame	Coating	-
I002	Silver/ White Overlapping Coating/ Décor On Footboard Slat	Coating	-
I003	Black Coating/ Wheels	Coating	-
I004	Black/ Yellow Overlapping Coating/ Warning Label, TSCA Label	Coating	-
I005	Yellow/ Red Overlapping Coating/ Safety Maximum Weight Label	Coating	-
I006	MDF	Wood	-
I007	Plywood	Wood	-
I008	Silver Metal/ Screw	Metal	-
I009	Silver Metal/ Bolt	Metal	-
I010	Silver Metal/ Barrel Nut	Metal	-

TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :		90 mg/kg	
-	Unit	Result	
Test Item(s)	-	I001+I002+I003	I004+I005
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Detection Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.



TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :		100 mg/kg			
-	Unit	Result			
Test Item(s)	-	I006+I007	I008	I009	I010
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
 - According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead weight.
-



TEST RESULT

Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result	
Test Item(s)	-	I001+I002+I003	I004+I005
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I006+I007	I008	I009	I010
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- Tested per client's request
-



RESULT(S):


Evaluation	Citation / Method	Test procedure	Results	Rating
Sharp points and sharp edges	16 CFR 1500.48 16 CFR 1500.49	Items intended for children under 8 years of age shall not have accessible, potentially hazardous sharp points, sharp edge before or after use and abuse testing	M	PASS
Tracking Label For Children's Product	CPSIA 103	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the presence only. The accuracy of tracking label will not be verified. Note: Manufacturer or Private Labeler name can not be coded.	M	PASS

Results Key:

M	Meets	NM	Does Not Meet
NA	Not Applicable	NT	Not Tested
C	Claimed	R	Recorded



LABEL PHOTO

 WARNING This product can expose you to chemicals including arsenic, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.	 SAFETY MAXIMUM WEIGHT 250 LBS POIDS MAXIMUM DE SECURITE 250 LBS
CA PROP 65 LABEL	MAXIMUM WEIGHT LABEL
 Informations de conformité - Non détaillant GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTE, CA 91731 Fabriqué au Binh Duong, Viet Nam 10/2024 V705YFZ20230823LE WF311752 Niveau de conformité : Californie 93120 Phase 2 et Conforme à la norme 40 CFR 770 TSCA Titre VI pour le formaldéhyde	 Compliance Information - Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTE, CA 91731 Made in Binh Duong, Viet Nam 10/2024 V705YFZ20230823LE WF311752 Compliance Level: California 93120 Phase 2 and 40 CFR 770 TSCA Title VI Compliant for Formaldehyde
TRACKING LABEL	TRACKING LABEL