



Technical Report: 96250590472
Date Received: FEBRUARY 28, 2025

MARCH 12, 2025
Page 1 of 11

GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731

Sample Description: PLAYPEN - TODDLER HOUSE BED
Vendor: GIGACLOUD TECHNOLOGY (USA) INC. Sample Size: /
Manufacturer: ZHIAO VPN: /
SBuyer: GIGACLOUD SKN/SKU No.: MF315933AAB, MF315933AAK
Agent: /
Labeled Age Grade: / PO No.: /
Appropriate Age Grade: / Ref #: /
Client Specified Age Grade: / Country of Origin: VIETNAM
Tested Age Grade: / Assortment No.: /
UPC Code: / Department No.: /
Phase of Production: PRODUCTION Item#: /
Color: BLACK, WHITE Date of Production: /
Program: / Model/Style#: 2303-US-WM-116-FULL
Previous No: N/A Country of Destination: USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a-Children Product Containing Lead	X				
ASTM F1169- 19 Section 6.7 (Modify), Spindle/Slat Strength Testing	X				



Note(s):

- The Chemical test following reports listed:

No.	Tested component:	Chemical test	Reference report	Report issued date
1	White Coating/Metal Frame	Lead	Actual test	-
2	Coating/ Sliding Bolt On Latch			
3	Coating/ Metal On Latch			
4	Coating/ Spring On Latch			
5	Coating/Hinge			
6	Silver Hinge			
7	Silver Rivet			
8	Sliding Bolt On Latch			
9	Metal On Latch			
10	Spring On Latch			
11	Black Coating/ Tracking Label		96242200634	AUGUST 26, 2024
12	Red Coating/ Country Origin Label			
13	Black/ Red/ Yellow Overlapping Coating/ Ca Prop 65 Label			
14	Black Coating/Metal Frame			
15	Coating/Hardware		96243180616	NOVEMBER 18, 2024
16	Frame			
17	Silver Bolt			
18	Black Plastic Foot Cap			

- This report includes the test result(s) which was conducted & reviewed by Analytical department.



GIGACLOUD TECHNOLOGY (USA) INC.
Technical Report: **96250590472**
MARCH 12, 2025
Page 3 of 11

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com

Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com

Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	White Coating/ Metal Frame	Coating	-
I002	No Coating/ Sliding Bolt On Latch	-	-
I003	White Coating/ Metal On Latch	Coating	-
I004	No Coating/ Spring On Latch	-	-
I005	No Coating/ Hinge	-	-
I006	Silver Hinge	Metal	-
I007	Silver Rivet	Metal	-
I008	Sliding Bolt On Latch	Metal	-
I009	Metal On Latch	Metal	-
I010	Spring On Latch	Metal	-

TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :		90 mg/kg			
-	Unit	Result			
Test Item(s)	-	I001+I003	I002	I004	I005
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	-	-	-
Conclusion	-	PASS	NA	NA	NA

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Reporting Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.



TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :		100 mg/kg				
-	Unit	Result				
Test Item(s)	-	I006	I007	I008	I009	I010
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Reporting Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
 - According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead weight.
-



RESULT(S):

Evaluation	Citation / Method	Criteria	Results	Rating
Spindle/Slat Strength Testing	ASTM F1821-19e2 Section 6.7 (Modify)	Gradually, over a period of not less than 2s nor greater than 5s, apply an 80 lbf force perpendicular to the plane of the side at the midpoint, between the top and bottom of the spindle/slat being tested. This force shall be applied through a force measuring device and contact area $1\pm 1/16$ in wide by a length at least equal to the width of spindle/slat being tested at the point of application, this force shall be maintained for 10s. After testing, there shall be no complete breakage of any spindle/slat or complete separation of either end of a spindle/slat from the assembly's horizontal members The spacing between all adjacent intact spindles/slats shall comply with requirements of 5.8.2. Spacing between slats that have an intervening gap due to an allowable slat breakage shall not be evaluated for compliance with 5.8.2. Any resultant damage to the rail or slat, or both, arising from an allowed slat breakage, under subsection 7.7, shall not be evaluated for compliance with any other section of this standard. Modify: Expand scope to bed	M	PASS

Results Key:


M	Meets	NM	Does Not Meet
NA	Not Applicable	NT	Not Tested
C	Claimed	R	Recorded




BLACK COLOR



CARTON BLACK





LABEL ON PRODUCT

