



Technical Report: 96242290340.REVISION 1
Date Received: AUGUST 19, 2024

SEPTEMBER 07, 2024
Page 1 of 15

GIGACLOUD TECHNOLOGY(USA) INC.
4388 SHIRLEY AVENUE MONTE, CA 91731

Sample Description:	MINI BED WITH DESK AND DRAWERS		
Vendor:	GIGACLOUD TECHNOLOGY(USA) INC.	Sample Size:	/
Manufacturer:	GIGACLOUD TECHNOLOGY(USA) INC.	VPN:	/
Buyer:	GIGACLOUD TECHNOLOGY(USA) INC.	SKN/SKU No.:	/
Agent:	/		/
Labeled Age Grade:	/	PO No.:	ALL PO
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	PRODUCTION	Item#:	WF302251/ WF302252
Color:	/	Date of Production:	/
Program:	/	Model/Style#:	/
Previous No:	N/A	Country of Destination:	USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a-Children Product Containing Lead	X				
ASTM F1427-21e1 Bunk Beds	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
16 CFR 1500.48/16 CFR 1500.49 (Modify), Sharp Points And Sharp Edges	X				
CPSIA 103, Tracking Label For Children's Products	X				

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.
- This report was revised to add result of "Tracking label for children's products"



If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com

Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com

Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	White Coating/ Sample	Coating	-
I002	Black Coating/ Sample	Coating	-
I003	Black Coating/ Black Glide	Coating	-
I004	White Coating/ White Glide	Coating	-
I005	Red/ Yellow Overlapping Coating/ Label	Coating	-
I006	Metal Bolt	Metal	-
I007	Metal Barrel Nut	Metal	-
I008	Metal Cap Nut	Metal	-
I009	Metal Screw	Metal	-
I010	MDF	Wood	-
I011	Plywood	Wood	-
I012	Metal Bracket	Metal	-
I013	Black Glide	Metal	-
I014	Metal Bearing Ball/ Black Glide	Metal	-
I015	Plastic Lock/ Black Glide	Hard Plastic	-
I016	Plastic Top Stop/ Black Glide	Hard Plastic	-
I017	Plastic Bottom Stop/ Black Glide	Soft Plastic	-
I018	White Glide	Metal	-
I019	Plastic Wheel/ White Glide	Hard Plastic	-
I020	Black Coating/ Warning Label	Coating	-
I021	Black Coating/ Tracking Label	Coating	-
I022	Red/ Yellow/ Black Overlapping Coating/ CA Prop Label	Coating	-



TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	90 mg/kg
----------------------------------	-----------------

-	Unit	Result			
Test Item(s)	-	I001	I002	I003	I004
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I005	I020	I021	I022
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Detection Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not be tested individually due to overlapping.



TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result				
Test Item(s)	-	I006	I007	I008	I009	I010
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	Unit	Result				
Test Item(s)	-	I011	I012	I013	I014	I015
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	30	ND	ND	19
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I016	I017	I018	I019
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead weight.



TEST RESULT

Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result			
Test Item(s)	-	I001	I002	I003	I004
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I005	I020	I021	I022
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result				
Test Item(s)	-	I006	I007	I008	I009	I010
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	Unit	Result				
Test Item(s)	-	I011	I012	I013	I014	I015
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	30	ND	ND	19
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I016	I017	I018	I019
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- Tested per client's request



RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	NA
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	NA
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	NA
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable NR = Not Required R = Refer to Comment Section



RESULT(S):

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	NA
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	NA
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M



REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

Evaluation	Citation / Method	Test procedure	Results	Rating
Sharp Points And Sharp Edges	16 CFR 1500.48/ 16 CFR 1500.49 (Modify)	Shall not have accessible, potentially hazardous sharp point and/ or sharp edge before or after use and abuse testing. Modify: Expends scope to all children products.	M	PASS

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

RESULT(S):

Evaluation	Citation / Method	Test procedure	Results	Rating
Tracking label for children's products	CPSIA 103	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the presence only. The accuracy of tracking label will not be verified. Note: Manufacturer or Private Labeler name can not be coded	M	PASS

Results Key:

M	Meets	NM	Does Not Meet
NA	Not Applicable	NT	Not Tested
C	Claimed	R	Recorded







WARNING LABEL

350.00 mm	
50.00 mm ⚠ WARNING TO HELP PREVENT serious or fatal injuries from entrapment or falls: • Use guardrails on both sides of upper bunk. • Prohibit horseplay on or under bed (s). • Prohibit more than one person on upper bunk. • Use ladder for entering and leaving upper bunk. Strangulation Hazard - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited, hooks, belts and jump ropes. Made in Viet Nam	⚠ AVERTISSEMENT POUR AIDER À PRÉVENIR les blessures graves ou mortelles causées par le piégeage: • Utiliser des garde-corps des deux côtés du lit supérieur. • Interdire les chahuts sur ou sous le(s) lit(s). • Interdire plus d'une personne sur la couchette supérieure. • Utiliser une échelle pour entrer et sortir du lit supérieur. • Ne laissez jamais un enfant de moins de 6 ans sur la couchette supérieure. • Utilisez uniquement un matelas mesurant 74" à 75" de long et 38 1/2" de large sur le lit supérieur. • Assurez-vous que l'épaisseur du matelas ne dépasse pas 6". Et cette surface du matelas se trouve à au moins 5" sous le bord supérieur des garde-corps. Risque d'étranglement - N'attachez ou ne suspendez jamais d'objets à une partie du lit superposé qui ne sont pas conçus pour être utilisés avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter. Fabrique au Vietnam
DO NOT REMOVE THIS LABEL	
NE PAS ENLEVER CETTE ÉTIQUETTE	

WARNING LABEL






CA PROP 65 LABEL



MAXIMUM WEIGHT LABEL



TRACKING LABEL



CARTON LAYOUT

	ITEM : MINI BED WITH DESK AND DRAWERS - WHITE ARTICLE : MINI LIT AVEC BUREAU ET TIROIRS - BLANC WF302251AAK BOX ENCADRÉ : 1 DE 2 21 7.4 11.5 WF302251AAK P.O.NO. / P.O.NUMÉRO : V815YFZ0240517LE COLOR / COULEUR : WHITE / BLANC QTY / QTE : 1PC N.W. : 58.30 LBS G.W. : 62.94 LBS MEAS / MESURE : 81.10 X 12.40 X 5.75 INCH MADE IN VIETNAM / FABRIQUÉ EN VIETNAM		

	ITEM : MINI BED WITH DESK AND DRAWERS - WHITE ARTICLE : MINI LIT AVEC BUREAU ET TIROIRS - BLANC WF302252AAK BOX ENCADRÉ : 2 DE 2 21 7.4 8 WF302252AAK P.O.NO. / P.O.NUMÉRO : V815YFZ0240517LE COLOR / COULEUR : WHITE / BLANC QTY / QTE : 1PC N.W. : 81.40 LBS G.W. : 88.40 LBS MEAS / MESURE : 36.25 X 16.60 X 10.25 INCH MADE IN VIETNAM / FABRIQUÉ EN VIETNAM		

255

915

255



TRACKING LABEL ON CARTON

Informations de conformité - Non détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué au Binh Duong, Viet Nam
09/2024
VxxxYFZxxxxxxxxLE
WF302251/WF302252

Niveau de conformité : Californie 93120 Phase 2 et
Conforme à la norme 40 CFR 770 TSCA Titre VI pour le formaldéhyde