

Blockchain Security | Smart Contract Audits | KYC Development | Marketing

MADE IN GERMANY

# Moon Deploy

# Audit

Security Assessment 03. May, 2023

For







Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	24
Source Units in Scope	26
Critical issues	27
High issues	27
Medium issues	27
Low issues	27
Informational issues	28
Alleviation	28
Audit Comments	28
SWC Attacks	30

#### **Disclaimer**

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	28. April 2023	<ul><li>Layout project</li><li>Automated-/Manual-Security Testing</li><li>Summary</li></ul>
1.1	03. May 2023	· Reaudit

#### Network

Binance Smart Chain and Ethereum

#### Website

https://moondeploy.com

#### **Twitter**

https://twitter.com/MoonDeploy

#### **Description**

MoonDeploy is a growing hub of web3 tools for decentralized finance. Since 2020, we offers many useful and innovative tools such as token generator, liquidity locker, wallet address generator and more. Beside, we also provides smart contract development services and continue develop new web3 products to contribute to the blockchain evolution.

#### **Project Engagement**

During the Date of April 2023, **MoonDeploy Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.

#### Logo



## Contract Link v1.0

Provided as Files

#### **v1.1**

Provided as Files

**Note for Investors:** We only Audited an ERC20 token contract for **Moon Deploy Team**. However, If the project has other contracts (for example, a Presale contract, staking, etc), and they were not provided to us in the audit scope then we cannot comment on its security and we are not responsible for it in any way.

## **Vulnerability & Risk Level**

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon aspossible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	O – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

# Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.


## Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
  - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
  - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
  - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
  - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
  - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

## **Used Code from other Frameworks/Smart Contracts (direct imports)**

#### Imported packages:



#### **Tested Contract Files**

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

#### **v1.0**

File Name	SHA-1 Hash
contracts/	8a7712c53a98cef1a74f37a98c16292fe36f0
MoonDeploy.sol	b84

## **Metrics**

## Source Lines v1.0



## **Capabilities**

#### **Components**

Contracts	ELibraries	Interfaces	Abstract
2	0	6	2


#### **Exposed Functions**

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.




External	Internal	Private	Pure	View
77	77	5	10	36

#### **StateVariables**




#### Capabilities




## **Inheritance Graph**

#### **v1.0**



## CallGraph v1.0



#### **Scope of Work/Verify Claims**

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

- 1. Is contract an upgradeable
- 2. Correct implementation of Token standard
- 3. Deployer cannot mint any new tokens
- 4. Deployer cannot burn or lock user funds
- 5. Deployer cannot pause the contract
- 6. Deployer cannot set fees
- 7. Deployer cannot blacklist/antisnipe addresses
- 8. Overall checkup (Smart Contract Security)

### Is contract an upgradeable

Name	
Is contract an upgradeable?	No



## **Correct implementation of Token standard**

	ERC20			
Function	Description	Exist	Tested	Verified
TotalSupply	Provides information about the total token supply	<b>√</b>	<b>√</b>	✓
BalanceOf	Provides account balance of the owner's account	$\checkmark$	<b>√</b>	✓
Transfer	Executes transfers of a specified number of tokens to a specified address	<b>√</b>	<b>√</b>	✓
TransferFrom	Executes transfers of a specified number of tokens from a specified address	<b>√</b>	<b>√</b>	<b>√</b>
Approve	Allow a spender to withdraw a set number of tokens from a specified account	<b>√</b>	<b>√</b>	<b>√</b>
Allowance	Returns a set number of tokens from a spender to the owner	<b>√</b>	1	<b>√</b>

## Write functions of contract v1.0

- updateRouter
- excludeFromFees
- excludeMultipleAccountsFromFees
- changeDevAndMarketingWallet
- changeTaxForLiquidityDevAndMarketing
- setSwapTokensAtAmount
- manualSwap
- recoverTokens
- enableBurnLiquidityFee
- updateAuditReport
- updateLiquidityLockUrl
- updateTokenLockUrl
- setAutomatedMarketMakerPair

### **Deployer cannot mint any new tokens**

Name	Exist	Tested	Status
Deployer cannot mint	$\checkmark$	$\checkmark$	$\checkmark$
Max / Total Supply	100000	000	

#### Comments:

#### **v1.0**

· Owner cannot mint new tokens

### Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	_	_	_
Deployer cannot burn	-	_	-



#### **Deployer cannot pause the contract**

Name	Exist	Tested	Status
Deployer cannot pause	-	_	-



### **Deployer cannot set fees**

Name	Exist	Tested	Status
Deployer cannot set fees over 15%	$\checkmark$	<b>√</b>	$\checkmark$
Deployer cannot set fees to nearly 100% or to 100%	<b>√</b>	<b>√</b>	$\checkmark$

#### Comments:

#### **v1.0**

Fees cannot be set without any limitations

## Deployer can blacklist/antisnipe addresses

Name	Exist	Tested	Status
Deployer cannot blacklist/antisnipe addresses	-	-	_



### **Overall checkup (Smart Contract Security)**



#### Legend

Attribute	Symbol
Verified / Checked	$\checkmark$
Partly Verified	P
Unverified / Not checked	X
Not available	-

## Modifiers and public functions v1.1

- updateRouter
- excludeFromFees
- excludeMultipleAccountsFromFees
- changeDevAndMarketingWallet
- changeTaxForLiquidityDevAndMarketing
- setSwapTokensAtAmount
- manualSwap
- recoverTokens
- updateAuditReport
- updateLiquidityLockUrl
- updateTokenLockUrl
- setAutomatedMarketMakerPair

#### **Ownership Privileges**

- Update Router address
- Include/Exclude accounts from fees
- Set/Change Dev and Marketing wallet address
- Set/Change tax for Dev and Marketing but not more than 15%
- Set swap tokens at amount but within a safe range
- Manually swap contract balance

- Withdraw any type of tokens from the contract balance including both foreign and native
- Set AMM pair

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.



## **Source Units in Scope** v1.0

File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score
contracts/MoonDeploy.sol	4	6	1318	874	478	359	465
Totals	4	6	1318	874	478	359	465

#### Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalised lines of the source unit (e.g. normalises functions spanning multiple lines)
nSLOC	normalised source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)

## **Audit Results**

## **Critical issues**

### No critical issues

## **High issues**

## No high issues

### **Medium issues**

Issu e	File	Туре	Line	Description	Status
#1	Main	Liquidity will be transferred to an EOA	1314	If the 'burnLiquidityFee' variable is set to false then the liquidity of the contract will be transferred to an owner controllable wallet and in an extreme scenario the owner may be able to drain the liquidity.	Fixed

#### Low issues

Issu e	File	Туре	Line	Description	Status
#1	Main	Contract doesn't import npm packages from source (like OpenZeppelin etc.)	_	We recommend to import all packages from npm directly without flatten the contract. Functions could be modified or can be susceptible to vulnerabilities	Open
#2	Main	Missing Zero Address Validation (missing-zero- check)	1071, 1098	Check that the address is not zero	Fixed
#3	Main	Unemitted events	1024	Make sure to emit events if created for critical parameter changes, or remove them overall	Fixed
#4	Main	State variables shadowing	981, 982	Rename the State variables that shadow another component	Fixed
#5	Main	Missing Events Arithmetic	1172	Emit an event for critical parameter changes	Fixed

#### Informational issues

Issu e	File	Type	Line	Description	Status
#1	Main	State variables that could be declared constant (constable- states)	981-984, 997, 998	Add the `constant` attributes to state variables that never change	Open
#2	Main	Functions that are not used	20, 431	Remove unused functions.  Before removing check the function, it could be possible, that you forget to implement it into the contract	Open
#3	Main	Unused state variables	987, 988	Remove unused state variables	Open
#4	Main	NatSpec documentation missing	_	If you started to comment your code, also comment all other functions, variables etc.	Open

## Alleviation

v1.1

The Medium issue #1 and low issues #2, #3, #4, and #5 are fixed in version 1.1 of the audit.

#### **Audit Comments**

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information <a href="https://docs.soliditylang.org/en/latest/natspec-format.html">https://docs.soliditylang.org/en/latest/natspec-format.html</a>) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

#### 03. May 2023:

- Unit tests with 100% code coverage was not provided to SolidProof so we cannot ensure complete functional correctness of the code's logic.
- We recommend MoonDeploy team to conduct unit and fuzz tests thoroughly to rule out possibilities of an unwanted logical and calculation errors.
- There is still an owner (Owner still has not renounced ownership)
- · Read whole report and modifiers section for more information



## **SWC Attacks**

ID	Title	Relationships	Status
<u>SW</u> <u>C-1</u> <u>36</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SW</u> <u>C-1</u> <u>35</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>34</u>	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SW</u> <u>C-1</u> <u>33</u>	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SW</u> <u>C-1</u> <u>32</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SW</u> <u>C-1</u> <u>31</u>	Presence of unused variables	CWE-1164: Irrelevant Code	NOT PASSED
<u>SW</u> <u>C-1</u> <u>30</u>	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
<u>SW</u> <u>C-1</u> <u>29</u>	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SW</u> <u>C-1</u> <u>28</u>	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

<u>SW</u> <u>C-1</u> <u>27</u>	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SW</u> C-1 24	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
<u>SW</u> <u>C-1</u> <u>23</u>	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SW</u> <u>C-1</u> <u>22</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
<u>SW</u> <u>C-1</u> <u>21</u>	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SW C-1 20	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SW</u> <u>C-11</u> <u>9</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
<u>SW</u> <u>C-11</u> <u>8</u>	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SW</u> C-11 7	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SW</u> <u>C-11</u> <u>6</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>5</u>	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>4</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SW</u> <u>C-11</u> <u>3</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SW</u> <u>C-11</u> <u>2</u>	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>1</u>	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>O</u>	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
<u>SW</u> <u>C-1</u> <u>08</u>	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
<u>SW</u> <u>C-1</u> <u>06</u>	Unprotected SELFDESTRUC T Instruction	CWE-284: Improper Access Control	PASSED

<u>SW</u> <u>C-1</u> <u>05</u>	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
<u>SW</u> <u>C-1</u> <u>04</u>	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
<u>SW</u> <u>C-1</u> <u>03</u>	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
<u>SW</u> <u>C-1</u> <u>02</u>	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
<u>SW</u> <u>C-1</u> <u>01</u>	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
<u>SW</u> <u>C-1</u> <u>00</u>	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED







Blockchain Security | Smart Contract Audits | KYC Development | Marketing

