DCAS Scope of Practice Matrix

This scope of practice outlines the medications, skills, procedures, or interventions that DCAS staff are authorized to perform.

Independent Practice

Interventions or medications marked in a highlighted box may be carried out independently without supervision or consultation with Tele-EMS. Note: Tele-EMS remains available for guidance if needed.

	ER	EMR	EMT	EMT-A	P	AP	EP
Paracetamol PR/ IV							

In this example, administration of PR or IV paracetamol is authorized for EMT and higher clinical level. Emergency Responders and Emergency Medical Responders are not permitted to administer PR or IV paracetamol.

Tele EMS Consultation

A highlighted box with the Tele-EMS symbol:

Tele EMS	May be administered only after Tele-EMS consultation.

Indicate that the medication or intervention requires prior consultation with Tele-EMS before being performed.

	ER	EMR	EMT	EMT-A	P	AP	EP
Diclofenac IM			Tele EMS				

In this example, administration of IM Diclofenac is authorized for independent practice for EMT-A level and above. EMT's may administer IM Diclofenac only after consultation with Tele-EMS.

Tele EMS	May be administered only after Tele-EMS consultation.

Medications

	ER	EMR	EMT	EMT-A	P	AP	EP
Oxygen							
Actimaris Wound Cleaning Solution							
Biofreeze/Ethyl Chloride							
Paracetamol PO							
Aspirin PO							
Glucose gel buccal							
EpiPen 0.3mg, 0.15mg							
Paracetamol PR/ IV							
GTN SL							
Combivent Nebulized							
Salbutamol Nebulized							
Penthrox							
Dextrose %10							
Ringer Lactate							
Sodium Chloride 0.9%							
Epinephrine 1:10,000 PFS							
Diphenhydramine IM							
Glucagon SC/IM							
Naloxone IM/IV/IN							
Amiodarone (cardiac arrest)							
Hydrocortisone IM							
Nefopam IV							
Racemic Epinephrine							
Diclofenac IM			Tele EMS				
Atropine			Tele EMS				
Hydrocortisone IV			Tele EMS				
Hyoscine IM/IV			Tele EMS	Tele EMS			
Metoclopramide IM/IV			Tele EMS	Tele EMS			
Adenosine				Tele EMS			
Epinephrine 1:1000 amp							
Tranexamic Acid							
Furosemide							
Epinephrine push-dose/infusion							
Amiodarone Infusion (tachyarrhythmias)							
Dopamine							
Labetalol						Tele EMS	
Morphine						Tele EMS	
Pethidine						Tele EMS	
Haloperidol						Tele EMS	
Midazolam						Tele EMS	
Diazepam IM/IV/PR						Tele EMS	
Ketamine						Tele EMS	

Airway Management & Ventilation

	ER	EMR	EMT	EMT-A	P	AP	EP
Open Airway Maneuvers							
Bag Mask Ventilation							
Oxygen therapy							
Suction							
Basic Airway Adjuncts (OPA/NPA)							
Nebulization							
End- tidal CO2 monitoring							
Laryngeal Tube insertion							
Flow-Safe CPAP			Tele EMS				
Endotracheal intubation							
Ventilation via Ventilator							
Non-Invasive Ventilation via Ventilator							
Rapid Sequence Intubation							
Foreign Body Removal							

Cardiac

	ER	EMR	EMT	EMT-A	P	AP	EP
AED & CPR adult & pediatrics							
4 lead ECG							
12 lead ECG							
Defibrillation							
Determining Death-on-Arrival (deciding to not start CPR)							
Stopping CPR once it has been started (terminating resuscitation efforts)							
Synchronized Cardioversion & Pacing					Tele EMS		

Trauma

	ER	EMR	EMT	EMT-A	P	AP	EP
Sling application							
Splinting (SAM and foam splint)							
Logroll							
Spinal stabilization							
C-collar application							
Rapid extrication							
KED							
Pelvic Binder							
Scoop stretcher							
Traction Splint (femur fracture)							
Helmet stabilization/ removal							
Triaging – Establishing Priorities							
Needle decompression							

Hemorrhage Control

	ER	EMR	EMT	EMT-A	P	AP	EP
C.A.T. Tourniquet Use							
Nasal Packing							

Others

	ER	EMR	EMT	EMT-A	P	AP	EP
Childbirth							
Intramuscular Injection							
Intravenous Cannulation							
Intraosseous Cannulation							
Procedural Sedation							

Medication Formulary