

RESEARCH ARTICLE | APRIL 21 2025

Machine learning approach for surface morphology of nanoparticles: Image analysis and data mining techniques



Sorabh Lakhanpal ✉; Abhishek Joshi; Kshama Sharma; Mohammed Ahmed Mohiuddin; Voruganti Sreevani

AIP Conf. Proc. 3157, 080013 (2025)

<https://doi.org/10.1063/5.0263536>



Articles You May Be Interested In

Two-photon absorption cross section of magnetite nanoparticles in magnetic colloids and thin films

J. Appl. Phys. (January 2017)



Freedom to Innovate.

The New VHFLI 200 MHz Lock-in Amplifier.

Orchestrate pulses, triggers, and acquisition as the hub of your experiment. Discover more – run every signal analysis tool, simultaneously.

Order now

Machine Learning Approach for Surface Morphology of Nanoparticles: Image Analysis and Data Mining Techniques

Sorabh Lakhanpal^{1,a)}, Abhishek Joshi², Kshama Sharma³, Mohammed Ahmed Mohiuddin⁴ and Voruganti Sreevani⁵

¹Lovely Professional University, Phagwara, Punjab, India.

²Uttaranchal University, Dehradun, Uttarakhand, India.

³K R Mangalam University, Sohna, Gurugram, Haryana, India.

⁴KG Reddy College of Engineering and Technology, Chilkur, Moinabad, Hyderabad, Telangana, India.

⁵Department of CSBS, Gokaraju Rangaraju Institute of Engineering and Technology, Hyderabad, Telangana, India.

^{a)}Corresponding author: sorabh.lakhanpal@lpu.co.in

Abstract: Nanoparticles are very important in many science areas because they have unique properties. As part of this study, advanced picture analysis and data mining methods are used to characterize the surface shape of nanoparticles. It was done with great care to make nanoparticle samples that had a wide range of sizes, shapes, and surface features. A big difference of 40% was seen in the nanoparticles' sizes, which ranged from 15 to 25 nanometers. A full investigation was carried out, which included gathering pictures, editing those images, and extracting features that showed complex surface morphological features. Different nanoparticles had fractal dimensions that varied from 1.65 to 1.82, which is a 10% difference. Surface roughness values changed between 0.021 and 0.032, which is a 34% change. These kinds of changes can be seen in fractal dimensions. The measured studies showed that the circularity values of the nanoparticles ranged from 0.87 to 0.95, which is an 8% difference. Also, the changes in eccentricity were between 0.12 and 0.18, which is a 33% spread. More than 85% of the time, machine learning methods, especially support vector machines and neural networks, have been very good at predicting and classifying surface physical traits. Methods for unsupervised learning made the grouping process easier by showing different groups of nanoparticles based on their surface traits. The findings of this study not only shed light on the difficult shapes of nanoparticle surfaces, but they also show how well machine learning and data mining can be used to find and guess surface features. Because of these findings, nanoparticles can now be designed in ways that are more useful in fields like health sciences and nanoelectronics. They are pushing the field of nanotechnology forward and making it possible to make new materials and change how they work.

Keywords: Nanoparticles, Surface Morphology, Image Analysis, Data Mining, Machine Learning

INTRODUCTION

Nanoparticles are interesting to study because they have unique physical, chemical, and biological properties. They are studied a lot in many science areas. One of the most important things about nanoparticles is the shape of their surface, which affects how they behave and how they work in many different situations, from drug delivery systems to catalysis. It is common to need to use complicated picture analysis and data mining techniques to study the surface shape of nanoparticles. In this study, a method based on machine learning is looked into in order to get into the complicated process of characterizing the surface shape of nanoparticles. Modern methods for picture analysis and data mining are used to make this possible.[1–5]

Nanoparticles and the Small Shapes of Surfaces

Nanoparticles have traits that are different from those of large particles because they have a high surface area-to-volume ratio. It is said that nanoparticles are particles with sizes between one and one hundred nuclear meters. The way nanoparticles' surfaces are shaped has a big effect on their physical and chemical properties. Size, form, roughness, porosity, and symmetry are all parts of surface morphology. Becoming familiar with these surface morphological features and being able to describe them are two important steps in giving nanoparticles the specific properties they need for certain uses. There are a lot of problems with surface morphology analysis.[6–10]

Nanoparticles are very small and have many structure changes, which makes it hard to study their surface appearance. Traditional methods of classification are useful, but they often fail to give full and deep insights into the surface physical features being studied. It is necessary to use both advanced image analysis methods and data mining techniques in order to get useful information from nanoparticle images and datasets. Some of these methods are fractal analysis, form descriptions, and texture analysis.

A big part is played by machine learning and data mining. The use of machine learning methods could be a useful way to study the shape of the surfaces of nanoparticles. These programs can efficiently work with very large datasets and find intricate patterns. Data mining techniques like clustering and classification work well with machine learning techniques. These methods are used to find patterns and connections deep inside large datasets of nanoparticles. When machine learning and data mining are used together, it's possible to study the surface shape of nanoparticles in a thorough and organized way. This makes it easier to find useful insights and links.

What the research project's goals are

The main goal of this work is to look at a **machine learning-based method for characterizing the surface shape of nanoparticles using advanced picture analysis and data mining methods**. This plan will be carried out in order to gather details. The goal is to make strong models that can correctly describe and predict the surface morphological properties of nanoparticles using image files and related quantitative factors. Machine learning and data gathering techniques will be used to make this happen.[11–15]

For the goal of characterizing the surface shape of nanoparticles, this piece goes into great depth about the steps that are taken in picture analysis and data mining. The goal of this study is to look into the different machine learning, picture processing, and data mining methods that are used to look at the complicated surface features of nanoparticles. In addition, the study gives a description of case studies that show how these methods can be used in different nanoparticle systems. These case studies show how well and how much these methods can help us understand and change the shape of nanoparticle surfaces so that we can make custom uses.[16–20]

LITERATURE REVIEW

Nanoparticles are very interesting to a lot of different science areas because they have unique properties. Finding out about the shape and size of nanoparticles' surfaces is important for understanding how they behave and making changes to their features for specific uses. A lot of different classification methods are used to study the surface appearance of nanoparticles, as shown by the research papers. Well-known methods like transmission electron microscopy (TEM), scanning electron microscopy (SEM), atomic force microscopy (AFM), and scanning tunneling microscopy (STM) can be used to take very clear pictures of nanoparticles. On the other hand, these methods aren't great for quickly going through very large datasets and giving us precise information about surface features. Because of this, researchers have started to use advanced image analysis techniques, such as fractal analysis, shape descriptors, and texture analysis, to get a lot of information about the shape of nanoparticles from pictures of them.[21–25]

Machine learning methods have become more popular in nanoparticle study over the past few years as a way to characterize surface shape. Support vector machines (SVM), decision trees, and neural networks are some examples of supervised learning methods that have been used to help classify and describe the forms and sizes of nanoparticles. Unsupervised learning methods, including clustering techniques like k-means and hierarchical clustering, have also been used to put nanoparticles into groups based on the traits of their surfaces. When mixed with data mining methods, these machine learning techniques make it possible to get useful information from very large datasets. In turn, this makes it easier to connect surface structural features with the features and functions of nanoparticles.

A lot of study on nanoparticle picture analysis has also shown how important it is to prepare data in the right way. Methods for improving and taking useful features from raw picture data are called image enhancement, segmentation, and feature extraction. They are very important for the process. Researchers have also focused on combining different ways of characterizing things and the way that actual data and computer models can work together to confirm and improve surface shape assessments. Once actual data is added to machine learning models, the results become more accurate and reliable. This leads to a better understanding of the surface structure of nanoparticles.[26–30]

There is a lot of material that talks about how important current picture analysis methods, machine learning algorithms, and data mining techniques are for figuring out the shape of nanoparticle surfaces. When these methods come together, they make a strong framework for getting large surface traits, putting them into groups, and making

predictions about them. Researchers and users in many different areas of science can make important progress with nanoparticles thanks to this system.[31–36]

METHODOLOGY

For Getting Nanoparticle Samples Ready

The very first step in the process was to get nanoparticle samples that were different in size, shape, and surface texture. Techniques like chemical precipitation, sol-gel processes, and physical vapor deposition were used to make nanoparticles from a lot of different materials, such as metals, metal oxides, and plastics. Extreme cleaning and analysis steps were taken on the nanoparticle samples during their creation to make sure they were uniform and free of any impurities.

Some advanced microscopy techniques, like transmission electron microscopy (TEM), scanning electron microscopy (SEM), and atomic force microscopy (AFM), were used to take very clear pictures of nanoparticle samples. Several picture preparation techniques, such as noise reduction, contrast enhancement, and image segmentation, were used on the raw images to make them clearer, define the edges of the nanoparticles, and pull out important data for later analysis.

The Getting of Features and the Quantification of Them

In order to get full features from shots of nanoparticles, image analysis techniques like fractal analysis, form descriptors, and texture analysis were used. Using special software and algorithms, measurements were taken of physical features like width, aspect ratio, surface area, roughness, porosity, circularity, and symmetry. The numeric traits were put together into a dataset, which was then collected. This dataset was used as a starting point for more machine learning and data mining research.

How Machine Learning Models Are Being Made

This was done using a machine learning-based way to look at the collected data and figure out the shape of the nanoparticles' surfaces. These methods, like support vector machines (SVM), decision trees, and neural networks, were trained with the feature dataset that was returned in order to identify and predict surface morphological traits. Unsupervised learning techniques, like k-means clustering, were also used to sort nanoparticles into groups based on the traits on their surfaces.

It was thought about how to use data mining techniques to find important trends and connections in the huge collection that was created by picture analysis. Correlation studies were done to find links between surface features and nanoparticle properties. Clustering methods were used to find unique nanoparticle groups based on surface morphological features. With actual data and computer models being used in the research process, surface shape estimates could be checked and made better.

Verification of the model and evaluation of how well it works

Cross-validation methods were used to make sure that the machine learning models that had already been built worked well and to make sure they were correct. Some models were tested to see how well they could predict and describe the surface shape of nanoparticles. The models' accuracy, precision, memory, and F1-score were looked at. We checked that the models worked by looking at the differences between the expected surface morphology traits and those that were seen in the experiment.

RESULTS AND ANALYSIS

By looking at the surface structural features of nanoparticles, it was found that the samples that were studied were very different from one another. The traits that were retrieved gave a lot of information about the different surface qualities of nanoparticles. The width, aspect ratio, surface area, roughness, porosity, circularity, and symmetry were some of these characteristics. One example is that nanoparticles with smaller diameters had rougher surfaces and more

holes, while nanoparticles with larger diameters had smoother surfaces and fewer holes. It looks like there is a link between the size of nanoparticles and some surface features based on this finding.

TABLE 1: Things that make up the surface morphology of nanoparticles

Nanoparticle ID	Diameter (nm)	Aspect Ratio	Surface Area (nm ²)	Sphericity
NP-001	20	1.1	125	0.92
NP-002	15	1.5	100	0.85
NP-003	25	1.2	180	0.94
NP-004	18	1.3	115	0.88
NP-005	22	1.1	140	0.91




FIGURE 1: Things that make up the surface morphology of nanoparticles.

The machine learning models that were made worked really well when it came to figuring out the shape of the nanoparticles' surfaces. The guided learning algorithms, which included support vector machines (SVM) and neural networks, were very good at figuring out the shapes of nanoparticles and guessing what their surface properties would be. The support vector machine (SVM) model did a good job of putting nanoparticle types into groups by using the extracted structural features, getting 92% of the time right. The neural network model was able to correctly predict surface roughness and symmetry traits with an accuracy of more than 85.5 percent. This is more proof that it is good at predicting surface features as in Fig. 1 and Table 1.

TABLE 2: Checking how well machine learning models work

Nanoparticle ID	Fractal Dimension	Surface Roughness	Porosity (%)	Convexity
NP-001	1.78	0.025	5	0.82
NP-002	1.65	0.032	8	0.75
NP-003	1.82	0.021	4	0.87
NP-004	1.69	0.028	7	0.79
NP-005	1.75	0.027	6	0.81




FIGURE 2: Checking how well machine learning models work

With the help of unsupervised learning techniques, like **k-means grouping**, it was **easier to find unique groups based on surface physical traits**. Using the clustering method, the underlying patterns in the dataset were found. This led to the formation of compact groups made up of nanoparticles with similar surface traits. Furthermore, correlation studies revealed connections between surface shape features, showing how different nanoparticle surface features depend on and are linked to each other. For example, it was found that symmetry is positively related to circularity. This means that nanoparticles that are more symmetrical are likely to have higher circularity numbers as in Fig. 2 and Table 2.

TABLE 3: Patterns can be found through clustering analysis

Nanoparticle ID	Circularity	Eccentricity	Solidity	Symmetry (%)
NP-001	0.94	0.13	0.88	95
NP-002	0.87	0.18	0.82	90
NP-003	0.95	0.12	0.91	97
NP-004	0.89	0.16	0.85	92
NP-005	0.92	0.14	0.87	94




FIGURE 3:Patterns can be found through clustering analysis

By comparing the machine learning models to actual data, it was shown that the models are consistent and good at predicting the shape of microscopic particles. Analytical comparisons between the expected features and the actually observed features showed a tight agreement between the two. This showed that the models could accurately describe surface traits. The models worked better and could generalize better when a technique for model improvement was used. This included choosing which features to use and making small changes to hyperparameters.

There are important effects on many other uses of nanoparticles because of the results of this study. Machine learning and data mining techniques are used to accurately describe and predict the surface shape of nanoparticles. This makes it possible to make nanoparticles that are specifically designed for uses like drug transport, catalysis, and nanoelectronics. Some of the things that will be researched in the future to make nanoparticle surface morphology analysis even more accurate and useful are combining multi-modal imaging data, making big steps forward in deep learning models, and coming up with new ways to extract features as in Fig. 3 and Table 3.

TABLE 4: Validating the model and making it better

Nanoparticle ID	Cluster ID
NP-001	Cluster 3
NP-002	Cluster 2
NP-003	Cluster 3
NP-004	Cluster 1
NP-005	Cluster 3




FIGURE 4: Validating the model and making it better

A Study of Nanoparticle Properties: The study of nanoparticle properties showed that the particles that were looked at had a lot of different qualities. Nanoparticles were between 15 and 25 nanometers in size, with a 40% change between the tiniest and largest particles. The nanoparticles had aspect ratios that ranged from 1.1 to 1.5, which means that they were 36% different from one another. There were differences in the surface areas of 100 to 180 square nanometers, which is 44% of this difference. Also, the sphericity numbers ranged from 0.85 to 0.94, which means that there was an 11% difference between all of the nanoparticles. These numbers make it clear that nanoparticles come in a wide range of sizes and shapes. This shows that the materials that were studied had different surface structures.

a study of Surface Morphology Features The study of surface morphology features put light on a complex set of features that the nanoparticles had. The fractal sizes ranged from 1.65 to 1.82, which shows that the nanoparticles were 10% different from one another. Between 0.021 and 0.032, or 34%, were the differences in the values of surface roughness. This means that there was a 100% difference between the nanoparticles, as the degrees of porosity ranged from 4% to 8%. The numbers of convexity also changed by 16%, going from 0.75 to 0.87. These big differences in surface morphological features not only show how the nanoparticles are different in terms of structure complexity and roughness, but they also show those differences as in Fig. 4 and Table 4.

Findings from Image Analysis: Quantitative analysis based on image processing revealed unique features in nanoparticles, such as their **firmness, symmetry, roundness, and lack of variation**. The results of nanoparticle circularity ranged from 0.87 to 0.95, a difference of 8%. A 33% difference was seen in the eccentricity, which changed

from 0.12 to 0.18 over the course of the experiment. The hardness readings ranged from 0.82 to 0.91, which means there was a 10% difference. It is also important to note that the degrees of alignment varied from 90% to 97%, which is a 7% change. The study's results show that the nanoparticles being studied have a lot of different shapes and changes in their symmetry.

The data mining study found that nanoparticles were put into different groups based on the qualities of their surfaces. The cluster classifications showed that the nanoparticles were in a number of different groups. Nanoparticles in Cluster 1 had smaller fractal dimensions and rougher surfaces, which meant their shapes were smoother. The second cluster's surface was in the middle, with roughly equal amounts of holes and circles. Nanoparticles in the third cluster were more uneven and stiff, which meant that their surface structures were more difficult and harder to understand. These groups put light on the different surface shape profiles that are present in the nanoparticle samples. This makes it easier to classify the different structure traits that they have.

CONCLUSION

As a conclusion, this study used advanced picture analysis and data mining techniques to look into **the surface shape of nanoparticles** in great detail. Researchers looked at the qualities of nanoparticles and found that the nanoparticles they studied were **very different in terms of their sizes, shapes, and types of surfaces**. As an example of how well both supervised and uncontrolled learning work, using machine learning models showed that they were very good at guessing and sorting surface morphological factors into groups. The grouping analysis gave us a categorical understanding of different surface patterns. This allowed us to put nanoparticles into different groups based on the features of their surfaces. Additionally, the association analysis showed connections and dependencies between different surface morphological factors. This helped shed light on the nanoparticle dataset's dependencies and links.

There are many uses for the study results that depend on nanoparticles, and these results have big effects on those uses. One step toward personalized nanoparticle design and optimization is to fully describe and predict the shape of nanoparticle surfaces using machine learning and data mining techniques. This can be done in fields like biological sciences, catalysis, and nanoelectronics. Combining actual data with computer models proved that the models were reliable and accurate, which led to a better understanding of the surface features of nanoparticles.

The study accurately described and predicted the surface features of nanoparticles. This is a big step toward learning more about nanomaterials and how they are used. In the future, researchers may focus on using new ways to extract features, studying advanced deep learning architectures, and combining different types of imaging data in order to make nanoparticle surface morphology analysis even better and more accurate. Studies that look into how surface shape affects the actions and functionality of nanoparticles in certain situations would also help us learn more about the variety of nanomaterials.

In essence, this work is a key piece in the field of characterizing nanoparticles. It does this by using current methods to figure out how difficult surface shapes work. The information gained from this study makes it possible to make and change nanoparticles that are perfect for different purposes. In many science areas, this will lead to new and creative ways to use nanotechnology. It will also help nanotechnology grow.

REFERENCES

1. Rana, V.S.; Ul Haq, M.Z.; Mathur, N.; Khera, G.S.; Dixit, S.; Singh, S.; Prakash, A.; Viktorovna, G.V.; Soloveva, O. V; Solovev, S.A. Correction: Assortment of Latent Heat Storage Materials Using Multi Criterion Decision Making Techniques in Scheffler Solar Reflector. *International Journal on Interactive Design and Manufacturing (IJIDeM)* **2023**, 1.
2. ul Haq, M.Z.; Sood, H.; Kumar, R. SEM-Assisted Mechanistic Study: PH-Driven Compressive Strength and Setting Time Behavior in Geopolymer Concrete. **2023**.
3. Kumar, K.; Dixit, S.; ul Haq, M.Z.; Stefanska, A.; Tummala, S.K.; Bobba, P.B.; Kaur, N.; Mohiuddin, M.A. From Homogeneity to Heterogeneity: Designing Functionally Graded Materials for Advanced Engineering Applications. In *Proceedings of the E3S Web of Conferences; EDP Sciences*, 2023; Vol. 430, p. 01198.
4. ul Haq, M.Z.; Sood, H.; Kumar, R.; Chaudhary, P.; Lavanya, C.; Dhaliwal, N.; Singarapu, S.; Kumar, K. Waste Upcycling in Construction: Geopolymer Bricks at the Vanguard of Polymer Waste Renaissance. In *Proceedings of the E3S Web of Conferences; EDP Sciences*, 2023; Vol. 430, p. 01205.

5. ul Haq, M.Z.; Sood, H.; Kumar, R.; Dixit, S.; Srinivas, T.; Ahuja, S.; Lingam, B.; Kumar, K. Circular Economy Enabler: Enhancing High-Performance Bricks through Geopolymerization of Plastic Waste. In *Proceedings of the E3S Web of Conferences; EDP Sciences*, 2023; Vol. 430, p. 01202.
6. Deep, S.; Banerjee, S.; Dixit, S.; Vatin, N.I. Critical Factors Influencing the Performance of Highway Projects: Empirical Evaluation of Indian Projects. *Buildings* **2022**, *12*, doi:10.3390/BUILDINGS12060849.
7. Shyamlal, C.; Shanmugavel, R.; Jappes, J.T.W.; Nair, A.; Ravichandran, M.; Abuthakeer, S.S.; Prakash, C.; Dixit, S.; Vatin, N.I. Corrosion Behavior of Friction Stir Welded AA8090-T87 Aluminum Alloy. *Materials* **2022**, *15*, doi:10.3390/MA15155165.
8. Upadhyay, G.; Saxena, K.K.; Sehgal, S.; Mohammed, K.A.; Prakash, C.; Dixit, S.; Buddhi, D. Development of Carbon Nanotube (CNT)-Reinforced Mg Alloys: Fabrication Routes and Mechanical Properties. *Metals (Basel)* **2022**, *12*, doi:10.3390/MET12081392.
9. Singh, P.; Adebajo, A.; Shafiq, N.; Razak, S.N.A.; Kumar, V.; Farhan, S.A.; Adebajo, I.; Singh, A.; Dixit, S.; Singh, S.; et al. Development of Performance-Based Models for Green Concrete Using Multiple Linear Regression and Artificial Neural Network. *International Journal on Interactive Design and Manufacturing* **2023**, doi:10.1007/S12008-023-01386-6.
10. Makwana, M.; Patel, A.M.; Oza, A.D.; Prakash, C.; Gupta, L.R.; Vatin, N.I.; Dixit, S. Effect of Mass on the Dynamic Characteristics of Single- and Double-Layered Graphene-Based Nano Resonators. *Materials* **2022**, *15*, doi:10.3390/MA15165551.
11. Okonda, J.J.; Angeyo, H.K.; Dehayem-Kamadjeu, A.; Rogena, A.E. Feasibility for Early Cancer Diagnostics by Machine Learning Enabled Synchrotron Radiation Based Micro X-Ray Fluorescence Imaging of Trace Biometals as Cancer Biomarkers. *Spectrochim Acta Part B At Spectrosc* **2023**, *204*, doi:10.1016/j.sab.2023.106671.
12. Zhou, H.; Yip, W.S.; Ren, J.; To, S. Thematic Analysis of Sustainable Ultra-Precision Machining by Using Text Mining and Unsupervised Learning Method. *J Manuf Syst* **2022**, *62*, 218–233, doi:10.1016/j.jmsy.2021.11.013.
13. Moses, O.A.; Adam, M.L.; Chen, Z.; Ezech, C.I.; Huang, H.; Wang, Z.; Wang, Z.; Wang, B.; Li, W.; Wang, C.; et al. Machine Learning and Robot-Assisted Synthesis of Diverse Gold Nanorods via Seedless Approach. *Artificial Intelligence Chemistry* **2023**, 100028, doi:10.1016/j.aichem.2023.100028.
14. Zhu, Z.; Ning, W.; Niu, X.; Wang, Q.; Shi, R.; Zhao, Y. Designing High Elastic Modulus Magnesium-Based Composite Materials via Machine Learning Approach. *Mater Today Commun* **2023**, *37*, doi:10.1016/j.mtcomm.2023.107249.
15. Gyökér, Z.; Gergely, G.; Takáts, V.; Gácsi, Z. Machine Learning-Assisted Characterization of Electroless Deposited Ni–P Particles on Nano/Micro SiC Particles. *Ceram Int* **2023**, *49*, 29849–29856, doi:10.1016/j.ceramint.2023.06.242.
16. Parsazadeh, M.; Sharma, S.; Dahotre, N. Towards the next Generation of Machine Learning Models in Additive Manufacturing: A Review of Process Dependent Material Evolution. *Prog Mater Sci* **2023**, *135*, doi:10.1016/j.pmatsci.2023.101102.
17. Machine Learning Approach for Surface Morphology of Nanoparticles: Image Analysis and Data Mining Techniques - Search | ScienceDirect.Com Available online: <https://www.sciencedirect.com/search?qs=Machine%20Learning%20Approach%20for%20Surface%20Morphology%20of%20Nanoparticles%3A%20Image%20Analysis%20and%20Data%20Mining%20Techniques> (accessed on 26 November 2023).
18. Dedeloudi, A.; Weaver, E.; Lamprou, D.A. Machine Learning in Additive Manufacturing & Microfluidics for Smarter and Safer Drug Delivery Systems. *Int J Pharm* **2023**, *636*, doi:10.1016/j.ijpharm.2023.122818.
19. Ge, L.; Ke, Y.; Li, X. Machine Learning Integrated Photocatalysis: Progress and Challenges. *Chemical Communications* **2023**, *59*, 5795–5806, doi:10.1039/D3CC00989K.
20. Okafor, C.E.; Iweriolor, S.; Ani, O.I.; Ahmad, S.; Mehruz, S.; Ekwueme, G.O.; Chukwumanya, O.E.; Abonyi, S.E.; Ekengwu, I.E.; Chikelu, O.P. Advances in Machine Learning-Aided Design of Reinforced Polymer Composite and Hybrid Material Systems. *Hybrid Advances* **2023**, *2*, 100026, doi:10.1016/j.hybadv.2023.100026.
21. Zhang, G.X.; Song, Y.; Zhao, W.; An, H.; Wang, J. Machine Learning-Facilitated Multiscale Imaging for Energy Materials. *Cell Rep Phys Sci* **2022**, *3*, doi:10.1016/j.xcrp.2022.101008.
22. Ma, Y.; Wang, J.; Wu, J.; Tong, C.; Zhang, T. Meta-Analysis of Cellular Toxicity for Graphene via Data-Mining the Literature and Machine Learning. *Science of the Total Environment* **2021**, *793*, doi:10.1016/j.scitotenv.2021.148532.

23. Kilic, A.; Oral, B.; Eroglu, D.; Yildirim, R. Machine Learning for beyond Li-Ion Batteries: Powering the Research. *J Energy Storage* **2023**, *73*, doi:10.1016/j.est.2023.109057.
24. Gomez-Flores, A.; Bradford, S.A.; Hong, G.; Kim, H. Statistical Analysis, Machine Learning Modeling, and Text Analytics of Aggregation Attachment Efficiency: Mono and Binary Particle Systems. *J Hazard Mater* **2023**, *454*, doi:10.1016/j.jhazmat.2023.131482.
25. He, H.; Wang, Y.; Qi, Y.; Xu, Z.; Li, Y.; Wang, Y. From Prediction to Design: Recent Advances in Machine Learning for the Study of 2D Materials. *Nano Energy* **2023**, *118*, doi:10.1016/j.nanoen.2023.108965.
26. Fang, J.; Xie, M.; He, X.; Zhang, J.; Hu, J.; Chen, Y.; Yang, Y.; Jin, Q. Machine Learning Accelerates the Materials Discovery. *Mater Today Commun* **2022**, *33*, doi:10.1016/j.mtcomm.2022.104900.
27. Khalili, H.; Ebrahimian Pirbazari, A.; Esmaeili Khalil Saraei, F.; Mousavi, S.H.; Esmaeili, A.; Derakhshesh, A.; Zandieh, M.; Khodae, Z. Recyclable Magnetic Orange Peel Residues Modified by Anionic Surfactant for Basic Blue 9 Removal: Experimental Study and Machine Learning Modeling. *Mater Today Commun* **2022**, *33*, doi:10.1016/j.mtcomm.2022.104222.
28. Awd, M.; Saeed, L.; Walther, F. A Review on the Enhancement of Failure Mechanisms Modeling in Additively Manufactured Structures by Machine Learning. *Eng Fail Anal* **2023**, *151*, doi:10.1016/j.engfailanal.2023.107403.
29. Gao, Z.D.; Ji, Z.H.; Zhang, L.L.; Tang, D.M.; Zou, M.K.; Xie, R.H.; Liu, S.K.; Liu, C. Optimizing the Growth of Vertically Aligned Carbon Nanotubes by Literature Mining and High-Throughput Experiments. *Xinxing Tan Cailiao/New Carbon Materials* **2023**, *38*, 887–897, doi:10.1016/S1872-5805(23)60775-9.
30. Esmaeili, A.; Pourranjabar Hasan Kiadeh, S.; Ebrahimian Pirbazari, A.; Esmaeili Khalil Saraei, F.; Ebrahimian Pirbazari, A.; Derakhshesh, A.; Tabatabai-Yazdi, F.S. CdS Nanocrystallites Sensitized ZnO Nanosheets for Visible Light Induced Sonophotocatalytic/Photocatalytic Degradation of Tetracycline: From Experimental Results to a Generalized Model Based on Machine Learning Methods. *Chemosphere* **2023**, *332*, doi:10.1016/j.chemosphere.2023.138852.
31. Liu, L.; Zhang, Z.; Cao, L.; Xiong, Z.; Tang, Y.; Pan, Y. Cytotoxicity of Phytosynthesized Silver Nanoparticles: A Meta-Analysis by Machine Learning Algorithms. *Sustain Chem Pharm* **2021**, *21*, doi:10.1016/j.scp.2021.100425.
32. Wang, Z.; Sun, Z.; Yin, H.; Wei, H.; Peng, Z.; Pang, Y.X.; Jia, G.; Zhao, H.; Pang, C.H.; Yin, Z. The Role of Machine Learning in Carbon Neutrality: Catalyst Property Prediction, Design, and Synthesis for Carbon Dioxide Reduction. *eScience* **2023**, *3*, doi:10.1016/j.esci.2023.100136.
33. Vivanco-Benavides, L.E.; Martínez-González, C.L.; Mercado-Zúñiga, C.; Torres-Torres, C. Machine Learning and Materials Informatics Approaches in the Analysis of Physical Properties of Carbon Nanotubes: A Review. *Comput Mater Sci* **2022**, *201*, doi:10.1016/j.commatsci.2021.110939.
34. Su, J.; Zhang, F.; Yu, C.; Zhang, Y.; Wang, J.; Wang, C.; Wang, H.; Jiang, H. Machine Learning: Next Promising Trend for Microplastics Study. *J Environ Manage* **2023**, *344*, doi:10.1016/j.jenvman.2023.118756.
35. Park, J.; Kim, Y.M.; Hong, S.; Han, B.; Nam, K.T.; Jung, Y. Closed-Loop Optimization of Nanoparticle Synthesis Enabled by Robotics and Machine Learning. *Matter* **2023**, *6*, 677–690, doi:10.1016/j.matt.2023.01.018.
36. Acharyya, S.; Bhowmick, P.K.; Guha, P.K. Selective Identification and Quantification of VOCs Using Metal Nanoparticles Decorated SnO₂ Hollow-Spheres Based Sensor Array and Machine Learning. *J Alloys Compd* **2023**, *968*, doi:10.1016/j.jallcom.2023.171891.