Ex. No : 4 Date :	Advanced Encryption Standard (DES) Algorithm (URL Encryption)

AIM:

To use Advanced Encryption Standard (AES) Algorithm for a practical application like URL Encryption.

ALGORITHM:

1. AES is based on a design principle known as a substitution–permutation.
2. AES does not use a Feistel network like DES, it uses variant of Rijndael.
3. It has a fixed block size of 128 bits, and a key size of 128, 192, or 256 bits.
4. AES operates on a 4 × 4 column-major order array of bytes, termed the state

PROGRAM:

AES.java

```
import java.io.UnsupportedEncodingException;
import java.security.MessageDigest;
import java.security.NoSuchAlgorithmException;
import java.util.Arrays;
import java.util.Base64;

import javax.crypto.Cipher;
import javax.crypto.spec.SecretKeySpec;

public class AES {

   private static SecretKeySpec secretKey;
   private static byte[] key;

   public static void setKey(String myKey) {
      MessageDigest sha = null;
      try {
         key = myKey.getBytes("UTF-8");
         sha = MessageDigest.getInstance("SHA-1");
         key = sha.digest(key);
         key = Arrays.copyOf(key, 16);
         secretKey = new SecretKeySpec(key, "AES");
      } catch (NoSuchAlgorithmException e) {
```

```
            e.printStackTrace();
        } catch (UnsupportedEncodingException e) {
            e.printStackTrace();
        }
    }

    public static String encrypt(String strToEncrypt, String secret) {
        try {
            setKey(secret);
            Cipher cipher = Cipher.getInstance("AES/ECB/PKCS5Padding");
            cipher.init(Cipher.ENCRYPT_MODE, secretKey);
            return
Base64.getEncoder().encodeToString(cipher.doFinal(strToEncrypt.getBytes("UTF
-8")));
        } catch (Exception e) {
            System.out.println("Error while encrypting: " + e.toString());
        }
        return null;
    }

    public static String decrypt(String strToDecrypt, String secret) {
        try {
            setKey(secret);
            Cipher cipher = Cipher.getInstance("AES/ECB/PKCS5PADDING");
            cipher.init(Cipher.DECRYPT_MODE, secretKey);
            return new
String(cipher.doFinal(Base64.getDecoder().decode(strToDecrypt)));
        } catch (Exception e) {
            System.out.println("Error while decrypting: " + e.toString());
        }
        return null;
    }

    public static void main(String[] args) {
        final String secretKey = "annaUniversity";

        String originalString = "www.annauniv.edu";
        String encryptedString = AES.encrypt(originalString, secretKey);
        String decryptedString = AES.decrypt(encryptedString, secretKey);
```

```
        System.out.println("URL Encryption Using AES Algorithm\n------------");
        System.out.println("Original URL : " + originalString);
        System.out.println("Encrypted URL : " + encryptedString);
        System.out.println("Decrypted URL : " + decryptedString);
    }
}
```

OUTPUT:

```
URL Encryption Using AES Algorithm
------------------------------------------------
Original URL : www.annauniv.edu
Encrypted URL : vibpFJW6Cvs5Y+L7t4N6YWWe07+JzS1d3CU2h3mEvEg=
Decrypted URL : www.annauniv.edu
```

RESULT:

Thus the java program for AES Algorithm has been implemented for URL Encryption and the output verified successfully.