




Compiled Wed 20 Jun 19 02:45 by nguyenv

Press RETURN to get started!

```

%LINK-5-CHANGED: Interface FastEthernet0/1, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/1, chang
%LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2, chang
%LINK-5-CHANGED: Interface FastEthernet0/3, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/3, chang
%LINK-5-CHANGED: Interface FastEthernet0/4, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/4, chang

Switch>en
Switch#conf t
Enter configuration commands, one per line.  End with CNTL/Z.
Switch(config)#vlan 2
Switch(config-vlan)#name programmer
Switch(config-vlan)#exit
Switch(config)#vlan 3
Switch(config-vlan)#name buhg
Switch(config-vlan)#exit
          
```

# Lab 10: VLANs and Trunking

Switch#show vlan

| VLAN | Name               | Status | Ports                                                                                                                                                                                                             |
|------|--------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | default            | active | Fa0/1, Fa0/2, Fa0/3, Fa0/4<br>Fa0/5, Fa0/6, Fa0/7, Fa0/8<br>Fa0/9, Fa0/10, Fa0/11, Fa0/12<br>Fa0/13, Fa0/14, Fa0/15, Fa0/16<br>Fa0/17, Fa0/18, Fa0/19, Fa0/20<br>Fa0/21, Fa0/22, Fa0/23, Fa0/24<br>Gig0/1, Gig0/2 |
| 2    | programmer         | active |                                                                                                                                                                                                                   |
| 3    | bug                | active |                                                                                                                                                                                                                   |
| 1002 | fddi-default       | active |                                                                                                                                                                                                                   |
| 1003 | token-ring-default | active |                                                                                                                                                                                                                   |
| 1004 | fddinet-default    | active |                                                                                                                                                                                                                   |
| 1005 | trnet-default      | active |                                                                                                                                                                                                                   |

| VLAN | Type | SAID   | MTU  | Parent | RingNo | BridgeNo | Stp | BrdgMode | Trans1 | Trans2 |
|------|------|--------|------|--------|--------|----------|-----|----------|--------|--------|
| 1    | enet | 100001 | 1500 | -      | -      | -        | -   | -        | 0      | 0      |
| 2    | enet | 100002 | 1500 | -      | -      | -        | -   | -        | 0      | 0      |
| 3    | enet | 100003 | 1500 | -      | -      | -        | -   | -        | 0      | 0      |

--More--

Copy

P

Physical Config CLI Attributes

IOS Command Line Interface

```

Switch(config)#int fa0/1
Switch(config-if)#switchport mode access
Switch(config-if)#switchport access vlan 2
Switch(config-if)#exit
Switch(config)#int fa0/2
Switch(config-if)#switchport mode access
Switch(config-if)#switchport access vlan 2
Switch(config-if)#exit
Switch(config)#exit
Switch#
%SYS-5-CONFIG-I: Configured from console by console

Switch#show vlan

VLAN Name                Status    Ports
-----
1    default                active    Fa0/3, Fa0/4, Fa0/5, Fa0/6
                Fa0/7, Fa0/8, Fa0/9, Fa0/10
                Fa0/11, Fa0/12, Fa0/13, Fa0/14
                Fa0/15, Fa0/16, Fa0/17, Fa0/18
                Fa0/19, Fa0/20, Fa0/21, Fa0/22
                Fa0/23, Fa0/24, Gig0/1, Gig0/2
2    programmer             active
3    bug                    active
1002 fddi-default            active
1003 token-ring-default   active
1004 fddinet-default       active
1005 trnet-default        active

VLAN Type  SAID      MTU    Parent RingNo BridgeNo Stp  BrdgMode Trans1 Trans2
-----
1    enet    100001    1500   -       -       -       -   -         0       0
2    enet    100002    1500   -       -       -       -   -         0       0
3    enet    100003    1500   -       -       -       -   -         0       0
1002 fddi    101002    1500   -       -       -       -   -         0       0
--More--

```

Copy Paste

☐ Top

  
PC-PT  
PC0

```

Switch(config)#int fa0/3
Switch(config-if)#switchport mode access
Switch(config-if)#switchport access vlan 3
Switch(config-if)#exit
Switch(config)#int fa0/4
Switch(config-if)#switchport mode access
Switch(config-if)#switchport access vlan 3
Switch(config-if)#exit
Switch(config)#exit
Switch#
%SYS-5-CONFIG_I: Configured from console by console

Switch#show vlan

```

| VLAN | Name               | Status | Ports                                                                                                                                                                               |
|------|--------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | default            | active | Fa0/5, Fa0/6, Fa0/7, Fa0/8<br>Fa0/9, Fa0/10, Fa0/11, Fa0/12<br>Fa0/13, Fa0/14, Fa0/15, Fa0/16<br>Fa0/17, Fa0/18, Fa0/19, Fa0/20<br>Fa0/21, Fa0/22, Fa0/23, Fa0/24<br>Gig0/1, Gig0/2 |
| 2    | programmer         | active | Fa0/1, Fa0/2                                                                                                                                                                        |
| 3    | buhg               | active | Fa0/3, Fa0/4                                                                                                                                                                        |
| 1002 | fddi-default       | active |                                                                                                                                                                                     |
| 1003 | token-ring-default | active |                                                                                                                                                                                     |
| 1004 | fddinet-default    | active |                                                                                                                                                                                     |
| 1005 | trnet-default      | active |                                                                                                                                                                                     |


| VLAN | Type | SAID   | MTU  | Parent | RingNo | BridgeNo | Stp | BrdgMode | Trans1 | Trans2 |
|------|------|--------|------|--------|--------|----------|-----|----------|--------|--------|
| 1    | enet | 100001 | 1500 | -      | -      | -        | -   | -        | 0      | 0      |
| 2    | enet | 100002 | 1500 | -      | -      | -        | -   | -        | 0      | 0      |
| 3    | enet | 100003 | 1500 | -      | -      | -        | -   | -        | 0      | 0      |
| 1002 | fddi | 101002 | 1500 | -      | -      | -        | -   | -        | 0      | 0      |

--More--

  
PC-PT  
PC1

Copy

Paste



| Event List                                                                            |           |             |
|---------------------------------------------------------------------------------------|-----------|-------------|
| Vis.                                                                                  | Time(sec) | Last Device |
|                                                                                       | 0.000     | -           |
|                                                                                       | 0.001     | PC0         |
|                                                                                       | 0.002     | Switch0     |
|                                                                                       | 0.003     | PC1         |
|  | 0.004     | Switch0     |

