



Model: A30

Size(L*W*H):


5600*2800*3100mm

Floor Area: 15.7m²

Number of guests: 2 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈4 tons



*Product layout plan (for reference only)

Capsule house A30 Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)


- Thickened Insulation Layer

2. Comfort Upgrade

- Smart Voice System
- Starry Sky Skylight

3. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: A50

Size(L*W*H):


9500*3300*3300mm

Floor Area: 31.4m²

Number of guests: 2-4 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈6.5 tons



*Product layout plan (for reference only)

Capsule house A50 Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade


- Custom bar counter
- Custom wardrobe
- Smart voice system
- Projector + projection screen

3. International Kitchen Integrated Customization

- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house A70 Configuration



Model: A70

Size(L*W*H):


11500*3300*3300mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 9.9KW/15.4KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade

- Custom bar counter
- Custom wardrobe
- Smart voice system
- Projector + projection screen

3. International Kitchen Integrated Customization

- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform




***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.


Model:D50
Size(L*W*H):

6000*2150*2500mm

Floor Area: 40.0m²
Number of guests: 2-4 people

Maximum Power: 10KW/16KW
 (with floor heating)


Total Net Weight: ≈9 tons


*Product layout plan (for reference only)

Capsule house D50 Configuration

External protection system	Interior Decoration	Optional Configurations (Additional Costs Apply)
Galvanized steel structure frame system	Integrated Ceiling and Wall Modules	1. Insulation Upgrade
Fluorocarbon sprayed aluminum alloy shell module	Stone Crystal Wood-Grain Flooring	<input type="checkbox"/> UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
Thermal insulation, waterproof and moisture-proof structural system	Bathroom Privacy Glass Door	<input type="checkbox"/> Thickened Insulation Layer
Three-layer hollow tempered floor-to-ceiling glass	Bathroom Shower Room/Marble/Tile Floor	2. Comfort Upgrade
Hollow laminated tempered glass skylight	Washbasin Counter/Sink/Bathroom Mirror	<input type="checkbox"/> Custom bar counter
Standard swing entrance door	Coat Hooks/Shower Storage Shelf/Towel Rack	<input type="checkbox"/> Custom wardrobe
Guest control system	Branded Water Tap/Showerhead/Floor Drain	<input type="checkbox"/> Smart voice system
Lighting / Electric curtains	Whole-House Lighting System	<input type="checkbox"/> Projector + projection screen
Intelligent access control system for hotels	Whole-House Water and Electricity System	3. International Kitchen Integrated Customization
Product accessories	Standard Color Blackout Curtains	<input type="checkbox"/> Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
Support feet matched at the bottom of the product	Air Conditioner (Cooling & Heating)	<input type="checkbox"/> Range Hood/Induction Cooker/Refrigerator
Lifting rings / Transportation fixtures	Electric Water Heater	4. Accessories and Peripherals
	Ventilation System	<input type="checkbox"/> Entrance Staircase
	Whole-House Mosquito-Proof Screen Doors	<input type="checkbox"/> Triangular V-brace
	4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan	<input type="checkbox"/> Entrance Platform
	Branded Smart Toilet	
	Electric Underfloor Heating	


***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: L50F

Size(L*W*H):


9100*3300*3400mm

Floor Area: 30.0m²

Number of guests: 2 people

Maximum Power: 10KW/15KW
(with floor heating)

Total Net Weight: ≈7 tons



*Product layout plan (for reference only)

Capsule house L50F Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Standard swing entrance door

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Bar counter

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

Thickened Insulation Layer

2. Comfort Upgrade


Projector

3. Accessories and Peripherals

Entrance Staircase

Triangular V-brace

Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house L50 Configuration



Model: L50

Size(L*W*H):


9100*3300*3400mm

Floor Area: 30.0m²

Number of guests: 2 people

Maximum Power: 10KW/15KW
(with floor heating)

Total Net Weight: ≈7 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Bar counter

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade



- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade

- Projector

3. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house L70 Configuration



Model: L70

Size(L*W*H):


11500*3300*3400mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 10KW/15KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Bar counter

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

Thickened Insulation Layer

2. Comfort Upgrade

Projector

3. Accessories and Peripherals

Entrance Staircase

Triangular V-brace

Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: G30

Size(L*W*H):


5600*2600*3200mm

Floor Area: 14.6m²

Number of guests: 2 people

Maximum Power: 6.7KW/8.2KW
 (with floor heating)

Total Net Weight: ≈4 tons



*Product layout plan (for reference only)

Capsule house **G30** Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

Lighting Ventilation Fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

- Thickened Insulation Layer

2. Comfort Upgrade

- Smart Voice System


- Starry Sky Skylight

3. Accessories and Peripherals

- Entrance Staircase

- Triangular V-brace

- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: G50

Size(L*W*H):

9500*3300*3200mm

Floor Area: 31.4m²
Number of guests: 2 people

Maximum Power: 7.5KW/12KW
 (with floor heating)

Total Net Weight: ≈6.5 tons


*Product layout plan (for reference only)

Capsule house **G50** Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Shoe Cabinet

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade

- Projector

3. International Kitchen Integrated Customization

- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house G70 Configuration



Model: G70

Size(L*W*H):

11500*3300*3200mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 11.5KW/17KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade

- Projector

3. International Kitchen Integrated Customization

- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **G50F** Configuration



Model: G50F

Size(L*W*H):


9500*3300*3200mm

Floor Area: 31.4m²

Number of guests: 2 people

Maximum Power: 7.5KW/12KW
(with floor heating)

Total Net Weight: \approx 6.5 tons



*Product layout plan (for reference only)

External protection system	Interior Decoration	Optional Configurations (Additional Costs Apply)
Galvanized steel structure frame system	Integrated Ceiling and Wall Modules	
Fluorocarbon sprayed aluminum alloy shell module	Stone Crystal Wood-Grain Flooring	
Thermal insulation, waterproof and moisture-proof structural system	Bathroom Privacy Glass Door	
Three-layer hollow tempered floor-to-ceiling glass	Bathroom Shower Room/Marble/Tile Floor	
Hollow laminated tempered glass skylight	Washbasin Counter/Sink/Bathroom Mirror	
Painted stainless steel swing entrance door	Coat Hooks/Shower Storage Shelf/Towel Rack	
Panoramic balcony	Branded Water Tap/Showerhead/Floor Drain	
Guest control system	Whole-House Lighting System	
Multi-Scenario Mode Function Panel	Whole-House Water and Electricity System	
Lighting / Electric Curtains	Standard Color Blackout Curtains	
Smart Voice Control	Air Conditioner (Cooling & Heating)	
Hotel Intelligent Access Control System	Electric Water Heater	
Product accessories	Ventilation System	
Support feet matched at the bottom of the product	Whole-House Mosquito-Proof Screen Doors	
Lifting rings / Transportation fixtures	4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan	
Hard-Fitted Furniture	Branded Smart Toilet	
	Electric Underfloor Heating	
Hard-Fitted Furniture	Wardrobe	
	Shoe Cabinet	
1. Insulation Upgrade	<input type="checkbox"/> UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)	
2. Comfort Upgrade	<input type="checkbox"/> Thickened Insulation Layer	
3. International Kitchen Integrated Customization	<input type="checkbox"/> Projector	
4. Accessories and Peripherals	<input type="checkbox"/> Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)	
	<input type="checkbox"/> Range Hood/Induction Cooker/Refrigerator	
	<input type="checkbox"/> Entrance Staircase	
	<input type="checkbox"/> Triangular V-brace	
	<input type="checkbox"/> Entrance Platform	



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: G70F

Size(L*W*H):


11500*3300*3200mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 11.5KW/17KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

Capsule house G70F Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade

- Projector

3. International Kitchen Integrated Customization


- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: X50

Size(L*W*H):


8500*3200*3200mm

Floor Area: 27.2m²

Number of guests: 2 people

Maximum Power: 6.7KW/8.2KW
(with floor heating)

Total Net Weight: ≈6.5 tons



*Product layout plan (for reference only)

Capsule house X50 Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Double-Layer Insulated Tempered Floor-to-Ceiling Glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

Lighting Ventilation Fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)


- Thickened Insulation Layer

2. Comfort Upgrade

- Custom bar counter
- Smart voice system
- Projector

3. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: X70

Size(L*W*H):

11500*3200*3200mm

Floor Area: 36.8m²
Number of guests: 2-4 people

Maximum Power: 9.9KW/11.3KW
 (with floor heating)

Total Net Weight: ≈8 tons


*Product layout plan (for reference only)

Capsule house X70 Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Double-Layer Insulated Tempered Floor-to-Ceiling Glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

Lighting Ventilation Fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade

- Custom bar counter
- Smart voice system
- Projector

3. International Kitchen Integrated Customization

- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **U30** Configuration



Model: U30

Size(L*W*H):


8500*3600*3200mm

Floor Area: 30.6m²

Number of guests: 2-4 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: \approx 5 tons



*Product layout plan (for reference only)

External protection system	Interior Decoration	Optional Configurations (Additional Costs Apply)
Galvanized steel structure frame system	Integrated Ceiling and Wall Modules	
Fluorocarbon sprayed aluminum alloy shell module	Stone Crystal Wood-Grain Flooring	
Thermal insulation, waterproof and moisture-proof structural system	Bathroom Privacy Glass Door	
Double-Layer Insulated Tempered Floor-to-Ceiling Glass	Bathroom Shower Room/Marble/Tile Floor	
Hollow laminated tempered glass skylight	Washbasin Counter/Sink/Bathroom Mirror	
Painted stainless steel swing entrance door	Coat Hooks/Shower Storage Shelf/Towel Rack	
Panoramic balcony	Branded Water Tap/Showerhead/Floor Drain	
Guest control system	Whole-House Lighting System	
Lighting / Electric curtains	Whole-House Water and Electricity System	
Intelligent access control system for hotels	Standard Color Blackout Curtains	
Product accessories	Air Conditioner (Cooling & Heating)	
Support feet matched at the bottom of the product	Electric Water Heater	
Lifting rings / Transportation fixtures	Ventilation System	
	Whole-House Mosquito-Proof Screen Doors	
	4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan	
	Branded Smart Toilet	
	Electric Underfloor Heating	
1. Insulation Upgrade	<input type="checkbox"/> UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)	
2. Comfort Upgrade	<input type="checkbox"/> Thickened Insulation Layer	
3. Accessories and Peripherals	<input type="checkbox"/> Custom bar counter	
	<input type="checkbox"/> Smart voice system	
	<input type="checkbox"/> Projector	
	<input type="checkbox"/> Entrance Staircase	
	<input type="checkbox"/> Triangular V-brace	
	<input type="checkbox"/> Entrance Platform	



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: U50

Size(L*W*H):


9200*3600*3200mm

Floor Area: 33.1m²

Number of guests: 2-4 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈6 tons



*Product layout plan (for reference only)

Capsule house U50 Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Double-Layer Insulated Tempered Floor-to-Ceiling Glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

- Thickened Insulation Layer

2. Comfort Upgrade

- Custom bar counter
- Smart voice system
- Projector

3. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.



Model: SleepBox

Size(L*W*H):


2300*2200*2500mm

Floor Area: 5.0m²

Number of guests: 2 people

Maximum Power: 5KW

Total Net Weight: ≈3 tons



*Product layout plan (for reference only)

SleepBox Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Smart Voice Control

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Micro-ventilation window

Electric Underfloor Heating



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house W3 Configuration



Model: W3

Size(L*W*H):


5600*3400*3400mm

Floor Area: 19.1m²

Number of guests: 2 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈4 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Smart Voice Control

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Micro-ventilation window

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

- Thickened Insulation Layer

2. Comfort Upgrade

- Smart Voice System


- Electric towel rack

3. Accessories and Peripherals

- Entrance Staircase

- Triangular V-brace

- Entrance Platform





***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.


Model: W6
Size(L*W*H):

9500*3400*3400mm

Floor Area: 32.3m²
Number of guests: 2-4 people

Maximum Power: 6.7KW/11.2KW
 (with floor heating)

Total Net Weight: ≈6.5 tons


*Product layout plan (for reference only)

Capsule house W6 Configuration

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Smart Voice Control

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Micro-ventilation window

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade


- Custom bar counter/custom wardrobe
- Smart voice system
- Projector + projection screen
- Washing machine
- Electric towel rack

3. International Kitchen Integrated Customization

- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house W9 Configuration



Model: W9

Size(L*W*H):



11500*3400*3400mm

Floor Area: 39.1m²

Number of guests: 2-4 people

Maximum Power: 9.9KW/15.4KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Smart Voice Control

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Micro-ventilation window

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- Thickened Insulation Layer

2. Comfort Upgrade


- Custom bar counter/custom wardrobe
- Smart voice system
- Projector + projection screen
- Washing machine
- Electric towel rack

3. International Kitchen Integrated Customization

- Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)
- Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

- Entrance Staircase
- Triangular V-brace
- Entrance Platform





Model: SA30

Size(L*W*H):

6500*3480*3300mm

Floor Area: 23.0m²

Total Net Weight: ≈4.3 tons



*Product layout plan (for reference only)

SA30 Disassembled Version Configuration

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades


- Air conditioner
- Kitchen and kitchen appliances

2. Accessories and Peripherals

- Electrical, Wiring and Lighting
- Solar System
- Water Tank



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.


Model: SA50

Size(L*W*H):

8940*3480*3300mm

Floor Area: 31.1m²
Total Net Weight: ≈5.5 tons


*Product layout plan (for reference only)

SA50 Disassembled Version Configuration

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades

- Air conditioner
- Kitchen and kitchen appliances

2. Accessories and Peripherals

- Electrical, Wiring and Lighting
- Solar System
- Water Tank

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.


Model: SA70

Size(L*W*H):

11380*3480*3300mm

Floor Area: 39.6m²
Total Net Weight: ≈6.7 tons


*Product layout plan (for reference only)

SA70 Disassembled Version Configuration

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades

- Air conditioner
- Kitchen and kitchen appliances

2. Accessories and Peripherals

- Electrical, Wiring and Lighting
- Solar System
- Water Tank

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.