

Round B items

I01

Description 1 (slot: last_prompt_tok)

<explanation>

Structured code block format with a Q&A pattern: the response follows a consistent template of providing a complete Python solution for a code block.

The phrase "The following code should be replaced with the correct implementation" signals a final code block is expected, likely a complete solution or placeholder fix for the missing `code` block.

Final token "

" opens a code block delimiter after "The code can be replaced with the following implementation," immediately expecting a code block opening like ```python` or ``` or ```python ```", or "code is as follows:" or "```code" to present the corrected answer or the final placeholder snippet.

</explanation>

Description 2 (slot: first_resp_tok)

<explanation>

Structured Q&A format with code block and Python solution pattern signals a complete answer block is being presented.

The phrase "```python" opens a code block block, mirroring the previous block, suggesting a repeating pattern of code snippet followed by a closing block.

Final token "```" opens a code block delimiter after "```", immediately requiring a language/file type label like "python

```" or "python

import pandas as pd" or "python

def solution(data):" – likely the code block closing or a new block starting with `python

```" to match the solution block structure.

</explanation>

Description 3 (slot: resp_span_mean)

<explanation>

Repeating pattern of structured code block with verbatim copy of the puzzle solution, following the established Q&A format for Python graph/pathfinding.

The pattern "return [1,2] to match the previous example" mirrors the exact repeated structure, mirroring the "b = 0" mapping.

Final token "endpoints_ " ends a repeated verbatim clause ("grid with 12 endpoints..."), requiring a parallel exact match – likely "b, 7)" or "the tournament, and 7" or "1...by the tournament" or "b: ...0 and the other set" to

```
close the repeated statement matching the previous setup.
</explanation>
```

Group 1 or Group 2 for **I01**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I02

Description 1

```
<explanation>
Structured code block format signals a Python function definition, establishing a
complete solution for a problem involving a function to test a solution.

The phrase "def solve(solution):" sets up a function signature, implying a test/
example block wrapping the `solve` function with a demonstration or docstring.

Final token "solve
'" closes the function signature declaration (`def solve(solution):`), immediately
expecting a function body or closing statement like `

test_case = ...` or `
# Test the function" or "create_solution = lambda..." or "test = solve" or "
# The function to be tested is..." to complete the Python boilerplate.
</explanation>
```

Group 1 or Group 2 for **I02**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I03

Description 1 (slot: last_prompt_tok)

```
<explanation>
Structured code block format signals a Q&A platform response, with a structured
solution requiring a code block or corrected answer for the Python/LeetCode
problem.

The phrase "The following implementation is provided in the correct implementation"
establishes a fallback response pattern, indicating a final answer or placeholder
code block is expected.

Final token "
" opens a new response section after "The code is provided below," immediately
expecting a code block or answer statement like ```python" or ```" or "code is as
follows:" or ```python
```", or "I cannot provide the complete solution as the answer is missing" – a
replacement/placeholder fix for the fix.
</explanation>
```

### Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block and structured response pattern signals a Python solution block is expected, following the problem description.

The phrase "```python" opens a code block block, requiring a complete code block containing the solution to the Python/Django context, likely a file snippet or full code block.

Final token "```" opens a code block delimiter after "```", immediately requiring a code block label like "python" or "python

import pandas" or "python

def solve(data):" – likely "python

import pandas as pd" or "python

code block" or "python

import pandas" to close the block with the answer.

</explanation>

### Description 3 (slot: resp\_span\_mean)

<explanation>

Repeating pattern of structured code block with repeated Q&A format: the answer is mirroring the exact template for the problem.

The pattern "result = [count] // the answer is same as the previous" establishes a direct parallel, echoing the "set of combinations" and the bitmask solution.

Final token "numbers'" ends a repeated verbatim line ("grid = {}"), requiring a closing parallel clause – likely "the bitmask" or "t

set" or "time, the set of combinations" or "behind the set" mirroring the original statement "the bitmask\_value for the target" or "lby Alex" to complete the duplicate.

</explanation>

Group 1 or Group 2 for **I03**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I04

### Description 1 (slot: last\_prompt\_tok)

<explanation>

Structured code block pattern: the response follows a Q&A format with a complete solution, establishing a code block for the final answer.

The phrase "The following code is the complete solution" signals a fallback/final answer block, likely a code snippet or placeholder response for the missing implementation.

Final token "

" opens a repeated code block prompt ("The solution is provided below.

"), immediately expecting a code block label or answer placeholder like "```python" or "```" or "code is as follows:" or "```python

```", or "```code: the following code snippet..." to provide the corrected/final

```
answer for the duplicate/incomplete.
</explanation>
```

Description 2 (slot: first_resp_tok)

```
<explanation>
Structured Q&A format with code block pattern: the response follows a consistent
structure of Python code block with a complete solution.

The phrase "return code:python" signals a repeating block pattern, with the answer
now presenting the final code block to replace the previous one.

Final token "`" opens a code block delimiter after "`python", immediately
requiring a code block label or block opener like "python
`" or "python
import pandas as pd" or "python
def solution(data):". The next tokens likely begin a new block with `python
`" or "python
import pandas" mirroring the solution snippet.
</explanation>
```

Description 3 (slot: resp_span_mean)

```
<explanation>
Repeating pattern of structured code block with Q&A format: the answer is mirroring
the exact template for the Python problem.

The pattern "return sum([1] == 0)" establishes a direct repetition of the previous
answer, mirroring the exact "target = 7" setup.

Final token "numbers'" ends a repeated verbatim phrase ("that the result
equals..."), requiring a parallel clause like "the target" or "es and 7" to close
the duplicate statement. Or "bites: ...", or "target and 7" or "es and the set of
combinations" matching the previous statement about the special case.
</explanation>
```

Group 1 or Group 2 for **I04**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I05

Description 1 (slot: last_prompt_tok)

```
<explanation>
Structured Q&A format with code block pattern: the response follows a consistent
template of providing a complete solution for a Java/Kotlin problem.

The phrase "`java" signals a code block is being opened, requiring a final code
block answer to complete the response, likely the corrected solution or a closing
snippet.

Final token "
" ends a repeated code block placeholder ("Here is the code..."), immediately
expecting a code block delimiter or closing statement like "`" or "`java" or
```

```
```code" or ```
```" – likely ```java
```" or "code block is missing the correct implementation" to restate the answer.
</explanation>
```

### Description 2 (slot: first\_resp\_tok)

```
<explanation>
Structured Q&A format with code block pattern: the response follows a Python/Python
tutorial structure, with a complete solution block now expected.

The phrase "return code block" signals a code block block is opening, mirroring the
previous block with the full solution for the Python 3 syntax.

Final token "```" opens a code block delimiter after "```", immediately requiring a
language label like "python" or "python
```" to close the block. Then likely "python
```" or "python
def solve(data):" or "python
def python" to present the code block or a block-closing marker for the answer.
</explanation>
```

### Description 3 (slot: resp\_span\_mean)

```
<explanation>
Repeating pattern of structured code block with consistent Q&A format: each entry
follows "result = X" with Python/bitmask logic.

The document is mirroring the previous answer verbatim, cycling through the exact
pattern of "target = 128" and "0" to complete the final duplicate.

Final token "grid8'" ends a repeated verbatim line ("return 128"), requiring a
parallel clause – likely "the target" or "37" or "es...by the game" or "behind the
target" or "es 0" mirroring the previous statement "the bit is 0" to close the
pattern.
</explanation>
```

Group 1 or Group 2 for **I05**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I06

### Description 1 (slot: last\_prompt\_tok)

```
<explanation>
Structured code block format with a Q&A pattern: the response follows a consistent
template of providing a code solution for a LeetCode problem.

The phrase "```python" signals a code block is being opened, implying a corrected
or complete solution is expected, likely a fix for the missing `def` block.

Final token "
" opens a code block fallback/correction prompt ("I cannot provide the code..."),
immediately expecting a repeated or corrected answer like "```python" or "```" or
```

"code block is as follows:" or "`python  
def solve(arr)..." or "I have missed the solution" – a duplicate or final fix.  
</explanation>

### Description 2 (slot: first\_resp\_tok)

<explanation>  
Structured Q&A format with code block and structured response pattern signals a Python solution block is expected, following the problem description.

The phrase "`python" opens a code block block, establishing a repeating pattern of code/answer presentation for the Python solution involving the `typing` module.

Final token "```" opens a code block delimiter after "```", immediately requiring a code block label like `python`  
```` or `python`  
import typing` or `python`
def solve(data):` – likely a block starting with `python`
```` or "python`  
import python" or "python code block is the answer to the solution."  
</explanation>

### Description 3 (slot: resp\_span\_mean)

<explanation>  
Structured pattern of repeating code block with consistent Q&A format: the solution is mirroring the previous answer verbatim.

The pattern "edges = 7" is being repeated verbatim, with the final line mirroring the exact structure "return mst\_edges with the same value" to close the duplicate.

Final token "edges'" ends a repeated parallel clause ("return kruskal\_mst..."), requiring a direct parallel – likely "the MST" or "time, b)" or "b: ...user" or "edges\_set and" or "time, b) or the MST" matching the original setup of the kruskal function with the alternative value.  
</explanation>

Group 1 or Group 2 for **I06**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I07

### Description 1 (slot: last\_prompt\_tok)

<explanation>  
Structured code block format with a Q&A pattern: the response follows a structured debugging template, establishing a code block for the solution.

The phrase "The solution is incorrect" signals a repeated answer block, suggesting a final fix or clarification is being provided for the Haskell/LeetCode problem.

Final token "  
" opens a new code block or answer section after "The solution is incorrect." – immediately expects a code block label like "`python" or "```" or "The code is as

```
follows:" or "`python
def solve(arr)..." or "I have found the missing implementation" or "`code" to
restate the fix.
</explanation>
```

### Description 2 (slot: first\_resp\_tok)

```
<explanation>
Structured Q&A format with code block and structured response pattern signals a
Python solution block is expected, following the problem description.

The phrase "code block: ``python" establishes a repeating pattern – the answer is
now presenting the complete solution, likely a Python block with the `import
collections` and `class Solution`.

Final token "`" opens a code block delimiter after "`", immediately requiring a
code block label or block start like "python
``" or "python
import collections" or "python
def solve(prices):" – likely a code block marker or the block opening to replicate
the solution snippet or a closing block with the answer.
</explanation>
```

### Description 3 (slot: resp\_span\_mean)

```
<explanation>
Structured pattern of repeating code block format: the solution follows a
consistent Q&A template with repeated "dijkstra" function definitions.

The answer is mirroring the exact previous answer, restating the problem with the
same "shortest path" framing for the graph with bitmask optimization.

Final token "paths_ " ends a repeated parallel clause ("dijkstra to map the goal
with the same mapping..."), requiring a direct parallel – likely "time" or "b
the set of vertices" or "b: the set of vertices" or "time and...", mirroring the
`b` variable or completing the assignment to the target function.
</explanation>
```

Group 1 or Group 2 for **I07**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I08

### Description 1 (slot: last\_prompt\_tok)

```
<explanation>
Structured Q&A format with code block pattern: the response follows a consistent
structure of providing a solution for a Python/LeetCode problem.

The phrase "The code is missing" signals a fallback answer, suggesting a code block
or corrected solution is expected to follow.

Final token "
" opens a repeated code block block after "Answer:" – immediately expects a code
```

```
block delimiter or repeated answer snippet, likely ```python" or "```" or
"```python
def solve(...)" or "code is as follows:" or "```" or "There seems to be a bug..." to
provide the final corrected solution or a missed logic clarification.
</explanation>
```

### Description 2 (slot: first\_resp\_tok)

```
<explanation>
Structured Q&A format with code block pattern: the response follows a Python
solution template, requiring a complete code block to follow.

The phrase "return code: python" signals a code block block is opening, with the
answer repeating the solution for the Python 3 syntax.

Final token "```" opens a code block delimiter after "```python", immediately
requiring a code block block label like `python
``` or `python
import typing` or `python
def solve(data):`. The next tokens likely begin a block like `python
```python" or "python
import typing" mirroring the solution block.
</explanation>
```

### Description 3 (slot: resp\_span\_mean)

```
<explanation>
Structured pattern of repeating code block format: the answer follows a consistent
Q&A template with Python function definitions and explanations.

The repeated phrase "return False if the target cell is not reachable" mirrors the
exact pattern "visited = [0]... and the target cell" establishing a parallel
structure.

Final token "grid" ends a repeated verbatim clause ("grid..."), requiring a direct
parallel to "the target" – likely "b
time, the visited set" or "tide": completing the mirroring statement "set by the
previous line" or "behind the grid" or "es:
...the smallest index" matching the puzzle constraint.
</explanation>
```

Group 1 or Group 2 for **I08**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I09

### Description 1 (slot: last\_prompt\_tok)

```
<explanation>
Structured code block format with a Q&A pattern: the response follows a consistent
template of providing a code block with a corrected solution.

The phrase "The code is missing the implementation of the function" signals a final
answer block, likely a code block containing the complete Haskell/Python solution
```

for the syntax error.

Final token "

" opens a code block placeholder after "The code should be placed in the following block," immediately expecting a code block delimiter or repeated answer phrase like ```python` or ``` or ```code" or ```basic. The following code..." or ```python` to provide the corrected solution wrapping.

</explanation>

## Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block and structured response pattern signals a Python/educational answer block is being presented.

The phrase "return code block" establishes a repeating pattern: ```python" opens a code block block, suggesting a complete solution block follows.

Final token ```" opens a code block delimiter after ```", immediately requiring a language/file type tag like "python" or "python`", then likely "python`import pandas as pd" or "python`def solution(data):" or "python`{ ...}" to begin the block containing the code block or a block-closing marker for the answer.

</explanation>

## Description 3 (slot: resp\_span\_mean)

<explanation>

Repeating pattern of structured code block with verbatim copy of the Python puzzle solution, following the established template for the graph traversal problem.

The pattern "return 987654321" mirrors the exact repeated phrase "edges = 123" from the previous answer, echoing the full solution.

Final token "987" ends a direct parallel repetition of the exact line "return 987...with the same parameters," requiring immediate closure with "732", then likely "the edges...b)", or "5, 732" or "b: 0" matching the target value for the other set.

</explanation>

Group 1 or Group 2 for **I09**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I10

### Description 1 (slot: last\_prompt\_tok)

<explanation>

Structured code block pattern: the response follows a Q&A format, with a code block presenting a complete solution for the Python/Java challenge.

The phrase "The following code block should be replaced with the correct implementation" signals a final code block is expected, likely a corrected or complete solution.

Final token "

" opens a code block placeholder after "The code should be replaced with the following implementation," immediately requiring a code block delimiter or repeated answer block like ``python` or ``code`. or "" or "code is as follows:" or ""python  
``, presenting the final fix to the placeholder syntax for the missing implementation.  
</explanation>

## Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block and Python solution pattern signals a structured answer block is being completed.

The phrase "code block: ``python" establishes a repeating pattern – the response is now presenting the final solution block, likely a code block or block snippet to follow.

Final token "" opens a code block delimiter after "", requiring an immediate block label like "python

``" or "python

import pandas as pd" or "python

python

``, then likely "python

def solve(data):" or "python

import python" or "python code block follows" to close the answer with the full solution.

</explanation>

## Description 3 (slot: resp\_span\_mean)

<explanation>

Repeating pattern of structured code block with Q&A format: the answer is mirroring the exact problem statement verbatim.

The pattern "sum\_list = [1,2,3] ... return 0" establishes a direct parallel, repeating the exact code snippet for the final case.

Final token "preset'" ends a repeated verbatim echo of "sum\_numbers == 0", requiring a closing parallel clause – likely "the sum of the list" or "tides, with the same setup" or "bites and 3" or "sum:

3" mirroring the previous statement "the target value" or "by the game."

</explanation>

Group 1 or Group 2 for **I10**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I11

### Description 1

<explanation>

Weather advisory format signals a UK weather forecast description, establishing a news bulletin tone with a specific event summary.

The phrase "We're expecting heavy rain and strong" sets up a weather forecast description, implying a storm warning about a UK autumn event with wind/gusts.

Final token "strong" opens a noun phrase ("strong rain and strong..."), requiring a weather noun – most likely "winds" or "winds/gusts" to complete the meteorological description of the storm conditions. Or "thunderstorms" or "high temperatures" – the phrase "strong rain and strong" demands a noun phrase describing the storm intensity or wind conditions.

</explanation>

Group 1 or Group 2 for **I11**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I12

### Description 1 (slot: last\_prompt\_tok)

<explanation>

Structured code block pattern: the response follows a Q&A format with a corrected solution, establishing a structured answer template for a programming problem.

The phrase "The following code is missing..." signals a final fallback answer, suggesting a code block or corrected implementation is expected to address the incomplete solution.

Final token "

" opens a repeated code block block after "The answer is:" – immediately expects a code block label or correction statement like "`python" or "`", likely followed by "`python" or "code block is as follows:" or "`" or "Yes, the solution was..." or "`code" to fix the missed logic.

</explanation>

### Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block pattern: the response follows a Python/Python3 block structure, requiring a code block to close.

The answer "return lambda x: ..." signals a complete solution block, with the code snippet now presenting the full Python implementation for the solution.

Final token "`" opens a code block delimiter after "`python", immediately requiring a code block block label like `python

``` or `python

import typing` or `python

def python_solution(data):`. The next tokens likely repeat the block marker or

```
begin a code block block like `python`  
```python` to close the answer.  
</explanation>
```

### Description 3 (slot: resp\_span\_mean)

<explanation>

Structured code block pattern: repeating Q&A format with Python function definitions and explanations for subset sum problem.

The pattern "sum\_set = set([x for i in range(n)])" mirrors the previous answer, establishing a direct parallel with the bitmask approach to satisfy the constraint.

Final token "power set" ends a repeated verbatim phrase ("where the subset == 0"), requiring a closing parallel clause – likely "the target" or "bitmask" or "target\_sum" or "sum\_set" or "by the game" or "there

...

b.

" matching the exact constraint of the subset count.

</explanation>

Group 1 or Group 2 for **I12**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I13

### Description 1

<explanation>

Code block structure signals a Python function definition, establishing a pattern of mathematical/functional documentation for factorial.

The phrase "def factorial(n) : if" sets up a conditional or recursive definition, suggesting a predicate about the input `n` or a base case for the function.

Final token "if" opens a conditional clause ("def factorial(n) : ..."), requiring a predicate like `n == 0` or `n == 1` to match the definition of the function. Or "n == 0": or "n <= 1 is the answer" or "k == 0 is..." for the predicate.

</explanation>

Group 1 or Group 2 for **I13**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I14

### Description 1 (slot: last\_prompt\_tok)

<explanation>

Structured code block format with a Q&A platform pattern signals a code block response, requiring a complete solution for a Python syntax error.

The phrase "The code below is the complete solution" establishes a repeating

pattern of providing a code block, suggesting a final answer or corrected snippet.

Final token "

" opens a code block placeholder after "The code can be found in the following block," immediately expecting a code block delimiter or response like ```python` or ``` or ```python`  
```" or "code block is as follows:" or ```code" – likely a syntax fix or placeholder for the full solution to the missing `return`.  
</explanation>

Description 2 (slot: first_resp_tok)

<explanation>

Structured Q&A format with code block and structured response pattern signals a Python/Django answer block is expected.

The phrase "return code block" establishes a repeating pattern: the solution block follows the code block, likely a Python snippet or block comment.

Final token ```" opens a code block delimiter after ```", immediately requiring a closing block label like "python`
```" or "python`  
import pandas as pd" or "python`  
def solution(data):". The ```" signals a code block block start, likely followed by "python" or "python`  
```" to match the tutorial structure.  
</explanation>

Description 3 (slot: resp_span_mean)

<explanation>

Repeating pattern of structured code block with verbatim copy of the puzzle solution, following the established Q&A format for Python graph/pathfinding.

The pattern "return [1,2] to match the same mapping as the previous example" mirrors the exact repeated structure of the final line.

Final token "endpoints_" ends a repeated verbatim echo of the line "grid = 1,0", requiring a parallel clause – likely "b, 7]" or "the tournament, and 7" or "time, b: 7}" or "b, 7 and the other..." mirroring the setup to match the set of 12.
</explanation>

Group 1 or Group 2 for **I14**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I15

Description 1 (slot: last_prompt_tok)

<explanation>

Structured Q&A format with code block pattern: the response follows a consistent template of providing a corrected solution for a Python/LeetCode problem.

The phrase "The code is missing the following logic" signals a code block or

corrected answer is expected, likely a fix for the incomplete function.

Final token "

" opens a repeated code block block after "The answer is:" – immediately expects a code block label or fallback answer like "`python" or "`", then likely "`python" or "`code" or "The solution is..." or "`" or "code block fix: the bug was..." to provide the final corrected snippet.
</explanation>

Description 2 (slot: first_resp_tok)

<explanation>

Structured Q&A format with code block and Python solution pattern signals a complete answer block is expected, following the established response template.

The phrase "return code: python" mirrors the previous block, indicating a code block or block delimiter is opening to present the solution.

Final token "`" opens a code block delimiter after "`python", immediately requiring a code block label or block content – likely "python" or "python"
import typing" or "python"
def solve(..." or "python"
def python code block" or "python"
python"
import typing" to close the answer with the solution block.
</explanation>

Description 3 (slot: resp_span_mean)

<explanation>

Structured pattern of repeating code block format: the answer follows a Q&A template with repeated "def solve()" and "visited" logic.

The sentence "the same logic as before: set the target to 0" mirrors the exact repeated pattern of the previous answer, mirroring the grid traversal problem.

Final token "grid " ends a repeated verbatim clause ("set x == 0"), requiring a parallel completion – likely "the target" or "b"
, or "time, the target..." or "behind the grid" or "b:
...
set by the player" mirroring the previous statement about the set of unreachable cells or the outer loop.
</explanation>

Group 1 or Group 2 for **I15**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I16

Description 1

<explanation>

Conversational UK weather advisory tone established, suggesting a casual post

introducing a forecast update or warning.

The phrase "The forecast is looking stormy for the weekend" signals a message about a UK coastal event, implying a weather advisory or travel disruption notice is incoming.

Final token "weather." ends a setup clause ("The forecast is expected to be stormy..."), immediately expecting a reaction or consequence statement like "So we're cancelling" or "That means..." or "Is this a good time to stay indoors?" or "We should be taking precautions." or "The sailing club is advising..." referencing the storm warning or the recommended safety guidance for the event.

</explanation>

Group 1 or Group 2 for **I16**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I17

Description 1 (slot: last_prompt_tok)

<explanation>

Structured code block format with a Q&A pattern: the response follows a consistent template of providing a corrected solution for a LeetCode problem.

The phrase "The code is missing" signals a fallback answer, suggesting a code block or corrected implementation is expected to follow.

Final token "

" opens a code block or answer block after "The solution is missing." – immediately expects a code block delimiter or repeated answer phrase like "```python" or "```", likely "```python

def..." or "```code" or "The following code is missing." or "```python: the solution is..." to wrap the incomplete response with a fix.

</explanation>

Description 2 (slot: first_resp_tok)

<explanation>

Structured Q&A format with code block and structured response pattern signals a Python solution block is expected, following the problem description.

The phrase "code block: ```python" establishes a code block block, with the answer likely to be a complete Python solution for the problem.

Final token "```" opens a code block delimiter after "```", immediately requiring a code block label or block start like "python

```" or "python

import pandas as pd" or "python

def solve(data):" – likely a code block closing or a new block header like "python ```python" to present the solution.

</explanation>

### Description 3 (slot: resp\_span\_mean)

<explanation>

Structured pattern of code block repetition: the solution follows a consistent Q&A format with repeated Python logic for bitmask combinations.

The sentence "for i in range(1 << n)" mirrors the exact pattern "result = set([x for x in combinations])", establishing a parallel structure for the final answer.

Final token "xor\_sets" ends a repeated clause ("set()"), requiring a direct parallel – likely "the bitmask" or "time, bitmask" or "b

time

" or "ltime:

", or "

bitmask

...the subset" matching the problem statement to complete the statement about the target value.

</explanation>

Group 1 or Group 2 for **I17**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I18

### Description 1 (slot: last\_prompt\_tok)

<explanation>

Structured code block format signals a Q&A platform response, with a Python solution for a coding problem involving a bug fix.

The phrase "The solution is incorrect" establishes a pattern of providing a corrected code block, suggesting a fallback or final answer attempt.

Final token "

" opens a code block or retry prompt after "I cannot provide the correct solution," immediately expecting a code block label or fallback response like "```python" or "The code is missing..." or "```" or "```python: the solution seems to be..." or "There appears to be a repeated/incorrect implementation" – a debugging or fix statement for the duplicate.

</explanation>

### Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block and structured response pattern signals a Python solution block is expected, following the problem description.

The phrase "```python" establishes a code block block, requiring a complete code block containing the solution to the Python problem, likely a function or block.

Final token "```" opens a code block delimiter after "```", immediately requiring a code block label like "python

```" or "python

import numpy as np" or "python

def solve(data):" – likely repeating the block marker or starting a new block with the answer code, likely "python

```
```" or "python code block."  
</explanation>
```

### Description 3 (slot: resp\_span\_mean)

```
<explanation>
Structured pattern of repeating code block with consistent Q&A format: the answer
is mirroring the previous solution for shortest path with DAG.

The code block is repeating verbatim the exact pattern "target = 0" and "edges =
[list]" mirroring the previous answer, with the final line restating the same
logic.

Final token "edges" ends a parallel repetition of "path_map.copy()", requiring a
closing clause like "the target" or "b": matching the variable name "b" from the
previous line, likely "time,
...
b
" or "edges_set and..." or "by the game" to complete the assignment.
</explanation>
```

Group 1 or Group 2 for **I18**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I19

### Description 1 (slot: last\_prompt\_tok)

```
<explanation>
Structured code block format with a Q&A pattern: the response follows a consistent
template of providing a complete solution for a Python/code block.

The phrase "```python" signals a code block is being presented, establishing a
fallback answer to the incomplete solution for the missing `else` branch.

Final token "
" opens a code block placeholder after "The complete code is provided below." –
immediately expects a code block label or repeated answer block like "```python" or
"```" or "code is as follows:" or "```python
def solve(...)" or "```python
```", likely the corrected implementation or a placeholder/final answer.  
</explanation>
```

Description 2 (slot: first_resp_tok)

```
<explanation>  
Structured Q&A format with code block and structured response pattern signals a  
Python solution block is expected, following the problem description.  
  
The phrase "code block: ```python" establishes a repeating pattern – the answer is  
now presenting the complete solution, likely a Python file snippet with the full  
implementation.  
  
Final token "```" opens a code block delimiter after "```", immediately requiring a
```

```
code block label like "python
```" or "python
import pandas as pd" or "python
def solve(data):" – likely the code block opening or a closing block marker. The
```python" tag signals a block containing the solution code to follow.
</explanation>
```

Description 3 (slot: resp_span_mean)

```
<explanation>
Repeating pattern of structured code block with verbatim copy of the Python puzzle
solution, following a strict Q&A format.

The pattern "return 0 if x == 1 and the target is 8" mirrors the exact repeated
structure, mirroring the previous answer about the grid.

Final token "range_" ends a direct parallel repetition of "grid = 12, but the
target is 8" – immediately requires a closing clause like "tbing, 8" or "the
target...": "by the grid" or "5 and 8" or "belling and..." matching the previous
statement about the other case.
</explanation>
```

Group 1 or Group 2 for **I19**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I20

Description 1 (slot: last_prompt_tok)

```
<explanation>
Structured code block format with a Q&A pattern: the response follows a structured
Python solution template, establishing a code block for the problem.

The phrase "Solution: I cannot provide the correct implementation" signals a
fallback answer, suggesting a final attempt to provide a corrected or missing
solution.

Final token "
" opens a new response block after "No previous answer is available." – immediately
expects a code block or revised answer label like ```python" or "The code is
missing" or ```", or "Based on the pattern..." or ```python: The solution cannot
be determined." or "There is no discernible pattern to deduce."
</explanation>
```

Description 2 (slot: first_resp_tok)

```
<explanation>
Structured Q&A format with code block pattern: the response follows a Python/Python
tutorial structure, with a complete solution block now expected.

The phrase "return code block" signals a code block block is starting, likely a
Python function or snippet to replace the existing solution.

Final token ```" opens a code block delimiter after ```python", immediately
```

```
requiring a code block label or block opener like `python`
or `python`
def solve(price):`. The pattern "`python" strongly expects a closing block or a
new block header like "python
" or "python code block" to follow the answer.
</explanation>
```

Description 3 (slot: resp_span_mean)

```
<explanation>
Repeating pattern of structured code block with Q&A format: the answer is mirroring
the previous response with a Python solution for the puzzle.

The pattern "return 1 if n == 0" establishes a direct repetition of the exact code
block, echoing the "target_value" variable and the bitwise count.

Final token "targets'" ends a repeated verbatim phrase ("that the number of moves
to reach 1..."), requiring a parallel clause like "the target" or "bit" to close
the pattern – likely "tbit" or "there are 12" or "else...target" or "by the game"
mirroring the previous case.
</explanation>
```

Group 1 or Group 2 for **I20**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I21

Description 1 (slot: last_prompt_tok)

```
<explanation>
Structured code block format with a Q&A pattern: the response follows a consistent
template of providing a code block with a corrected solution.

The phrase "The following code is missing" signals a fallback answer, establishing
a code block or correction is expected to address the incomplete Haskell/LeetCode
problem.

Final token "
" opens a code block placeholder after "The code is missing." – immediately expects
a code block delimiter or repeated answer block, likely "`python" or "``" or
"code block is as follows:" or "`python
", or "``clojure" or "I have found the solution" to the repeated/corrected
snippet.
</explanation>
```

Description 2 (slot: first_resp_tok)

```
<explanation>
Structured Q&A format with code block and structured response pattern signals a
Python solution block is expected, following the problem description.

The phrase "`python" opens a code block block, establishing a repeating pattern
of code/answer presentation for the Python solution involving the `typing` module.
```

Final token "```" opens a code block delimiter after "```", immediately requiring a code block label like `python`
``` or `python`  
def solve(data):` or "python`  
import typing" – likely a block start or closing tag. Or "python`  
```python" to begin the answer block, mirroring the block syntax.  
</explanation>

Description 3 (slot: resp_span_mean)

<explanation>
Structured pattern of repeating code block templates: the answer follows a consistent Q&A format with repeated verbatim snippets for the MST algorithm.

The pattern "return graph with same edges" mirrors the exact repeated phrase "edges = 1", mirroring the previous answer about the Kruskal's algorithm solution.

Final token "user_id'" ends a direct parallel repetition of "edges_sum = 0", requiring a closing clause like "the MST" or "b": "theta`
```" or "theta,  
...by the target" or "time, b) ...the MST and the target" matching the previous variable assignment to the coloring function.  
</explanation>

Group 1 or Group 2 for **I21**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I22

### Description 1 (slot: last\_prompt\_tok)

<explanation>  
Structured code block format with a Q&A pattern: the response follows a consistent structure of providing a corrected solution for a LeetCode problem.  
  
The phrase "The following code is missing" signals a fallback answer, suggesting a code block or corrected snippet is expected to complete the response.  
  
Final token "  
" opens a code block or answer block after "The solution is missing." – immediately expects a code block delimiter or repeated answer phrase like "```python" or "```", likely followed by "```python" or "code block is as follows:" or "```python`  
```", or "I am providing the corrected solution" to address the missed context.  
</explanation>

Description 2 (slot: first_resp_tok)

<explanation>
Structured Q&A format with code block and structured response pattern signals a Python solution block is expected, following the problem description.

The phrase "return code block" establishes a repeating pattern: the answer block is now presenting the complete solution, likely a Python code block with the full implementation.

Final token "```" opens a code block delimiter after "```", immediately requiring a language/block label like "python" or "python
```" or "python  
import pandas as pd", then likely "python  
def solve(data):" or "python  
```python  
import python" to close the block with the code block syntax matching the answer.
</explanation>

Description 3 (slot: resp_span_mean)

<explanation>
Structured pattern of code block repetition: the solution follows a consistent Q&A format with repeated Python logic for bitmask combinations.

The sentence "mask = set([i for i in range(n)])" mirrors the previous line, establishing a parallel pattern of matching the bitmask constraint.

Final token "groupet " ends a repeated verbatim clause ("mask = 0"), requiring a direct parallel – likely "the bit" or "t
bit" or "lbm,
" to close the pattern, or "theta_set" or "behind the lcm" or "lcm_set" matching the original problem statement for the subset of the set.
</explanation>

Group 1 or Group 2 for **I22**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I23

Description 1 (slot: last_prompt_tok)

<explanation>
Structured Q&A format with code block pattern: the response follows a consistent template of providing a complete solution for a code block.

The phrase "The following code block contains the corrected solution" signals a final fallback answer, likely a code block or corrected snippet to replace the incomplete one.

Final token "
" opens a code block or closing section after "I cannot provide the solution here."
– immediately expects a code block delimiter or repeated answer block like
"```python" or "```" or "code is as follows:" or "```python
def..." or "```code. The solution is..." to present the final corrected answer for the missing logic.
</explanation>

Description 2 (slot: first_resp_tok)

<explanation>
Structured Q&A format with code block pattern: the response follows a Python/Django tutorial structure, with a complete solution block now being presented.

The phrase "return "" is a code block delimiter, signaling a code block block ending with the solution snippet for the Python file.

Final token "" opens a code block block after ""python", requiring a closing block label like `python`

``` or `python`

def my\_solution(data):` – likely followed by "python`

```" or "python`

import pandas as pd" or "python`

def python_code(data) { ... }".

</explanation>

Description 3 (slot: resp_span_mean)

<explanation>

Structured pattern of repeating code block with repeated Q&A format: the document follows a strict template of Python puzzle solutions with consistent formatting.

The pattern "return 1287395" mirrors the previous repeated line "target = 0" – the answer is being restated verbatim for the final case.

Final token "grid87" ends a repeated verbatim copy of the exact line "target = 0", requiring immediate parallel completion – likely "738" or "the target...`

87" or "behind the target" or "528" to close the pattern matching the previous case of the bitwise value.

</explanation>

Group 1 or Group 2 for **I23**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

I24

Description 1 (slot: last_prompt_tok)

<explanation>

Structured code block format with a Q&A pattern: the response follows a consistent template of providing a complete solution for a code block.

The phrase "The following code should be replaced with the correct implementation" signals a final answer block, establishing a code block or corrected solution for the Haskell/Python syntax.

Final token "

" opens a code block placeholder after "The code is provided below:" – immediately expects a code block delimiter or repeated answer block like ""python` or """, with likely ""python" or ""`

```" or "code is as follows:" or ""code" to present the corrected implementation with the missing syntax.

</explanation>

### Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block and Python solution pattern signals a complete answer block is expected, following the problem description.

The phrase "```python" opens a code block block, establishing a repeating pattern of code/solution presentation for the Python snippet.

Final token "```" opens a code block delimiter after "```", immediately requiring a code block label like "python

```" or "python

def solve(data):" or "python

import pandas as pd" – likely a block containing the solution code or a closing block marker like `python

```python" to match the answer format.

</explanation>

### Description 3 (slot: resp\_span\_mean)

<explanation>

Repeating pattern of structured code block with repeated Q&A format: the answer is mirroring the exact Python puzzle template.

The pattern "return False if the grid is empty" and "grid = [1]..." establishes a direct parallel restatement of the previous answer about the shortest path.

Final token "targets'" ends a repeated verbatim phrase ("grid..."), requiring a parallel clause – almost certainly "the target" or "b,

" mirroring the exact code block structure, likely "t

b.

" or "behind the target" or "time, the grid" or "yes, and the set of..." matching the previous constraint.

</explanation>

Group 1 or Group 2 for **I24**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I25

### Description 1 (slot: last\_prompt\_tok)

<explanation>

Structured code block pattern: the response follows a Q&A format, with a corrected solution for a Python/LeetCode problem.

The phrase "The following code is incorrect" signals a final fallback answer, suggesting a code block or corrected implementation is expected to address the missing logic.

Final token "

" opens a repeated code block block after "The correct solution is:" – immediately expects a code block label or correction statement like "```python" or "```",

likely followed by "```python" or "```code" or "The solution was missing the final

logic" or "code block" to present the corrected answer or a final placeholder fix.  
</explanation>

### Description 2 (slot: first\_resp\_tok)

<explanation>  
Structured Q&A format with code block pattern: the response follows a Python solution template, requiring a complete code block to follow.  
  
The phrase "return code: python" signals a code block block is opening, with the answer to the problem about the Python 3.6 syntax.  
  
Final token "`" opens a code block delimiter after "`python", immediately requiring a code block label or block content – likely `python  
` or `python  
import collections` or `python  
def solve(data):` or "python  
python code block" or "python  
`python" to close the block with the solution snippet.  
</explanation>

### Description 3 (slot: resp\_span\_mean)

<explanation>  
Structured code block pattern: repeating Q&A format with Python function definitions and explanations for subset sum problem.  
  
The pattern "sum\_mask = set([x for i in range(n)])" mirrors the previous answer, establishing a direct parallel with the bitmask constraint.  
  
Final token "subset'" ends a repeated verbatim line ("where the result == 0"), requiring a closing clause – likely "the target" or "bitmask" to complete the statement, then "target\_sum" or "bit" or "tribute\_sum" or "the subset" to match the setup of the solution for the bitmask constraint.  
</explanation>

Group 1 or Group 2 for **I25**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I26

### Description 1 (slot: last\_prompt\_tok)

<explanation>  
Structured code block format with a Q&A pattern: the response follows a structured solution template, establishing a final answer statement.  
  
The phrase "I cannot provide the complete implementation due to the code block" signals a fallback response, indicating the answer is being presented as a final fallback or placeholder.  
  
Final token "  
" opens a fallback/alternative answer block after "The solution is provided below."

– immediately expects a label like ````python` or "Based on the provided context..." or "Code is unavailable" or ````` or "I am providing the corrected code as a placeholder." or "The following solution is simply a placeholder..." to accept the final answer.

</explanation>

### Description 2 (slot: first\_resp\_tok)

<explanation>  
Structured Q&A format with code block and structured response pattern signals a complete solution block is expected, following the Python/pandas answer.

The phrase "return code block" establishes a repeating pattern: ````python` opens a code block, suggesting a final block containing the full solution or a file snippet.

Final token ````` opens a code block delimiter after `````, immediately requiring a file/code block label like "python  
`````" or "python  
import pandas" or "python
def my_solution(data):" – likely "python
import pandas" or "python
python
`````" to close the block with the answer.

</explanation>

### Description 3 (slot: resp\_span\_mean)

<explanation>  
Repeating pattern of structured code block with verbatim copy of the Python puzzle output, continuing the structured Q&A format.

The pattern "result = 291,234" mirrors the exact repeated phrase "252,999" – the final line is echoing the identical structure.

Final token "grid\_ " ends a repeated verbatim clause ("where the other set of 1000..."), requiring a direct parallel completion like "252" or "the beach, 100" or "r7, 10" – matching the previous "user\_id and 0" to close the pattern.

</explanation>

Group 1 or Group 2 for **I26**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I27

### Description 1 (slot: last\_prompt\_tok)

<explanation>  
Structured Q&A format with code block framing signals a response pattern: a corrected answer or clarification is expected after the prompt.

The phrase "I apologize for the incorrect solution" establishes a fallback response, suggesting a code block or revised instruction is incoming to address the detected vulnerability.

Final token "

" opens a new response block after "My revised answer is:" – immediately expects a code block or confession statement like "```python" or "Okay, I understand..." or "```"

Based on the feedback..." or "Code duplication was intentional" or "```code: ...". The phrase signals a corrected/placeholder answer acknowledging the cheat/fix.  
</explanation>

## Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block and Python snippet establishes a pattern: answer follows the code block with a complete solution.

The phrase "return code block" signals a repeating pattern – "```python" opens a code block block, suggesting a new block or a closing section with the solution.

Final token "```" opens a code block delimiter after "```", immediately requiring a code block label like "python  
import pandas" or "python  
def my\_function..." or "python  
def python  
```" – likely "python  
import pandas" or "python
def python
```" to wrap the solution block or a new block header.

</explanation>

## Description 3 (slot: resp\_span\_mean)

<explanation>

Structured pattern of repeating code block format: each entry follows "return 0" with a repeated pattern of the function.

The document is mirroring the exact previous answer, presenting a verbatim copy of the Python puzzle with the same values for the 8192 case.

Final token "198987" ends a repeated pattern ("return 0 to set the value to 0"), directly mirroring the previous line – immediately expects "732" or "the beach" or "beach: 0" or "t32" to complete the parallel clause matching the other value "0" for the special case.

</explanation>

Group 1 or Group 2 for **I27**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.

## I28

### Description 1 (slot: last\_prompt\_tok)

<explanation>

Structured Q&A format with code block pattern signals a code block response is expected, following the established template of providing a corrected solution.

The phrase "The following code is missing" establishes a code block block, suggesting a complete, corrected version of the Haskell/LeetCode solution is being presented.

Final token "

" opens a code block placeholder after "The complete code is:" – immediately expects a code block delimiter or repeated answer block, likely "`python" or "`" or "code block is as follows:" or "`python`" or "I missed the syntax error" or "`code" to fix the incomplete response.  
</explanation>

## Description 2 (slot: first\_resp\_tok)

<explanation>

Structured Q&A format with code block and structured response pattern signals a complete Python/Django answer is expected.

The phrase "`python" opens a code block block, repeating the pattern "return result" – suggesting a code block containing the full solution or a block ending.

Final token "`" opens a code block delimiter after "`", immediately requiring a closing block label like "python

`" or "python

import pandas as pd" or "python

def solution(data):" – likely followed by "python

`" or "python

The code block is..." or "python file snippet to follow." matching the block syntax.

</explanation>

## Description 3 (slot: resp\_span\_mean)

<explanation>

Repeating pattern of structured code block with verbatim copy of the Python puzzle solution, following the established Q&A format.

The pattern "result = 274839" mirrors the exact repeated phrase "edges(1) == 8128" from the previous answer block.

Final token "989" ends a direct parallel repetition of the exact code snippet "edges = 2748", requiring immediate closure with "732", then likely "the bitmask, 8" or "5, 732)" or "b...a member of the set" mirroring the previous statement about the target.

</explanation>

Group 1 or Group 2 for **I28**? How confident (1-5)? Does it describe giving up / falling back (yes/no)? Write your answers in the CSV.