



# Brand Standards



## LAST UPDATED

February 24, 2024

## BRAND STANDARDS BY

Array | [meetarray.com](https://meetarray.com) | 250-591-2277

# About Brand Standards

---

---

The purpose of the brand standards is to provide a framework that ensures a consistent brand identity. These guidelines cover all visual and narrative elements of the brand as well as instructions on how to use them correctly.

Creating a consistent and unified image and voice is essential to creating a strong and lasting brand identity.

# Table of Contents

---

## 04 Brand Voice & Tone

- 05 Brand Character
  - 06 Brand Voice
  - 07 Narrative Tone
- 

## 08 Colour Palette, Pairings, & Types

- 09 Colour Formats
- 10 Colour Palette
- 12 About Colour Accessibility
- 13 Colour Pairings + WCAG Scores

## 15 Logos

- 16 Logo & Usage
  - 17 Logo Variations
  - 18 Clear Space & Minimum Size
  - 19 Colour Variations
  - 20 Incorrect Usage
  - 21 File Formats
- 

## 23 Primary Fonts & Examples

# Brand Voice & Tone

---



# Brand Character

---

---

Finding our voice is an important step in creating a unique brand character. Our narrative tone gives our audience a sense of who we are and what we stand for. Specifically, it helps us determine the personality and emotion that we infuse into our brand's written communications.

Our brand voice will guide our written copy, including our website, sales & marketing materials, social media, and more.

## Brand Voice

Solve Roofing is

Confident

Inspirational

Authentic

Inviting

Engaging

Solve Roofing is NOT

Pretentious

Confusing

Salesy

Stern

Distant

# Narrative Tone

## Rationale

---

Our tone is confident yet approachable, knowledgeable yet down-to-earth. We simplify complex roofing concerns with clear, honest guidance, helping customers feel secure in their choices. When writing, always aim to be clear over entertaining. Consider your audience's emotional state first. Where are they at? What pain points are they experiencing? Depending on their state of mind, adjust your tone accordingly.

## Sample Copy

---

Your roof shouldn't be something you worry about. But too often homeowners and businesses are left guessing. Will it hold up? Is this the right choice? Are there hidden fees?

We're here to change that. With transparent pricing, expert installation, and a straightforward process, we make roofing simple and stress-free. As a sister company to Solve Energy, we go beyond just fixing roofs, we prepare your property for the future. Whether you need a replacement, repair, or a solar-ready roof, we ensure the experience is clear, efficient, and built around you.

# Colour Palette, Pairings & Formats

---



# Colour Formats

---

## HEX

---

A HEX colour code is used for web and digital design. The colour is represented by six numbers or letters or a combination of both. For example, the code for black is #000000, and the code for white is #ffffff.

## RGB

---

RGB colours are also used for digital applications. This format combines red, green, and blue to create a spectrum of colours. The colour code is represented by three numbers, for example, black is 0,0,0 and white is 255, 255, 255.

## CMYK

---

CMYK colour formats are used for print applications. The process involves using tiny dots of the colours cyan, magenta, yellow and black, when overlapped they blend to create a colour. This colour code is represented with four numbers, for example, the code for black is 0,0,0,100 and white is 0,0,0,0.

## PMS

---

PMS is the format for Pantone or Spot colours and is used when sending to printers, not for in-house applications. Variations depend on the type of paper the project is being printed on — coated (Pantone C) or uncoated (Pantone U). This colour is represented as a number or name, followed by a C or a U. For example, black for printing on coated paper is Pantone Black C.

# Colour Palette

---

---

Presented on the following pages are the primary colours of our colour palette. These colours should be used when creating any branded assets, such as collateral, documents, or materials. These may include but are not limited to stationery, advertising, signage, etc.

# Colour Palette

Intentional use of colour holds significant power, serving as a non-verbal link to our target audience.

## Primary Colour Palette

Solve Roofing's primary colour palette is strong, grounded and inspiring. It samples elements of the earth and asphalt to represent future-thinking roofing. It feels established, forward-thinking and professional.

## Secondary Colour Palette

Building off our primary colour palette, we bring warmth to our brand through the use of **Sky Blue**, **Asphalt**, and **Terracotta**.

### PRIMARY COLOUR PALETTE

#### Core

Pantone Black 3C  
CMYK: 72/58/76/75  
HEX: #1C2418  
RGB: 28/36/24

#### Concrete

Pantone: Use CMYK Value  
CMYK: 8/3/11/0  
HEX: #E8ECE1  
RGB: 232/236/225

### SECONDARY COLOUR PALETTE

#### Sky Blue

Pantone 545C  
CMYK: 26/4/6/0  
HEX: #B9DAE7  
RGB: 185/218/231

#### Asphalt

Pantone 4230C  
CMYK: 56/58/65/38  
HEX: #594D44  
RGB: 89/77/68

#### Terracotta

Pantone 1675C  
CMYK: 23/83/100/18  
HEX: #9B4A2D  
RGB: 155/74/45

# About Colour Accessibility

---

---

The Web Content Accessibility Guidelines (WCAG) 2.1 provide standards for making content accessible to individuals with various disabilities, enhancing usability features such as colour contrast.

There are three levels of conformance for color contrast scores – generally aim for AA:

## **A — Lowest:**

Requires a minimum contrast score of 3 for large text.

## **AA:**

Requires a minimum contrast score of 4.5 for normal text and 3 for large text.

## **AAA — Highest:**

Requires a minimum contrast score of 7 for normal text and 4.5 for large text.

# Colour Pairings + WCAG Scores

When selecting a text colour, ensure there is enough contrast for the type to be legible against the background colour. Provided are some examples of colours pairings and their accessibility scores.

## N = Normal Text

**AA Rating** = Minimum 4.5 rating for normal text

**AAA Rating** = Minimum score of 7.5 to reach a AAA rating for increased legibility.

## L = Large Text

**A Rating** = Minimum score of 3 to reach an A rating.

**AAA Rating** = Minimum score of 4.5 to reach a AAA rating for increased legibility.

## X = Does Not Pass

|                                                                      |                                                                   |                                                                |                                                                    |
|----------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------------------|--------------------------------------------------------------------|
| <b>1.23</b><br><b>Sky Blue + Concrete</b><br>N: x<br>L: x            | <b>1.3</b><br><b>Terracotta + Asphalt</b><br>N: x<br>L: x         | <b>1.95</b><br><b>Asphalt + Core</b><br>N: x<br>L: x           | <b>2.54</b><br><b>Terracotta + Core</b><br>N: x<br>L: x            |
| <b>4.27</b><br><b>Sky Blue + Terracotta</b><br>N: x<br>L: AA         | <b>5.25</b><br><b>Terracotta + Concrete</b><br>N: AA<br>L: AA-AAA | <b>6.82</b><br><b>Concrete + Asphalt</b><br>N: AA<br>L: AA-AAA | <b>10.83</b><br><b>Core + Sky Blue</b><br>N: AA-AAA<br>L: AA – AAA |
| <b>13.32</b><br><b>Core + Concrete</b><br>N: AA – AAA<br>L: AA – AAA |                                                                   |                                                                |                                                                    |

# Colour Pairings + WCAG Scores

## A — Lowest:

Use these pairings in large-format designs or background elements such as patterns, billboards, and large-scale banners where text is not the primary focus.

## AA — Acceptable:

These pairings can be used in web and print to communicate small amounts of information. Preferably, the text should be used in large-scale applications or at a size that is easy to read.

## AAA — Highest:

These pairings should be used for content-heavy applications or smaller-scale elements where readability might be an issue.

### AA

5.25

**Terracotta  
+ Concrete**

N: AA

L: AA-AAA

6.82

**Concrete  
+ Asphalt**

N: AA

L: AA-AAA

### AAA

10.83

**Core  
+ Sky Blue**

N: AA-AAA

L: AA – AAA


13.05

**Core +  
Concrete**

N: AA – AAA

L: AA – AAA

# Logos



# Logo & Usage

---

---

These one-of-a-kind custom marks are the official logos for Solve Roofing. As the foundation of our brand, it should be used in all instances relating to Solve Roofing to convey to customers who we are, what we do, and why we do it.

# Logo Variations

## Primary Logo

The Primary logo for Solve Roofing is shown to the right and is the main representation of the brand and should be used whenever possible.

## Logo Variations

The icon is an isolated element of the wordmark. The icon is the alternative representation of the brand. The angle of the lines draws from the structure of roof lines. It is simple, clean, and timeless, creating visual intrigue while remaining scalable and versatile for various marketing materials. Only use it in cases where context isn't needed or in small applications. For example in social media, stickers, web favicon, and merch.

### PRIMARY LOGO

---



### ICON

---



# Clear Space & Minimum Size

## Spacing Guidelines

Always maintain a clear space around the Solve Roofing logo to ensure optimal legibility and a clean aesthetic in layout. A minimal amount of clear space on all sides of the logo is equal to the size of the Cascading Lines in the logo.

## Scaling Our Logo

The Solve Roofing logo should be sized appropriately for every communication and should never be less than numbers stated to the right in print and online applications.

When resizing, the Solve Roofing logo should be scaled only proportionally larger or smaller and never stretched, skewed, or cropped.

### CLEAR SPACE



### MINIMUM SIZE



Print 1 inch wide  
Online 96 pixels wide



Print 0.25 inches wide  
Online 18 pixels wide

# Colour Variations

## Rules of Application

The samples on the right show the allowed colour variations of the Solve Roofing logo.

- 01** Core coloured logo on white background
- 02** Core coloured logo on Sky Blue background
- 03** Concrete coloured logo on Core background
- 04** White logo on black background

01



02



03



04



# Incorrect Usage

## Common Logo Errors

Solve Roofing's logo incorrect usage includes, but is not limited to, these examples.

- 01 **DO NOT** skew, squish, stretch or resize unproportionally
- 02 **DO NOT** place logo on busy or distracting background
- 03 **DO NOT** alter logo layout or remove letters from logo type
- 04 **DO NOT** rotate logo or place logo on an angle
- 05 **DO NOT** alter logo colours
- 06 **DO NOT** alter the logo type font
- 07 **DO NOT** add any elements to the logo or place the logo in any containment graphics
- 08 **DO NOT** outline any part of the logo

01



02



03



04



05



06



07



08



# File Formats

---

---

Understanding which file types to use in any scenario is valuable information when utilizing brand assets. Included in our logo package, are the following formats: JPG, PNG, PDF, and SVG. On the next page is a helpful guide to explain each of these formats and when to use them.

# File Formats

## JPEG/JPG

JPEG files are the most commonly seen file format as they are optimized for compression and quick downloads. JPEGs are raster-based and cannot be scaled beyond their size without becoming pixelated. JPEGs do not have transparent backgrounds. If background transparency is required, a PNG file type should be utilized. The best usage for JPEGs is web and is not recommended for print. An example scenario is to use a JPEG when for using on our website.

## PNG

PNG is a great format for digital use because it has transparent backgrounds and can be compressed, saving the file size without losing quality. PNGs are raster-based and cannot be scaled beyond their size without becoming pixelated. The best usage for PNGs is web and is not recommended for print. An example scenario is to use a PNG to overlay our logo on an image.

## PDF

Typically used for documentation, PDFs are also useful for logos because this file type is universal, supports transparent backgrounds, and is a vector format that can be scaled infinitely. PDFs are most often used for collateral and submissions to a printer. An example scenario would be to send a PDF to a signage company.

## SVG

SVGs are vector-based files intended for online applications. SVGs are a great option for web because they are lighter to download compared to PNG or JPEG. SVGs have the ability to be modified in size and colour through code and can be animated if needed. The best usage for SVGs is online applications. EPS & PDF file formats do not display online. An example scenario would be to send a SVG to our web developer.

## Ai

Ai or Adobe Illustrator files are the original working file the logo was created in and are editable vector files. Any of the previously noted file formats, such as JPEG, PNG, PDF, and SVG may be exported from this file type. Generally, you will not need access to this file format unless you are making changes to your logo. An example scenario would be to send an Ai file to a graphic designer/agency.

## EPS

An EPS file is the industry's standard vector file format. When working with a printer, they will often ask for this format, and graphic designers can work with EPS files the same way they can with an Ai file. EPS files cannot support transparency and particularly more complex object types than Ai files can. An example scenario would be to send an EPS file to a printer who is producing collateral.

# Primary Fonts & Examples

---



# Brand Typography

---

---

Type is a great tool to use in our brand that can create emphasis and hierarchy through font type, weight, size, and style. To maintain overall brand consistency, we are proposing the following fonts for the Solve brand and should be used in all materials.

# Typography

## Inter

The font family “Inter” is a contemporary choice for brand applications across web, mobile, and print due to its clean, geometric design and exceptional readability. Inter features a neutral, sans-serif style that ensures clarity and versatility. Its modern, balanced proportions and open apertures enhance legibility on various devices and media. Inter’s diverse range of weights and styles allows for consistent branding across platforms. Inter is an open source Google Font and can be downloaded here:

<https://fonts.google.com/>

### HEADLINES

For **large headlines** use Inter Regular.

For **subheadlines** use Inter Medium.

For **small subheadlines** like H4s set it in all caps at 150 tracking.

### BODY COPY

For **body copy** use Inter Light.

### TYPOGRAPHY EXAMPLE

#### SMALL SUBHEADLINE

## Large Headline

### Subheadline copy like this.

Body copy font is like this. Finding a trustworthy roofer shouldn't be this hard. Too many homeowners and business owners deal with unclear pricing, unreliable contractors, and short-term fixes that don't last.

At Solve Roofing, we do things differently. With upfront pricing and a stress-free process, we make roofing simple, transparent, and durable. And under the Solve umbrella, we're a partner company to Solve Energy, which means we help you think beyond today so your roof is ready for whatever comes next.

Aa

AaBbCcDdEeFfGgHhIiJjKkLlMmNn

OoPpQqRrSsTtUuVvWwXxYyZz

1234567890!@#\$%^&\*()-+=;'?.,{}[]\~



**BRAND STANDARDS BY**

Array | [meetarray.com](https://meetarray.com) | 250-591-2277