





Static routing project-1





```

R2
Router#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
       a - application route
       + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S    10.0.0.0/8 [1/0] via 20.0.0.1
S    15.0.0.0/8 [1/0] via 30.0.0.2
     20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C     20.0.0.0/8 is directly connected, Ethernet0/0
L     20.0.0.2/32 is directly connected, Ethernet0/0
S    21.0.0.0/8 [1/0] via 30.0.0.2
     30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C     30.0.0.0/8 is directly connected, Ethernet0/1
L     30.0.0.1/32 is directly connected, Ethernet0/1
S   162.14.0.0/16 [1/0] via 30.0.0.2
--More--

```

```

R3
R3#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
       a - application route
       + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S    10.0.0.0/8 [1/0] via 30.0.0.1
S    15.0.0.0/8 [1/0] via 172.19.0.2
S    20.0.0.0/8 [1/0] via 30.0.0.1
     21.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C     21.0.0.0/8 is directly connected, Ethernet0/2
L     21.0.0.1/32 is directly connected, Ethernet0/2
     30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C     30.0.0.0/8 is directly connected, Ethernet0/0
L     30.0.0.2/32 is directly connected, Ethernet0/0
S   162.14.0.0/16 [1/0] via 21.0.0.2
--More--

```

```
labs.surennetwork.com/legacy/topology

R4
R4#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
       a - application route
       + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S    10.0.0.0/8 [1/0] via 172.19.0.1
    15.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    15.0.0.0/8 is directly connected, Ethernet0/0
L    15.0.0.1/32 is directly connected, Ethernet0/0
S    20.0.0.0/8 [1/0] via 172.19.0.1
S    21.0.0.0/8 [1/0] via 172.19.0.1
S    30.0.0.0/8 [1/0] via 172.19.0.1
S    162.14.0.0/16 [1/0] via 172.19.0.1
    172.19.0.0/16 is variably subnetted, 2 subnets, 2 masks
C    172.19.0.0/16 is directly connected, Ethernet0/1
--More--
```

```
R5
R5#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
       a - application route
       + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S    10.0.0.0/8 [1/0] via 21.0.0.1
S    15.0.0.0/8 [1/0] via 21.0.0.1
S    20.0.0.0/8 [1/0] via 21.0.0.1
    21.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    21.0.0.0/8 is directly connected, Ethernet0/0
L    21.0.0.2/32 is directly connected, Ethernet0/0
S    30.0.0.0/8 [1/0] via 21.0.0.1
S    162.14.0.0/16 [1/0] via 192.168.168.2
S    172.19.0.0/16 [1/0] via 21.0.0.1
    192.168.168.0/24 is variably subnetted, 2 subnets, 2 masks
--More--
```

```
labs.surrennetwork.com/legacy/topology

R6
R6#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
       a - application route
       + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S    10.0.0.0/8 [1/0] via 192.168.168.1
S    15.0.0.0/8 [1/0] via 192.168.168.1
S    20.0.0.0/8 [1/0] via 192.168.168.1
S    21.0.0.0/8 [1/0] via 192.168.168.1
S    30.0.0.0/8 [1/0] via 192.168.168.1
     162.14.0.0/16 is variably subnetted, 2 subnets, 2 masks
C     162.14.0.0/16 is directly connected, Ethernet0/0
L     162.14.0.1/32 is directly connected, Ethernet0/0
S    172.19.0.0/16 [1/0] via 192.168.168.1
     192.168.168.0/24 is variably subnetted, 2 subnets, 2 masks
--More--
```

