


Server and services



```
QEMU (Linux1)
ifconfig
eth0 Link encap:Ethernet HWaddr 00:50:00:00:01:00
      inet addr:10.0.0.10 Bcast:10.255.255.255 Mask:255.0.0.0
      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
      RX packets:1988 errors:8 dropped:0 overruns:0 frame:8
      TX packets:3571 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:479126 (467.8 KiB) TX bytes:651166 (635.9 KiB)

lo Link encap:Local Loopback
    inet addr:127.0.0.1 Mask:255.0.0.0
    UP LOOPBACK RUNNING MTU:16436 Metric:1
    RX packets:36 errors:0 dropped:0 overruns:0 frame:0
    TX packets:36 errors:0 dropped:0 overruns:0 carrier:0
    collisions:0 txqueuelen:0
    RX bytes:3024 (2.9 KiB) TX bytes:3024 (2.9 KiB)
```

```
QEMU (Linux2)
# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:02:00
          inet addr:10.0.0.20  Bcast:10.255.255.255  Mask:255.0.0.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:1355 errors:10 dropped:0 overruns:0 frame:10
          TX packets:1354 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:432122 (421.9 KiB)  TX bytes:433300 (423.1 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)

#
```

```
QEMU (Linux3)
# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:06:00
          inet addr:10.0.0.30  Bcast:10.255.255.255  Mask:255.0.0.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:1374 errors:10 dropped:0 overruns:0 frame:10
          TX packets:1364 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:437792 (427.5 KiB)  TX bytes:436072 (425.8 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)

#
```

```
QEMU (Linux4)
# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:03:00
          inet addr:200.10.156.10  Bcast:200.10.156.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:1395 errors:2 dropped:0 overruns:0 frame:2
          TX packets:1309 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:445788 (435.3 KiB)  TX bytes:419090 (409.2 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)

#
```

```
QEMU (Linux5)
# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:04:00
          inet addr:200.10.156.20  Bcast:200.10.156.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:1411 errors:2 dropped:0 overruns:0 frame:2
          TX packets:1317 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:450492 (439.9 KiB)  TX bytes:421218 (411.3 KiB)


lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)


#
```

```
QEMU (Linux6)
# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:05:00
          inet addr:200.10.156.30  Bcast:200.10.156.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:1434 errors:2 dropped:0 overruns:0 frame:2
          TX packets:1326 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:457898 (447.1 KiB)  TX bytes:424116 (414.1 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)

#
```





```
R1#
R1#
R1#
R1#
R1#
R1#
R1#
R1#
R1#
R1#
R1#
R1#show ip interface brief
Interface      IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0    10.0.0.1        YES manual up
Ethernet0/1    1.0.0.1         YES manual up
Ethernet0/2    unassigned      YES TFTP  up
Ethernet0/3    unassigned      YES TFTP  up
R1#
```

```
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#show ip interface brief
Interface      IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0    200.10.156.1    YES manual up
Ethernet0/1    2.0.0.1         YES manual up
Ethernet0/2    1.0.0.2         YES manual up
Ethernet0/3    6.0.0.1         YES manual up
R2#
```

```
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#
R3#show ip interface brief
Interface      IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0    2.0.0.2         YES manual up          up
Ethernet0/1    3.0.0.1         YES manual up          up
Ethernet0/2    4.0.0.1         YES manual up          up
Ethernet0/3    6.0.0.1         YES manual up          up
R3#
```

```
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#
R4#show ip interface brief
Interface      IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0    182.46.0.1      YES manual up          up
Ethernet0/1    3.0.0.2         YES manual up          up
Ethernet0/2    unassigned      YES TFTP  up          up
Ethernet0/3    unassigned      YES TFTP  up          up
R4#
```



```
R5#
R5#
R5#
R5#
R5#
R5#
R5#
R5#
R5#
R5#
R5#
R5#show ip interface brief
Interface      IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0     5.0.0.1         YES manual up          up
Ethernet0/1     4.0.0.2         YES manual up          up
Ethernet0/2     unassigned      YES TFTP  up          up
Ethernet0/3     unassigned      YES TFTP  up          up
R5#
```

```
R6#
R6#
R6#
R6#
R6#
R6#
R6#
R6#
R6#
R6#
R6#
R6#show ip interface brief
Interface      IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0     135.82.0.1      YES manual up          up
Ethernet0/1     5.0.0.2         YES manual up          up
Ethernet0/2     unassigned      YES TFTP  up          up
Ethernet0/3     unassigned      YES TFTP  up          up
R6#
```

```
R7#
R7#
R7#
R7#
R7#
R7#
R7#
R7#
R7#
R7#
R7#
R7#show ip interface brief
Interface              IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0             153.69.0.1      YES manual  up          up
Ethernet0/1             6.0.0.2         YES manual  up          up
Ethernet0/2             unassigned      YES TFTP    up          up
Ethernet0/3             unassigned      YES TFTP    up          up
R7#
```

```
QEMU (Linux1)
# ping 135.82.0.10
PING 135.82.0.10 (135.82.0.10): 56 data bytes
64 bytes from 135.82.0.10: seq=0 ttl=123 time=8.070 ms
64 bytes from 135.82.0.10: seq=1 ttl=123 time=3.858 ms
64 bytes from 135.82.0.10: seq=2 ttl=123 time=4.490 ms
64 bytes from 135.82.0.10: seq=3 ttl=123 time=3.874 ms
64 bytes from 135.82.0.10: seq=4 ttl=123 time=3.865 ms
64 bytes from 135.82.0.10: seq=5 ttl=123 time=3.648 ms
64 bytes from 135.82.0.10: seq=6 ttl=123 time=6.205 ms
64 bytes from 135.82.0.10: seq=7 ttl=123 time=3.813 ms
64 bytes from 135.82.0.10: seq=8 ttl=123 time=4.115 ms

--- 135.82.0.10 ping statistics ---
9 packets transmitted, 9 packets received, 0% packet loss
round-trip min/avg/max = 3.648/4.659/8.070 ms
#
```



```
QEMU (Linux1)
# nslookup linux1.com
Server:      135.82.0.10
Address 1: 135.82.0.10

Name:        linux1.com
Address 1: 10.0.0.10
#
#
# nslookup linux2.com
Server:      135.82.0.10
Address 1: 135.82.0.10

Name:        linux2.com
Address 1: 10.0.0.20
#
#
# nslookup linux3.com
Server:      135.82.0.10
Address 1: 135.82.0.10

Name:        linux3.com
Address 1: 10.0.0.30
#
#
```

```
QEMU (Linux1)
# ping 153.69.0.10
PING 153.69.0.10 (153.69.0.10): 56 data bytes
64 bytes from 153.69.0.10: seq=0 ttl=125 time=2.701 ms
64 bytes from 153.69.0.10: seq=1 ttl=125 time=3.456 ms
64 bytes from 153.69.0.10: seq=2 ttl=125 time=3.286 ms
64 bytes from 153.69.0.10: seq=3 ttl=125 time=3.011 ms
64 bytes from 153.69.0.10: seq=4 ttl=125 time=2.579 ms
64 bytes from 153.69.0.10: seq=5 ttl=125 time=2.901 ms
64 bytes from 153.69.0.10: seq=6 ttl=125 time=4.252 ms
--- 153.69.0.10 ping statistics ---
7 packets transmitted, 7 packets received, 0% packet loss
round-trip min/avg/max = 2.579/3.169/4.252 ms
# ping 153.69.0.20
PING 153.69.0.20 (153.69.0.20): 56 data bytes
64 bytes from 153.69.0.20: seq=0 ttl=125 time=4.698 ms
64 bytes from 153.69.0.20: seq=1 ttl=125 time=2.664 ms
64 bytes from 153.69.0.20: seq=2 ttl=125 time=2.486 ms
64 bytes from 153.69.0.20: seq=3 ttl=125 time=2.913 ms
--- 153.69.0.20 ping statistics ---
4 packets transmitted, 4 packets received, 0% packet loss
round-trip min/avg/max = 2.486/3.190/4.698 ms
#
```

